

# Moira Marizzoni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8976035/publications.pdf>

Version: 2024-02-01

37  
papers

1,692  
citations

394421

19  
h-index

377865

34  
g-index

37  
all docs

37  
docs citations

37  
times ranked

3659  
citing authors

#	ARTICLE	IF	CITATIONS
1	Resting State Alpha Electroencephalographic Rhythms Are Affected by Sex in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment: A Retrospective and Exploratory Study. <i>Cerebral Cortex</i> , 2022, 32, 2197-2215.	2.9	8
2	Alzheimer's Disease with Epileptiform EEG Activity: Abnormal Cortical Sources of Resting State Delta Rhythms in Patients with Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2022, , 1-29.	2.6	2
3	Exposure to chronic stress impairs the ability to cope with an acute challenge: Modulation by lurasidone treatment. <i>European Neuropsychopharmacology</i> , 2022, 61, 78-90.	0.7	4
4	Accuracy and reproducibility of automated white matter hyperintensities segmentation with lesion segmentation tool: A European multi-site 3T study. <i>Magnetic Resonance Imaging</i> , 2021, 76, 108-115.	1.8	24
5	Abnormalities of Cortical Sources of Resting State Alpha Electroencephalographic Rhythms are Related to Education Attainment in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>Cerebral Cortex</i> , 2021, 31, 2220-2237.	2.9	14
6	Convergent and Discriminant Validity of Default Mode Network and Limbic Network Perfusion in Amnesic Mild Cognitive Impairment Patients. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1797-1808.	2.6	4
7	Resting State Alpha Electroencephalographic Rhythms Are Differently Related to Aging in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1085-1114.	2.6	8
8	Social isolation in adolescence and long-term changes in the gut microbiota composition and in the hippocampal inflammation: Implications for psychiatric disorders " Dirk Hellhammer Award Paper 2021. <i>Psychoneuroendocrinology</i> , 2021, 133, 105416.	2.7	12
9	CSF cutoffs for MCI due to AD depend on APOE $\epsilon$ 4 carrier status. <i>Neurobiology of Aging</i> , 2020, 89, 55-62.	3.1	11
10	Abnormalities of Cortical Sources of Resting State Delta Electroencephalographic Rhythms Are Related to Epileptiform Activity in Patients With Amnesic Mild Cognitive Impairment Not Due to Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2020, 11, 514136.	2.4	8
11	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated volumetry across different MRI sites and vendors. <i>NeuroImage</i> , 2020, 218, 116932.	4.2	38
12	Predicting and Tracking Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease: Structural Brain Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 3-14.	2.6	18
13	miR-146a and miR-181a are involved in the progression of mild cognitive impairment to Alzheimer's disease. <i>Neurobiology of Aging</i> , 2019, 82, 102-109.	3.1	76
14	Abnormalities of functional cortical source connectivity of resting-state electroencephalographic alpha rhythms are similar in patients with mild cognitive impairment due to Alzheimer's and Lewy body diseases. <i>Neurobiology of Aging</i> , 2019, 77, 112-127.	3.1	33
15	Whole-brain microstructural white matter alterations in borderline personality disorder patients. <i>Personality and Mental Health</i> , 2019, 13, 96-106.	1.2	10
16	Biomarker Matrix to Track Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 49-58.	2.6	8
17	Plasma A $\beta$ 242 as a Biomarker of Prodromal Alzheimer's Disease Progression in Patients with Amnesic Mild Cognitive Impairment: Evidence from the PharmaCog/E-ADNI Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 37-48.	2.6	23
18	Two-Year Longitudinal Monitoring of Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease Using Topographical Biomarkers Derived from Functional Magnetic Resonance Imaging and Electroencephalographic Activity. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 15-35.	2.6	34

#	ARTICLE	IF	CITATIONS
19	European Prevention of Alzheimer's Dementia Registry: Recruitment and prescreening approach for a longitudinal cohort and prevention trials. <i>Alzheimer's and Dementia</i> , 2018, 14, 837-842.	0.8	20
20	Association between CSF biomarkers, hippocampal volume and cognitive function in patients with amnesic mild cognitive impairment (MCI). <i>Neurobiology of Aging</i> , 2017, 53, 1-10.	3.1	59
21	Microbiota and neurodegenerative diseases. <i>Current Opinion in Neurology</i> , 2017, 30, 630-638.	3.6	64
22	Free water elimination improves test-retest reproducibility of diffusion tensor imaging indices in the brain: A longitudinal multisite study of healthy elderly subjects. <i>Human Brain Mapping</i> , 2017, 38, 12-26.	3.6	72
23	[P4 <sup>157</sup> ]: CSF BIOMARKERS AND EFFECT OF APOLIPOPROTEIN E GENOTYPE, AGE AND SEX ON CUT-OFF DERIVATION IN MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1319.	0.8	4
24	Clinical and biomarker profiling of prodromal Alzheimer's disease in workpackage 5 of the Innovative Medicines Initiative PharmaCog project: a European ADNI study™. <i>Journal of Internal Medicine</i> , 2016, 279, 576-591.	6.0	64
25	Test-retest reliability of the default mode network in a multi-centric fMRI study of healthy elderly: Effects of data-driven physiological noise correction techniques. <i>Human Brain Mapping</i> , 2016, 37, 2114-2132.	3.6	38
26	Baseline CSF A $\beta$ , A $\beta$ /T-TAU and A $\beta$ /P-tau distributions to classify pharmacog MCI patients. <i>Neurobiology of Aging</i> , 2016, 39, S30.	3.1	0
27	Brain atrophy in Alzheimer's Disease and aging. <i>Ageing Research Reviews</i> , 2016, 30, 25-48.	10.9	507
28	Longitudinal reproducibility of default-mode network connectivity in healthy elderly participants: A multicentric resting-state fMRI study. <i>NeuroImage</i> , 2016, 124, 442-454.	4.2	85
29	Longitudinal reproducibility of automatically segmented hippocampal subfields: A multisite European 3T study on healthy elderly. <i>Human Brain Mapping</i> , 2015, 36, 3516-3527.	3.6	34
30	Striatum and entorhinal cortex atrophy in AD mouse models: MRI comprehensive analysis. <i>Neurobiology of Aging</i> , 2015, 36, 776-788.	3.1	25
31	Multisite longitudinal reliability of tract-based spatial statistics in diffusion tensor imaging of healthy elderly subjects. <i>NeuroImage</i> , 2014, 101, 390-403.	4.2	99
32	P3-101: CROSS-SECTIONAL BIOMARKER CHARACTERIZATION OF MILD COGNITIVE IMPAIRMENT PATIENTS IN WP5 PHARMACOG/E-ADNI STUDY. , 2014, 10, P665-P665.		1
33	A new paradigm for testing AD drugs – neuroimaging biomarkers as surrogate outcomes homologous in animals and humans. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2013, 10, e63-e71.	0.5	0
34	Brain morphometry reproducibility in multi-center 3T MRI studies: A comparison of cross-sectional and longitudinal segmentations. <i>NeuroImage</i> , 2013, 83, 472-484.	4.2	157
35	Rational design, synthesis and characterization of potent, non-peptidic Smac mimics/XIAP inhibitors as proapoptotic agents for cancer therapy. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 5834-5856.	3.0	36
36	Overexpression of claudin-3 and claudin-4 receptors in uterine serous papillary carcinoma. <i>Cancer</i> , 2007, 109, 1312-1322.	4.1	72

#	ARTICLE	IF	CITATIONS
37	Overexpression of kallikrein 10 (hK10) in uterine serous papillary carcinomas. American Journal of Obstetrics and Gynecology, 2006, 194, 1296-1302.	1.3	20