

Kristian Wahlbeck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8978432/publications.pdf>

Version: 2024-02-01

155
papers

11,735
citations

30070

54
h-index

29157

104
g-index

162
all docs

162
docs citations

162
times ranked

12286
citing authors

#	ARTICLE	IF	CITATIONS
1	Finding the right words: Articulating the value of mental health promotion. A focus group study. <i>Journal of Community Psychology</i> , 2022, 50, 2857-2874.	1.8	1
2	Life Conditions as Mediators of Welfare State Effect on Mental Wellbeing among Oldest Old in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4363.	2.6	1
3	“If we would change things outside we wouldn’t even need to go in” – supporting recovery via community-based actions: A focus group study on psychiatric rehospitalization. <i>Health Expectations</i> , 2021, 24, 174-184.	2.6	3
4	Is Mental Well-Being in the Oldest Old Different from That in Younger Age Groups? Exploring the Mental Well-Being of the Oldest-Old Population in Europe. <i>Journal of Happiness Studies</i> , 2021, 22, 1693-1717.	3.2	7
5	Using national electronic health care registries for comparing the risk of psychiatric re-hospitalisation in six European countries: Opportunities and limitations. <i>Health Policy</i> , 2019, 123, 1028-1035.	3.0	14
6	The Economic Case for the Prevention of Mental Illness. <i>Annual Review of Public Health</i> , 2019, 40, 373-389.	17.4	119
7	Identifying Local and Centralized Mental Health Services – The Development of a New Categorizing Variable. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1131.	2.6	14
8	A Comparison of Mental Health Care Systems in Northern and Southern Europe: A Service Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1133.	2.6	40
9	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017, 16, 30-40.	10.4	477
10	Psychiatric readmissions and their association with physical comorbidity: a systematic literature review. <i>BMC Psychiatry</i> , 2017, 17, 2.	2.6	141
11	Interventions to mitigate the effects of poverty and inequality on mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 505-514.	3.1	63
12	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.7	13
13	Antidepressant use and violent crimes among young people: a longitudinal examination of the Finnish 1987 birth cohort. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 12-18.	3.7	16
14	The Impact of the 2008 Economic Crisis on Substance Use Patterns in the Countries of the European Union. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 122.	2.6	74
15	Regional Correlates of Psychiatric Inpatient Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1204.	2.6	7
16	How size matters: exploring the association between quality of mental health services and catchment area size. <i>BMC Psychiatry</i> , 2016, 16, 289.	2.6	12
17	Psychiatric readmissions and their association with environmental and health system characteristics: a systematic review of the literature. <i>BMC Psychiatry</i> , 2016, 16, 376.	2.6	54
18	Statistical methods and modelling techniques for analysing hospital readmission of discharged psychiatric patients: a systematic literature review. <i>BMC Psychiatry</i> , 2016, 16, 413.	2.6	5

#	ARTICLE	IF	CITATIONS
19	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.3	113
20	Contribution of the Nordic School of Public Health to the public mental health research field: a selection of research initiatives, 2007–2014. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 66-72.	2.3	6
21	Mental health and alcohol use: a cross-sectional study of the Finnish general population. <i>European Journal of Public Health</i> , 2015, 25, 225-231.	0.3	54
22	Public mental health: the time is ripe for translation of evidence into practice. <i>World Psychiatry</i> , 2015, 14, 36-42.	10.4	136
23	Lithium is associated with decrease in all-cause and suicide mortality in high-risk bipolar patients: A nationwide registry-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2015, 183, 159-165.	4.1	58
24	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015, 2, 1036-1042.	7.4	158
25	Cross-national variations in reported discrimination among people treated for major depression worldwide: The ASPEN/INDIGO international study. <i>British Journal of Psychiatry</i> , 2015, 207, 507-514.	2.8	47
26	Developing a tool for mapping adult mental health care provision in Europe: the REMAST research protocol and its contribution to better integrated care. <i>International Journal of Integrated Care</i> , 2015, 15, e042.	0.2	33
27	Public mental health and suicide. , 2015, , 1013-1027.		1
28	Prenatal and Childhood Growth, and Hospitalization for Alcohol Use Disorders in Adulthood: The Helsinki Birth Cohort Study. <i>PLoS ONE</i> , 2014, 9, e87404.	2.5	3
29	Size Matters – Determinants of Modern, Community-Oriented Mental Health Services. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 8456-8474.	2.6	17
30	Does Primary Care Mental Health Resourcing Affect the Use and Costs of Secondary Psychiatric Services?. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 8743-8754.	2.6	12
31	Towards Horizon 2020: challenges and advances for clinical mental health research – outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1057.	2.2	20
32	Public mental health research in Europe: a systematic mapping for the ROAMER project. <i>European Journal of Public Health</i> , 2014, 24, 955-960.	0.3	25
33	Twenty-eight years after the complete ban on the physical punishment of children in Finland: Trends and psychosocial concomitants. <i>Aggressive Behavior</i> , 2014, 40, 568-581.	2.4	35
34	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	2.1	109
35	Nature and impact of European anti-stigma depression programmes. <i>Health Promotion International</i> , 2014, 29, 403-413.	1.8	16
36	Structural and Cognitive Aspects of Social Capital and All-Cause Mortality: A Meta-Analysis of Cohort Studies. <i>Social Indicators Research</i> , 2014, 116, 545-566.	2.7	85

#	ARTICLE	IF	CITATIONS
37	Associations between problem gambling, socio-demographics, mental health factors and gambling type: sex differences among Finnish gamblers. <i>International Gambling Studies</i> , 2014, 14, 39-52.	2.1	16
38	Social capital and reported discrimination among people with depression in 15 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1589-1598.	3.1	15
39	Maternal Grand Multiparity and the Risk of Severe Mental Disorders in Adult Offspring. <i>PLoS ONE</i> , 2014, 9, e114679.	2.5	21
40	Global pattern of experienced and anticipated discrimination reported by people with major depressive disorder: a cross-sectional survey. <i>Lancet, The</i> , 2013, 381, 55-62.	13.7	331
41	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982â€“2006. <i>BMC Public Health</i> , 2013, 13, 834.	2.9	40
42	Experiences with treating immigrants: a qualitative study in mental health services across 16 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 105-116.	3.1	91
43	Cardiovascular mortality in bipolar disorder: a population-based cohort study in Sweden. <i>BMJ Open</i> , 2013, 3, e002373.	1.9	154
44	Socioeconomic and regional aspects in the use of specialized psychiatric careâ€”a Finnish nationwide follow-up study. <i>European Journal of Public Health</i> , 2013, 23, 372-377.	0.3	29
45	Suicide mortality trends in the Nordic countries 1980â€“2009. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 414-423.	1.3	58
46	Excess Mortality, Causes of Death and Life Expectancy in 270,770 Patients with Recent Onset of Mental Disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013, 8, e55176.	2.5	486
47	Life Expectancy and Death by Diseases of the Circulatory System in Patients with Bipolar Disorder or Schizophrenia in the Nordic Countries. <i>PLoS ONE</i> , 2013, 8, e67133.	2.5	250
48	Substance-Induced Psychoses Converting Into Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e94-e99.	2.2	163
49	Actions to alleviate the mental health impact of the economic crisis. <i>World Psychiatry</i> , 2012, 11, 139-145.	10.4	167
50	Temporary Separation from Parents in Early Childhood and Serious Personality Disorders in Adult Life. <i>Journal of Personality Disorders</i> , 2012, 26, 751-762.	1.4	17
51	How does a history of psychiatric hospital care influence access to coronary care: a cohort study. <i>BMJ Open</i> , 2012, 2, e000831.	1.9	13
52	Successful deinstitutionalization of mental health care: increased life expectancy among people with mental disorders in Finland. <i>European Journal of Public Health</i> , 2012, 22, 604-606.	0.3	21
53	Structural and cognitive social capital and depression among older adults in two Nordic regions. <i>Aging and Mental Health</i> , 2012, 16, 771-779.	2.8	98
54	Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: The Helsinki Birth Cohort Study. <i>Journal of Psychiatric Research</i> , 2012, 46, 303-310.	3.1	64

#	ARTICLE	IF	CITATIONS
55	O27. Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: The Helsinki Birth Cohort study. <i>Pregnancy Hypertension</i> , 2011, 1, 271.	1.4	1
56	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. <i>British Journal of Psychiatry</i> , 2011, 199, 453-458.	2.8	448
57	European mental health policy should target everybody. <i>European Journal of Public Health</i> , 2011, 21, 551-553.	0.3	9
58	Risk of severe mental disorders in adults separated temporarily from their parents in childhood: The Helsinki birth cohort study. <i>Journal of Psychiatric Research</i> , 2011, 45, 332-338.	3.1	66
59	Glucocorticoid receptor gene haplotype predicts increased risk of hospital admission for depressive disorders in the Helsinki birth cohort study. <i>Journal of Psychiatric Research</i> , 2011, 45, 1160-1164.	3.1	16
60	Incidence of hospitalised schizophrenia in Finland since 1980: decreasing and increasing again. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 343-350.	3.1	19
61	Personal stigma and use of mental health services among people with depression in a general population in Finland. <i>BMC Psychiatry</i> , 2011, 11, 52.	2.6	88
62	Good practice in health care for migrants: views and experiences of care professionals in 16 European countries. <i>BMC Public Health</i> , 2011, 11, 187.	2.9	217
63	Reported Stigma and Discrimination by People with a Diagnosis of Schizophrenia – CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 379-379.	3.9	0
64	Psychosocial interventions for the promotion of mental health and the prevention of depression among older adults. <i>Health Promotion International</i> , 2011, 26, i85-i107.	1.8	146
65	Reported stigma and discrimination by people with a diagnosis of schizophrenia. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 193-204.	3.9	71
66	European comparisons between mental health services. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 15-18.	3.9	15
67	Psychosocial Interventions for the Prevention of Depression in Older Adults: Systematic Review and Meta-Analysis. <i>Journal of Aging and Health</i> , 2011, 23, 387-416.	1.7	103
68	Supporting decision-making processes for evidence-based mental health promotion. <i>Health Promotion International</i> , 2011, 26, i140-i146.	1.8	14
69	Cognitive components of social capital and mental health status among older adults: A population-based cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 757-765.	2.3	42
70	Reducing the Silent Burden of Impaired Mental Health. <i>Journal of Health Communication</i> , 2011, 16, 59-74.	2.4	32
71	Predictors of stigmatizing attitudes towards people with mental disorders in a general population in Finland. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 125-132.	1.3	49
72	Growth in Infancy and Childhood and Hospitalization for Personality Disorders in Adulthood: The Helsinki Birth Cohort Study. <i>Journal of Personality Disorders</i> , 2011, 25, 620-633.	1.4	8

#	ARTICLE	IF	CITATIONS
73	Attitudes towards people with mental disorders: the psychometric characteristics of a Finnish questionnaire. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 265-273.	3.1	24
74	Use of psychotropic drugs before pregnancy and the risk for induced abortion: population-based register-data from Finland 1996-2006. <i>BMC Public Health</i> , 2010, 10, 383.	2.9	16
75	Incidence of cancer and statin usage—Record linkage study. <i>International Journal of Cancer</i> , 2010, 126, 279-284.	5.1	140
76	Incidence of cancer and antidepressant medication: Record linkage study. <i>International Journal of Cancer</i> , 2010, 126, 285-296.	5.1	48
77	Cost-utility of treatment of bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2010, 43, 596-602.	4.0	22
78	Increase in the duration of antidepressant treatment from 1994 to 2003: a nationwide population-based study from Finland. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 1186-1193.	1.9	18
79	Beta-Blocker Supplementation of Standard Drug Treatment for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 1079-1080.	4.3	15
80	Prenatal origins of hospitalization for personality disorders: The Helsinki Birth Cohort Study. <i>Psychiatry Research</i> , 2010, 179, 226-230.	3.3	20
81	Five-year mortality of Finnish schizophrenia patients in the era of deinstitutionalization. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 135-142.	3.1	29
82	The efficacy of lamotrigine in clozapine-resistant schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2009, 109, 10-14.	2.0	175
83	Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. <i>Lancet, The</i> , 2009, 373, 147-153.	13.7	148
84	11-year follow-up of mortality in patients with schizophrenia: a population-based cohort study (FIN11). <i>Tj ETQq0 0 QrgBT /Overlock 10 T</i>	13.7	1,179
85	Neuroleptic-induced movement disorders in a naturalistic schizophrenia population: diagnostic value of actometric movement patterns. <i>BMC Neurology</i> , 2008, 8, 10.	1.8	11
86	Reductions in Postdischarge Suicide After Deinstitutionalization and Decentralization: A Nationwide Register Study in Finland. <i>Psychiatric Services</i> , 2007, 58, 221-226.	2.0	59
87	Organisational downsizing and increased use of psychotropic drugs among employees who remain in employment. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 154-158.	3.7	83
88	Real-world effectiveness of pharmacological treatments in schizophrenia. <i>European Psychiatry</i> , 2007, 22, S55-S56.	0.2	0
89	Quality of life and metabolic status in mildly depressed patients with type 2 diabetes treated with paroxetine: A double-blind randomised placebo controlled 6-month trial. <i>BMC Family Practice</i> , 2007, 8, 34.	2.9	61
90	Methadone vs. buprenorphine/naloxone during early opioid substitution treatment: a naturalistic comparison of cognitive performance relative to healthy controls. <i>BMC Clinical Pharmacology</i> , 2007, 7, 5.	2.5	92

#	ARTICLE	IF	CITATIONS
91	Reductions in Postdischarge Suicide After Deinstitutionalization and Decentralization: A Nationwide Register Study in Finland. <i>Psychiatric Services</i> , 2007, 58, 221-226.	2.0	19
92	P.2.c.016 Antidepressant use and the risk of suicide, attempted suicide and overall mortality in a nation-wide cohort. <i>European Neuropsychopharmacology</i> , 2006, 16, S321.	0.7	0
93	Effectiveness of antipsychotic treatments in a nationwide cohort of patients in community care after first hospitalisation due to schizophrenia and schizoaffective disorder: observational follow-up study. <i>BMJ: British Medical Journal</i> , 2006, 333, 224.	2.3	317
94	Call for a European Guidelines Institute. <i>British Journal of Psychiatry</i> , 2006, 188, 193-193.	2.8	7
95	Glutamatergic drugs for schizophrenia. <i>The Cochrane Library</i> , 2006, , CD003730.	2.8	51
96	Europe's mental health strategy. <i>BMJ: British Medical Journal</i> , 2006, 333, 210.	2.3	7
97	Antidepressants and the Risk of Suicide, Attempted Suicide, and Overall Mortality in a Nationwide Cohort. <i>Archives of General Psychiatry</i> , 2006, 63, 1358-67.	12.3	228
98	The mortality of young offenders sentenced to prison and its association with psychiatric disorders: a register study. <i>European Journal of Public Health</i> , 2006, 16, 193-197.	0.3	41
99	Restraint and seclusion in psychiatric inpatient wards. <i>Current Opinion in Psychiatry</i> , 2005, 18, 555-559.	6.3	86
100	Actometry in measuring the symptom severity of restless legs syndrome. <i>European Journal of Neurology</i> , 2005, 12, 385-387.	3.3	14
101	Validity of Simpson-Angus Scale (SAS) in a naturalistic schizophrenia population. <i>BMC Neurology</i> , 2005, 5, 5.	1.8	88
102	The characteristics of suicides within a week of discharge after psychiatric hospitalisation – a nationwide register study. <i>BMC Psychiatry</i> , 2005, 5, 32.	2.6	44
103	Chlorpromazine for schizophrenia: a Cochrane systematic review of 50 years of randomised controlled trials. <i>BMC Medicine</i> , 2005, 3, 15.	5.5	42
104	Comparison of Large Versus Smaller Randomized Trials for Mental Health-Related Interventions. <i>American Journal of Psychiatry</i> , 2005, 162, 578-584.	7.2	32
105	Mental disorders in prison populations aged 15-21: national register study of two cohorts in Finland. <i>BMJ: British Medical Journal</i> , 2005, 330, 1364-1365.	2.3	11
106	Actometry and Barnes Akathisia Rating Scale in neuroleptic-induced akathisia. <i>European Neuropsychopharmacology</i> , 2005, 15, 39-41.	0.7	21
107	European psychiatric treatment guidelines: is the glass half full or half empty?. <i>European Psychiatry</i> , 2005, 20, 554-558.	0.2	14
108	Glutamatergic drugs for schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2005, 72, 225-234.	2.0	189

#	ARTICLE	IF	CITATIONS
109	Topiramate Add-On in Treatment-Resistant Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 1012-1015.	2.2	86
110	Safety Reporting in Randomized Trials of Mental Health Interventions. <i>American Journal of Psychiatry</i> , 2004, 161, 1692-1697.	7.2	74
111	Systematic review of cholinergic drugs for neuroleptic-induced tardive dyskinesia: a meta-analysis of randomized controlled trials. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1099-1107.	4.8	43
112	Lower limb motor restlessness in Asperger's disorder, measured using actometry. <i>Psychiatry Research</i> , 2004, 128, 63-70.	3.3	10
113	Effect sizes in cumulative meta-analyses of mental health randomized trials evolved over time. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 1124-1130.	5.0	166
114	Prevalence of Neuroleptic-Induced Movement Disorders in Chronic Schizophrenia Inpatients. <i>American Journal of Psychiatry</i> , 2004, 161, 160-163.	7.2	133
115	Quantitative rest activity in ambulatory monitoring as a physiological marker of restless legs syndrome: A controlled study. <i>Movement Disorders</i> , 2003, 18, 442-448.	3.9	25
116	Quality of life and metabolic status in mildly depressed women with type 2 diabetes treated with paroxetine: A single-blind randomised placebo controlled trial. <i>BMC Family Practice</i> , 2003, 4, 7.	2.9	93
117	A practice guideline for treatment of eating disorders in children and adolescents. <i>Annals of Medicine</i> , 2003, 35, 488-501.	3.8	39
118	New generation antipsychotics versus low-potency conventional antipsychotics: a systematic review and meta-analysis. <i>Lancet, The</i> , 2003, 361, 1581-1589.	13.7	667
119	New generation versus conventional antipsychotics. <i>Lancet, The</i> , 2003, 362, 404-405.	13.7	5
120	Lamotrigine in treatment-resistant schizophrenia: a randomized placebo-controlled crossover trial. <i>Biological Psychiatry</i> , 2003, 54, 1241-1248.	1.3	173
121	No association between micrometer-sized particles in human cerebrospinal fluid and schizophrenia. <i>Neuroscience Letters</i> , 2003, 349, 68-70.	2.1	7
122	Antisocial Violent Offenders With Attention Deficit Hyperactivity Disorder Demonstrate Akathisia-Like Hyperactivity in Three-Channel Actometry. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003, 15, 194-199.	1.8	12
123	Decrease of Energy Expenditure Causes Weight Increase in Olanzapine Treatment - A Case Study. <i>Pharmacopsychiatry</i> , 2002, 35, 124-126.	3.3	42
124	Newer atypical antipsychotic medication in comparison to clozapine: a systematic review of randomized trials. <i>Schizophrenia Research</i> , 2002, 56, 1-10.	2.0	93
125	Neopterin and Macrophage Inflammatory Protein-1 α in the Cerebrospinal Fluid of Schizophrenic Patients: No Evidence of Intrathecal Inflammation. <i>Neuropsychobiology</i> , 2002, 46, 169-172.	1.9	16
126	Differential response to right unilateral ECT in depressed patients: impact of comorbidity and severity of illness [ISRCTN39974945]. <i>BMC Psychiatry</i> , 2002, 2, 2.	2.6	9

#	ARTICLE	IF	CITATIONS
127	Randomized controlled trials in schizophrenia: a critical perspective on the literature. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 243-251.	4.5	48
128	Reply to "Efficacy of 17beta-Estradiol on Depression: Is Estrogen Deficiency Really Necessary?". <i>Journal of Clinical Psychiatry</i> , 2002, 63, 451-452.	2.2	0
129	Dropout rates in randomised antipsychotic drug trials. <i>Psychopharmacology</i> , 2001, 155, 230-233.	3.1	156
130	Association of Schizophrenia With Low Maternal Body Mass Index, Small Size at Birth, and Thinness During Childhood. <i>Archives of General Psychiatry</i> , 2001, 58, 48.	12.3	223
131	Associations between childhood living circumstances and schizophrenia: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 356-360.	4.5	21
132	Estrogen Deficiency in Severe Postpartum Depression. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 332-336.	2.2	214
133	Newer atypical antipsychotic medication versus clozapine for schizophrenia. <i>The Cochrane Library</i> , 2000, , CD000966.	2.8	46
134	Influence of Methodology on Outcomes of Randomised Clozapine Trials. <i>Pharmacopsychiatry</i> , 2000, 33, 54-59.	3.3	13
135	Current antipsychotic dose correlates to mononuclear cell counts in the cerebrospinal fluid of psychotic patients. <i>Psychiatry Research</i> , 2000, 93, 13-19.	3.3	13
136	Risperidone versus clozapine in treatment-resistant schizophrenia: A randomized pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000, 24, 911-922.	4.8	61
137	Much to improve: A survey of controlled Nordic schizophrenia trials. <i>Nordic Journal of Psychiatry</i> , 2000, 54, 105-108.	1.3	1
138	Risperidone versus clozapine in treatment-resistant schizophrenia: A randomized pilot trial. <i>Schizophrenia Research</i> , 2000, 41, 197.	2.0	2
139	Are UK consultants interested in pragmatic trials for those with schizophrenia?. <i>Schizophrenia Research</i> , 2000, 41, 233.	2.0	2
140	Cerebrospinal fluid angiotensin-converting enzyme (ACE) correlates with length of illness in schizophrenia. <i>Schizophrenia Research</i> , 2000, 41, 335-340.	2.0	20
141	Efficacy of β -blocker supplementation for schizophrenia: a systematic review of randomized trials. <i>Schizophrenia Research</i> , 2000, 41, 341-347.	2.0	15
142	Pharmacological treatment of schizophrenia resistant to first-line treatment: a critical systematic review and meta-analysis. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999, 3, 159-169.	2.4	9
143	The impact of pregnancy and puerperium on panic disorder: A review. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1999, 20, 59-64.	2.1	45
144	The Cochrane Schizophrenia Group. <i>Revista Brasileira De Psiquiatria</i> , 1999, 21, 106-108.	1.7	0

#	ARTICLE	IF	CITATIONS
145	Evidence of Clozapine's Effectiveness in Schizophrenia: A Systematic Review and Meta-Analysis of Randomized Trials. <i>American Journal of Psychiatry</i> , 1999, 156, 990-999.	7.2	275
146	A longitudinal study of cerebrospinal fluid angiotensin-converting enzyme in neuroleptic-treated schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1997, 21, 591-599.	4.8	8
147	Neuropeptide FF-Like Immunoreactivity in Human Cerebrospinal Fluid of Chronic Pain Patients and Healthy Controls. <i>Peptides</i> , 1997, 18, 923-927.	2.4	15
148	Elevated plasma vasopressin and normal cerebrospinal fluid angiotensin-converting enzyme in chronic pain disorder. <i>Biological Psychiatry</i> , 1996, 40, 994-999.	1.3	11
149	The effect of clozapine on the course of illness in chronic schizophrenia. <i>International Clinical Psychopharmacology</i> , 1996, 11, 265-272.	1.7	29
150	Plasma and Cerebrospinal Fluid Interleukin-1 β and Interleukin-6 in Hospitalized Schizophrenic Patients. <i>Neuropsychobiology</i> , 1994, 30, 20-23.	1.9	39
151	Elevated angiotensin-converting enzyme (kininase II) in the cerebrospinal fluid of neuroleptic-treated schizophrenic patients. <i>Schizophrenia Research</i> , 1993, 9, 77-82.	2.0	41
152	Interferon- γ as Adjuvant Treatment in Chronic Schizophrenia. <i>Neuropsychobiology</i> , 1993, 28, 192-196.	1.9	7
153	Elevated angiotensin-converting enzyme (kininase II) in the cerebrospinal fluid of schizophrenic patients. <i>Schizophrenia Research</i> , 1992, 6, 139.	2.0	0
154	Psychosocial interventions for prevention of depression in older people. <i>The Cochrane Library</i> , 0, , .	2.8	4
155	Temporary Separation from Parents in Early Childhood and Serious Personality Disorders in Adult Life. <i>Journal of Personality Disorders</i> , 0, , 1-12.	1.4	0