

Peter Ulvskov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8989214/publications.pdf>

Version: 2024-02-01

92
papers

10,836
citations

81900

39
h-index

46799

89
g-index

119
all docs

119
docs citations

119
times ranked

13122
citing authors

#	ARTICLE	IF	CITATIONS
1	Amylose/cellulose nanofiber composites for all-natural, fully biodegradable and flexible bioplastics. <i>Carbohydrate Polymers</i> , 2021, 253, 117277.	10.2	43
2	Plant Protein O-Arabinosylation. <i>Frontiers in Plant Science</i> , 2021, 12, 645219.	3.6	23
3	Ancient origin of fucosylated xyloglucan in charophycean green algae. <i>Communications Biology</i> , 2021, 4, 754.	4.4	24
4	Analytical implications of different methods for preparing plant cell wall material. <i>Carbohydrate Polymers</i> , 2021, 261, 117866.	10.2	9
5	Sustainable production of cellulose nanofiber gels and paper from sugar beet waste using enzymatic pre-treatment. <i>Carbohydrate Polymers</i> , 2020, 230, 115581.	10.2	31
6	Array-based microfibril surface assessment (AMSA): a method for probing surface-exposed polysaccharides on cellulose nanofibres. <i>Cellulose</i> , 2020, 27, 8635-8651.	4.9	3
7	Selective Enzymatic Release and Gel Formation by Cross-Linking of Feruloylated Glucurono-Arabinoxylan from Corn Bran. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8164-8174.	6.7	17
8	Golgi-localized exo- β 1,3-galactosidases involved in cell expansion and root growth in Arabidopsis. <i>Journal of Biological Chemistry</i> , 2020, 295, 10581-10592.	3.4	19
9	Cellulose Nanofibrils as Assay Substrates for Cellulases and Lytic Polysaccharide Monooxygenases. <i>ACS Applied Nano Materials</i> , 2020, 3, 6729-6736.	5.0	2
10	Phenolic cross-links: building and de-constructing the plant cell wall. <i>Natural Product Reports</i> , 2020, 37, 919-961.	10.3	111
11	Metabolism of polysaccharides in dynamic middle lamellae during cotton fibre development. <i>Planta</i> , 2019, 249, 1565-1581.	3.2	11
12	Extensin arabinoside chain length is modulated in elongating cotton fibre. <i>Cell Surface</i> , 2019, 5, 100033.	3.0	9
13	Nanofibers Produced from Agro-Industrial Plant Waste Using Entirely Enzymatic Pretreatments. <i>Biomacromolecules</i> , 2019, 20, 443-453.	5.4	29
14	Identification of an algal xylan synthase indicates that there is functional orthology between algal and plant cell wall biosynthesis. <i>New Phytologist</i> , 2018, 218, 1049-1060.	7.3	67
15	A New Polysaccharide with a Long Evolutionary History. <i>Plant Cell</i> , 2018, 30, 1165-1166.	6.6	4
16	Cell walls have a new family. <i>Nature Plants</i> , 2018, 4, 635-636.	9.3	1
17	The Chara Genome: Secondary Complexity and Implications for Plant Terrestrialization. <i>Cell</i> , 2018, 174, 448-464.e24.	28.9	420
18	Pea Border Cell Maturation and Release Involve Complex Cell Wall Structural Dynamics. <i>Plant Physiology</i> , 2017, 174, 1051-1066.	4.8	38

#	ARTICLE	IF	CITATIONS
19	Chemical Synthesis of Lâ€Fucose Derivatives for Acceptor Specificity Characterisation of Plant Cell Wall Glycosyltransferases. <i>ChemistrySelect</i> , 2017, 2, 997-1007.	1.5	0
20	Identification and evolution of a plant cell wall specific glycoprotein glycosyl transferase, ExAD. <i>Scientific Reports</i> , 2017, 7, 45341.	3.3	29
21	Degradation of lignin Î²-aryl ether units in <i>Arabidopsis thaliana</i> expressing <i>LigD</i> , <i>LigF</i> and <i>LigG</i> from <i>Sphingomonas paucimobilis</i> SYK6. <i>Plant Biotechnology Journal</i> , 2017, 15, 581-593.	8.3	29
22	Rhamnogalacturonan-I Based Microcapsules for Targeted Drug Release. <i>PLoS ONE</i> , 2016, 11, e0168050.	2.5	13
23	Why Plants Were Terrestrial from the Beginning. <i>Trends in Plant Science</i> , 2016, 21, 96-101.	8.8	120
24	<i>Penium margaritaceum</i> as a Model Organism for Cell Wall Analysis of Expanding Plant Cells. <i>Methods in Molecular Biology</i> , 2015, 1242, 1-21.	0.9	7
25	The structural effect of surface coated rhamnogalacturonan I on response of the osteoblast-like cell line SaOS-2. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 1961-1971.	4.0	8
26	Pectic arabinan side chains are essential for pollen cell wall integrity during pollen development. <i>Plant Biotechnology Journal</i> , 2014, 12, 492-502.	8.3	39
27	Evidence for land plant cell wall biosynthetic mechanisms in charophyte green algae. <i>Annals of Botany</i> , 2014, 114, 1217-1236.	2.9	80
28	The <i>Amborella</i> Genome and the Evolution of Flowering Plants. <i>Science</i> , 2013, 342, 1241089.	12.6	743
29	A Î²-glucuronosyltransferase from <i>Arabidopsis thaliana</i> involved in biosynthesis of type-II arabinogalactan has a role in cell elongation during seedling growth. <i>Plant Journal</i> , 2013, 76, 1016-1029.	5.7	84
30	Classification, Naming and Evolutionary History of Glycosyltransferases from Sequenced Green and Red Algal Genomes. <i>PLoS ONE</i> , 2013, 8, e76511.	2.5	30
31	The Cell Walls of Green Algae: A Journey through Evolution and Diversity. <i>Frontiers in Plant Science</i> , 2012, 3, 82.	3.6	319
32	Cell wall evolution and diversity. <i>Frontiers in Plant Science</i> , 2012, 3, 152.	3.6	99
33	Toward Stable Genetic Engineering of Human O-Glycosylation in Plants. <i>Plant Physiology</i> , 2012, 160, 450-463.	4.8	31
34	XAX1 from glycosyltransferase family 61 mediates xylosyltransfer to rice xylan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17117-17122.	7.1	198
35	Engineering Mammalian Mucin-type O-Glycosylation in Plants*. <i>Journal of Biological Chemistry</i> , 2012, 287, 11911-11923.	3.4	52
36	The Glycosyltransferase Repertoire of the Spikemoss <i>Selaginella moellendorffii</i> and a Comparative Study of Its Cell Wall. <i>PLoS ONE</i> , 2012, 7, e35846.	2.5	68

#	ARTICLE	IF	CITATIONS
37	Expression of mung bean pectin acetyl esterase in potato tubers: effect on acetylation of cell wall polymers and tuber mechanical properties. <i>Planta</i> , 2012, 236, 185-196.	3.2	45
38	Large-scale extraction of rhamnogalacturonan I from industrial potato waste. <i>Food Chemistry</i> , 2012, 131, 1207-1216.	8.2	44
39	Affecting osteoblastic responses with <i>in vivo</i> engineered potato pectin fragments. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 111-119.	4.0	16
40	Effect of nanocoating with rhamnogalacturonan on surface properties and osteoblasts response. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 654-664.	4.0	19
41	Mechanical Properties of Plant Cell Walls Probed by Relaxation Spectra. <i>Plant Physiology</i> , 2011, 155, 246-258.	4.8	38
42	Residue Specific Hydration of Primary Cell Wall Potato Pectin Identified by Solid-State ¹³ C Single-Pulse MAS and CP/MAS NMR Spectroscopy. <i>Biomacromolecules</i> , 2011, 12, 1844-1850.	5.4	59
43	The Selaginella Genome Identifies Genetic Changes Associated with the Evolution of Vascular Plants. <i>Science</i> , 2011, 332, 960-963.	12.6	794
44	O-Glycosylated Cell Wall Proteins Are Essential in Root Hair Growth. <i>Science</i> , 2011, 332, 1401-1403.	12.6	287
45	Characterisation of the arabinose-rich carbohydrate composition of immature and mature maramba beans (<i>Tylosema esculentum</i>). <i>Phytochemistry</i> , 2011, 72, 1466-1472.	2.9	20
46	Hemicelluloses. <i>Annual Review of Plant Biology</i> , 2010, 61, 263-289.	18.7	2,218
47	Genome sequencing and analysis of the model grass <i>Brachypodium distachyon</i> . <i>Nature</i> , 2010, 463, 763-768.	27.8	1,685
48	Autohydrolysis of plant xylans by apoplastic expression of thermophilic bacterial endo-xylanases. <i>Plant Biotechnology Journal</i> , 2010, 8, 363-374.	8.3	40
49	Metabolomic, Transcriptional, Hormonal, and Signaling Cross-Talk in Superroot2. <i>Molecular Plant</i> , 2010, 3, 192-211.	8.3	38
50	Assay and heterologous expression in <i>Pichia pastoris</i> of plant cell wall type-II membrane anchored glycosyltransferases. <i>Glycoconjugate Journal</i> , 2009, 26, 1235-1246.	2.7	25
51	Simultaneous <i>in vivo</i> truncation of pectic side chains. <i>Transgenic Research</i> , 2009, 18, 961-969.	2.4	22
52	High-throughput screening of monoclonal antibodies against plant cell wall glycans by hierarchical clustering of their carbohydrate microarray binding profiles. <i>Glycoconjugate Journal</i> , 2008, 25, 37-48.	2.7	155
53	Functional characterisation of a putative rhamnogalacturonan II specific xylosyltransferase. <i>FEBS Letters</i> , 2008, 582, 3217-3222.	2.8	44
54	Molecular characterization of two <i>Arabidopsis thaliana</i> glycosyltransferase mutants, <i>rra1</i> and <i>rra2</i> , which have a reduced residual arabinose content in a polymer tightly associated with the cellulosic wall residue. <i>Plant Molecular Biology</i> , 2007, 64, 439-451.	3.9	89

#	ARTICLE	IF	CITATIONS
55	Arabidopsis thaliana RGXT1 and RGXT2 Encode Golgi-Localized (1,3)- β -D-Xylosyltransferases Involved in the Synthesis of Pectic Rhamnogalacturonan-II. <i>Plant Cell</i> , 2006, 18, 2593-2607.	6.6	121
56	Biophysical consequences of remodeling the neutral side chains of rhamnogalacturonan II in tubers of transgenic potatoes. <i>Planta</i> , 2005, 220, 609-620.	3.2	124
57	Expression of a fungal endo- β -1,5-l-arabinanase during stolon differentiation in potato inhibits tuber formation and results in accumulation of starch and tuber-specific transcripts in the stem. <i>Plant Science</i> , 2005, 169, 872-881.	3.6	8
58	A Complementary Bioinformatics Approach to Identify Potential Plant Cell Wall Glycosyltransferase-Encoding Genes. <i>Plant Physiology</i> , 2004, 136, 2609-2620.	4.8	67
59	Subcellular localization and topology of β (1,4)galactosyltransferase that elongates β (1,4)galactan side chains in rhamnogalacturonan II in potato. <i>Planta</i> , 2004, 218, 862-868.	3.2	18
60	Effects on Interfacial Properties and Cell Adhesion of Surface Modification by Pectic Hairy Regions. <i>Biomacromolecules</i> , 2004, 5, 2094-2104.	5.4	76
61	If Homogalacturonan Were a Side Chain of Rhamnogalacturonan I. Implications for Cell Wall Architecture. <i>Plant Physiology</i> , 2003, 132, 1781-1789.	4.8	527
62	Towards Unravelling the Biological Significance of the Individual Components of Pectic Hairy Regions in Plants. , 2003, , 15-34.		5
63	Direct Interference with Rhamnogalacturonan I Biosynthesis in Golgi Vesicles. <i>Plant Physiology</i> , 2002, 129, 95-102.	4.8	57
64	Solubilization of galactosyltransferase that synthesizes 1,4- β -galactan side chains in pectic rhamnogalacturonan I. <i>Physiologia Plantarum</i> , 2002, 114, 540-548.	5.2	18
65	Examination of the dehiscence zone in soybean pods and isolation of a dehiscence-related endopolygalacturonase gene. <i>Plant, Cell and Environment</i> , 2002, 25, 479-490.	5.7	38
66	In muro fragmentation of the rhamnogalacturonan I backbone in potato (<i>Solanum tuberosum</i> L.) results in a reduction and altered location of the galactan and arabinan side-chains and abnormal periderm development. <i>Plant Journal</i> , 2002, 30, 403-413.	5.7	86
67	Characterization of a Functional Soluble Form of a <i>Brassica napus</i> Membrane-Anchored Endo-1,4- β -Glucanase Heterologously Expressed in <i>Pichia pastoris</i> . <i>Plant Physiology</i> , 2001, 127, 674-684.	4.8	84
68	Efficacy of an intron-containing kanamycin resistance gene as a selectable marker in plant transformation. <i>Plant Cell Reports</i> , 2001, 20, 610-615.	5.6	21
69	Approaches to understanding the functional architecture of the plant cell wall. <i>Phytochemistry</i> , 2001, 57, 811-821.	2.9	83
70	Analysis of a dehiscence zone endo-polygalacturonase in oilseed rape (<i>Brassica napus</i>) and <i>Arabidopsis thaliana</i> : evidence for roles in cell separation in dehiscence and abscission zones, and in stylar tissues during pollen tube growth. <i>Plant Molecular Biology</i> , 2001, 46, 469-479.	3.9	68
71	Two <i>Arabidopsis thaliana</i> genes, KOR2 and KOR3, which encode membrane-anchored endo-1,4-beta-D-glucanases, are differentially expressed in developing leaf trichomes and their support cells. <i>Plant Molecular Biology</i> , 2001, 46, 263-275.	3.9	37
72	Expression of a membrane-anchored endo-1,4-beta-glucanase from <i>Brassica napus</i> , orthologous to KOR from <i>Arabidopsis thaliana</i> , is inversely correlated to elongation in light-grown plants. <i>Plant Molecular Biology</i> , 2001, 45, 93-105.	3.9	17

#	ARTICLE	IF	CITATIONS
73	The Cleavable N-terminal Domain of Plant Endopolygalacturonases from Clade B May Be Involved in a Regulated Secretion Mechanism. <i>Journal of Biological Chemistry</i> , 2001, 276, 35297-35304.	3.4	35
74	In vitro biosynthesis of 1,4-β-galactan attached to rhamnogalacturonan I. <i>Planta</i> , 2000, 210, 622-629.	3.2	34
75	Remodelling Pectin Structure In Potato. <i>Developments in Plant Genetics and Breeding</i> , 2000, 6, 245-256.	0.6	10
76	Pectin engineering: Modification of potato pectin by in vivo expression of an endo-1,4-beta-D-galactanase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 7639-7644.	7.1	169
77	Ethylene biosynthesis in oilseed rape pods in relation to pod shatter. <i>Journal of Experimental Botany</i> , 1998, 49, 829-838.	4.8	70
78	Ethylene biosynthesis in oilseed rape pods in relation to pod shatter. <i>Journal of Experimental Botany</i> , 1998, 49, 829-838.	4.8	13
79	The role of auxin in cell separation in the dehiscence zone of oilseed rape pods. <i>Journal of Experimental Botany</i> , 1997, 48, 1423-1429.	4.8	46
80	Isolation and characterisation of a pod dehiscence zone-specific polygalacturonase from <i>Brassica napus</i> . <i>Plant Molecular Biology</i> , 1996, 31, 517-527.	3.9	82
81	The role of cellulase in hormonal regulation of shoot morphogenesis in tobacco callus. <i>Planta</i> , 1995, 196, 727-731.	3.2	5
82	Cytokinins and leaf development in sweet pepper (<i>Capsicum annuum</i> L.). <i>Planta</i> , 1992, 188, 70-7.	3.2	15
83	Cytokinins and leaf development in sweet pepper (<i>Capsicum annuum</i> L.). <i>Planta</i> , 1992, 188, 78-84.	3.2	14
84	Immunoaffinity purification using monoclonal antibodies for the isolation of indole auxins from elongation zones of epicotyls of red-light-grown Alaska peas. <i>Planta</i> , 1992, 188, 182-189.	3.2	14
85	Cytokinins and leaf development in sweet pepper (<i>Capsicum annuum</i> L.). <i>Planta</i> , 1992, 188, 70-77.	3.2	38
86	Cytokinins and leaf development in sweet pepper (<i>Capsicum annuum</i> L.). <i>Planta</i> , 1992, 188, 78-84.	3.2	16
87	Effect of detergents on the H ⁺ -ATPase activity of inside-out and right-side-out plant plasma membrane vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1021, 133-140.	2.6	93
88	Preparation and Properties of Antibodies against Indoleacetic Acid (IAA)-C5-BSA, a Novel Ring-Coupled IAA Antigen, as Compared to Two Other Types of IAA-Specific Antibodies. <i>Plant Physiology</i> , 1989, 89, 1071-1078.	4.8	17
89	Modulation of plasma membrane H ⁺ -ATPase from oat roots by lysophosphatidylcholine, free fatty acids and phospholipase A2. <i>Physiologia Plantarum</i> , 1988, 74, 11-19.	5.2	131
90	Immunoaffinity Purification of Indole-3-acetamide Using Monoclonal Antibodies. <i>Plant and Cell Physiology</i> , 1987, 28, 937-945.	3.1	15

#	ARTICLE	IF	CITATIONS
91	Hormonal and Phenolic Changes Accompanying and Following UV-C Induced Stress in Spathiphyllum leaves. Journal of Plant Physiology, 1987, 130, 291-306.	3.5	4
92	Dehiscence. , 0, , 137-163.		3