

JesÃ³s Manuel M Peregrina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8990088/publications.pdf>

Version: 2024-02-01

149
papers

3,407
citations

147801

31
h-index

243625

44
g-index

165
all docs

165
docs citations

165
times ranked

2741
citing authors

#	ARTICLE	IF	CITATIONS
1	Serine versus Threonine Glycosylation: The Methyl Group Causes a Drastic Alteration on the Carbohydrate Orientation and on the Surrounding Water Shell. <i>Journal of the American Chemical Society</i> , 2007, 129, 9458-9467.	13.7	127
2	Investigations of La Rioja Terroir for Wine Production Using ¹ H NMR Metabolomics. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3452-3461.	5.2	121
3	Substrate-Guided Front-Face Reaction Revealed by Combined Structural Snapshots and Metadynamics for the Polypeptide N-Acetylgalactosaminyltransferase...2. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 8206-8210.	13.8	80
4	New Insights into GalNAc-Ser Motif: Influence of Hydrogen Bonding versus Solvent Interactions on the Preferred Conformation. <i>Journal of the American Chemical Society</i> , 2006, 128, 14640-14648.	13.7	78
5	Dynamic interplay between catalytic and lectin domains of GalNAc-transferases modulates protein O-glycosylation. <i>Nature Communications</i> , 2015, 6, 6937.	12.8	77
6	Principles of mucin structure: implications for the rational design of cancer vaccines derived from MUC1-glycopeptides. <i>Chemical Society Reviews</i> , 2017, 46, 7154-7175.	38.1	76
7	A Thorough Study on the Use of Quantitative ¹ H NMR in Rioja Red Wine Fermentation Processes. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2112-2118.	5.2	73
8	Deciphering the Non-Equivalence of Serine and Threonine O-Glycosylation Points: Implications for Molecular Recognition of the Tn Antigen by an anti-MUC1 Antibody. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9830-9834.	13.8	65
9	Development of a model to explain the influence of the solvent on the rate and selectivity of diels-alder reactions. <i>Journal of Physical Organic Chemistry</i> , 1991, 4, 48-52.	1.9	55
10	Selective Michael-Aldol Reaction by Use of Sterically Hindered Aluminum Aryloxides as Lewis Acids: An Easy Approach to Cyclobutane Amino Acids. <i>Organic Letters</i> , 2005, 7, 3597-3600.	4.6	51
11	Structure-Based Design of Potent Tumor-Associated Antigens: Modulation of Peptide Presentation by Single-Atom O/S or O/Se Substitutions at the Glycosidic Linkage. <i>Journal of the American Chemical Society</i> , 2019, 141, 4063-4072.	13.7	51
12	Enantioselective synthesis of (S)- and (R)-1-methylserines: application to the synthesis of (S)- and (R)-N-Boc-N,O-isopropylidene-1-methylserinals. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 949-957.	1.8	47
13	SN2 vs. E2 on quaternary centres: an application to the synthesis of enantiopure 2,2-amino acids. <i>Chemical Communications</i> , 2004, , 980-981.	4.1	47
14	Time Course of the Evolution of Malic and Lactic Acids in the Alcoholic and Malolactic Fermentation of Grape Must by Quantitative ¹ H NMR (qHNMR) Spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 4715-4720.	5.2	47
15	S-Michael Additions to Chiral Dehydroalanines as an Entry to Glycosylated Cysteines and a Sulfa-Tn Antigen Mimic. <i>Journal of the American Chemical Society</i> , 2014, 136, 789-800.	13.7	42
16	Detection of Tumor-Associated Glycopeptides by Lectins: The Peptide Context Modulates Carbohydrate Recognition. <i>ACS Chemical Biology</i> , 2015, 10, 747-756.	3.4	39
17	Preparation and Synthetic Applications of (S)- and (R)-N-Boc-N,O-isopropylidene-1-methylserinals: Asymmetric Synthesis of (S)- and (R)-2-Amino-2-methylbutanoic Acids (Iva). <i>Journal of Organic Chemistry</i> , 1999, 64, 8220-8225.	3.2	38
18	New synthesis of 7-azabicyclo[2.2.1]heptane-1-carboxylic acid. <i>Tetrahedron</i> , 2001, 57, 545-548.	1.9	38

#	ARTICLE	IF	CITATIONS
19	Stereoselective Synthesis of Orthogonally Protected $\hat{\pm}$ -Methylnorlanthionine. <i>Organic Letters</i> , 2006, 8, 2855-2858.	4.6	38
20	Synthesis of the four d,l-pairs of 2-amino-3-phenylnorbornane-2-carboxylic acids II. The use of 5(4H)-oxazolones as dienophiles.. <i>Tetrahedron</i> , 1993, 49, 677-684.	1.9	37
21	Synthesis of new conformationally rigid phenylalanine analogues.. <i>Tetrahedron</i> , 1993, 49, 10987-10996.	1.9	37
22	The interdomain flexible linker of the polypeptide GalNAc transferases dictates their long-range glycosylation preferences. <i>Nature Communications</i> , 2017, 8, 1959.	12.8	37
23	Effect of $\hat{\pm}$ -O-Glycosylation on L-Ser and L-Thr Diamides: A Bias toward $\hat{\pm}$ -Helical Conformations. <i>Chemistry - A European Journal</i> , 2006, 12, 7864-7871.	3.3	36
24	Theoretical Evidence for Pyramidalized Bicyclic Serine Enolates in Highly Diastereoselective Alkylations. <i>Chemistry - A European Journal</i> , 2007, 13, 4840-4848.	3.3	36
25	Serine versus Threonine Glycosylation with $\hat{\pm}$ -GalNAc: Unexpected Selectivity in Their Molecular Recognition with Lectins. <i>Chemistry - A European Journal</i> , 2014, 20, 12616-12627.	3.3	36
26	Synthesis of a new enantiomerically pure constrained homoserine. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 721-728.	1.8	35
27	Mucin architecture behind the immune response: design, evaluation and conformational analysis of an antitumor vaccine derived from an unnatural MUC1 fragment. <i>Chemical Science</i> , 2016, 7, 2294-2301.	7.4	35
28	Asymmetric synthesis of all isomers of $\hat{\pm}$ -methyl- $\hat{\pm}$ -phenylserine. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 2195-2204.	1.8	33
29	The Use of Fluoroproline in MUC1 Antigen Enables Efficient Detection of Antibodies in Patients with Prostate Cancer. <i>Journal of the American Chemical Society</i> , 2017, 139, 18255-18261.	13.7	33
30	Water Sculptures the Distinctive Shapes and Dynamics of the Tumor-Associated Carbohydrate Tn Antigens: Implications for Their Molecular Recognition. <i>Journal of the American Chemical Society</i> , 2018, 140, 9952-9960.	13.7	33
31	SN2 Reaction of Sulfur Nucleophiles with Hindered Sulfamidates: $\hat{\pm}$ -Enantioselective Synthesis of $\hat{\pm}$ -Methylisocysteine. <i>Journal of Organic Chemistry</i> , 2006, 71, 1692-1695.	3.2	32
32	Tn Antigen Mimics Based on $\hat{\pm}$ -Iminosugars with Affinity for an anti-MUC1 Antibody. <i>Organic Letters</i> , 2016, 18, 3890-3893.	4.6	32
33	Asymmetric synthesis of 1-hydroxyindolizidines, biosynthetic precursors to the toxic indolizidine alkaloids slaframine and swainsonine. <i>Tetrahedron: Asymmetry</i> , 1990, 1, 763-764.	1.8	31
34	Asymmetric Diels-Alder Reactions of Chiral (E)-2-Cyanocinnamates. 2. Synthesis of the Four 1-Amino-2-phenyl-1-cyclohexanecarboxylic Acids in Enantiomerically Pure Form. <i>Journal of Organic Chemistry</i> , 1994, 59, 7774-7778.	3.2	31
35	exo-2-Phenyl-7-azabicyclo[2.2.1]heptane-1-carboxylic acid: A new constrained proline analogue. <i>Tetrahedron Letters</i> , 1995, 36, 7123-7126.	1.4	31
36	A straightforward synthesis of both enantiomers of $\hat{\pm}$ -vinylalanine and $\hat{\pm}$ -ethynylalanine. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 4653-4661.	1.8	30

#	ARTICLE	IF	CITATIONS
37	Regioselective Ring-Opening Metathesisâˆ“Cross Metathesis of Bridgehead-Substituted 7-Azanorborneneâˆ“. <i>Organic Letters</i> , 2007, 9, 1235-1238.	4.6	30
38	Synthesis of Cyclobutane Serine Analogues. <i>Journal of Organic Chemistry</i> , 2005, 70, 330-333.	3.2	29
39	Insights into the Geometrical Features Underlying Î²â€œO</i>â€œGlcNAc Glycosylation: Water Pockets Drastically Modulate the Interactions between the Carbohydrate and the Peptide Backbone. <i>Chemistry - A European Journal</i> , 2009, 15, 7297-7301.	3.3	29
40	Bifunctional Chiral Dehydroalanines for Peptide Coupling and Stereoselective <i>S</i>-Michael Addition. <i>Organic Letters</i> , 2016, 18, 2796-2799.	4.6	29
41	Correlations of rate and selectivity of a Diels-Alder reaction with Sp parameters. <i>Journal of Physical Organic Chemistry</i> , 1990, 3, 414-418.	1.9	28
42	Asymmetric Hetero Dielsâˆ“Alder as an Access to Carbacephams. <i>Journal of Organic Chemistry</i> , 2002, 67, 598-601.	3.2	28
43	Reactivity of (Z)-4-arylidene-5(4H)-oxazolones: [4+2] cycloaddition versus [4+3] cycloaddition/nucleophilic trapping. <i>Tetrahedron Letters</i> , 2002, 43, 4167-4170.	1.4	28
44	A Convenient Enantioselective Synthesis of (S)-Î±-Trifluoromethylisoserine. <i>Journal of Organic Chemistry</i> , 2005, 70, 5721-5724.	3.2	28
45	Role of the Counteraction in Diastereoselective Alkylations of Pyramidalized Bicyclic Serine Enolates. An Easy Approach to Î±-Benzylserine. <i>Journal of Organic Chemistry</i> , 2007, 72, 5399-5402.	3.2	28
46	Cyclobutane Amino Acid Analogues of Furanomycin Obtained by a Formal [2 + 2] Cycloaddition Strategy Promoted by Methylaluminumoxane. <i>Journal of Organic Chemistry</i> , 2010, 75, 545-552.	3.2	27
47	Asymmetric Diels-Alder reactions of chiral (E)-2-cyanocinnamates with cyclopentadiene. <i>Journal of Organic Chemistry</i> , 1992, 57, 4664-4669.	3.2	25
48	Î²-Turn modulation by the cyclohexane analogues of phenylalanine. <i>Tetrahedron Letters</i> , 1998, 39, 7841-7844.	1.4	25
49	Evidence of Metabolic Transformations of Amino Acids into Higher Alcohols through ¹³ C NMR Studies of Wine Alcoholic Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4923-4927.	5.2	25
50	Stereocontrolled Ring-Opening of a Hindered Sulfamidate with Nitrogen-Containing Aromatic Heterocycles: Synthesis of Chiral Quaternary Imidazole Derivatives. <i>Journal of Organic Chemistry</i> , 2011, 76, 4034-4042.	3.2	25
51	NMR Study of Histidine Metabolism during Alcoholic and Malolactic Fermentations of Wine and Their Influence on Histamine Production. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 9464-9469.	5.2	25
52	Synthesis of Î³-hydroxy-Î±-amino acids by directed hydroxylation via a dihydro-1,3-oxazine intermediate.. <i>Tetrahedron</i> , 1994, 50, 10021-10028.	1.9	24
53	A new efficient synthesis of 2-phenyl-4-oxo-1-amino-cyclohexanecarboxylic acids. <i>Tetrahedron</i> , 1994, 50, 12989-12998.	1.9	24
54	New synthesis of all four 1-amino-2-hydroxycyclohexanecarboxylic acids. <i>Tetrahedron</i> , 2001, 57, 2745-2755.	1.9	24

#	ARTICLE	IF	CITATIONS
55	Nonâ€natural Amino Acids as Modulating Agents of the Conformational Space of Model Glycopeptides. <i>Chemistry - A European Journal</i> , 2008, 14, 7042-7058.	3.3	24
56	Rational design of a Tn antigen mimic. <i>Chemical Communications</i> , 2011, 47, 5319.	4.1	24
57	Synthesis, conformational analysis and <i>in vivo</i> assays of an anti-cancer vaccine that features an unnatural antigen based on an sp ² -iminosugar fragment. <i>Chemical Science</i> , 2020, 11, 3996-4006.	7.4	24
58	Asymmetric synthesis of conformationally constrained 4-hydroxyprolines and their applications to the formal synthesis of (+)-epibatidine. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 3999-4007.	1.8	23
59	A Novel Multistep Mechanism for the Stereocontrolled Ring Opening of Hindered Sulfamidates: Mild, Green, and Efficient Reactivity with Alcohols. <i>Chemistry - A European Journal</i> , 2009, 15, 9810-9823.	3.3	23
60	The use of 4â€hetarylidenâ€and 4â€arylidenâ€5(4<i>H</i>)â€oxazolones as dienophiles. Appropriate reagents for the synthesis of cyclic analogues of natural amino acids. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 1099-1110.	2.6	22
61	Synthesis of enantiopure analogues of 3-hydroxyproline and derivatives. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 625-632.	1.8	22
62	Highly chemoselective reactions on hindered sulfamidates with oxygenated nucleophiles. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 443-449.	1.8	22
63	The Nature and Sequence of the Amino Acid Aglycone Strongly Modulates the Conformation and Dynamics Effects of Tn Antigen's Clusters. <i>Chemistry - A European Journal</i> , 2009, 15, 3863-3874.	3.3	22
64	A Biomimetic Approach to Lanthionines. <i>Organic Letters</i> , 2012, 14, 334-337.	4.6	21
65	A Double Diastereoselective Michael-Type Addition as an Entry to Conformationally Restricted Tn Antigen Mimics. <i>Journal of Organic Chemistry</i> , 2013, 78, 10968-10977.	3.2	21
66	Asymmetric synthesis of meso- and (2R,4R)-2,4-diaminoglutaric acids. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 863-871.	1.8	20
67	Chemoselectivity Control in the Reactions of 1,2â€Cyclic Sulfamidates with Amines. <i>Chemistry - A European Journal</i> , 2013, 19, 6831-6839.	3.3	20
68	Design of Î±-S-Neoglycopeptides Derived from MUC1 with a Flexible and Solvent-Exposed Sugar Moiety. <i>Journal of Organic Chemistry</i> , 2016, 81, 5929-5941.	3.2	20
69	Convenient Procedures for the Synthesis of N-BOC-D-Serinal Acetonide from L-Serine. <i>Synthesis</i> , 1997, 1997, 1146-1150.	2.3	19
70	An alternative approach to (S)- and (R)-2-methylglycidol O-benzyl ether derivatives. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 1383-1388.	1.8	19
71	Conformational Analysis of 2-Substituted Cyclobutane-Î±-amino Acid Derivatives. A Synergistic Experimental and Computational Study. <i>Journal of Organic Chemistry</i> , 2006, 71, 1869-1878.	3.2	19
72	Ring-Rearrangement Metathesis of 1-Substituted 7-Azanorbornenes as an Entry to 1-Azaspiro[4.5]decane systems. <i>Journal of Organic Chemistry</i> , 2011, 76, 3381-3391.	3.2	19

#	ARTICLE	IF	CITATIONS
73	Engineering of Glycosylation Points in Non-extended Peptides: Implications for the Molecular Recognition of Short Tumor-Associated Glycopeptides. <i>Chemistry - A European Journal</i> , 2011, 17, 3105-3110.	3.3	19
74	Synthesis of enantiopure (±Me)Dip and other ±-methylated β^2 -branched amino acid derivatives. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 399-405.	1.8	18
75	Understanding the Unusual Regioselectivity in the Nucleophilic Ring-Opening Reactions of gem-Disubstituted Cyclic Sulfates. <i>Experimental and Theoretical Studies. Journal of Organic Chemistry</i> , 2003, 68, 4506-4513.	3.2	18
76	Reactivity of 2-acylaminoacrylates with ketene diethyl acetal; [2 + 2] cycloadditions vs. tandem condensations. Electronic supplementary information (ESI) available: general procedures. See http://www.rsc.org/suppdata/cc/b3/b302000b/ . <i>Chemical Communications</i> , 2003, , 1376.	4.1	18
77	Diastereoselective Synthesis of (S)- and (R)-±-Phenylserine by a Sulfinimine-Mediated Strecker Reaction. <i>Synthesis</i> , 2005, 2005, 575-578.	2.3	18
78	Synthesis of Mixed β^2 -Peptides by Site-Selective Ring-Opening of Cyclic Quaternary Sulfamidates. <i>Organic Letters</i> , 2015, 17, 5804-5807.	4.6	18
79	New Efficient Synthesis of 4-Amino-3-arylphenols. <i>Synthesis</i> , 1995, 1995, 671-674.	2.3	17
80	Resolution of (1R,2R)- and (1S,2S)-cyclic constrained phenylalanine analogues (c6Phe). Conformations of (1R,2R)- and (1S,2S)-c6Phe containing peptides. <i>Tetrahedron</i> , 1998, 54, 11659-11674.	1.9	17
81	Synthesis of 1-amino-4-hydroxycyclohexane-1-carboxylic acids. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 3375-3379.	0.9	17
82	Incorporation of Ahc into Model Dipeptides as an Inducer of a β^2 -Turn with a Distorted Amide Bond. Conformational Analysis. <i>Journal of Organic Chemistry</i> , 2002, 67, 4241-4249.	3.2	17
83	±-Methylserinals as an access to ±-methyl- β^2 -hydroxyamino acids: application in the synthesis of all stereoisomers of ±-methylthreonine. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 719-724.	1.8	17
84	Synthesis of meso-2,4-diaminoglutaric acid.. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 1555-1558.	1.8	16
85	Cell-Penetrating Peptides Containing Fluorescent Cysteines. <i>Chemistry - A European Journal</i> , 2018, 24, 7991-8000.	3.3	16
86	Molecular Recognition of β^2 -GlcNAc Glycopeptides by a Lectin-Like Receptor: Binding Modulation by the Underlying Ser or Thr Amino Acids. <i>ChemBioChem</i> , 2011, 12, 110-117.	2.6	15
87	Synthesis and Conformational Analysis of Hybrid β^2 -Dipeptides Incorporating β^2 -Amino Acids. <i>Chemistry - A European Journal</i> , 2015, 21, 1156-1168.	3.3	15
88	Synthesis of enantiomerically pure constrained β^3 -hydroxy-±-amino acids by directed hydroxylation. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 1123-1129.	1.8	14
89	A Versatile and Stereoselective Synthesis of (±)-Epibatidine. <i>Synthesis</i> , 1998, 1998, 1335-1338.	2.3	14
90	Stabilizing unusual conformations in small peptides and glucopeptides using a hydroxylated cyclobutane amino acid. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2885.	2.8	14

#	ARTICLE	IF	CITATIONS
91	Quaternary Chiral β -Amino Acids with Pyridinium and Imidazolium Substituents. <i>Chemistry - A European Journal</i> , 2012, 18, 15822-15830.	3.3	14
92	Reaction of 2,3-dimethyl-1,3-butadiene with chiral (E)-2-cyanocinnamates.. <i>Tetrahedron: Asymmetry</i> , 1992, 3, 913-919.	1.8	13
93	Synthesis of a new type of conformationally constrained α,β -disubstituted- β -amino acids and β -lactams in enantiomerically pure form. <i>Tetrahedron: Asymmetry</i> , 1995, 6, 1409-1418.	1.8	13
94	Addition of organolithium reagents to α methyl ester. An approach to new α -amino ketones. <i>Tetrahedron</i> , 2002, 58, 10167-10171.	1.9	13
95	Enantiopure Synthesis of All Four Stereoisomers of Carbapenam-3-carboxylic Acid Methyl Ester. <i>Journal of Organic Chemistry</i> , 2003, 68, 2889-2894.	3.2	13
96	Synthesis of 2-methyl- and 2-methylenecyclobutane amino acids. <i>Tetrahedron</i> , 2005, 61, 4165-4172.	1.9	13
97	Synthesis of Azabicyclo[2.2.n]alkane Systems as Analogues of 3-[1-Methyl-2-(S)-pyrrolidinyl-methoxy]pyridine (A-84543). <i>Journal of Organic Chemistry</i> , 2007, 72, 3112-3115.	3.2	13
98	Conformational Effects of the Non-natural α -Methylserine on Small Peptides and Glycopeptides. <i>Journal of Organic Chemistry</i> , 2009, 74, 9305-9313.	3.2	13
99	Dynamics and Hydration Properties of Small Antifreeze-like Glycopeptides Containing Non-natural Amino Acids. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3525-3532.	2.4	13
100	Proton Nuclear Magnetic Resonance Spectroscopy as a Technique for Gentamicin Drug Susceptibility Studies with <i>Escherichia coli</i> ATCC 25922. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2433-2438.	3.9	13
101	Conformationally-locked C-glycosides: tuning aglycone interactions for optimal chaperone behaviour in Gaucher fibroblasts. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 1473-1484.	2.8	13
102	A Late-Stage Synthetic Approach to Lanthionine-Containing Peptides via S-Alkylation on Cyclic Sulfamidates Promoted by Molecular Sieves. <i>Organic Letters</i> , 2018, 20, 7478-7482.	4.6	13
103	Synthesis of α -Substituted α,β -Diamino Acids via Stereoselective α -Michael Additions to a Chiral Bicyclic Dehydroalanine. <i>Journal of Organic Chemistry</i> , 2020, 85, 3134-3145.	3.2	13
104	Toward Enantiomerically Pure β -Seleno- α -amino Acids via Stereoselective α -Michael Additions to Chiral Dehydroalanines. <i>Organic Letters</i> , 2021, 23, 1955-1959.	4.6	13
105	Reaction of cyclopentadiene with (E)-2-cyanocinnamate of (S)-ethyl lactate.. <i>Tetrahedron: Asymmetry</i> , 1990, 1, 765-768.	1.8	12
106	New syntheses of enantiopure 2-methyl isoserines. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 131-137.	1.8	12
107	A Highly Regioselective Ring-Opening Metathesis-Cross Metathesis Process Modulated by the Electronic Effects of the Cross Metathesis Partner: An Entry to Quaternary Prolines. <i>Journal of Organic Chemistry</i> , 2009, 74, 1736-1739.	3.2	12
108	Ring-Rearrangement Metathesis of 7-azabornenes as an Entry to α -azabicyclo[α .3.0]alkenones. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 3817-3824.	2.4	12

#	ARTICLE	IF	CITATIONS
109	Tn Antigen Mimics by Ring-Opening of Chiral Cyclic Sulfamidates with Carbohydrate C1-S- and C1-O-Nucleophiles. <i>Journal of Organic Chemistry</i> , 2018, 83, 4973-4980.	3.2	12
110	Synthesis of exo-3-Hydroxy-7-azabicyclo[2.2.1]heptane-1-carboxylic Acid, a New Conformationally Constrained 4-Hydroxyproline. <i>Synthesis</i> , 1997, 1997, 165-167.	2.3	11
111	Conformational Preferences of Chiral Acyclic Homooligomeric α -Peptides. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 1225-1234.	2.1	11
112	Synthesis of a new conformationally constrained glycoamino acid building block. <i>Tetrahedron Letters</i> , 2003, 44, 6413-6416.	1.4	10
113	Conformational analysis of N-Boc-N,O-isopropylidene- β -serinals. A combined DFT and NMR study. <i>Tetrahedron</i> , 2003, 59, 5713-5718.	1.9	10
114	β -Alkylation versus retro-O-Michael/ β -alkylation of bicyclic N,O-acetals: an entry to β -methylthreonine. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 2829-2834.	1.8	10
115	A Domino Michael/Dieckmann Process as an Entry to β -(Hydroxymethyl)glutamic Acid. <i>Journal of Organic Chemistry</i> , 2011, 76, 6990-6996.	3.2	10
116	Substituent Effects on the Reactivity of Cyclic Tertiary Sulfamidates. <i>Journal of Organic Chemistry</i> , 2017, 82, 13250-13255.	3.2	10
117	Synthesis of conformationally constrained hydroxy- β -amino acids by intramolecular conjugate addition. <i>Amino Acids</i> , 2000, 18, 117-127.	2.7	9
118	β -Turn modulation by the incorporation of c6Ser into Xaa-Pro dipeptide. <i>Tetrahedron Letters</i> , 2002, 43, 1429-1432.	1.4	9
119	Mechanistic study of the ring-size modulation in Michael-Dieckmann type reactions of 2-acylaminoacrylates with ketene diethyl acetal. <i>New Journal of Chemistry</i> , 2007, 31, 224-229.	2.8	9
120	Lanthionine Peptides by S-Alkylation with Substituted Cyclic Sulfamidates Promoted by Activated Molecular Sieves: Effects of the Sulfamidate Structure on the Yield. <i>Journal of Organic Chemistry</i> , 2019, 84, 14957-14964.	3.2	9
121	The use of 1-amino-2-phenyl-1-cyclohexanecarboxylic acids as chiral auxiliaries in asymmetric Diels-Alder reactions. <i>Tetrahedron</i> , 1996, 52, 4839-4848.	1.9	8
122	Synthesis, activity and theoretical study of ABT-418 analogues. <i>Tetrahedron</i> , 2002, 58, 4505-4511.	1.9	8
123	Synthesis of 7-azabicyclo[2.2.1]heptane derivatives via bridgehead radicals. <i>Tetrahedron</i> , 2002, 58, 1193-1197.	1.9	8
124	Diastereoselective synthesis of protected 4-epi-vancosamine from (S)-N-Boc-N,O-isopropylidene- β -methylserinal. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1037-1043.	1.8	8
125	Nuclear magnetic resonance applied to antimicrobial drug susceptibility. <i>Future Microbiology</i> , 2013, 8, 537-547.	2.0	8
126	Structure-based Design of Anti-cancer Vaccines: The Significance of Antigen Presentation to Boost the Immune Response. <i>Current Medicinal Chemistry</i> , 2022, 29, 1258-1270.	2.4	7

#	ARTICLE	IF	CITATIONS
127	Ab initio calculations for N-methyl-1-(N- ² -acetylamino)- <i>t</i> -2-phenylcyclohexane- <i>r</i> -1-carboxamide: a \hat{I}^3 -turn mimetic. <i>Tetrahedron</i> , 1999, 55, 1399-1406.	1.9	6
128	SN ₂ vs E ₂ on Quaternary Centers: An Easy Approach to Chiral \hat{I}^2 ,2-Amino Acids from Cyclic Sulfamidates. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2005, 180, 1459-1460.	1.6	5
129	Influence of Amino Acid Stereocenters on the Formation of Bicyclic <i>N</i> , <i>O</i> -Acetals. <i>Journal of Organic Chemistry</i> , 2014, 79, 2556-2563.	3.2	5
130	Oxygen by Carbon Replacement at the Glycosidic Linkage Modulates the Sugar Conformation in Tn Antigen Mimics. <i>ACS Omega</i> , 2018, 3, 18142-18152.	3.5	5
131	Solvent-based strategy improves the direct determination of key parameters in edible fats and oils by ¹ H NMR. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 1726-1734.	3.5	5
132	Monitoring of the Rioja red wine production process by ¹ H- ¹³ C NMR spectroscopy. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 3808-3816.	3.5	5
133	Synthesis and conformational analysis of neoglycoconjugates derived from O- and S-glucose. <i>Carbohydrate Research</i> , 2013, 373, 1-8.	2.3	4
134	Selective modification of sulfamidate-containing peptides. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 6265-6275.	2.8	4
135	Aspartame analogues containing 1-amino-2-phenylcyclohexanecarboxylic acids (c6Phe). <i>Tetrahedron</i> , 2002, 58, 4899-4905.	1.9	3
136	Applications of ¹ H Nuclear Magnetic Resonance Spectroscopy in Clinical Microbiology. , 2016, , .		3
137	Bioorthogonal Self-Immolative Linker Based on Grob Fragmentation. <i>Organic Letters</i> , 2021, 23, 8580-8584.	4.6	3
138	Synthesis of 2-amino-1,3-diols incorporating the cyclobutane ring. <i>Tetrahedron</i> , 2008, 64, 9088-9092.	1.9	2
139	Nuclear Magnetic Resonance (NMR) as a tool for the study of the metabolism of <i>Rickettsia slovaca</i> . <i>Microbes and Infection</i> , 2015, 17, 850-855.	1.9	2
140	Synthesis of \hat{I}^2 ,2-Amino Acids by Stereoselective Alkylation of Isoleucine Derivatives Followed by Nucleophilic Ring Opening of Quaternary Sulfamidates. <i>Journal of Organic Chemistry</i> , 2022, 87, 8730-8743.	3.2	2
141	Synthesis of methyl 2-exo-cyano-3-exo-phenyl-5,6-endo (or) <i>Tj</i> ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 Td (exo)-epoxybicyclo[2.2.1]heptane. <i>Asymmetry</i> , 1993, 4, 1677-1682.	1.8	1
142	Formal [2+2] Cycloaddition of 2-(Acylamino)acrylates with Vinyl Sulfides: An Approach to Cyclobutane \hat{I}^2 -Amino Acids as S-Phenylcysteine Analogues. <i>Synthesis</i> , 2008, 2008, 743-746.	2.3	1
143	Synthesis of Enantiopure Quaternary Prolines by a Metathesis Process of 2,5-Ethenoproline Derivatives. <i>Synthesis</i> , 2010, 2010, 3353-3357.	2.3	1
144	Cyclohexane Ring as a Tool to Select the Presentation of the Carbohydrate Moiety in Glycosyl Amino Acids. <i>Chemistry - A European Journal</i> , 2012, 18, 5096-5104.	3.3	1

#	ARTICLE	IF	CITATIONS
145	Conformational Analysis of Peptides and Glycopeptides Derived from the Consensus Sequence for α -O-Glycosylation. <i>Current Topics in Medicinal Chemistry</i> , 2015, 14, 2712-2721.	2.1	1
146	Addition of Organolithium Reagents to Amino Methyl Ester. An Approach to New α -Amino Ketones.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
147	Reactivity of α -Aminoacrylates with Ketene Diethyl Acetal; [2 + 2] Cycloadditions vs. Tandem Condensations.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
148	Selective Michael-Aldol Reaction by Use of Sterically Hindered Aluminum Aryloxides as Lewis Acids: An Easy Approach to Cyclobutane Amino Acids.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
149	Strategies for the Synthesis of Selenocysteine Derivatives. <i>Synthesis</i> , 0, , .	2.3	0