

JesÃ³s Manuel M Peregrina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8990088/publications.pdf>

Version: 2024-02-01

149
papers

3,407
citations

147801

31
h-index

243625

44
g-index

165
all docs

165
docs citations

165
times ranked

2741
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure-based Design of Anti-cancer Vaccines: The Significance of Antigen Presentation to Boost the Immune Response. <i>Current Medicinal Chemistry</i> , 2022, 29, 1258-1270.	2.4	7
2	Monitoring of the Rioja red wine production process by ^1H -NMR spectroscopy. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 3808-3816.	3.5	5
3	Synthesis of 2,2 -Amino Acids by Stereoselective Alkylation of Isoserine Derivatives Followed by Nucleophilic Ring Opening of Quaternary Sulfamidates. <i>Journal of Organic Chemistry</i> , 2022, 87, 8730-8743.	3.2	2
4	Toward Enantiomerically Pure 2 -Seleno- 1 -amino Acids via Stereoselective <i>S</i> -Michael Additions to Chiral Dehydroalanines. <i>Organic Letters</i> , 2021, 23, 1955-1959.	4.6	13
5	Bioorthogonal Self-Immolative Linker Based on Grob Fragmentation. <i>Organic Letters</i> , 2021, 23, 8580-8584.	4.6	3
6	Solvent-based strategy improves the direct determination of key parameters in edible fats and oils by ^1H NMR. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 1726-1734.	3.5	5
7	Synthesis, conformational analysis and <i>in vivo</i> assays of an anti-cancer vaccine that features an unnatural antigen based on an 2 -iminosugar fragment. <i>Chemical Science</i> , 2020, 11, 3996-4006.	7.4	24
8	Selective modification of sulfamidate-containing peptides. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 6265-6275.	2.8	4
9	Synthesis of <i>N</i> -Substituted 2 -Diamino Acids via Stereoselective <i>N</i> -Michael Additions to a Chiral Bicyclic Dehydroalanine. <i>Journal of Organic Chemistry</i> , 2020, 85, 3134-3145.	3.2	13
10	Lanthionine Peptides by <i>S</i> -Alkylation with Substituted Cyclic Sulfamidates Promoted by Activated Molecular Sieves: Effects of the Sulfamidate Structure on the Yield. <i>Journal of Organic Chemistry</i> , 2019, 84, 14957-14964.	3.2	9
11	Structure-Based Design of Potent Tumor-Associated Antigens: Modulation of Peptide Presentation by Single-Atom O/S or O/Se Substitutions at the Glycosidic Linkage. <i>Journal of the American Chemical Society</i> , 2019, 141, 4063-4072.	13.7	51
12	Cell-Penetrating Peptides Containing Fluorescent <i>d</i> -Cysteines. <i>Chemistry - A European Journal</i> , 2018, 24, 7991-8000.	3.3	16
13	Tn Antigen Mimics by Ring-Opening of Chiral Cyclic Sulfamidates with Carbohydrate C1- <i>S</i> - and C1- <i>O</i> -Nucleophiles. <i>Journal of Organic Chemistry</i> , 2018, 83, 4973-4980.	3.2	12
14	A Late-Stage Synthetic Approach to Lanthionine-Containing Peptides via <i>S</i> -Alkylation on Cyclic Sulfamidates Promoted by Molecular Sieves. <i>Organic Letters</i> , 2018, 20, 7478-7482.	4.6	13
15	Oxygen by Carbon Replacement at the Glycosidic Linkage Modulates the Sugar Conformation in Tn Antigen Mimics. <i>ACS Omega</i> , 2018, 3, 18142-18152.	3.5	5
16	Water Sculpts the Distinctive Shapes and Dynamics of the Tumor-Associated Carbohydrate Tn Antigens: Implications for Their Molecular Recognition. <i>Journal of the American Chemical Society</i> , 2018, 140, 9952-9960.	13.7	33
17	Principles of mucin structure: implications for the rational design of cancer vaccines derived from MUC1-glycopeptides. <i>Chemical Society Reviews</i> , 2017, 46, 7154-7175.	38.1	76
18	The interdomain flexible linker of the polypeptide GalNAc transferases dictates their long-range glycosylation preferences. <i>Nature Communications</i> , 2017, 8, 1959.	12.8	37

#	ARTICLE	IF	CITATIONS
19	Substituent Effects on the Reactivity of Cyclic Tertiary Sulfamidates. <i>Journal of Organic Chemistry</i> , 2017, 82, 13250-13255.	3.2	10
20	The Use of Fluoroproline in MUC1 Antigen Enables Efficient Detection of Antibodies in Patients with Prostate Cancer. <i>Journal of the American Chemical Society</i> , 2017, 139, 18255-18261.	13.7	33
21	Applications of ¹ H Nuclear Magnetic Resonance Spectroscopy in Clinical Microbiology. , 2016, , .		3
22	Tn Antigen Mimics Based on α -2-Iminosugars with Affinity for an anti-MUC1 Antibody. <i>Organic Letters</i> , 2016, 18, 3890-3893.	4.6	32
23	Design of α -S-Neoglycopeptides Derived from MUC1 with a Flexible and Solvent-Exposed Sugar Moiety. <i>Journal of Organic Chemistry</i> , 2016, 81, 5929-5941.	3.2	20
24	Bifunctional Chiral Dehydroalanines for Peptide Coupling and Stereoselective α -S-Michael Addition. <i>Organic Letters</i> , 2016, 18, 2796-2799.	4.6	29
25	Mucin architecture behind the immune response: design, evaluation and conformational analysis of an antitumor vaccine derived from an unnatural MUC1 fragment. <i>Chemical Science</i> , 2016, 7, 2294-2301.	7.4	35
26	Conformationally-locked C-glycosides: tuning aglycone interactions for optimal chaperone behaviour in Gaucher fibroblasts. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 1473-1484.	2.8	13
27	Deciphering the Non-Equivalence of Serine and Threonine α -Glycosylation Points: Implications for Molecular Recognition of the Tn Antigen by an anti-MUC1 Antibody. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9830-9834.	13.8	65
28	Synthesis of Mixed α -2,2-Peptides by Site-Selective Ring-Opening of Cyclic Quaternary Sulfamidates. <i>Organic Letters</i> , 2015, 17, 5804-5807.	4.6	18
29	Nuclear Magnetic Resonance (NMR) as a tool for the study of the metabolism of <i>Rickettsia slovaca</i> . <i>Microbes and Infection</i> , 2015, 17, 850-855.	1.9	2
30	Detection of Tumor-Associated Glycopeptides by Lectins: The Peptide Context Modulates Carbohydrate Recognition. <i>ACS Chemical Biology</i> , 2015, 10, 747-756.	3.4	39
31	Proton Nuclear Magnetic Resonance Spectroscopy as a Technique for Gentamicin Drug Susceptibility Studies with <i>Escherichia coli</i> ATCC 25922. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2433-2438.	3.9	13
32	Dynamic interplay between catalytic and lectin domains of GalNAc-transferases modulates protein O-glycosylation. <i>Nature Communications</i> , 2015, 6, 6937.	12.8	77
33	Synthesis and Conformational Analysis of Hybrid α -Dipeptides Incorporating α -S-Glycosylated α -2,2-Amino Acids. <i>Chemistry - A European Journal</i> , 2015, 21, 1156-1168.	3.3	15
34	Conformational Analysis of Peptides and Glycopeptides Derived from the Consensus Sequence for α -O-Glycosylation. <i>Current Topics in Medicinal Chemistry</i> , 2015, 14, 2712-2721.	2.1	1
35	Substrate-Guided Front-Face Reaction Revealed by Combined Structural Snapshots and Metadynamics for the Polypeptide α -N-Acetylgalactosaminyltransferase...2. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 8206-8210.	13.8	80
36	S-Michael Additions to Chiral Dehydroalanines as an Entry to Glycosylated Cysteines and a Sulfa-Tn Antigen Mimic. <i>Journal of the American Chemical Society</i> , 2014, 136, 789-800.	13.7	42

#	ARTICLE	IF	CITATIONS
37	Serine versus Threonine Glycosylation with α -GalNAc: Unexpected Selectivity in Their Molecular Recognition with Lectins. <i>Chemistry - A European Journal</i> , 2014, 20, 12616-12627.	3.3	36
38	Influence of Amino Acid Stereocenters on the Formation of Bicyclic N,O-Acetals. <i>Journal of Organic Chemistry</i> , 2014, 79, 2556-2563.	3.2	5
39	Conformational Preferences of Chiral Acyclic Homooligomeric α -Peptides. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 1225-1234.	2.1	11
40	Synthesis and conformational analysis of neoglycoconjugates derived from O- and S-glucose. <i>Carbohydrate Research</i> , 2013, 373, 1-8.	2.3	4
41	A Double Diastereoselective Michael-Type Addition as an Entry to Conformationally Restricted Tn Antigen Mimics. <i>Journal of Organic Chemistry</i> , 2013, 78, 10968-10977.	3.2	21
42	NMR Study of Histidine Metabolism during Alcoholic and Malolactic Fermentations of Wine and Their Influence on Histamine Production. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 9464-9469.	5.2	25
43	Chemoselectivity Control in the Reactions of 1,2-Cyclic Sulfamidates with Amines. <i>Chemistry - A European Journal</i> , 2013, 19, 6831-6839.	3.3	20
44	Nuclear magnetic resonance applied to antimicrobial drug susceptibility. <i>Future Microbiology</i> , 2013, 8, 537-547.	2.0	8
45	Ring-Rearrangement Metathesis of 7-Azanorbornenes as an Entry to Azabicyclo[3.3.0]alkenones. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 3817-3824.	2.4	12
46	Quaternary Chiral α -Amino Acids with Pyridinium and Imidazolium Substituents. <i>Chemistry - A European Journal</i> , 2012, 18, 15822-15830.	3.3	14
47	A Biomimetic Approach to Lanthionines. <i>Organic Letters</i> , 2012, 14, 334-337.	4.6	21
48	Investigations of La Rioja Terroir for Wine Production Using ^1H NMR Metabolomics. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3452-3461.	5.2	121
49	Cyclohexane Ring as a Tool to Select the Presentation of the Carbohydrate Moiety in Glycosyl Amino Acids. <i>Chemistry - A European Journal</i> , 2012, 18, 5096-5104.	3.3	1
50	Rational design of a Tn antigen mimic. <i>Chemical Communications</i> , 2011, 47, 5319.	4.1	24
51	A Domino Michael/Dieckmann Process as an Entry to α -(Hydroxymethyl)glutamic Acid. <i>Journal of Organic Chemistry</i> , 2011, 76, 6990-6996.	3.2	10
52	Ring-Rearrangement Metathesis of 1-Substituted 7-Azanorbornenes as an Entry to 1-Azaspiro[4.5]decane systems. <i>Journal of Organic Chemistry</i> , 2011, 76, 3381-3391.	3.2	19
53	Stereocontrolled Ring-Opening of a Hindered Sulfamidate with Nitrogen-Containing Aromatic Heterocycles: Synthesis of Chiral Quaternary Imidazole Derivatives. <i>Journal of Organic Chemistry</i> , 2011, 76, 4034-4042.	3.2	25
54	Engineering O-Glycosylation Points in Non-extended Peptides: Implications for the Molecular Recognition of Short Tumor-Associated Glycopeptides. <i>Chemistry - A European Journal</i> , 2011, 17, 3105-3110.	3.3	19

#	ARTICLE	IF	CITATIONS
55	Molecular Recognition of β -O-GlcNAc Glycopeptides by a Lectin-Like Receptor: Binding Modulation by the Underlying Ser or Thr Amino Acids. <i>ChemBioChem</i> , 2011, 12, 110-117.	2.6	15
56	Cyclobutane Amino Acid Analogues of Furanomycin Obtained by a Formal [2 + 2] Cycloaddition Strategy Promoted by Methylaluminoxane. <i>Journal of Organic Chemistry</i> , 2010, 75, 545-552.	3.2	27
57	Dynamics and Hydration Properties of Small Antifreeze-Like Glycopeptides Containing Non-Natural Amino Acids. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3525-3532.	2.4	13
58	Synthesis of Enantiopure Quaternary Prolines by a Metathesis Process of 2,5-Ethenoproline Derivatives. <i>Synthesis</i> , 2010, 2010, 3353-3357.	2.3	1
59	Evidence of Metabolic Transformations of Amino Acids into Higher Alcohols through ^{13}C NMR Studies of Wine Alcoholic Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4923-4927.	5.2	25
60	The Nature and Sequence of the Amino Acid Aglycone Strongly Modulates the Conformation and Dynamics Effects of Tn Antigen's Clusters. <i>Chemistry - A European Journal</i> , 2009, 15, 3863-3874.	3.3	22
61	A Novel Multistep Mechanism for the Stereocontrolled Ring Opening of Hindered Sulfamidates: Mild, Green, and Efficient Reactivity with Alcohols. <i>Chemistry - A European Journal</i> , 2009, 15, 9810-9823.	3.3	23
62	Insights into the Geometrical Features Underlying β -O-GlcNAc Glycosylation: Water Pockets Drastically Modulate the Interactions between the Carbohydrate and the Peptide Backbone. <i>Chemistry - A European Journal</i> , 2009, 15, 7297-7301.	3.3	29
63	A Highly Regioselective Ring-Opening Metathesis-Cross Metathesis Process Modulated by the Electronic Effects of the Cross Metathesis Partner: An Entry to Quaternary Prolines. <i>Journal of Organic Chemistry</i> , 2009, 74, 1736-1739.	3.2	12
64	Conformational Effects of the Non-natural β -Methylserine on Small Peptides and Glycopeptides. <i>Journal of Organic Chemistry</i> , 2009, 74, 9305-9313.	3.2	13
65	A Thorough Study on the Use of Quantitative ^1H NMR in Rioja Red Wine Fermentation Processes. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2112-2118.	5.2	73
66	Stabilizing unusual conformations in small peptides and glucopeptides using a hydroxylated cyclobutane amino acid. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2885.	2.8	14
67	Highly chemoselective reactions on hindered sulfamidates with oxygenated nucleophiles. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 443-449.	1.8	22
68	Non-Natural Amino Acids as Modulating Agents of the Conformational Space of Model Glycopeptides. <i>Chemistry - A European Journal</i> , 2008, 14, 7042-7058.	3.3	24
69	Synthesis of 2-amino-1,3-diols incorporating the cyclobutane ring. <i>Tetrahedron</i> , 2008, 64, 9088-9092.	1.9	2
70	β -Alkylation versus retro-O-Michael/ β -alkylation of bicyclic N,O-acetals: an entry to β -methylthreonine. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 2829-2834.	1.8	10
71	Formal [2+2] Cycloaddition of 2-(Acylamino)acrylates with Vinyl Sulfides: An Approach to Cyclobutane β -Amino Acids as S-Phenylcysteine Analogues. <i>Synthesis</i> , 2008, 2008, 743-746.	2.3	1
72	Role of the Counteraction in Diastereoselective Alkylations of Pyramidalized Bicyclic Serine Enolates. An Easy Approach to β -Benzylserine. <i>Journal of Organic Chemistry</i> , 2007, 72, 5399-5402.	3.2	28

#	ARTICLE	IF	CITATIONS
73	Regioselective Ring-Opening Metathesisâ€”Cross Metathesis of Bridgehead-Substituted 7-Azanorborneneâ€”. <i>Organic Letters</i> , 2007, 9, 1235-1238.	4.6	30
74	Serine versus Threonine Glycosylation:â€” The Methyl Group Causes a Drastic Alteration on the Carbohydrate Orientation and on the Surrounding Water Shell. <i>Journal of the American Chemical Society</i> , 2007, 129, 9458-9467.	13.7	127
75	Synthesis of Azabicyclo[2.2.n]alkane Systems as Analogues of 3-[1-Methyl-2-(S)-pyrrolidinyl-methoxy]pyridine (A-84543). <i>Journal of Organic Chemistry</i> , 2007, 72, 3112-3115.	3.2	13
76	Theoretical Evidence for Pyramidalized Bicyclic Serine Enolates in Highly Diastereoselective Alkylations. <i>Chemistry - A European Journal</i> , 2007, 13, 4840-4848.	3.3	36
77	Mechanistic study of the ring-size modulation in Michaelâ€”Dieckmann type reactions of 2-acylaminoacrylates with ketene diethyl acetal. <i>New Journal of Chemistry</i> , 2007, 31, 224-229.	2.8	9
78	Time Course of the Evolution of Malic and Lactic Acids in the Alcoholic and Malolactic Fermentation of Grape Must by Quantitative ¹ H NMR (qHNMR) Spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 4715-4720.	5.2	47
79	Conformational Analysis of 2-Substituted Cyclobutane-Î±-amino Acid Derivatives. A Synergistic Experimental and Computational Study. <i>Journal of Organic Chemistry</i> , 2006, 71, 1869-1878.	3.2	19
80	New Insights into Î±-GalNAcâ€”Ser Motif:â€” Influence of Hydrogen Bonding versus Solvent Interactions on the Preferred Conformation. <i>Journal of the American Chemical Society</i> , 2006, 128, 14640-14648.	13.7	78
81	SN2 Reaction of Sulfur Nucleophiles with Hindered Sulfamidates:â€” Enantioselective Synthesis of Î±-Methylisocysteine. <i>Journal of Organic Chemistry</i> , 2006, 71, 1692-1695.	3.2	32
82	Stereoselective Synthesis of Orthogonally Protected Î±-Methylnorlanthionine. <i>Organic Letters</i> , 2006, 8, 2855-2858.	4.6	38
83	Effect of Î²-O-Glucosylation on L-Ser and L-Thr Diamides: A Bias toward Î±-Helical Conformations. <i>Chemistry - A European Journal</i> , 2006, 12, 7864-7871.	3.3	36
84	Synthesis of 2-methyl- and 2-methylenecyclobutane amino acids. <i>Tetrahedron</i> , 2005, 61, 4165-4172.	1.9	13
85	Synthesis of Cyclobutane Serine Analogues. <i>Journal of Organic Chemistry</i> , 2005, 70, 330-333.	3.2	29
86	Selective Michaelâ€”Aldol Reaction by Use of Sterically Hindered Aluminum Aryloxides as Lewis Acids: An Easy Approach to Cyclobutane Amino Acids.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
87	Diastereoselective Synthesis of (S)- and (R)-Î±-Phenylserine by a Sulfinimine-Mediated Strecker Reaction. <i>Synthesis</i> , 2005, 2005, 575-578.	2.3	18
88	SN2 vs E2 on Quaternary Centers: An Easy Approach to Chiral Î²,2-Amino Acids from Cyclic Sulfamidates. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2005, 180, 1459-1460.	1.6	5
89	A Convenient Enantioselective Synthesis of (S)-Î±-Trifluoromethylisoserine. <i>Journal of Organic Chemistry</i> , 2005, 70, 5721-5724.	3.2	28
90	Selective Michaelâ€”Aldol Reaction by Use of Sterically Hindered Aluminum Aryloxides as Lewis Acids:â€” An Easy Approach to Cyclobutane Amino Acids. <i>Organic Letters</i> , 2005, 7, 3597-3600.	4.6	51

#	ARTICLE	IF	CITATIONS
91	$\hat{1}\pm$ -Methylserinals as an access to $\hat{1}\pm$ -methyl- $\hat{1}^2$ -hydroxyamino acids: application in the synthesis of all stereoisomers of $\hat{1}\pm$ -methylthreonine. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 719-724.	1.8	17
92	New syntheses of enantiopure 2-methyl isoserines. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 131-137.	1.8	12
93	SN2 vs. E2 on quaternary centres: an application to the synthesis of enantiopure $\hat{1}^2,2$ -amino acids. <i>Chemical Communications</i> , 2004, , 980-981.	4.1	47
94	Addition of Organolithium Reagents to Ahc Methyl Ester. An Approach to New $\hat{1}\pm$ -Amino Ketones.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
95	Reactivity of 2-Acylaminoacrylates with Ketene Diethyl Acetal; [2 + 2] Cycloadditions vs. Tandem Condensations.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
96	Synthesis of a new conformationally constrained glycoamino acid building block. <i>Tetrahedron Letters</i> , 2003, 44, 6413-6416.	1.4	10
97	Conformational analysis of N-Boc-N,O-isopropylidene- $\hat{1}\pm$ -serinals. A combined DFT and NMR study. <i>Tetrahedron</i> , 2003, 59, 5713-5718.	1.9	10
98	Synthesis of enantiopure ($\hat{1}\pm$ Me)Dip and other $\hat{1}\pm$ -methylated $\hat{1}^2$ -branched amino acid derivatives. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 399-405.	1.8	18
99	Diastereoselective synthesis of protected 4-epi-vancosamine from (S)-N-Boc-N,O-isopropylidene- $\hat{1}\pm$ -methylserinal. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1037-1043.	1.8	8
100	Enantiopure Synthesis of All Four Stereoisomers of Carbapenam-3-carboxylic Acid Methyl Ester. <i>Journal of Organic Chemistry</i> , 2003, 68, 2889-2894.	3.2	13
101	Understanding the Unusual Regioselectivity in the Nucleophilic Ring-Opening Reactions of gem-Disubstituted Cyclic Sulfates. Experimental and Theoretical Studies. <i>Journal of Organic Chemistry</i> , 2003, 68, 4506-4513.	3.2	18
102	Reactivity of 2-acylaminoacrylates with ketene diethyl acetal; [2 + 2] cycloadditions vs. tandem condensationsElectronic supplementary information (ESI) available: general procedures. See http://www.rsc.org/suppdata/cc/b3/b302000b/ . <i>Chemical Communications</i> , 2003, , 1376.	4.1	18
103	Incorporation of Ahc into Model Dipeptides as an Inducer of a $\hat{1}^2$ -Turn with a Distorted Amide Bond. Conformational Analysis. <i>Journal of Organic Chemistry</i> , 2002, 67, 4241-4249.	3.2	17
104	Asymmetric Hetero Diels-Alder as an Access to Carbacephams. <i>Journal of Organic Chemistry</i> , 2002, 67, 598-601.	3.2	28
105	Synthesis of enantiopure analogues of 3-hydroxyproline and derivatives. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 625-632.	1.8	22
106	Synthesis, activity and theoretical study of ABT-418 analogues. <i>Tetrahedron</i> , 2002, 58, 4505-4511.	1.9	8
107	Aspartame analogues containing 1-amino-2-phenylcyclohexanecarboxylic acids (c6Phe). <i>Tetrahedron</i> , 2002, 58, 4899-4905.	1.9	3
108	Addition of organolithium reagents to Ahc methyl ester. An approach to new $\hat{1}\pm$ -amino ketones. <i>Tetrahedron</i> , 2002, 58, 10167-10171.	1.9	13

#	ARTICLE	IF	CITATIONS
109	$\hat{1}^2$ -Turn modulation by the incorporation of c6Ser into Xaa-Pro dipeptide. <i>Tetrahedron Letters</i> , 2002, 43, 1429-1432.	1.4	9
110	Reactivity of (Z)-4-arylidene-5(4H)-oxazolones: [4+2] cycloaddition versus [4+3] cycloaddition/nucleophilic trapping. <i>Tetrahedron Letters</i> , 2002, 43, 4167-4170.	1.4	28
111	Synthesis of 7-azabicyclo[2.2.1]heptane derivatives via bridgehead radicals. <i>Tetrahedron</i> , 2002, 58, 1193-1197.	1.9	8
112	New synthesis of 7-azabicyclo[2.2.1]heptane-1-carboxylic acid. <i>Tetrahedron</i> , 2001, 57, 545-548.	1.9	38
113	New synthesis of all four 1-amino-2-hydroxycyclohexanecarboxylic acids. <i>Tetrahedron</i> , 2001, 57, 2745-2755.	1.9	24
114	Enantioselective synthesis of (S)- and (R)- $\hat{1}^\pm$ -methylserines: application to the synthesis of (S)- and (R)-N-Boc-N,O-isopropylidene- $\hat{1}^\pm$ -methylserinals. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 949-957.	1.8	47
115	An alternative approach to (S)- and (R)-2-methylglycidol O-benzyl ether derivatives. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 1383-1388.	1.8	19
116	Asymmetric synthesis of all isomers of $\hat{1}^\pm$ -methyl- $\hat{1}^2$ -phenylserine. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 2195-2204.	1.8	33
117	Synthesis of conformationally constrained hydroxy- $\hat{1}^\pm$ -amino acids by intramolecular conjugate addition. <i>Amino Acids</i> , 2000, 18, 117-127.	2.7	9
118	Ab initio calculations for N-methyl-1-(N $\hat{1}^2$ -acetylamino)-t-2-phenylcyclohexane-r-1-carboxamide: a $\hat{1}^3$ -turn mimetic. <i>Tetrahedron</i> , 1999, 55, 1399-1406.	1.9	6
119	Asymmetric synthesis of conformationally constrained 4-hydroxyprolines and their applications to the formal synthesis of (+)-epibatidine. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 3999-4007.	1.8	23
120	A straightforward synthesis of both enantiomers of $\hat{1}^\pm$ -vinylalanine and $\hat{1}^\pm$ -ethynylalanine. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 4653-4661.	1.8	30
121	Synthesis of 1-amino-4-hydroxycyclohexane-1-carboxylic acids. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 3375-3379.	0.9	17
122	Preparation and Synthetic Applications of (S)- and (R)-N-Boc-N,O-isopropylidene- $\hat{1}^\pm$ -methylserinals: $\hat{1}^\pm$ -Asymmetric Synthesis of (S)- and (R)-2-Amino-2-methylbutanoic Acids (Iva) $\hat{1}^\pm$. <i>Journal of Organic Chemistry</i> , 1999, 64, 8220-8225.	3.2	38
123	Resolution of (1R,2R)- and (1S,2S)-cyclic constrained phenylalanine analogues (c6Phe). Conformations of (1R,2R)- and (1S,2S)-c6Phe containing peptides. <i>Tetrahedron</i> , 1998, 54, 11659-11674.	1.9	17
124	$\hat{1}^2$ -Turn modulation by the cyclohexane analogues of phenylalanine. <i>Tetrahedron Letters</i> , 1998, 39, 7841-7844.	1.4	25
125	A Versatile and Stereoselective Synthesis of ($\hat{1}^\pm$)-Epibatidine. <i>Synthesis</i> , 1998, 1998, 1335-1338.	2.3	14
126	Convenient Procedures for the Synthesis of N-BOC-D-Serinal Acetonide from L-Serine. <i>Synthesis</i> , 1997, 1997, 1146-1150.	2.3	19

#	ARTICLE	IF	CITATIONS
127	Synthesis of <i>exo</i> -3-Hydroxy-7-azabicyclo[2.2.1]heptane-1-carboxylic Acid, a New Conformationally Constrained 4-Hydroxyproline. <i>Synthesis</i> , 1997, 1997, 165-167.	2.3	11
128	Asymmetric synthesis of meso- and (2 <i>R</i> ,4 <i>R</i>)-2,4-diaminoglutaric acids. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 863-871.	1.8	20
129	Synthesis of enantiomerically pure constrained $\hat{1}^3$ -hydroxy- $\hat{1}^\pm$ -amino acids by directed hydroxylation. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 1123-1129.	1.8	14
130	The use of 4- <i>Ch</i> -retaryliden- $\hat{5}$ and 4- <i>Cy</i> -aryliden- $\hat{5}$ (4- <i>H</i>) $\hat{5}$ -oxazolones as dienophiles. Appropriate reagents for the synthesis of cyclic analogues of natural amino acids. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 1099-1110.	2.6	22
131	Synthesis of a new enantiomerically pure constrained homoserine. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 721-728.	1.8	35
132	The use of 1-amino-2-phenyl-1-cyclohexanecarboxylic acids as chiral auxiliaries in asymmetric Diels-Alder reactions. <i>Tetrahedron</i> , 1996, 52, 4839-4848.	1.9	8
133	Synthesis of meso-2,4-diaminoglutaric acid.. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 1555-1558.	1.8	16
134	Synthesis of a new type of conformationally constrained $\hat{1}^\pm$, $\hat{1}^\pm$ -disubstituted- $\hat{1}^2$ -amino acids and $\hat{1}^2$ -lactams in enantiomerically pure form. <i>Tetrahedron: Asymmetry</i> , 1995, 6, 1409-1418.	1.8	13
135	<i>exo</i> -2-Phenyl-7-azabicyclo[2.2.1]heptane-1-carboxylic acid: A new constrained proline analogue. <i>Tetrahedron Letters</i> , 1995, 36, 7123-7126.	1.4	31
136	New Efficient Synthesis of 4-Amino-3-arylphenols. <i>Synthesis</i> , 1995, 1995, 671-674.	2.3	17
137	Synthesis of $\hat{1}^3$ -hydroxy- $\hat{1}^\pm$ -amino acids by directed hydroxylation via a dihydro-1,3-oxazine intermediate.. <i>Tetrahedron</i> , 1994, 50, 10021-10028.	1.9	24
138	A new efficient synthesis of 2-phenyl-4-oxo-1-amino-cyclohexanecarboxylic acids. <i>Tetrahedron</i> , 1994, 50, 12989-12998.	1.9	24
139	Asymmetric Diels-Alder Reactions of Chiral (E)-2-Cyanocinnamates. 2. Synthesis of the Four 1-Amino-2-phenyl-1-cyclohexanecarboxylic Acids in Enantiomerically Pure Form. <i>Journal of Organic Chemistry</i> , 1994, 59, 7774-7778.	3.2	31
140	Synthesis of the four d,l-pairs of 2-amino-3-phenylnorbornane-2-carboxylic acids II. The use of 5(4 <i>H</i>)-oxazolones as dienophiles.. <i>Tetrahedron</i> , 1993, 49, 677-684.	1.9	37
141	Synthesis of methyl 2- <i>exo</i> -cyano-3- <i>exo</i> -phenyl-5,6-endo (or) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 Td (<i>exo</i>)-epoxybicyclo[2.2.1]heptane-2-carboxylic acid. <i>Tetrahedron: Asymmetry</i> , 1993, 4, 1677-1682.	1.8	1
142	Synthesis of new conformationally rigid phenylalanine analogues.. <i>Tetrahedron</i> , 1993, 49, 10987-10996.	1.9	37
143	Asymmetric Diels-Alder reactions of chiral (E)-2-cyanocinnamates with cyclopentadiene. <i>Journal of Organic Chemistry</i> , 1992, 57, 4664-4669.	3.2	25
144	Reaction of 2,3-dimethyl-1,3-butadiene with chiral (E)-2-cyanocinnamates.. <i>Tetrahedron: Asymmetry</i> , 1992, 3, 913-919.	1.8	13

#	ARTICLE	IF	CITATIONS
145	Development of a model to explain the influence of the solvent on the rate and selectivity of diels-alder reactions. Journal of Physical Organic Chemistry, 1991, 4, 48-52.	1.9	55
146	Correlations of rate and selectivity of a Diels-Alder reaction with S_p parameters. Journal of Physical Organic Chemistry, 1990, 3, 414-418.	1.9	28
147	Asymmetric synthesis of 1-hydroxyindolizidines, biosynthetic precursors to the toxic indolizidine alkaloids slaframine and swainsonine. Tetrahedron: Asymmetry, 1990, 1, 763-764.	1.8	31
148	Reaction of cyclopentadiene with (E)-2-cyanocinnamate of (S)-ethyl lactate.. Tetrahedron: Asymmetry, 1990, 1, 765-768.	1.8	12
149	Strategies for the Synthesis of Selenocysteine Derivatives. Synthesis, 0, , .	2.3	0