Osama M Ahmed

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8991632/publications.pdf

Version: 2024-02-01

63 papers

2,314 citations

257450 24 h-index 223800 46 g-index

64 all docs

64
docs citations

64 times ranked 3393 citing authors

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 1 | Hesperidin and naringin attenuate hyperglycemia-mediated oxidative stress and proinflammatory cytokine production in high fat fed/streptozotocin-induced type 2 diabetic rats. Journal of Diabetes and Its Complications, 2012, 26, 483-490. | 2.3 | 294 |
| 2 | Thyroid hormones states and brain development interactions. International Journal of Developmental Neuroscience, 2008, 26, 147-209. | 1.6 | 258 |
| 3 | Effects of experimentally induced maternal hypothyroidism and hyperthyroidism on the development of rat offspring: I. The development of the thyroid hormones–neurotransmitters and adenosinergic system interactions. International Journal of Developmental Neuroscience, 2010, 28, 437-454. | 1.6 | 116 |
| 4 | Navel orange peel hydroethanolic extract, naringin and naringenin have anti-diabetic potentials in type 2 diabetic rats. Biomedicine and Pharmacotherapy, 2017, 94, 197-205. | 5 . 6 | 113 |
| 5 | Synthesis and anti-tumor activities of some new pyridines and pyrazolo[1,5-a]pyrimidines. European Journal of Medicinal Chemistry, 2009, 44, 3519-3523. | 5.5 | 111 |
| 6 | Effects of experimentally induced maternal hypothyroidism and hyperthyroidism on the development of rat offspring: Ilâ€"The developmental pattern of neurons in relation to oxidative stress and antioxidant defense system. International Journal of Developmental Neuroscience, 2012, 30, 517-537. | 1.6 | 91 |
| 7 | Adipokines: Potential Therapeutic Targets for Vascular Dysfunction in Type II Diabetes Mellitus and Obesity. Journal of Diabetes Research, 2017, 2017, 1-11. | 2.3 | 82 |
| 8 | Quercetin and low level laser therapy promote wound healing process in diabetic rats via structural reorganization and modulatory effects on inflammation and oxidative stress. Biomedicine and Pharmacotherapy, 2018, 101, 58-73. | 5 . 6 | 77 |
| 9 | Antidiabetic Potency, Antioxidant Effects, and Mode of Actions of <i>Citrus reticulata </i> Fruit Peel Hydroethanolic Extract, Hesperidin, and Quercetin in Nicotinamide/Streptozotocin-Induced Wistar Diabetic Rats. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-21. | 4.0 | 67 |
| 10 | Limiting prolonged inflammation during proliferation and remodeling phases of wound healing in streptozotocin-induced diabetic rats supplemented with camel undenatured whey protein. BMC Immunology, 2013, 14, 31. | 2.2 | 62 |
| 11 | The Preventive Effects and the Mechanisms of Action of Navel Orange Peel Hydroethanolic Extract, Naringin, and Naringenin in N-Acetyl-p-aminophenol-Induced Liver Injury in Wistar Rats. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-19. | 4.0 | 62 |
| 12 | Regioselective one-pot synthesis and anti-proliferative and apoptotic effects of some novel tetrazolo[1,5-a]pyrimidine derivatives. Bioorganic and Medicinal Chemistry, 2010, 18, 2639-2644. | 3.0 | 55 |
| 13 | Anti-Proliferative and Apoptotic Efficacies of Ulvan Polysaccharides against Different Types of Carcinoma Cells In Vitro and In Vivo. Journal of Cancer Science & Therapy, 2014, 06, . | 1.7 | 49 |
| 14 | Thymoquinone and curcumin prevent gentamicin-induced liver injury by attenuating oxidative stress, inflammation and apoptosis. Journal of Physiology and Pharmacology, 2014, 65, 823-32. | 1.1 | 49 |
| 15 | Maternal Rat Diabetes Mellitus Deleteriously Affects Insulin Sensitivity and Beta-Cell Function in the Offspring. Journal of Diabetes Research, 2013, 2013, 1-10. | 2.3 | 48 |
| 16 | In vivo and in vitro antidiabetic effects of citrus flavonoids; a study on the mechanism of action. International Journal of Diabetes in Developing Countries, 2015, 35, 250-263. | 0.8 | 47 |
| 17 | Ulva lactuca polysaccharides prevent Wistar rat breast carcinogenesis through the augmentation of apoptosis, enhancement of antioxidant defense system, and suppression of inflammation. Breast Cancer: Targets and Therapy, 2017, Volume 9, 67-83. | 1.8 | 46 |
| 18 | Flavonoids of Calligonum polygonoides and their cytotoxicity. Pharmaceutical Biology, 2016, 54, 2119-2126. | 2.9 | 41 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Ameliorative effects of bee pollen and date palm pollen on the glycemic state and male sexual dysfunctions in streptozotocin-Induced diabetic wistar rats. Biomedicine and Pharmacotherapy, 2018, 97, 9-18. | 5.6 | 40 |
| 20 | Quercetin and naringenin abate diethylnitrosamine/acetylaminofluorene-induced hepatocarcinogenesis in Wistar rats: the roles of oxidative stress, inflammation and cell apoptosis. Drug and Chemical Toxicology, 2022, 45, 262-273. | 2.3 | 39 |
| 21 | Bee Venom: From Venom to Drug. Molecules, 2021, 26, 4941. | 3.8 | 37 |
| 22 | Antihyperglycemic Effect of Crude Extracts of Some Egyptian Plants and Algae. Journal of Medicinal Food, 2014, 17, 400-406. | 1.5 | 30 |
| 23 | Effects of enalapril and paricalcitol treatment on diabetic nephropathy and renal expressions of TNF-α, p53, caspase-3 and Bcl-2 in STZ-induced diabetic rats. PLoS ONE, 2019, 14, e0214349. | 2.5 | 30 |
| 24 | Bee Venom and Hesperidin Effectively Mitigate Complete Freund's Adjuvant-Induced Arthritis Via Immunomodulation and Enhancement of Antioxidant Defense System. Archives of Rheumatology, 2018, 33, 198-212. | 0.9 | 27 |
| 25 | Naringin and Hesperidin Counteract Diclofenac-Induced Hepatotoxicity in Male Wistar Rats via Their Antioxidant, Anti-Inflammatory, and Antiapoptotic Activities. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-14. | 4.0 | 24 |
| 26 | Antihyperglycemic Effects and Mode of Actions of <i>Musa paradisiaca</i> Leaf and Fruit Peel Hydroethanolic Extracts in Nicotinamide/Streptozotocin-Induced Diabetic Rats. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-15. | 1.2 | 23 |
| 27 | An Up-to-Date Review on Citrus Flavonoids: Chemistry and Benefits in Health and Diseases. Current Pharmaceutical Design, 2021, 27, 513-530. | 1.9 | 22 |
| 28 | Toxicity, repellency and anti-cholinesterase activities of thymol-eucalyptus combinations against phenotypically resistant Rhipicephalus annulatus ticks. Experimental and Applied Acarology, 2020, 81, 265-277. | 1.6 | 21 |
| 29 | Nephroprotective Effect of Pleurotus ostreatus and Agaricus bisporus Extracts and Carvedilol on Ethylene Glycol-Induced Urolithiasis: Roles of NF-κB, p53, Bcl-2, Bax and Bak. Biomolecules, 2020, 10, 1317. | 4.0 | 19 |
| 30 | Impacts of the coexistence of diabetes and hypothyroidism on body weight gain, leptin and various metabolic aspects in albino rats. Journal of Diabetes and Its Complications, 2012, 26, 491-500. | 2.3 | 18 |
| 31 | Silymarin Flavonolignans. Studies in Natural Products Chemistry, 2013, 40, 469-484. | 1.8 | 18 |
| 32 | New Antiproliferative Cembrane Diterpenes from the Red Sea Sarcophyton Species. Marine Drugs, 2019, 17, 411. | 4.6 | 18 |
| 33 | Cardiac and testicular toxicity effects of the latex and ethanolic leaf extract of Calotropis procera on male albino rats in comparison to abamectin. SpringerPlus, 2016, 5, 1644. | 1.2 | 17 |
| 34 | The Anticancer Potential of Apigenin Via Immunoregulation. Current Pharmaceutical Design, 2021, 27, 479-489. | 1.9 | 16 |
| 35 | Ulva lactuca hydroethanolic extract suppresses experimental arthritis via its anti-inflammatory and antioxidant activities. Beni-Suef University Journal of Basic and Applied Sciences, 2017, 6, 394-408. | 2.0 | 15 |
| 36 | Potency of Bone Marrow-Derived Mesenchymal Stem Cells and Indomethacin in Complete Freund's Adjuvant-Induced Arthritic Rats: Roles of TNF-α, IL-10, iNOS, MMP-9, and TGF-β1. Stem Cells International, 2021, 2021, 1-11. | 2.5 | 14 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The Antidiabetic Effects and Modes of Action of the Balanites aegyptiaca Fruit and Seed Aqueous Extracts in NA/STZ-Induced Diabetic Rats. Pharmaceutics, 2022, 14, 263. | 4.5 | 14 |
| 38 | Tackling of Renal Carcinogenesis in Wistar Rats by Silybum marianum Total Extract, Silymarin, and Silibinin via Modulation of Oxidative Stress, Apoptosis, Nrf2, PPARγ, NF-κB, and PI3K/Akt Signaling Pathways. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-19. | 4.0 | 13 |
| 39 | Isatin Counteracts Diethylnitrosamine/2-Acetylaminofluorene-Induced Hepatocarcinogenesis in Male Wistar Rats by Upregulating Anti-Inflammatory, Antioxidant, and Detoxification Pathways. Antioxidants, 2022, 11 , 699. | 5.1 | 13 |
| 40 | Green tea (Camellia sinesis) ameliorates female Schistosoma mansoni-induced changes in the liver of Balb/C mice. Saudi Journal of Biological Sciences, 2011, 18, 361-368. | 3.8 | 12 |
| 41 | The potential chemotherapeutic effect of \hat{l}^2 -ionone and/or sorafenib against hepatocellular carcinoma via its antioxidant effect, PPAR- \hat{l}^3 , FOXO-1, Ki-67, Bax, and Bcl-2 signaling pathways. Naunyn-Schmiedeberg's Archives of Pharmacology, 2020, 393, 1611-1624. | 3.0 | 12 |
| 42 | Combinatory Effects of Bone Marrow-Derived Mesenchymal Stem Cells and Indomethacin on Adjuvant-Induced Arthritis in Wistar Rats: Roles of IL- 1^2 , IL-4, Nrf-2, and Oxidative Stress. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-15. | 1.2 | 12 |
| 43 | Combinatory effect of hesperetin and mesenchymal stem cells on the deteriorated lipid profile, heart and kidney functions and antioxidant activity in STZ-induced diabetic rats. Biocell, 2020, 44, 27-29. | 0.7 | 12 |
| 44 | Thyme oil and thymol abrogate doxorubicin-induced nephrotoxicity and cardiotoxicity in Wistar rats via repression of oxidative stress and enhancement of antioxidant defense mechanisms. Biocell, 2020, 44, 41-53. | 0.7 | 12 |
| 45 | Curcumin and Mesenchymal Stem Cells Ameliorate Ankle, Testis, and Ovary Deleterious Histological Changes in Arthritic Rats via Suppression of Oxidative Stress and Inflammation. Stem Cells International, 2021, 2021, 1-20. | 2.5 | 11 |
| 46 | Synthesis and anti-tumor activities of new $[1,2,4]$ triazolo $[1,5-a]$ pyrimidine derivatives. European Journal of Chemistry, 2014, 5, 334-338. | 0.6 | 10 |
| 47 | Fabrication of facile polymeric nanocomposites based on chitosan-gr-P2-aminothiophenol for biomedical applications. International Journal of Biological Macromolecules, 2020, 165, 2649-2659. | 7.5 | 10 |
| 48 | Platelet-Rich Plasma Ameliorates Monosodium Iodoacetate-Induced Ankle Osteoarthritis in the Rat Model via Suppression of Inflammation and Oxidative Stress. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-13. | 1.2 | 10 |
| 49 | Thyme Oil and Thymol Counter Doxorubicin-Induced Hepatotoxicity via Modulation of Inflammation, Apoptosis, and Oxidative Stress. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-19. | 4.0 | 10 |
| 50 | Up-regulation of Hsp72 and keratin16 mediates wound healing in streptozotocin diabetic rats. Biological Research, 2015, 48, 54. | 3.4 | 9 |
| 51 | <i>Musa paradisiaca</i> L. leaf and fruit peel hydroethanolic extracts improved the lipid profile, glycemic index and oxidative stress in nicotinamide/streptozotocinâ€induced diabetic rats. Veterinary Medicine and Science, 2021, 7, 500-511. | 1.6 | 9 |
| 52 | Anti-proliferative and apoptotic efficacy of diallyl disulfide on Ehrlich ascites carcinoma. Hepatoma Research, 2015, 1, 67. | 1.5 | 9 |
| 53 | Effects of Rutin and Quercetin on Doxorubicin-Induced Renocardiotoxicity in Male Wistar Rats. Advances in Animal and Veterinary Sciences, 2020, 8, . | 0.2 | 7 |
| 54 | Histopathological and biochemical effects of green tea and/or licorice aqueous extracts on thyroid functions in male albino rats intoxicated with dimethylnitrosamine. Nutrition and Metabolism, 2009, 6, 2. | 3.0 | 5 |

| # | Article | IF | Citations |
|----|--|-------------|-----------|
| 55 | Corrigendum to "Thyroid hormone states and brain development interactions―[International Journal of Developmental Neuroscience 2008; 26 (2): 147–209]. International Journal of Developmental Neuroscience, 2008, 26, 825-826. | 1.6 | 4 |
| 56 | Effect of mandarin peel extract on experimentally induced arthritis in male rats. Archives of Physiology and Biochemistry, 2021, 127, 136-147. | 2.1 | 4 |
| 57 | The Significance of Vasoactive Intestinal Peptide in the Treatment of Schistosoma mansoni-Infected Diabetic Mice. Asian Journal of Animal and Veterinary Advances, 2009, 4, 172-190. | 0.0 | 4 |
| 58 | Anti-hyperglycemic, Immunomodulatory and Anti-oxidant Efficacy of Vasoactive Intestinal Peptide in Streptozotocin-Induced Diabetic Mice. International Journal of Zoological Research, 2009, 5, 42-61. | 0.6 | 4 |
| 59 | Efficacy of two actinomycete extracts in the amelioration of carbon tetrachloride–induced oxidative stress and nephrotoxicity in experimental rats. Environmental Science and Pollution Research, 2019, 26, 24010-24019. | 5. 3 | 3 |
| 60 | Age and Heat Stress Related Changes in Monoamine Contents and Cholinesterase Activity in Some Central Nervous System Regions of Albino Rat Newborns. International Journal of Zoological Research, 2007, 3, 65-76. | 0.6 | 2 |
| 61 | Hydroethanolic Extract, Naringin and Naringenin in N-Acetyl-P-aminophenol-administered Wistar Rats. Advances in Animal and Veterinary Sciences, 2018, 7, . | 0.2 | 2 |
| 62 | Synthesis of 5-substituted 2-ylidene-1,3-thiazolidin-4-one derivatives and evaluation of their anticancer and antioxidant activities. Chemistry of Heterocyclic Compounds, 2019, 55, 993-1003. | 1.2 | 1 |
| 63 | Interferon lambda 4 gene polymorphisms as a predicting tool of response to hepatitis C virus genotype 4 patients treated with Sofosbuvir and Ribavirin. Infection, Genetics and Evolution, 2020, 86, 104606. | 2.3 | 1 |