

# Jonathan Visentin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8998246/publications.pdf>

Version: 2024-02-01

150  
papers

1,547  
citations

516710

16  
h-index

377865

34  
g-index

150  
all docs

150  
docs citations

150  
times ranked

1105  
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of C3d-Binding Donor-Specific Anti-HLA Antibodies at Diagnosis of Humoral Rejection Predicts Renal Graft Loss. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 457-467.	6.1	226
2	Evaluation of the AllType kit for HLA typing using the Ion Torrent S5 XL platform. <i>Hla</i> , 2020, 95, 30-39.	0.6	134
3	Non-Complementâ€“Binding De Novo Donor-Specific Anti-HLA Antibodies and Kidney Allograft Survival. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 615-625.	6.1	116
4	Deciphering Complement Interference in Antiâ€“Human Leukocyte Antigen Antibody Detection With Flow Beads Assays. <i>Transplantation</i> , 2014, 98, 625-631.	1.0	86
5	Improvement in HLAâ€“typing by new sequenceâ€“specific oligonucleotides kits for HLAâ€“A, â€“B, and â€“DRB1 loci. <i>Hla</i> , 2018, 92, 279-287.	0.6	78
6	Denatured Class I Human Leukocyte Antigen Antibodies in Sensitized Kidney Recipients. <i>Transplantation</i> , 2014, 98, 738-744.	1.0	70
7	Deleterious Impact of Donor-Specific Anti-HLA Antibodies Toward HLA-Cw and HLA-DP in Kidney Transplantation. <i>Transplantation</i> , 2016, 100, 159-166.	1.0	59
8	Deciphering allogeneic antibody response against native and denatured HLA epitopes in organ transplantation. <i>European Journal of Immunology</i> , 2015, 45, 2111-2121.	2.9	40
9	Lung intragraft donor-specific antibodies as a risk factor for graft loss. <i>Journal of Heart and Lung Transplantation</i> , 2016, 35, 1418-1426.	0.6	37
10	Clinical impact of preformed donorâ€“specific denatured class I <sc>HLA</sc> antibodies after kidney transplantation. <i>Clinical Transplantation</i> , 2015, 29, 393-402.	1.6	35
11	The disappointing contribution of anti-human leukocyte antigen donor-specific antibodies characteristics for predicting allograft loss. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1853-1863.	0.7	30
12	Reassessment of T Lymphocytes Crossmatches Results Prediction With Luminex Class I Single Antigen Flow Beads Assay. <i>Transplantation</i> , 2017, 101, 624-630.	1.0	26
13	Deciphering IgM interference in IgG anti-HLA antibody detection with flow beads assays. <i>Human Immunology</i> , 2016, 77, 1048-1054.	2.4	23
14	Calibration free concentration analysis by surface plasmon resonance in a capture mode. <i>Talanta</i> , 2016, 148, 478-485.	5.5	20
15	Reassessment of the clinical impact of preformed donor-specific anti-HLA-Cw antibodies in kidney transplantation. <i>American Journal of Transplantation</i> , 2020, 20, 1365-1374.	4.7	20
16	Evaluation of the iBeads assay as a tool for identifying class I HLA antibodies. <i>Human Immunology</i> , 2015, 76, 651-656.	2.4	19
17	Prevalence, distribution and amplitude of the complement interference phenomenon in single antigen flow beads assays. <i>Hla</i> , 2018, 91, 507-513.	0.6	19
18	Overcoming non-specific binding to measure the active concentration and kinetics of serum anti-HLA antibodies by surface plasmon resonance. <i>Biosensors and Bioelectronics</i> , 2018, 117, 191-200.	10.1	19

#	ARTICLE	IF	CITATIONS
19	Distribution of de novo Donor-Specific Antibody Subclasses Quantified by Mass Spectrometry: High IgG3 Proportion Is Associated With Antibody-Mediated Rejection Occurrence and Severity. <i>Frontiers in Immunology</i> , 2020, 11, 919.	4.8	13
20	Evolution of serum and intra-graft donor-specific anti-HLA antibodies in a patient with two consecutive liver transplantations. <i>Transplant Immunology</i> , 2015, 33, 58-62.	1.2	12
21	Measuring anti-HLA antibody active concentration and affinity by surface plasmon resonance: Comparison with the luminex single antigen flow beads and T-cell flow cytometry crossmatch results. <i>Molecular Immunology</i> , 2019, 108, 34-44.	2.2	12
22	Improvement in HLA- $\text{C}$ typing by a new sequence-specific oligonucleotides kit. <i>Hla</i> , 2020, 96, 323-328.	0.6	11
23	Donor-targeted serotherapy as a rescue therapy for steroid-resistant acute GVHD after HLA-mismatched kidney transplantation. <i>American Journal of Transplantation</i> , 2020, 20, 2243-2253.	4.7	11
24	Anti-HLA donor-specific antibodies are not created equally. Don't forget the flow! <i>Transplant International</i> , 2016, 29, 508-510.	1.6	10
25	Characterization of the novel $\langle \text{scp} \rangle \langle i \rangle \text{HLA}^*18:161 \langle /i \rangle \langle / \text{scp} \rangle$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 513-514.	0.6	7
26	Clinical relevance of donor-specific antibodies directed at $\langle \text{scp} \rangle \text{HLA}^* \langle / \text{scp} \rangle$ : A long road to acceptance. <i>Hla</i> , 2021, 97, 3-14.	0.6	7
27	Predicted indirectly recognizable HLA epitopes (PIRCHE): Only the tip of the iceberg?. <i>American Journal of Transplantation</i> , 2018, 18, 521-522.	4.7	6
28	Characterization of the novel HLA-DRB1*03:147 allele by sequencing-based typing. <i>Hla</i> , 2019, 93, 53-54.	0.6	6
29	Characterization of the novel HLA- $\text{A}^*26:199$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 499-500.	0.6	6
30	Characterization of the novel $\langle \text{scp} \rangle \langle i \rangle \text{HLA}^*02:141 \langle /i \rangle \langle / \text{scp} \rangle$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 369-370.	0.6	6
31	Characterization of the novel HLA- $\text{DQA1}^*01:48$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 362-364.	0.6	6
32	Characterization of the novel $\langle \text{scp} \rangle \langle i \rangle \text{HLA}^*03:517 \langle /i \rangle \langle / \text{scp} \rangle$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 527-528.	0.6	6
33	Characterization of the novel HLA- $\text{DRB3}^*01:86$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 535-537.	0.6	6
34	Characterization of the novel $\langle i \rangle \langle \text{scp} \rangle \text{HLA}^*04:78 \langle /i \rangle \langle / \text{scp} \rangle$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 547-549.	0.6	6
35	Characterization of the novel $\langle \text{scp} \rangle \langle i \rangle \text{HLA}^*1089:01 \langle /i \rangle \langle / \text{scp} \rangle$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 247-248.	0.6	6
36	Characterization of the novel $\langle \text{scp} \rangle \langle i \rangle \text{HLA}^*03:15 \langle /i \rangle \langle / \text{scp} \rangle$ allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 236-237.	0.6	6

#	ARTICLE	IF	CITATIONS
37	Characterization of the novel <i>HLA*DRB3*02:02:25</i> allele by sequencing-based typing. Hla, 2020, 96, 359-360.	0.6	6
38	Characterization of the novel <i>HLA*DQA1*03:01:06</i> allele by sequencing-based typing. Hla, 2020, 96, 234-235.	0.6	6
39	Characterization of the novel <i>HLA*DPB1*1098:01N</i> allele by sequencing-based typing. Hla, 2020, 96, 249-251.	0.6	6
40	Characterization of the novel <i>HLA*CA*11:361</i> allele by sequencing-based typing. Hla, 2020, 96, 497-498.	0.6	6
41	Characterization of the novel <i>HLA*DQA1*01:49</i> allele by sequencing-based typing. Hla, 2020, 96, 233-234.	0.6	6
42	Characterization of the novel <i>HLA*B*27:198</i> allele by sequencing-based typing. Hla, 2020, 96, 515-516.	0.6	6
43	Characterization of the novel <i>HLA*DRB1*04:275</i> allele by sequencing-based typing. Hla, 2020, 96, 356-357.	0.6	6
44	Characterization of the novel <i>HLA*DQA1*05:05:05</i> allele by sequencing-based typing. Hla, 2020, 96, 372-373.	0.6	6
45	Characterization of the novel <i>HLA*DQB1*03:01:46</i> allele by sequencing-based typing. Hla, 2020, 96, 544-545.	0.6	6
46	IgG3 donor-specific antibodies with a proinflammatory glycosylation profile may be associated with the risk of antibody-mediated rejection after kidney transplantation. American Journal of Transplantation, 2022, 22, 865-875.	4.7	6
47	Characterization of the novel <i>HLA*DPB1*763:01</i> allele by sequencing-based typing. Hla, 2018, 92, 429-431.	0.6	5
48	Incidence of cytomegalovirus infection in seropositive kidney transplant recipients treated with everolimus: A randomized, open-label, multicenter phase 4 trial. American Journal of Transplantation, 2022, 22, 1430-1441.	4.7	5
49	Use of Single-Antigen Flow Beads Assays to Assess Anti-HLA Donor-Specific Antibody Strength. Biology of Blood and Marrow Transplantation, 2016, 22, 394-395.	2.0	4
50	Characterization of the novel <i>HLA*DQA1*04:05</i> allele by sequencing-based typing. Hla, 2018, 93, 59-60.	0.6	4
51	Characterization of the novel <i>HLA*EC*07:639</i> allele by sequencing-based typing. Hla, 2018, 92, 422-423.	0.6	4
52	Characterization of the novel <i>HLA*EC*07:724</i> allele by sequencing-based typing. Hla, 2019, 94, 77-78.	0.6	4
53	Characterization of the novel <i>HLA*DQB1*03:353</i> allele by sequencing-based typing. Hla, 2019, 94, 86-87.	0.6	4
54	Characterization of the novel <i>HLA-DPA1*02:12</i> allele by sequencing-based typing. Hla, 2019, 93, 61-62.	0.6	4

#	ARTICLE	IF	CITATIONS
55	Provir/Latitude 45 study: A step towards a multi-epitopic CTL vaccine designed on archived HIV-1 DNA and according to dominant HLA I alleles. PLoS ONE, 2019, 14, e0212347.	2.5	4
56	Characterization of the novel HLA-DRB1*14:207 allele by sequencing-based typing. Hla, 2019, 94, 85-86.	0.6	4
57	Characterization of the novel HLA-B*07:02:73 allele by sequencing-based typing. Hla, 2019, 94, 65-66.	0.6	4
58	Characterization of the novel <i>HLA-C*16:116</i> allele by sequencing-based typing. Hla, 2018, 91, 309-311.	0.6	3
59	Characterization of the novel HLA-B*07:305 allele by sequencing-based typing. Hla, 2018, 91, 296-297.	0.6	3
60	Characterization of the novel HLA-A*24:391 allele by sequencing-based typing. Hla, 2018, 91, 292-293.	0.6	3
61	Characterization of the novel <i>HLA-B*15:476</i> allele by sequencing-based typing. Hla, 2018, 92, 412-413.	0.6	3
62	Characterization of the novel <i>HLA-DQA1*01:01:05</i> allele by sequencing-based typing. Hla, 2019, 94, 172-173.	0.6	3
63	Characterization of the novel HLA-DRB5*02:21 allele by sequencing-based typing. Hla, 2019, 93, 58-59.	0.6	3
64	Characterization of the novel <i>HLA-A*30:135</i> allele by sequencing-based typing. Hla, 2019, 93, 46-47.	0.6	3
65	Characterization of the novel HLA-A*03:315 allele by sequencing-based typing. Hla, 2019, 93, 39-40.	0.6	3
66	Characterization of the novel <i>HLA-B*53:62</i> allele by sequencing-based typing. Hla, 2020, 96, 640-642.	0.6	3
67	Characterization of the novel <i>HLA-DPA1*01:42</i> allele by sequencing-based typing. Hla, 2021, 97, 93-94.	0.6	3
68	Efficacy of plasmapheresis and semi-selective immunoadsorption for removal of anti-HLA antibodies. Journal of Clinical Apheresis, 2021, 36, 291-298.	1.3	3
69	Characterization of the novel <i>HLA-DQB1*06:371</i> allele by sequencing-based typing. Hla, 2021, 97, 175-176.	0.6	3
70	Characterization of the novel <i>HLA-A*02:944</i> allele by sequencing-based typing. Hla, 2021, 97, 216-217.	0.6	3
71	The incidence of post-transplant malignancies in kidney transplant recipients treated with Rituximab. Clinical Transplantation, 2021, 35, e14171.	1.6	3
72	Characterization of the novel HLA-A*02:939 allele by sequencing-based typing. Hla, 2021, 97, 436-437.	0.6	3

#	ARTICLE	IF	CITATIONS
73	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€QB1&lt;/sc&gt;*06:374&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 97, 382-383.	0.6	3
74	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DRB3&lt;/sc&gt;*03:49&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 97, 477-478.	0.6	3
75	Characterization of the novel HLAâ€DPB1*1151:01 allele by sequencingâ€based typing. Hla, 2021, 97, 470-471.	0.6	3
76	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DPA1&lt;/sc&gt;*01:44&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 97, 466-468.	0.6	3
77	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€B&lt;/sc&gt;*56:76&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 66-67.	0.6	3
78	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€A&lt;/sc&gt;*26:01:66&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 97, 532-533.	0.6	3
79	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€C&lt;/sc&gt;*06:314&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 70-71.	0.6	3
80	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€A&lt;/sc&gt;*36:12&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 51-53.	0.6	3
81	Characterization of the novel HLAâ€DQA1*03:20 allele by sequencingâ€based typing. Hla, 2021, 98, 492-494.	0.6	3
82	Characterization of the novel HLAâ€DRB1*11:282 allele by sequencingâ€based typing. Hla, 2021, 98, 182-184.	0.6	3
83	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DPA1&lt;/sc&gt;*01:57&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 83-84.	0.6	3
84	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DQB1&lt;/sc&gt;*06:385&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 573-574.	0.6	3
85	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€A&lt;/sc&gt;*01:367&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 43-44.	0.6	3
86	Characterization of the novel <i>&lt;i&gt;HLAâ€DQA1*01:58&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 76-77.	0.6	3
87	Identification of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DQB1&lt;/sc&gt;*05:275&lt;/i&gt;</i> allele by nextâ€generation sequencing. Hla, 2021, 98, 571-572.	0.6	3
88	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€B&lt;/sc&gt;*14:01:13&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 155-156.	0.6	3
89	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DPA1&lt;/sc&gt;*01:61&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 577-578.	0.6	3
90	Characterization of the novel <i>&lt;i&gt;&lt;sc&gt;HLAâ€DPA1&lt;/sc&gt;*01:60&lt;/i&gt;</i> allele by sequencingâ€based typing. Hla, 2021, 98, 575-576.	0.6	3

#	ARTICLE	IF	CITATIONS
91	Characterization of the novel <i>&lt;sc&gt;HLAâ€C&lt;/sc&gt;*04:451&lt;/i&gt; allele by sequencing-based typing. Hla, 2021, 98, 483-485.</i>	0.6	3
92	Characterization of the novel HLAâ€B*44:02:73 allele by sequencing-based typing. Hla, 2021, 98, 474-476.	0.6	3
93	Characterization of the novel <i>&lt;sc&gt;HLAâ€DQA1*01:02:11&lt;/sc&gt;</i> allele by sequencing-based typing. Hla, 2021, 98, 566-568.	0.6	3
94	Characterization of the novel <i>&lt;sc&gt;HLAâ€C&lt;/sc&gt;*07:01:101&lt;/i&gt; allele by sequencing-based typing. Hla, 2021, 98, 556-557.</i>	0.6	3
95	Characterization of the novel <i>&lt;sc&gt;&lt;i&gt;HLAâ€C&lt;/i&gt;&lt;/sc&gt;*01:214&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2021, 98, 481-483.	0.6	3
96	Characterization of the novel <i>&lt;sc&gt;&lt;i&gt;HLAâ€C&lt;/i&gt;&lt;/sc&gt;*15:241&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2021, 98, 397-399.	0.6	3
97	Characterization of the novel <i>&lt;sc&gt;HLAâ€A&lt;/sc&gt;*24:538&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2021, 98, 473-474.	0.6	3
98	Characterization of the novel <i>&lt;sc&gt;HLAâ€A*11:376&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2021, 97, 447-448.	0.6	3
99	Characterization of the novel <i>&lt;sc&gt;HLAâ€C&lt;/sc&gt;*16:173&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2021, 97, 82-83.	0.6	3
100	Characterization of the novel <i>&lt;sc&gt;HLAâ€DQA1*05:49&lt;/sc&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 140-141.	0.6	3
101	Characterization of the novel <i>&lt;sc&gt;&lt;i&gt;HLAâ€DPB1*665:01:02&lt;/i&gt;&lt;/sc&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 150-152.	0.6	3
102	Characterization of the novel <i>&lt;sc&gt;HLAâ€DQA1*01:76&lt;/sc&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 136-137.	0.6	3
103	Characterization of the novel <i>&lt;sc&gt;HLAâ€B&lt;/sc&gt;*57:146&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 389-390.	0.6	3
104	Characterization of the novel <i>&lt;sc&gt;HLAâ€A&lt;/sc&gt;*03:436&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 621-623.	0.6	3
105	Characterization of the novel <i>&lt;sc&gt;HLAâ€A&lt;/sc&gt;*24:564&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 623-625.	0.6	3
106	Characterization of the novel <i>&lt;sc&gt;HLAâ€B&lt;/sc&gt;*44:&lt;sc&gt;544N&lt;/sc&gt;&lt;/i&gt;</i> allele by sequencing-based typing. Hla, 2022, 99, 631-633.	0.6	3
107	Characterization of the novel <i>&lt;sc&gt;HLAâ€C*12:354&lt;/sc&gt;</i> allele by sequencing-based typing. Hla, 2022, 100, 88-90.	0.6	3
108	Characterization of the novel <i>&lt;sc&gt;HLAâ€DQB1*02:197&lt;/sc&gt;</i> allele by sequencing-based typing. Hla, 2022, 100, 184-186.	0.6	3

#	ARTICLE	IF	CITATIONS
109	Characterization of the novel <i>HLA-B*44:03:62</i> allele by sequencing-based typing. Hla, 2022, 100, 158-160.	0.6	3
110	Characterization of the novel <i>HLA-A*30:02:28</i> allele by sequencing-based typing. Hla, 2022, 99, 377-378.	0.6	3
111	Characterization of the novel <i>HLA-DRB4*01:151</i> allele by sequencing-based typing. Hla, 2022, 99, 64-66.	0.6	3
112	Characterization of the novel <i>HLA-DQA1*05:53</i> allele by sequencing-based typing. Hla, 0, , .	0.6	3
113	Characterization of the novel <i>HLA-DPA1*01:03:40</i> allele by sequencing-based typing. Hla, 2022, 100, 403-404.	0.6	3
114	Characterization of the novel <i>HLA-DPB1*02:01:63</i> allele by sequencing-based typing. Hla, 0, , .	0.6	3
115	Characterization of the novel <i>HLA-DQB1*02:200</i> allele by sequencing-based typing. Hla, 0, , .	0.6	3
116	Characterization of the novel <i>HLA-DRB3*02:96</i> allele by sequencing-based typing. Hla, 2019, 94, 464-465.	0.6	2
117	Characterization of the novel <i>HLA-DPA1*01:20</i> allele by sequencing-based typing. Hla, 2019, 94, 396-397.	0.6	2
118	Characterization of the novel <i>HLA-DQA1*01:22</i> allele by sequencing-based typing. Hla, 2019, 94, 333-334.	0.6	2
119	Characterization of the novel <i>HLA-DPA1*02:15</i> allele by sequencing-based typing. Hla, 2019, 94, 179-180.	0.6	2
120	Characterization of the novel <i>HLA-DQA1*01:27</i> allele by sequencing-based typing. Hla, 2019, 94, 392-393.	0.6	2
121	Characterization of the novel <i>HLA-C*03:302</i> allele by sequencing-based typing. Hla, 2019, 93, 51-52.	0.6	2
122	Characterization of the novel <i>HLA-DQA1*01:25</i> allele by sequencing-based typing. Hla, 2019, 94, 174-175.	0.6	2
123	Characterization of the novel <i>HLA-DRB3*02:02:17</i> allele by sequencing-based typing. Hla, 2019, 94, 170-171.	0.6	2
124	Characterization of the novel <i>HLA-DQB1*03:02:01:08</i> allele by sequencing-based typing. Hla, 2019, 94, 335-336.	0.6	2
125	Characterization of the novel <i>HLA-A*03:350</i> allele by sequencing-based typing. Hla, 2019, 94, 154-155.	0.6	2
126	Characterization of the novel <i>HLA-DRB1*01:100</i> allele by sequencing-based typing. Hla, 2019, 94, 166-167.	0.6	2



#	ARTICLE	IF	CITATIONS
127	Characterization of the novel <i>HLA*11:324</i> allele by sequencing-based typing. Hla, 2019, 94, 155-156.	0.6	2
128	Characterization of the novel <i>HLA*DRB3*03:01:07</i> allele by sequencing-based typing. Hla, 2019, 93, 240-241.	0.6	2
129	Characterization of the novel <i>HLA*07:708</i> allele by sequencing-based typing. Hla, 2019, 93, 235-236.	0.6	2
130	Characterization of the novel <i>HLA*DQA1*05:14</i> allele by sequencing-based typing. Hla, 2019, 93, 241-243.	0.6	2
131	Characterization of the novel <i>HLA*DPB1*896:01</i> allele by sequencing-based typing. Hla, 2019, 93, 246-247.	0.6	2
132	Characterization of the novel <i>HLA*03:170</i> allele by sequencing-based typing. Hla, 2019, 93, 221-223.	0.6	2
133	Characterization of the novel <i>HLA*DRB3*03:37</i> allele by sequencing-based typing. Hla, 2020, 95, 152-153.	0.6	2
134	Characterization of the novel <i>HLA*DPA1*01:03:16</i> allele by sequencing-based typing. Hla, 2020, 95, 158-159.	0.6	2
135	Characterization of the novel <i>HLA*DRB1*15:178</i> allele by sequencing-based typing. Hla, 2020, 95, 149-150.	0.6	2
136	Characterization of the novel <i>HLA*DPB1*04:01:42</i> allele by sequencing-based typing. Hla, 2020, 95, 161-163.	0.6	2
137	Characterization of the novel <i>HLA*DRB1*12:82</i> allele by sequencing-based typing. Hla, 2020, 95, 147-148.	0.6	2
138	Characterization of the novel <i>HLA*DRB3*02:02:23</i> allele by sequencing-based typing. Hla, 2020, 95, 150-151.	0.6	2
139	Characterization of the novel <i>HLA*DPA1*02:26</i> allele by sequencing-based typing. Hla, 2020, 95, 160-161.	0.6	2
140	Characterization of the novel <i>HLA*DPA1*01:03:19</i> allele by sequencing-based typing. Hla, 2020, 96, 129-130.	0.6	2
141	Characterization of the novel <i>HLA*DRB3*02:142</i> allele by sequencing-based typing. Hla, 2020, 95, 581-582.	0.6	2
142	Characterization of the novel <i>HLA*B*44:192:04</i> allele by sequencing-based typing. Hla, 2020, 95, 573-574.	0.6	2
143	Characterization of the novel <i>HLA*DQA1*05:23</i> allele by sequencing-based typing. Hla, 2020, 96, 120-121.	0.6	2
144	Characterization of the novel <i>HLA*DQB1*06:361</i> allele by sequencing-based typing. Hla, 2020, 96, 125-127.	0.6	2

#	ARTICLE	IF	CITATIONS
145	Characterization of the novel <i>HLA*27:13:02</i> allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 92-93.	0.6	2
146	Characterization of the novel <i>HLA*04:408</i> allele by sequencing-based typing. <i>Hla</i> , 2020, 96, 101-102.	0.6	2
147	Characterization of the novel <i>HLA*04:08</i> allele by sequencing-based typing. <i>Hla</i> , 2020, 95, 584-585.	0.6	2
148	Comments on "Direct quantitative measurement of the kinetics of HLA-specific antibody interactions with isolated HLA proteins" <i>Human Immunology</i> , 2018, 79, 129.	2.4	1
149	Characterization of the novel <i>HLA*DRB1*13:191</i> allele by sequencing-based typing. <i>Hla</i> , 2018, 93, 55-56.	0.6	1
150	Monoclonal secondary reagents do not outperform polyclonal secondary reagents for detection of anti-HLA IgG using single antigen flow beads assays. <i>Hla</i> , 2020, 96, 456-467.	0.6	1