

Paul M Allen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8998592/publications.pdf>

Version: 2024-02-01

72
papers

11,865
citations

87888

38
h-index

98798

67
g-index

75
all docs

75
docs citations

75
times ranked

11138
citing authors

#	ARTICLE	IF	CITATIONS
1	Phase-variable bacteria simultaneously express multiple capsules. <i>Microbiology (United Kingdom)</i> , 2021, 167, .	1.8	2
2	Polysaccharide Capsules Equip the Human Symbiont <i>Bacteroides thetaiotaomicron</i> to Modulate Immune Responses to a Dominant Antigen in the Intestine. <i>Journal of Immunology</i> , 2020, 204, 1035-1046.	0.8	26
3	Immunomodulatory Roles of Polysaccharide Capsules in the Intestine. <i>Frontiers in Immunology</i> , 2020, 11, 690.	4.8	23
4	Strength of tonic T cell receptor signaling instructs T follicular helper cell fate decisions. <i>Nature Immunology</i> , 2020, 21, 1384-1396.	14.5	25
5	Tonic TCR Signaling Inversely Regulates the Basal Metabolism of CD4+ T Cells. <i>ImmunoHorizons</i> , 2020, 4, 485-497.	1.8	14
6	Diet modulates colonic T cell responses by regulating the expression of a <i>Bacteroides thetaiotaomicron</i> antigen. <i>Science Immunology</i> , 2019, 4, .	11.9	70
7	Tuning T Cell Signaling Sensitivity Alters the Behavior of CD4+ T Cells during an Immune Response. <i>Journal of Immunology</i> , 2018, 200, 3429-3437.	0.8	9
8	Tropism for tuft cells determines immune promotion of norovirus pathogenesis. <i>Science</i> , 2018, 360, 204-208.	12.6	187
9	Loss of Nav ^v 24-Mediated Regulation of Sodium Currents in Adult Purkinje Neurons Disrupts Firing and Impairs Motor Coordination and Balance. <i>Cell Reports</i> , 2017, 19, 532-544.	6.4	27
10	The TCR Takes Some Immune Responsibility. <i>Immunity</i> , 2017, 47, 803-804.	14.3	1
11	Clec16a is Critical for Autolysosome Function and Purkinje Cell Survival. <i>Scientific Reports</i> , 2016, 6, 23326.	3.3	31
12	Functional Heterogeneity in CD4+ T Cell Responses Against a Bacterial Pathogen. <i>Frontiers in Immunology</i> , 2015, 6, 621.	4.8	12
13	Colitogenic <i>Bacteroides thetaiotaomicron</i> Antigens Access Host Immune Cells in a Sulfatase-Dependent Manner via Outer Membrane Vesicles. <i>Cell Host and Microbe</i> , 2015, 17, 672-680.	11.0	179
14	Force-Regulated In Situ TCR Peptide-Bound MHC Class II Kinetics Determine Functions of CD4+ T Cells. <i>Journal of Immunology</i> , 2015, 195, 3557-3564.	0.8	92
15	Self-pMHCII complexes are variably expressed in the thymus and periphery independent of mRNA expression but dependent on the activation state of the APCs. <i>Molecular Immunology</i> , 2015, 63, 428-436.	2.2	0
16	The Ability To Rearrange Dual TCRs Enhances Positive Selection, Leading to Increased Allo- and Autoreactive T Cell Repertoires. <i>Journal of Immunology</i> , 2014, 193, 1778-1786.	0.8	22
17	c-Myc-induced transcription factor AP4 is required for host protection mediated by CD8+ T cells. <i>Nature Immunology</i> , 2014, 15, 884-893.	14.5	85
18	Intrinsic CD4+ T cell sensitivity and response to a pathogen are set and sustained by avidity for thymic and peripheral complexes of self peptide and MHC. <i>Nature Immunology</i> , 2014, 15, 266-274.	14.5	155

#	ARTICLE	IF	CITATIONS
19	L-Myc expression by dendritic cells is required for optimal T-cell priming. <i>Nature</i> , 2014, 507, 243-247.	27.8	87
20	Positive and negative selection of the T cell repertoire: what thymocytes see (and don't see). <i>Nature Reviews Immunology</i> , 2014, 14, 377-391.	22.7	1,043
21	Both positive and negative effects on immune responses by expression of a second class II MHC molecule. <i>Molecular Immunology</i> , 2014, 62, 199-208.	2.2	5
22	T cell immunodominance is dictated by the positively selecting self-peptide. <i>ELife</i> , 2014, 3, e01457.	6.0	10
23	Self-awareness: How self-peptide/MHC complexes are essential in the development of T cells. <i>Molecular Immunology</i> , 2013, 55, 186-189.	2.2	13
24	Subtle changes in TCR β CDR1 profoundly increase the sensitivity of CD4 T cells. <i>Molecular Immunology</i> , 2013, 53, 283-294.	2.2	9
25	Dual Receptor T Cells Mediate Pathologic Alloreactivity in Patients with Acute Graft-Versus-Host Disease. <i>Science Translational Medicine</i> , 2013, 5, 188ra74.	12.4	29
26	Distinct CD4 ⁺ helper T cells involved in primary and secondary responses to infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9511-9516.	7.1	63
27	Dynamics of CD4 ⁺ T Cell Responses against <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2012, 189, 5250-5256.	0.8	7
28	A voltage-gated sodium channel is essential for the positive selection of CD4 ⁺ T cells. <i>Nature Immunology</i> , 2012, 13, 880-887.	14.5	93
29	How the TCR balances sensitivity and specificity for the recognition of self and pathogens. <i>Nature Immunology</i> , 2012, 13, 121-128.	14.5	185
30	Alloreactivity is limited by the endogenous peptide repertoire. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 3695-3700.	7.1	32
31	Donor Dual TCR T Cells Preferentially Expand and Mediate Pathologic Alloreactivity in Acute Graft Versus Host Disease. <i>Blood</i> , 2011, 118, 1972-1972.	1.4	0
32	Trpm4 Differentially Regulates Th1 and Th2 Function by Altering Calcium Signaling and NFAT Localization. <i>Journal of Immunology</i> , 2010, 185, 2836-2846.	0.8	81
33	High-affinity T cell receptor differentiates cognate peptide-MHC and altered peptide ligands with distinct kinetics and thermodynamics. <i>Molecular Immunology</i> , 2010, 47, 1793-1801.	2.2	23
34	Cutting Edge: Highly Alloreactive Dual TCR T Cells Play a Dominant Role in Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2009, 182, 6639-6643.	0.8	46
35	An endogenous peptide positively selects and augments the activation and survival of peripheral CD4 ⁺ T cells. <i>Nature Immunology</i> , 2009, 10, 1155-1161.	14.5	93
36	Themis imposes new law and order on positive selection. <i>Nature Immunology</i> , 2009, 10, 805-806.	14.5	11

#	ARTICLE	IF	CITATIONS
37	An Antibiotic-Responsive Mouse Model of Fulminant Ulcerative Colitis. <i>PLoS Medicine</i> , 2008, 5, e41.	8.4	109
38	Tumors induce regulatory dendritic cells that suppress CD8+ T cell antitumor immunity. <i>FASEB Journal</i> , 2008, 22, 1078.4.	0.5	0
39	Making Antigen Presentable. <i>Journal of Immunology</i> , 2007, 179, 3-4.	0.8	4
40	Alloreactive T cells respond specifically to multiple distinct peptide-MHC complexes. <i>Nature Immunology</i> , 2007, 8, 388-397.	14.5	127
41	Specificity of T-cell alloreactivity. <i>Nature Reviews Immunology</i> , 2007, 7, 942-953.	22.7	208
42	The Study of High-Affinity TCRs Reveals Duality in T Cell Recognition of Antigen: Specificity and Degeneracy. <i>Journal of Immunology</i> , 2006, 177, 6911-6919.	0.8	50
43	Defining Yourself: Tolerance Development in the Immune System. <i>Journal of Immunology</i> , 2006, 177, 1369-1372.	0.8	5
44	Initiation of an Autoimmune Response: Insights from a Transgenic Model of Rheumatoid Arthritis. <i>Immunologic Research</i> , 2005, 32, 005-014.	2.9	37
45	Class II-restricted T cell receptor engineered in vitro for higher affinity retains peptide specificity and function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 19033-19038.	7.1	94
46	Massive Thymic Deletion Results in Systemic Autoimmunity through Elimination of CD4+ CD25+ T Regulatory Cells. <i>Journal of Experimental Medicine</i> , 2004, 199, 323-335.	8.5	64
47	Staging the Initiation of Autoantibody-Induced Arthritis: A Critical Role for Immune Complexes. <i>Journal of Immunology</i> , 2004, 172, 7694-7702.	0.8	133
48	Despite ubiquitous autoantigen expression, arthritogenic autoantibody response initiates in the local lymph node. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14368-14373.	7.1	72
49	Dynamic visualization of a joint-specific autoimmune response through positron emission tomography. <i>Nature Immunology</i> , 2002, 3, 366-372.	14.5	118
50	THE IMMUNOLOGICAL SYNAPSE. <i>Annual Review of Immunology</i> , 2001, 19, 375-396.	21.8	821
51	Kissing cousins: immunological and neurological synapses. <i>Nature Immunology</i> , 2001, 2, 575-576.	14.5	30
52	Structural and Functional Consequences of Altering a Peptide MHC Anchor Residue. <i>Journal of Immunology</i> , 2001, 166, 3345-3354.	0.8	102
53	Essential Role of Neutrophils in the Initiation and Progression of a Murine Model of Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2001, 167, 1601-1608.	0.8	537
54	Two MHC Surface Amino Acid Differences Distinguish Foreign Peptide Recognition from Autoantigen Specificity. <i>Journal of Immunology</i> , 2001, 166, 4005-4011.	0.8	13

#	ARTICLE	IF	CITATIONS
55	Molecular Basis for Recognition of an Arthritic Peptide and a Foreign Epitope on Distinct MHC Molecules by a Single TCR. <i>Journal of Immunology</i> , 2000, 164, 5788-5796.	0.8	79
56	A Kinetic Threshold between Negative and Positive Selection Based on the Longevity of the T Cell Receptor-Ligand Complex. <i>Journal of Experimental Medicine</i> , 1999, 189, 1531-1544.	8.5	112
57	The Immunological Synapse: A Molecular Machine Controlling T Cell Activation. <i>Science</i> , 1999, 285, 221-227.	12.6	2,861
58	High- and Low-Potency Ligands with Similar Affinities for the TCR. <i>Immunity</i> , 1998, 9, 817-826.	14.3	296
59	The Study of Self-Tolerance Using Murine Haemoglobin as a Model Self Antigen. <i>Novartis Foundation Symposium</i> , 1998, 215, 41-53.	1.1	2
60	Altered T Cell Receptor Ligands Trigger a Subset of Early T Cell Signals. <i>Immunity</i> , 1996, 5, 125-135.	14.3	155
61	Essential flexibility in the T-cell recognition of antigen. <i>Nature</i> , 1996, 380, 495-498.	27.8	305
62	Signalling Events in the Anergy Induction of T Helper 1 Cells. <i>Novartis Foundation Symposium</i> , 1995, 195, 189-202.	1.1	2
63	Tickling the TCR: selective T-cell functions stimulated by altered peptide ligands. <i>Trends in Immunology</i> , 1993, 14, 602-609.	7.5	405
64	Induction of T-cell anergy by altered T-cell-receptor ligand on live antigen-presenting cells. <i>Nature</i> , 1993, 363, 156-159.	27.8	592
65	Tolerance to Self and the Processing and Presentation of Self Antigens. <i>International Reviews of Immunology</i> , 1993, 10, 313-319.	3.3	2
66	Approachable Immunology: <i>Cellular and Molecular Immunology</i> . Abul K. Abbas, Andrew R. Lichtman, and Jordan S. Pober. Saunders, Philadelphia, PA, 1991, xii, 417 pp., illus. Paper, \$26.95. Supplementary slide set, \$250.. <i>Science</i> , 1991, 253, 806-806.	12.6	0
67	Approachable Immunology: <i>Cellular and Molecular Immunology</i> . Abul K. Abbas, Andrew R. Lichtman, and Jordan S. Pober. Saunders, Philadelphia, PA, 1991, xii, 417 pp., illus. Paper, \$26.95. Supplementary slide set, \$250.. <i>Science</i> , 1991, 253, 806-806.	12.6	0
68	Thymic cortical epithelial cells lack full capacity for antigen presentation. <i>Nature</i> , 1989, 340, 557-559.	27.8	83
69	Identification of the T-cell and Ia contact residues of a T-cell antigenic epitope. <i>Nature</i> , 1987, 327, 713-715.	27.8	312
70	T-Cell Recognition of Lysozyme: The Biochemical Basis of Presentation. <i>Immunological Reviews</i> , 1987, 98, 171-187.	6.0	134
71	Binding of immunogenic peptides to Ia histocompatibility molecules. <i>Nature</i> , 1985, 317, 359-361.	27.8	1,187
72	Antigen processing and presentation by macrophages. <i>American Journal of Anatomy</i> , 1984, 170, 483-490.	1.0	21