

# Bohong Gu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8998841/publications.pdf>

Version: 2024-02-01

229  
papers

7,122  
citations

71102

41  
h-index

91884

69  
g-index

242  
all docs

242  
docs citations

242  
times ranked

4575  
citing authors

#	ARTICLE	IF	CITATIONS
1	Failure behaviors of 3D braided composites with defects in different locations under low-velocity impact compression. <i>Textile Research Journal</i> , 2022, 92, 196-209.	2.2	3
2	Electric conductivity and surface potential distributions in carbon fiber reinforced composites with different ply orientations. <i>Textile Research Journal</i> , 2022, 92, 1147-1160.	2.2	6
3	Degradation of torsional behaviors of 3-D braided thin-walled tubes after atmospheric thermal ageing. <i>Thin-Walled Structures</i> , 2022, 170, 108555.	5.3	10
4	Impact Damages of Braided Composites. <i>Engineering Materials</i> , 2022, , .	0.6	12
5	Multiscale Geometric Model of 3-D Braided Composites. <i>Engineering Materials</i> , 2022, , 47-65.	0.6	0
6	Axial Impact Damages of Braided Tubes at Low Temperature. <i>Engineering Materials</i> , 2022, , 163-174.	0.6	0
7	Multiscale Structure Mechanisms on Transverse Impact Damages in Beams. <i>Engineering Materials</i> , 2022, , 175-219.	0.6	0
8	Transverse Impact of Braided Beams. <i>Engineering Materials</i> , 2022, , 67-103.	0.6	0
9	Thermo-mechanical Coupling Constitutive Equations of Braided Composites. <i>Engineering Materials</i> , 2022, , 33-45.	0.6	0
10	Full-field strain and temperature evolution of electroactive three-dimensional braided thermoplastic shape memory composites. <i>Composites Science and Technology</i> , 2022, 219, 109250.	7.8	8
11	Effects of thermo-oxidative aging on 3-D deformation field and mechanical behaviors of 3-D angle-interlock woven composites. <i>Composite Structures</i> , 2022, 281, 115116.	5.8	12
12	Impact crack quantification analyses in 3-D angle-interlock woven composite using image segmentation method. <i>Engineering Fracture Mechanics</i> , 2022, 269, 108529.	4.3	3
13	Electrothermally actuated properties of fabric-reinforced shape memory polymer composites based on core-shell yarn. <i>Composite Structures</i> , 2022, 292, 115681.	5.8	7
14	Impact compression damages of 3D braided composites with/without axial yarns after thermo-oxidative ageing. <i>International Journal of Damage Mechanics</i> , 2022, 31, 1349-1372.	4.2	7
15	Effects of defect sizes at different locations on compressive behaviors of 3D braided composites. <i>Thin-Walled Structures</i> , 2022, 179, 109563.	5.3	8
16	Electro-induced tensile deformation of over-braiding composite tube with carbon fiber reinforced shape memory polyurethane filament. <i>Smart Materials and Structures</i> , 2022, 31, 095015.	3.5	4
17	Impact compression behaviors of 3D angle-interlock woven composites under thermo-oxidative ageing. <i>Engineering Fracture Mechanics</i> , 2022, 271, 108654.	4.3	6
18	Finite element modeling on fracture toughness of 3D angle-interlock woven carbon/epoxy composites at microstructure level. <i>Mechanics of Advanced Materials and Structures</i> , 2021, 28, 849-860.	2.6	10

#	ARTICLE	IF	CITATIONS
19	Electrothermal shape memory behavior and recovery force of four-dimensional printed continuous carbon fiber/polylactic acid composite. <i>Smart Materials and Structures</i> , 2021, 30, 025040.	3.5	29
20	Mode-I fracture crack growth behaviors of 3-D angle interlock woven composites under low-velocity wedge-loaded impact. <i>Engineering Fracture Mechanics</i> , 2021, 242, 107468.	4.3	8
21	Damage initiation and propagation mechanisms of 3-D angle-interlock woven composites under thermo-oxidative aging. <i>Composite Structures</i> , 2021, 259, 113462.	5.8	10
22	Crack spatial distributions and dynamic thermomechanical properties of 3D braided composites during thermal oxygen ageing. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 144, 106355.	7.6	19
23	Numerical and experimental investigation on 3D angle interlock woven fabric under ballistic impact. <i>Composite Structures</i> , 2021, 266, 113778.	5.8	20
24	Microstructure modeling multiple transverse impact damages of 3-D braided composite based on thermo-mechanical coupling approach. <i>Composites Part B: Engineering</i> , 2021, 214, 108741.	12.0	19
25	An experimentalâ€“numerical study on 3D angle-interlock woven composite under transverse impact at subzero temperatures. <i>Composite Structures</i> , 2021, 268, 113936.	5.8	12
26	Electric potential distributions in carbon fiber/epoxy plain-woven laminates with different current directions. <i>Composite Structures</i> , 2021, 270, 114059.	5.8	6
27	Near-fiber nanomechanical mapping and impact failure mechanism of 3D braided composites subjected to thermo-oxidative environment. <i>Composites Science and Technology</i> , 2021, 216, 109052.	7.8	12
28	Electro-thermal coupling behavior and temperature distribution of 3-D braided composite under direct current. <i>Composites Science and Technology</i> , 2021, 216, 109043.	7.8	9
29	Electrical resistance changes of 3D carbon fiber/epoxy woven composites under short beam shear loading along different orientations. <i>Composite Structures</i> , 2021, 276, 114549.	5.8	11
30	Temperature and structure effects on the impact damage distribution of 3D braided composites. <i>Zhongguo Kexue Jishu Kexue/Scientia Sinica Technologica</i> , 2021, 51, 108-118.	0.5	2
31	Low-velocity penetration damage of Kevlar woven fabrics impregnated with shear thickening fluid penetrated with different tups. <i>Mechanics of Advanced Materials and Structures</i> , 2020, 27, 1900-1907.	2.6	4
32	Structural influences of two-dimensional and three-dimensional carbon/epoxy composites on mode I fracture toughness behaviors with rate effects on damage evolution. <i>Journal of Industrial Textiles</i> , 2020, 50, 23-45.	2.4	15
33	Multiple transverse impact damage behaviors of 3-D-braided composite beams under room and high temperatures. <i>International Journal of Damage Mechanics</i> , 2020, 29, 715-747.	4.2	8
34	Low-velocity impact and residual flexural behaviors of 2.5-D woven composite under accelerated thermal ageing: Experiment and numerical modelling. <i>International Journal of Damage Mechanics</i> , 2020, 29, 413-434.	4.2	14
35	Rapid electrothermal-triggered flooded thermoset curing for scalable carbon/polymer composite manufacturing. <i>Composites Science and Technology</i> , 2020, 200, 108409.	7.8	14
36	3D angle-interlock woven structural wearable triboelectric nanogenerator fabricated with silicone rubber coated graphene oxide/cotton composite yarn. <i>Composites Part B: Engineering</i> , 2020, 200, 108244.	12.0	34

#	ARTICLE	IF	CITATIONS
37	Dynamic Capillary-Driven Additive Manufacturing of Continuous Carbon Fiber Composite. <i>Matter</i> , 2020, 2, 1594-1604.	10.0	64
38	Ballistic penetration damages and energy absorptions of stacked cross-ply composite fabrics and laminated panels. <i>International Journal of Damage Mechanics</i> , 2020, 29, 1465-1484.	4.2	16
39	Wet-spinning assembly and in situ electrodeposition of carbon nanotube-based composite fibers for high energy density wire-shaped asymmetric supercapacitor. <i>Journal of Colloid and Interface Science</i> , 2020, 569, 298-306.	9.4	42
40	Modeling the coupling effects of braiding structure and thermo-oxidative aging on the high-speed impact responses of 3D braided composites. <i>Thin-Walled Structures</i> , 2020, 150, 106705.	5.3	13
41	A flexible, high-strength, conductive shape memory composite fabric based on continuous carbon fiber/polyurethane yarn. <i>Smart Materials and Structures</i> , 2020, 29, 085044.	3.5	10
42	Punch shear performance and damage mechanisms of three-dimensional braided composite with different thicknesses. <i>Textile Research Journal</i> , 2019, 89, 2126-2141.	2.2	5
43	Influence of Braiding Angle on Multiple Impact Damages of 3-D Braided Composite along Longitudinal Direction. <i>Applied Composite Materials</i> , 2019, 26, 1261-1280.	2.5	9
44	X-ray tomography and numerical study on low-velocity impact damages of three-dimensional angle-interlock woven composites. <i>Composite Structures</i> , 2019, 230, 111525.	5.8	30
45	Remotely and Sequentially Controlled Actuation of Electroactivated Carbon Nanotube/Shape Memory Polymer Composites. <i>Advanced Materials Technologies</i> , 2019, 4, 1900600.	5.8	50
46	In situ measurement of strains at different locations in 3-D braided composites with FBG sensors. <i>Composite Structures</i> , 2019, 230, 111527.	5.8	7
47	Effect of pre-crack length on Mode I fracture toughness of 3-D angle-interlock woven composites from finite element analyses. <i>Journal of the Textile Institute</i> , 2019, 110, 1445-1458.	1.9	3
48	Numerical analysis of punch shear failure and stress characteristics of three-dimensional braided composite with different braiding angles. <i>International Journal of Damage Mechanics</i> , 2019, 28, 1418-1437.	4.2	3
49	Unit cell modeling on torsion damage behavior of a novel three-dimensional integrated multilayer fabric-reinforced composite tubular structure. <i>Textile Research Journal</i> , 2019, 89, 4253-4264.	2.2	6
50	Multi-scale ageing mechanisms of 3D four directional and five directional braided composites' impact fracture behaviors under thermo-oxidative environment. <i>International Journal of Mechanical Sciences</i> , 2019, 155, 50-65.	6.7	46
51	Axial impact compressive behaviors of a novel 3-D integrated multilayer fabric reinforced composite tubular structures. <i>Thin-Walled Structures</i> , 2019, 134, 363-372.	5.3	10
52	Effect of braiding angle on dynamic mechanical properties of 3-D braided rectangular composites under multiple impact compressions. <i>Journal of Composite Materials</i> , 2019, 53, 1827-1846.	2.4	9
53	High strain rate compressive behaviors and adiabatic shear band localization of 3-D carbon/epoxy angle-interlock woven composites at different loading directions. <i>Composite Structures</i> , 2019, 211, 502-521.	5.8	36
54	Damage and failure mechanism of 3D carbon fiber/epoxy braided composites after thermo-oxidative ageing under transverse impact compression. <i>Composites Part B: Engineering</i> , 2019, 161, 677-690.	12.0	36

#	ARTICLE	IF	CITATIONS
55	Differences of transverse impact damages in 3D angle-interlock woven composites between warp and weft directions. <i>International Journal of Damage Mechanics</i> , 2019, 28, 1203-1227.	4.2	7
56	Comparisons on impact fracture behavior between three-dimensional four directional and five directional braided composite materials. <i>International Journal of Damage Mechanics</i> , 2019, 28, 990-1020.	4.2	12
57	Progressive failure of inter-woven carbon-Dyneema fabric reinforced hybrid composites. <i>Composite Structures</i> , 2019, 211, 175-186.	5.8	19
58	Impact fracture behaviors of three-dimensional braided composite U-notch beam subjected to three-point bending. <i>International Journal of Damage Mechanics</i> , 2019, 28, 404-426.	4.2	11
59	Finite element analyses on longitudinal compressive behaviors of 3D braided carbon /epoxy composite with different braided angles at low temperatures. <i>Journal of the Textile Institute</i> , 2019, 110, 37-49.	1.9	1
60	Numerical analyses on thermal stress distribution induced from impact compression in 3D carbon fiber/epoxy braided composite materials. <i>Journal of Thermal Stresses</i> , 2018, 41, 903-919.	2.0	21
61	High-speed visualizing and mesoscale modeling for deformation and damage of 3D angle-interlock woven composites subjected to transverse impacts. <i>International Journal of Mechanical Sciences</i> , 2018, 140, 119-132.	6.7	37
62	Size effects on compressive behaviors of three-dimensional braided composites under high strain rates. <i>Journal of Composite Materials</i> , 2018, 52, 3895-3908.	2.4	10
63	Shape memory behavior and recovery force of 4D printed textile functional composites. <i>Composites Science and Technology</i> , 2018, 160, 224-230.	7.8	115
64	Finite element analyses on bending fatigue of three-dimensional five-directional braided composite T-beam with mixed unit-cell model. <i>Journal of Composite Materials</i> , 2018, 52, 1139-1154.	2.4	16
65	Effects of yarn defects and specimen size on impact compressive damages of 3-D angle interlock woven composites. <i>International Journal of Damage Mechanics</i> , 2018, 27, 1380-1396.	4.2	10
66	Interfacial bonding strength of short carbon fiber/acrylonitrile-butadiene-styrene composites fabricated by fused deposition modeling. <i>Composites Part B: Engineering</i> , 2018, 137, 51-59.	12.0	145
67	Impact damage and compression behaviours of three-dimensional angle-interlock woven composites after thermo-oxidation degradation. <i>Journal of Composite Materials</i> , 2018, 52, 2085-2101.	2.4	9
68	Experimental study on the bending fatigue behaviors of 3D five directional braided T-shaped composites. <i>Journal of the Textile Institute</i> , 2018, 109, 603-613.	1.9	11
69	Finite element modeling of multiple transverse impact damage behaviors of 3-D braided composite beams at microstructure level. <i>International Journal of Mechanical Sciences</i> , 2018, 148, 730-744.	6.7	26
70	Damage mechanisms of 3-D rectangular braided composite under multiple impact compressions. <i>Aerospace Science and Technology</i> , 2018, 82-83, 46-60.	4.8	26
71	A Stretchable Yarn Embedded Triboelectric Nanogenerator as Electronic Skin for Biomechanical Energy Harvesting and Multifunctional Pressure Sensing. <i>Advanced Materials</i> , 2018, 30, e1804944.	21.0	396
72	Experimental and numerical analyses of matrix shrinkage and compressive behavior of 3-D braided composite under thermo-oxidative ageing conditions. <i>Composite Structures</i> , 2018, 204, 320-332.	5.8	24

#	ARTICLE	IF	CITATIONS
73	Shape memory behavior and recovery force of 4D printed laminated Miura-origami structures subjected to compressive loading. <i>Composites Part B: Engineering</i> , 2018, 153, 233-242.	12.0	86
74	Versatile Core-Sheath Yarn for Sustainable Biomechanical Energy Harvesting and Real-Time Human-Interactive Sensing. <i>Advanced Energy Materials</i> , 2018, 8, 1801114.	19.5	212
75	Finite element analyses on punch shear behaviors of three-dimensional braided composites at microstructure level. <i>International Journal of Damage Mechanics</i> , 2017, 26, 968-988.	4.2	9
76	Influence of temperature and strain rate on the longitudinal compressive crashworthiness of 3D braided composite tubes and finite element analysis. <i>International Journal of Damage Mechanics</i> , 2017, 26, 1003-1027.	4.2	26
77	Thermal-mechanical coupling modeling of 3D braided composite under impact compression loading and high temperature field. <i>Composites Science and Technology</i> , 2017, 140, 73-88.	7.8	41
78	Ultrastrong and excellent dynamic mechanical properties of carbon nanotube composites. <i>Composites Science and Technology</i> , 2017, 141, 137-144.	7.8	32
79	Drop-weight impact behaviors of 3-D angle interlock woven composites after thermal oxidative aging. <i>Composite Structures</i> , 2017, 166, 239-255.	5.8	28
80	Transverse impact performance and finite element analysis of three dimensional braided composite tubes with different braiding layers. <i>Composite Structures</i> , 2017, 168, 345-359.	5.8	32
81	Progressive failure of 3-D textile composites under impact loadings. <i>Composite Structures</i> , 2017, 168, 710-724.	5.8	19
82	Electromechanical behavior of carbon nanotube fibers under transverse compression. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 085303.	2.8	6
83	Strong graphene-interlayered carbon nanotube films with high thermal conductivity. <i>Carbon</i> , 2017, 118, 659-665.	10.3	62
84	Temperature-dependent thermal expansion behaviors of carbon fiber/epoxy plain woven composites: Experimental and numerical studies. <i>Composite Structures</i> , 2017, 176, 329-341.	5.8	45
85	Impact shear damage characterizations of 3D braided composite with X-ray micro-computed tomography and numerical methodologies. <i>Composite Structures</i> , 2017, 176, 43-54.	5.8	53
86	The transverse impact responses of 3-D braided composite I-beam. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 94, 158-169.	7.6	26
87	Influence of specimen size and inner defects on high strain rates compressive behaviors of plain woven composites. <i>Polymer Testing</i> , 2017, 64, 55-64.	4.8	10
88	Meso-structure ageing mechanism of 3-D braided composite's compressive behaviors under accelerated thermo-oxidative ageing environment. <i>Mechanics of Materials</i> , 2017, 115, 47-63.	3.2	42
89	A Highly Stretchable and Washable All-Yarn-Based Self-Charging Knitting Power Textile Composed of Fiber Triboelectric Nanogenerators and Supercapacitors. <i>ACS Nano</i> , 2017, 11, 9490-9499.	14.6	419
90	Characterization of residual stress and deformation in additively manufactured ABS polymer and composite specimens. <i>Composites Science and Technology</i> , 2017, 150, 102-110.	7.8	94

#	ARTICLE	IF	CITATIONS
91	3D Orthogonal Woven Triboelectric Nanogenerator for Effective Biomechanical Energy Harvesting and as Self-Powered Active Motion Sensors. <i>Advanced Materials</i> , 2017, 29, 1702648.	21.0	321
92	Numerical analysis of thermal expansion behaviors and interfacial thermal stress of 3D braided composite materials. <i>Computational Materials Science</i> , 2017, 138, 77-91.	3.0	24
93	Numerical modeling on compressive behaviors of 3-D braided composites under high temperatures at microstructure level. <i>Composite Structures</i> , 2017, 160, 925-938.	5.8	26
94	Coupling effect of temperature and braided angle on compressive behaviors of 3D braided carbon-epoxy composite at low temperature. <i>Journal of Composite Materials</i> , 2017, 51, 2531-2547.	2.4	12
95	Experimental and numerical analyses on the thermal conductive behaviors of carbon fiber/epoxy plain woven composites. <i>International Journal of Heat and Mass Transfer</i> , 2016, 102, 501-517.	4.8	65
96	Responses of 3D four-directional and five-directional circular braided composite tubes under transverse impact. <i>International Journal of Crashworthiness</i> , 2016, 21, 353-366.	1.9	13
97	Comparisons of axial compression behaviors between four-directional and five-directional braided composite tubes under high strain rate loading. <i>Journal of Composite Materials</i> , 2016, 50, 3905-3924.	2.4	16
98	Accelerated thermal ageing of epoxy resin and 3-D carbon fiber/epoxy braided composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 85, 163-171.	7.6	55
99	Quasi-static compression and compression-fatigue characteristics of 3D braided carbon/epoxy tube. <i>Journal of the Textile Institute</i> , 2016, 107, 938-948.	1.9	20
100	Multi-scale finite element analyses on the thermal conductive behaviors of 3D braided composites. <i>Composite Structures</i> , 2016, 143, 9-22.	5.8	50
101	Thermo-mechanical numerical modeling on impact compressive damage of 3-D braided composite materials under room and low temperatures. <i>Aerospace Science and Technology</i> , 2016, 54, 23-40.	4.8	34
102	Modelling of 3D woven fabrics for ballistic protection. , 2016, , 145-197.		8
103	Energy absorption of three-dimensional braided composites under impact punch shear loading. <i>Textile Research Journal</i> , 2016, 86, 2080-2095.	2.2	4
104	Experimental and numerical investigation on the thermal conduction properties of 2.5D angle-interlock woven composites. <i>Composite Structures</i> , 2016, 154, 319-333.	5.8	33
105	A mesoscale study of thermal expansion behaviors of epoxy resin and carbon fiber/epoxy unidirectional composites based on periodic temperature and displacement boundary conditions. <i>Polymer Testing</i> , 2016, 55, 44-60.	4.8	47
106	Comparisons of thermal conductive behaviors of epoxy resin in unidirectional composite materials. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 124, 775-789.	3.6	17
107	Mechanical behaviors of four-step 1-1 braided carbon/epoxy three-dimensional composite tubes under axial compression loading. <i>Polymer Composites</i> , 2016, 37, 3210-3218.	4.6	17
108	Thermal ageing degradation mechanisms on compressive behavior of 3-D braided composites in experimental and numerical study. <i>Composite Structures</i> , 2016, 140, 180-191.	5.8	49

#	ARTICLE	IF	CITATIONS
109	Axial compressive deformation and damage of four-step 3-D circular braided composite tubes under various strain rates. <i>Journal of the Textile Institute</i> , 2016, 107, 1584-1600.	1.9	13
110	Transient heat generation and thermo-mechanical response of epoxy resin under adiabatic impact compressions. <i>International Journal of Heat and Mass Transfer</i> , 2016, 95, 874-889.	4.8	37
111	Multi-scale structure finite element analyses of damage behaviors of multi-axial warp-knitted composite materials subjected to quasi-static and high strain rate compressions. <i>Journal of the Textile Institute</i> , 2016, 107, 879-904.	1.9	9
112	Finite element analysis of 3D circular braided composites tube damage based on three unit cell models under axial compression loading. <i>International Journal of Damage Mechanics</i> , 2016, 25, 574-607.	4.2	19
113	Transverse impact behaviors of 3D braided composites T-beam at elevated temperatures. <i>Journal of Composite Materials</i> , 2016, 50, 3961-3971.	2.4	10
114	Effect of temperature and strain rate on biaxial warp-knitted composite. <i>Journal of Reinforced Plastics and Composites</i> , 2016, 35, 295-304.	3.1	3
115	Multi-scale structure modeling of damage behaviors of 3D orthogonal woven composite materials subject to quasi-static and high strain rate compressions. <i>Mechanics of Materials</i> , 2016, 94, 1-25.	3.2	50
116	Thermo-mechanical behaviors of 3-D braided composite material subject to high strain rate compressions under different temperatures. <i>Mechanics of Advanced Materials and Structures</i> , 2016, 23, 385-401.	2.6	19
117	Experimental and numerical investigation of the transverse impact damage and deformation of 3-D circular braided composite tubes from meso-structure approach. <i>Composites Part B: Engineering</i> , 2016, 86, 243-253.	12.0	55
118	Dynamic responses and damage evolutions of four-step three-dimensional braided composites subjected to high strain rate punch shear loading. <i>Journal of Composite Materials</i> , 2016, 50, 1635-1650.	2.4	16
119	Auxetic composite made with multilayer orthogonal structural reinforcement. <i>Composite Structures</i> , 2016, 135, 23-29.	5.8	77
120	Analysis of Braided Structures and Properties. <i>Composite Materials</i> , 2015, , 53-96.	0.0	0
121	Finite element analyses of compressive behaviors of biaxial warp-knitted composite material under various strain rates with a simplified geometrical model. <i>Journal of the Textile Institute</i> , 2015, 106, 1013-1026.	1.9	5
122	Numerical analyses of bending fatigue of four-step three-dimensional rectangular-braided composite materials from unit cell approach. <i>Journal of the Textile Institute</i> , 2015, 106, 67-79.	1.9	20
123	Numerical analyses of thermo-mechanical behaviors of 3-D rectangular braided composite under different temperatures. <i>Journal of the Textile Institute</i> , 2015, 106, 173-186.	1.9	13
124	Damage behaviors of woven basalt-unsaturated polyester laminates under low-velocity impact. <i>Journal of Composite Materials</i> , 2015, 49, 2103-2118.	2.4	6
125	Finite element prediction of the impact compressive properties of three-dimensional braided composites using multi-scale model. <i>Composite Structures</i> , 2015, 128, 381-394.	5.8	57
126	Experimental investigation of high-strain rate properties of 3-D braided composite material in cryogenic field. <i>Composites Part B: Engineering</i> , 2015, 77, 379-390.	12.0	42



#	ARTICLE	IF	CITATIONS
127	Experimental characterizations of three-point bending fatigue behavior of four-step three-dimensional braided composite T-beam. <i>Journal of Industrial Textiles</i> , 2015, 45, 171-186.	2.4	8
128	Predicting dynamic in-plane compressive properties of multi-axial multi-layer warp-knitted composites with a meso-model. <i>Composites Part B: Engineering</i> , 2015, 77, 278-290.	12.0	24
129	Longitudinal compressive behaviour of 3D braided composite under various temperatures and strain rates. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 118, 1315-1337.	2.3	19
130	The bending fatigue comparison between 3D braided rectangular composites and T-beam composites. <i>Fibers and Polymers</i> , 2015, 16, 634-639.	2.1	11
131	Finite element analyses on transverse impact behaviors of 3-D circular braided composite tubes with different braiding angles. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015, 79, 52-62.	7.6	50
132	Finite element modeling of compressive properties of three-dimensional woven composites under various strain rates. <i>Journal of Composite Materials</i> , 2015, 49, 2519-2528.	2.4	2
133	Energy absorption of three-dimensional angle-interlock woven composite under ballistic penetration based on a multi-scale finite element model. <i>International Journal of Damage Mechanics</i> , 2015, 24, 3-20.	4.2	27
134	Nonlinear numerical predictions of three-dimensional orthogonal woven composite under low-cycle tension using multiscale repeating unit cells. <i>International Journal of Damage Mechanics</i> , 2015, 24, 338-362.	4.2	9
135	Numerical simulation of the impact behaviors of shear thickening fluid impregnated warp-knitted spacer fabric. <i>Composites Part B: Engineering</i> , 2015, 69, 191-200.	12.0	55
136	Effects of temperature and strain rate on impact compression behaviors of three-dimensional carbon fiber/epoxy braided composites. <i>Journal of Composite Materials</i> , 2015, 49, 771-782.	2.4	24
137	Finite element analyses of four-step 3D braided composite bending damage using repeating unit cell model. <i>International Journal of Damage Mechanics</i> , 2015, 24, 59-75.	4.2	19
138	Impact compressive behavior and failure modes of four-step three-dimensional braided composites-based meso-structure model. <i>International Journal of Damage Mechanics</i> , 2015, 24, 805-827.	4.2	32
139	Tensile impact damage behaviors of co-woven-knitted composite materials with a simplified microstructure model. <i>Textile Research Journal</i> , 2014, 84, 1742-1760.	2.2	9
140	Fatigue behaviors of four-step three-dimensional braided composite material: a meso-scale approach computation. <i>Textile Research Journal</i> , 2014, 84, 1915-1930.	2.2	15
141	Characterizations of basalt unsaturated polyester laminates under static three-point bending and low-velocity impact loadings. <i>Polymer Composites</i> , 2014, 35, 2203-2213.	4.6	16
142	Numerical modeling of the mechanical response of basalt plain woven composites under high strain rate compression. <i>Journal of Reinforced Plastics and Composites</i> , 2014, 33, 1087-1104.	3.1	12
143	Static and low-velocity impact on mechanical behaviors of foam sandwiched composites with different ply angles face sheets. <i>Journal of Composite Materials</i> , 2014, 48, 1173-1188.	2.4	16
144	Graded conventional-auxetic Kirigami sandwich structures: Flatwise compression and edgewise loading. <i>Composites Part B: Engineering</i> , 2014, 59, 33-42.	12.0	179

#	ARTICLE	IF	CITATIONS
145	Structural effects of three-dimensional angle-interlock woven composite undergoing bending cyclic loading. <i>Science China: Physics, Mechanics and Astronomy</i> , 2014, 57, 501-511.	5.1	10
146	Finite element analyses on three-point low-cyclic bending fatigue of 3-D braided composite materials at microstructure level. <i>International Journal of Mechanical Sciences</i> , 2014, 84, 41-53.	6.7	43
147	Experimental and numerical analyses of the mechanical behaviors of three-dimensional orthogonal woven composites under compressive loadings with different strain rates. <i>International Journal of Damage Mechanics</i> , 2014, 23, 636-660.	4.2	32
148	Large-scale finite element analysis of a 3D angle-interlock woven composite undergoing low-cyclic three-point bending fatigue. <i>Journal of the Textile Institute</i> , 2014, 105, 275-293.	1.9	8
149	Computational schemes on the bending fatigue deformation and damage of three-dimensional orthogonal woven composite materials. <i>Computational Materials Science</i> , 2014, 91, 91-101.	3.0	12
150	Nonlinear viscoelastic multi-scale repetitive unit cell model of 3D woven composites with damage evolution. <i>International Journal of Solids and Structures</i> , 2013, 50, 3539-3554.	2.7	20
151	Damage Behaviors of Foam Sandwiched Composite Materials Under Quasi-Static Three-point Bending. <i>Applied Composite Materials</i> , 2013, 20, 1231-1246.	2.5	15
152	Low-Velocity Impact Response and Finite Element Analysis of Four-Step 3-D Braided Composites. <i>Applied Composite Materials</i> , 2013, 20, 397-413.	2.5	22
153	An Analytical Model for Predicting Stab Resistance of Flexible Woven Composites. <i>Applied Composite Materials</i> , 2013, 20, 569-585.	2.5	16
154	Strain rate effects on tensile failure of 3-D angle-interlock woven carbon fabric. <i>Materials &amp; Design</i> , 2013, 46, 857-866.	5.1	15
155	Compressive behaviors of warp-knitted spacer fabrics impregnated with shear thickening fluid. <i>Composites Science and Technology</i> , 2013, 88, 184-189.	7.8	55
156	Finite element analyses of low-velocity impact damage of foam sandwiched composites with different ply angles face sheets. <i>Materials &amp; Design</i> , 2013, 47, 189-199.	5.1	32
157	The bending and failure of sandwich structures with auxetic gradient cellular cores. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 49, 119-131.	7.6	129
158	Numerical analyses of 3D orthogonal woven composite under three-point bending from multi-scale microstructure approach. <i>Computational Materials Science</i> , 2013, 79, 468-477.	3.0	27
159	Ballistic impact damages of 3-D angle-interlock woven composites based on high strain rate constitutive equation of fiber tows. <i>International Journal of Impact Engineering</i> , 2013, 57, 145-158.	5.0	35
160	Tension-tension fatigue behavior of layer-to-layer 3-D angle-interlock woven composites. <i>Materials Chemistry and Physics</i> , 2013, 140, 183-190.	4.0	22
161	Cumulative fatigue damage for 3-D angle-interlock woven composite under three-point bending cyclic loading. <i>International Journal of Damage Mechanics</i> , 2013, 22, 3-16.	4.2	6
162	Analytical modeling on mechanical responses and damage morphology of flexible woven composites under trapezoid tearing. <i>Textile Research Journal</i> , 2013, 83, 1297-1309.	2.2	21

#	ARTICLE	IF	CITATIONS
163	Comparisons of trapezoid tearing behaviors of uncoated and coated woven fabrics from experimental and finite element analysis. <i>International Journal of Damage Mechanics</i> , 2013, 22, 464-489.	4.2	29
164	Drop-weight impact damage of three-dimensional angle-interlock woven composites. <i>Journal of Composite Materials</i> , 2013, 47, 2193-2209.	2.4	12
165	Dynamic response and stability of basalt woven fabric composites under impulsive compression. <i>Journal of Reinforced Plastics and Composites</i> , 2013, 32, 137-144.	3.1	7
166	Strain rate effects of tensile behaviors of 3-D orthogonal woven fabric: Experimental and finite element analyses. <i>Textile Reseach Journal</i> , 2013, 83, 337-354.	2.2	14
167	Finite element analyses of stress distributions of three-dimensional angle-interlock woven composite subjected to three-point bending cyclic loading. <i>Journal of the Textile Institute</i> , 2013, 104, 1186-1194.	1.9	7
168	Finite element analyses of tensile impact behaviors of co-woven-knitted composite from unit-cell approach. <i>Journal of the Textile Institute</i> , 2013, 104, 446-459.	1.9	7
169	Ballistic impact damage of biaxial multilayer knitted composite. <i>Journal of Composite Materials</i> , 2012, 46, 527-547.	2.4	16
170	Impact Tension Damage Mechanism Analyses of Co-Woven-Knitted Composite from Hilbert's Huang Transform. <i>International Journal of Damage Mechanics</i> , 2012, 21, 493-523.	4.2	12
171	Comparison of stab behaviors of uncoated and coated woven fabrics from experimental and finite element analyses. <i>Textile Reseach Journal</i> , 2012, 82, 1337-1354.	2.2	24
172	Characterization of the tensile behaviour of a co-woven-knitted composite in the continuous and discrete frequency domain. <i>Philosophical Magazine</i> , 2012, 92, 1966-1997.	1.6	7
173	Experimental investigation and numerical simulation of three-point bending fatigue of 3D orthogonal woven composite. <i>Journal of the Textile Institute</i> , 2012, 103, 1312-1327.	1.9	11
174	Comparisons of static bending and fatigue damage between 3D angle-interlock and 3D orthogonal woven composites. <i>Journal of Reinforced Plastics and Composites</i> , 2012, 31, 935-945.	3.1	46
175	Frequency features of basalt filament tows under quasi-static and high strain rate tension. <i>Journal of Composite Materials</i> , 2012, 46, 1285-1293.	2.4	13
176	Micro/meso-scale damage analysis of three-dimensional orthogonal woven composites based on sub-repeating unit cells. <i>Journal of Strain Analysis for Engineering Design</i> , 2012, 47, 313-328.	1.8	23
177	Experimental characterization of transverse impact behaviors of four-step 3-D rectangular braided composites. <i>Journal of Composite Materials</i> , 2012, 46, 3017-3029.	2.4	25
178	Impact tensile behavior and frequency response of 3D braided composites. <i>Textile Reseach Journal</i> , 2012, 82, 280-287.	2.2	18
179	A Numerical Simulation on Ballistic Penetration Damage of 3D Orthogonal Woven Fabric at Microstructure Level. <i>International Journal of Damage Mechanics</i> , 2012, 21, 237-266.	4.2	46
180	Transverse impact behaviors of four-step 3-D rectangular braided composites from unit-cell approach. <i>Journal of Reinforced Plastics and Composites</i> , 2012, 31, 233-246.	3.1	30

#	ARTICLE	IF	CITATIONS
181	Numerical simulation of three-point bending fatigue of four-step 3-D braided rectangular composite under different stress levels from unit-cell approach. <i>Computational Materials Science</i> , 2012, 65, 239-246.	3.0	29
182	Three-point bending fatigue behavior of 3D angle-interlock woven composite. <i>Journal of Composite Materials</i> , 2012, 46, 883-894.	2.4	26
183	Experimental characterizations of bending fatigue of a four-step 3-D braided rectangular composite under different stress levels. <i>Journal of Reinforced Plastics and Composites</i> , 2011, 30, 1571-1582.	3.1	17
184	Tensile behaviors of co-woven-knitted fabric reinforced composites under various strain rates. <i>Journal of Composite Materials</i> , 2011, 45, 2495-2506.	2.4	16
185	Frequency features of co-woven-knitted fabric (CWKF) composite under tension at various strain rates. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 446-452.	7.6	24
186	A Unit-Cell Approach of Finite Element Analysis for Transverse Impact Damage of 3D Biaxial Spacer Weft-Knitted Composite. <i>Strain</i> , 2011, 47, e52.	2.4	1
187	Impact Damage of 3D Cellular Woven Composite from Unit-cell Level Analysis. <i>International Journal of Damage Mechanics</i> , 2011, 20, 323-346.	4.2	22
188	Finite element simulation of three-dimensional angle-interlock woven fabric undergoing ballistic impact. <i>Journal of the Textile Institute</i> , 2011, 102, 982-993.	1.9	14
189	Energy absorption of 3D orthogonal woven fabric under ballistic penetration of hemispherical-cylindrical projectile. <i>Journal of the Textile Institute</i> , 2011, 102, 875-889.	1.9	25
190	Constitutive equations of basalt filament tows under quasi-static and high strain rate tension. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 3245-3252.	5.6	49
191	A simplified microstructure model of bi-axial warp-knitted composite for ballistic impact simulation. <i>Composites Part B: Engineering</i> , 2010, 41, 337-353.	12.0	36
192	A Comparative Study of the Impact Response of 3D Textile Composites and Aluminum Plates. <i>Journal of Composite Materials</i> , 2010, 44, 593-619.	2.4	7
193	Dynamic Responses of 3-D Multi-structured Knitted Composite T-beam under Transverse Impact. <i>Journal of Composite Materials</i> , 2010, 44, 157-180.	2.4	8
194	Responses of 3D biaxial spacer weft-knitted composite circular plate under impact loading. Part I: unit-cell and elasto-plastic constitutive model. <i>Journal of the Textile Institute</i> , 2010, 101, 28-34.	1.9	8
195	FEM simulation of 3D angle-interlock woven composite under ballistic impact from unit cell approach. <i>Computational Materials Science</i> , 2010, 49, 171-183.	3.0	60
196	Mechanical Behaviors of 2D and 3D Basalt Fiber Woven Composites Under Various Strain Rates. <i>Journal of Composite Materials</i> , 2010, 44, 1779-1795.	2.4	24
197	Responses of 3D biaxial spacer weft-knitted composite circular plate under impact loading. Part II: impact tests and FEM calculation. <i>Journal of the Textile Institute</i> , 2010, 101, 35-45.	1.9	14
198	Dynamic Behavior of 3D Biaxial Spacer Weft-Knitted Composite T-Beam Under Transverse Impact. <i>Mechanics of Advanced Materials and Structures</i> , 2009, 16, 356-370.	2.6	14

#	ARTICLE	IF	CITATIONS
199	Transverse impact damage and energy absorption of 3-D multi-structured knitted composite. Composites Part B: Engineering, 2009, 40, 572-583.	12.0	29
200	A unit cell approach of finite element calculation of ballistic impact damage of 3-D orthogonal woven composite. Composites Part B: Engineering, 2009, 40, 552-560.	12.0	64
201	Dynamic properties of 3-D orthogonal woven composite T-beam under transverse impact. Composites Part A: Applied Science and Manufacturing, 2008, 39, 1073-1082.	7.6	46
202	Transverse Impact Damage and Energy Absorption of Three-Dimensional Orthogonal Hybrid Woven Composite: Experimental and FEM Simulation. Journal of Composite Materials, 2008, 42, 1763-1786.	2.4	23
203	Shear Behavior of 3-D Biaxial Spacer Weft Knitted Composite under High Strain Rates. Journal of Composite Materials, 2008, 42, 1747-1762.	2.4	14
204	Three-dimensional textile structural composites under high strain rate compression: Z-transform and discrete frequency-domain analysis. Philosophical Magazine, 2007, 87, 5461-5484.	1.6	12
205	Frequency Analysis of Stress Waves in Testing 3-D Angle-interlock Woven Composite at High Strain Rates. Journal of Composite Materials, 2007, 41, 2915-2938.	2.4	21
206	A microstructure model for finite-element simulation of 3D rectangular braided composite under ballistic penetration. Philosophical Magazine, 2007, 87, 4643-4669.	1.6	24
207	Compressive behavior of multi-axial multi-layer warp knitted (MMWK) fabric composite at various strain rates. Composite Structures, 2007, 78, 84-90.	5.8	48
208	Transverse impact behavior and energy absorption of three-dimensional orthogonal hybrid woven composites. Composite Structures, 2007, 81, 202-209.	5.8	79
209	Compressive behavior of biaxial spacer weft knitted fabric reinforced composite at various strain rates. Polymer Composites, 2007, 28, 224-232.	4.6	16
210	High strain rate behavior of 4-step 3D braided composites under compressive failure. Journal of Materials Science, 2007, 42, 2463-2470.	3.7	32
211	In-plane Compressive Behaviors of 3-D Textile Composites at Various Strain Rates. Applied Composite Materials, 2007, 14, 193-207.	2.5	15
212	Impact Damage of 3D Orthogonal Woven Composite Circular Plates. Applied Composite Materials, 2007, 14, 343-362.	2.5	38
213	Energy absorption features of 3-D braided rectangular composite under different strain rates compressive loading. Aerospace Science and Technology, 2007, 11, 535-545.	4.8	30
214	Energy absorptions and failure modes of 3D orthogonal hybrid woven composite struck by flat-ended rod. Polymer Composites, 2006, 27, 410-416.	4.6	23
215	Tensile Impact Behavior of Multiaxial Multilayer Warp Knitted (MMWK) Fabric Reinforced Composites. Journal of Reinforced Plastics and Composites, 2006, 25, 1305-1315.	3.1	13
216	Dynamic Response of 3D Biaxial Spacer Weft-knitted Composite under Transverse Impact. Journal of Reinforced Plastics and Composites, 2006, 25, 1629-1641.	3.1	22

#	ARTICLE	IF	CITATIONS
217	Fractional Formula Description of Angle-interlock Woven Fabric Construction. Journal of Industrial Textiles, 2006, 36, 125-132.	2.4	4
218	Shear Behavior of 3D Orthogonal Woven Fabric Composites under High Strain Rates. Journal of Reinforced Plastics and Composites, 2006, 25, 1833-1845.	3.1	29
219	Compressive behavior of 3-D angle-interlock woven fabric composites at various strain rates. Polymer Testing, 2005, 24, 447-454.	4.8	59
220	A Refined Quasi-microstructure Model for Finite Element Analysis of Three-dimensional Braided Composites Under Ballistic Penetration. Journal of Composite Materials, 2005, 39, 685-710.	2.4	28
221	Strain Rate Effect on Four-Step Three-Dimensional Braided Composite Compressive Behavior.. AIAA Journal, 2005, 43, 994-999.	2.6	26
222	Ballistic Perforation of Conically Cylindrical Steel Projectile into Three-Dimensional Braided Composites. AIAA Journal, 2005, 43, 426-434.	2.6	24
223	Influence of the strain rate on the uniaxial tensile behavior of 4-step 3D braided composites. Composites Part A: Applied Science and Manufacturing, 2005, 36, 1477-1485.	7.6	66
224	Finite element calculation of 4-step 3-dimensional braided composite under ballistic perforation. Composites Part B: Engineering, 2004, 35, 291-297.	12.0	55
225	Prediction of the uniaxial tensile curve of 4-step 3-dimensional braided preform. Composite Structures, 2004, 64, 235-241.	5.8	34
226	Ballistic Penetration of Conically Cylindrical Steel Projectile into Plain-woven Fabric Target " A Finite Element Simulation. Journal of Composite Materials, 2004, 38, 2049-2074.	2.4	60
227	Analytical modeling for the ballistic perforation of planar plain-woven fabric target by projectile. Composites Part B: Engineering, 2003, 34, 361-371.	12.0	119
228	Numerical analysis of strain rate effect on ballistic impact response of multilayer three dimensional angle-interlock woven fabric. International Journal of Damage Mechanics, 0, , 105678952098359.	4.2	9
229	Effect of thermo-oxidative ageing on the thermo-mechanical responses of 3D braided carbon fiber/epoxy composites during high-speed impact. Journal of the Textile Institute, 0, , 1-10.	1.9	0