

Katsuhiko Funai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9001402/publications.pdf>

Version: 2024-02-01

36
papers

4,536
citations

304743

22
h-index

361022

35
g-index

40
all docs

40
docs citations

40
times ranked

8600
citing authors

#	ARTICLE	IF	CITATIONS
1	Short-term exposure to a clinical dose of metformin increases skeletal muscle mitochondrial H ₂ O ₂ emission and production in healthy, older adults: A randomized controlled trial. <i>Experimental Gerontology</i> , 2022, 163, 111804.	2.8	3
2	EFHD1 ablation inhibits cardiac mitoflash activation and protects cardiomyocytes from ischemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2022, 167, 1-14.	1.9	7
3	Preclinical rodent models of physical inactivity-induced muscle insulin resistance: challenges and solutions. <i>Journal of Applied Physiology</i> , 2021, 130, 537-544.	2.5	9
4	Lysophospholipid acylation modulates plasma membrane lipid organization and insulin sensitivity in skeletal muscle. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	34
5	Metformin and leucine increase satellite cells and collagen remodeling during disuse and recovery in aged muscle. <i>FASEB Journal</i> , 2021, 35, e21862.	0.5	22
6	Low lysophosphatidylcholine induces skeletal muscle myopathy that is aggravated by high-fat diet feeding. <i>FASEB Journal</i> , 2021, 35, e21867.	0.5	16
7	Estrogen receptor- α in female skeletal muscle is not required for regulation of muscle insulin sensitivity and mitochondrial regulation. <i>Molecular Metabolism</i> , 2020, 34, 1-15.	6.5	21
8	Alternative splicing of UCP1 by non-cell-autonomous action of PEMT. <i>Molecular Metabolism</i> , 2020, 31, 55-66.	6.5	13
9	Neutralizing mitochondrial ROS does not rescue muscle atrophy induced by hindlimb unloading in female mice. <i>Journal of Applied Physiology</i> , 2020, 129, 124-132.	2.5	20
10	A chronic high-fat diet exacerbates contractile dysfunction with impaired intracellular Ca ²⁺ release capacity in the skeletal muscle of aged mice. <i>Journal of Applied Physiology</i> , 2020, 128, 1153-1162.	2.5	26
11	Reign in the membrane: How common lipids govern mitochondrial function. <i>Current Opinion in Cell Biology</i> , 2020, 63, 162-173.	5.4	39
12	Absence of MyD88 from Skeletal Muscle Protects Female Mice from Inactivity-Induced Adiposity and Insulin Resistance. <i>Obesity</i> , 2020, 28, 772-782.	3.0	13
13	Pharmacological inhibition of TLR4 ameliorates muscle and liver ceramide content after disuse in previously physically active mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 318, R503-R511.	1.8	13
14	Mitochondrial PE potentiates respiratory enzymes to amplify skeletal muscle aerobic capacity. <i>Science Advances</i> , 2019, 5, eaax8352.	10.3	66
15	Phospholipid methylation regulates muscle metabolic rate through Ca ²⁺ transport efficiency. <i>Nature Metabolism</i> , 2019, 1, 876-885.	11.9	30
16	Reduced mitochondrial lipid oxidation leads to fat accumulation in myosteatosis. <i>FASEB Journal</i> , 2019, 33, 7863-7881.	0.5	63
17	The role of cardiolipin concentration and acyl chain composition on mitochondrial inner membrane molecular organization and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1039-1052.	2.4	55
18	Autophagy in Adipose Tissue Physiology and Pathophysiology. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 487-501.	5.4	65

#	ARTICLE	IF	CITATIONS
19	Peroxisome-derived lipids regulate adipose thermogenesis by mediating cold-induced mitochondrial fission. <i>Journal of Clinical Investigation</i> , 2019, 129, 694-711.	8.2	95
20	Hypothermia Decreases O ₂ Cost for Ex Vivo Contraction in Mouse Skeletal Muscle. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2015-2023.	0.4	17
21	Targeted overexpression of catalase to mitochondria does not prevent cardioskeletal myopathy in Barth syndrome. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 121, 94-102.	1.9	51
22	A carnosine analog mitigates metabolic disorders of obesity by reducing carbonyl stress. <i>Journal of Clinical Investigation</i> , 2018, 128, 5280-5293.	8.2	80
23	Greater Oxidative Capacity in Primary Myotubes from Endurance-trained Women. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2151-2157.	0.4	19
24	Looking Beyond Structure: Membrane Phospholipids of Skeletal Muscle Mitochondria. <i>Trends in Endocrinology and Metabolism</i> , 2016, 27, 553-562.	7.1	56
25	Skeletal Muscle Phospholipid Metabolism Regulates Insulin Sensitivity and Contractile Function. <i>Diabetes</i> , 2016, 65, 358-370.	0.6	92
26	Reduced efficiency of sarcolipin-dependent respiration in myocytes from humans with severe obesity. <i>Obesity</i> , 2015, 23, 1440-1449.	3.0	41
27	Lipogenesis mitigates dysregulated sarcoplasmic reticulum calcium uptake in muscular dystrophy. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 1530-1538.	2.4	25
28	Peroxisomal biogenesis occurs in response to obesity and to a high lipid environment in human skeletal muscle (1159.5). <i>FASEB Journal</i> , 2014, 28, 1159.5.	0.5	0
29	Gut Microbiota from Twins Discordant for Obesity Modulate Metabolism in Mice. <i>Science</i> , 2013, 341, 1241214.	12.6	3,006
30	Nutrient-dependent phosphorylation channels lipid synthesis to regulate PPAR δ . <i>Journal of Lipid Research</i> , 2013, 54, 1848-1859.	4.2	25
31	Muscle lipogenesis balances insulin sensitivity and strength through calcium signaling. <i>Journal of Clinical Investigation</i> , 2013, 123, 1229-1240.	8.2	124
32	Inhibiting Adipose Tissue Lipogenesis Reprograms Thermogenesis and PPAR δ Activation to Decrease Diet-Induced Obesity. <i>Cell Metabolism</i> , 2012, 16, 189-201.	16.2	205
33	Skeletal muscle lipid flux: running water carries no poison. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E245-E251.	3.5	24
34	Exercise and Insulin. <i>Exercise and Sport Sciences Reviews</i> , 2009, 37, 188-195.	3.0	69
35	Inhibition of Contraction-Stimulated AMP-Activated Protein Kinase Inhibits Contraction-Stimulated Increases in PAS-TBC1D1 and Glucose Transport Without Altering PAS-AS160 in Rat Skeletal Muscle. <i>Diabetes</i> , 2009, 58, 1096-1104.	0.6	64
36	Contraction-stimulated glucose transport in rat skeletal muscle is sustained despite reversal of increased PAS-phosphorylation of AS160 and TBC1D1. <i>Journal of Applied Physiology</i> , 2008, 105, 1788-1795.	2.5	26