

Jang-Yeon Hwang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9001532/publications.pdf>

Version: 2024-02-01

95
papers

11,669
citations

38742

50
h-index

34986

98
g-index

98
all docs

98
docs citations

98
times ranked

10755
citing authors

#	ARTICLE	IF	CITATIONS
1	A review on carbon nanomaterials for K^+ battery anode: Progress and perspectives. <i>International Journal of Energy Research</i> , 2022, 46, 4033-4070.	4.5	9
2	Stable Solid Electrolyte Interphase for Long-Life Potassium Metal Batteries. <i>ACS Energy Letters</i> , 2022, 7, 401-409.	17.4	32
3	Sulfurized Carbon Composite with Unprecedentedly High Tap Density for Sodium Storage. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	2
4	Geometrical engineering of a SPAN C graphene composite cathode for practical Li^+ S batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 10844-10853.	10.3	15
5	Effect of a self-assembling $\text{La}_{2}(\text{Ni}_{0.5}\text{Li}_{0.5})\text{O}_{4}$ and amorphous garnet-type solid electrolyte composite on a layered cathode material in all-solid-state batteries. <i>RSC Advances</i> , 2022, 12, 14209-14222.	3.6	3
6	Triggering the theoretical capacity of $\text{Na}_{1.1}\text{V}_{3}\text{O}_{7.9}$ nanorod cathode by polypyrrole coating for high-energy zinc-ion batteries. <i>Chemical Engineering Journal</i> , 2022, 446, 137069.	12.7	23
7	Recent Achievements in Experimental and Computational Studies of Positive Electrode Materials for Nonaqueous Ca- and Al-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2022, 126, 9209-9227.	3.1	5
8	Advancement in graphene-based nanocomposites as high capacity anode materials for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 2628-2661.	10.3	39
9	C- $\text{Na}_{3}\text{V}_{1.96}\text{Fe}_{0.04}(\text{PO}_{4})_{3}/\text{Fe}_{2}\text{P}$ nanoclusters with stable charge-transfer interface for high-power sodium ion batteries. <i>Chemical Engineering Journal</i> , 2021, 404, 126974.	12.7	25
10	A novel reduced graphene oxide based absorber for augmenting the water yield and thermal performance of solar desalination unit. <i>Materials Letters</i> , 2021, 286, 128867.	2.6	45
11	A new material discovery platform of stable layered oxide cathodes for K-ion batteries. <i>Energy and Environmental Science</i> , 2021, 14, 5864-5874.	30.8	30
12	A case study of SARS-CoV-2 transmission behavior in a severely air-polluted city (Delhi, India) and the potential usage of graphene based materials for filtering air-pollutants and controlling/monitoring the COVID-19 pandemic. <i>Environmental Sciences: Processes and Impacts</i> , 2021, 23, 923-946.	3.5	7
13	Recent Progress in Electrolyte Development and Design Strategies for Next-Generation Potassium-Ion Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 1428-1450.	4.7	29
14	Critical Role of Functional Groups Containing N, S, and O on Graphene Surface for Stable and Fast Charging Li^+ Batteries. <i>Small</i> , 2021, 17, e2007242.	10.0	23
15	Long-Lasting Solid Electrolyte Interphase for Stable Li-Metal Batteries. <i>ACS Energy Letters</i> , 2021, 6, 2153-2161.	17.4	41
16	Microwave-Assisted Rapid Synthesis of $\text{NH}_{4}\text{V}_{4}\text{O}_{10}$ Layered Oxide: A High Energy Cathode for Aqueous Rechargeable Zinc Ion Batteries. <i>Nanomaterials</i> , 2021, 11, 1905.	4.1	8
17	Secondary transmission of SARS-CoV-2 through wastewater: Concerns and tactics for treatment to effectively control the pandemic. <i>Journal of Environmental Management</i> , 2021, 290, 112668.	7.8	36
18	Multiscale Understanding of Covalently Fixed Sulfur-Polyacrylonitrile Composite as Advanced Cathode for Metal-Sulfur Batteries. <i>Advanced Science</i> , 2021, 8, e2101123.	11.2	27

#	ARTICLE	IF	CITATIONS
19	Cationic and transition metal co-substitution strategy of O3-type NaCrO ₂ cathode for high-energy sodium-ion batteries. <i>Energy Storage Materials</i> , 2021, 41, 183-195.	18.0	42
20	Chromium doping into NASICON-structured Na ₃ V ₂ (PO ₄) ₃ cathode for high-power Na-ion batteries. <i>Chemical Engineering Journal</i> , 2021, 422, 130052.	12.7	58
21	Augmented performance of solar desalination unit by utilization of nano-silicon coated glass cover for promoting drop-wise condensation. <i>Desalination</i> , 2021, 515, 115191.	8.2	34
22	Validating the Structural (In)stability of P3- and P2-Na _{0.67} Mg _{0.1} Mn _{0.9} O ₂ -Layered Cathodes for Sodium-Ion Batteries: A Time-Decisive Approach. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 53877-53891.	8.0	10
23	Nano/Microstructured Silicon-Carbon Hybrid Composite Particles Fabricated with Corn Starch Biowaste as Anode Materials for Li-Ion Batteries. <i>Nano Letters</i> , 2020, 20, 625-635.	9.1	164
24	Role of Li-Ion Depletion on Electrode Surface: Underlying Mechanism for Electrodeposition Behavior of Lithium Metal Anode. <i>Advanced Energy Materials</i> , 2020, 10, 2002390.	19.5	115
25	Investigation of superior sodium storage and reversible Na ₂ S conversion reactions in a porous NiS ₂ @C composite using <i>in operando</i> X-ray diffraction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 24401-24407.	10.3	14
26	High lithium storage properties in a manganese sulfide anode <i>via</i> an intercalation-cum-conversion reaction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17537-17549.	10.3	15
27	Potassium-Oxygen Batteries: Significance, Challenges, and Prospects. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 7849-7856.	4.6	18
28	Sustainable Encapsulation Strategy of Silicon Nanoparticles in Microcarbon Sphere for High-Performance Lithium-Ion Battery Anode. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 14150-14158.	6.7	37
29	Tungsten Oxide/Zirconia as a Functional Polysulfide Mediator for High-Performance Lithium-Sulfur Batteries. <i>ACS Energy Letters</i> , 2020, 5, 3168-3175.	17.4	38
30	Additives Engineered Nonflammable Electrolyte for Safer Potassium Ion Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 2001934.	14.9	77
31	Initial investigation and evaluation of potassium metal as an anode for rechargeable potassium batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16718-16737.	10.3	44
32	Multidimensional Na ₄ VMn _{0.9} Cu _{0.1} (PO ₄) ₃ /C cotton-candy cathode materials for high energy Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 12055-12068.	10.3	48
33	High-energy O ₃ -Na _{1-2x} Ca _x [Ni _{0.5} Mn _{0.5}]O ₂ cathodes for long-life sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13776-13786.	10.3	46
34	Recent Developments and Future Challenges in Designing Rechargeable Potassium-Sulfur and Potassium-Selenium Batteries. <i>Energies</i> , 2020, 13, 2791.	3.1	13
35	Manganese and Vanadium Oxide Cathodes for Aqueous Rechargeable Zinc-Ion Batteries: A Focused View on Performance, Mechanism, and Developments. <i>ACS Energy Letters</i> , 2020, 5, 2376-2400.	17.4	303
36	Density Functional Theory Investigation of Mixed Transition Metals in Olivine and Tavorite Cathode Materials for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 16376-16386.	8.0	22

#	ARTICLE	IF	CITATIONS
37	Investigation of K-ion storage performances in a bismuth sulfide-carbon nanotube composite anode. RSC Advances, 2020, 10, 6536-6539.	3.6	4
38	Electrolyte Engineering Enables High Stability and Capacity Alloying Anodes for Sodium and Potassium Ion Batteries. ACS Energy Letters, 2020, 5, 766-776.	17.4	134
39	An Empirical Model for the Design of Batteries with High Energy Density. ACS Energy Letters, 2020, 5, 807-816.	17.4	97
40	Toward the Sustainable Lithium Metal Batteries with a New Electrolyte Solvation Chemistry. Advanced Energy Materials, 2020, 10, 2000567.	19.5	111
41	Engineering Sodium-Ion Solvation Structure to Stabilize Sodium Anodes: Universal Strategy for Fast-Charging and Safer Sodium-Ion Batteries. Nano Letters, 2020, 20, 3247-3254.	9.1	78
42	A 4 V Class Potassium Metal Battery with Extremely Low Overpotential. ACS Nano, 2019, 13, 9306-9314.	14.6	76
43	Highly wrinkled carbon tubes as an advanced anode for K-ion full batteries. Journal of Materials Chemistry A, 2019, 7, 20675-20682.	10.3	29
44	New Insight on the Role of Electrolyte Additives in Rechargeable Lithium Ion Batteries. ACS Energy Letters, 2019, 4, 2613-2622.	17.4	160
45	Nano-compacted $\text{Li}_2\text{S}/\text{Graphene}$ Composite Cathode for High-Energy Lithium-Sulfur Batteries. ACS Energy Letters, 2019, 4, 2787-2795.	17.4	37
46	Layered $\text{K}_{0.28}\text{MnO}_2 \cdot 0.15\text{H}_2\text{O}$ as a Cathode Material for Potassium-Ion Intercalation. ACS Applied Materials & Interfaces, 2019, 11, 43312-43319.	8.0	25
47	A new P2-type layered oxide cathode with superior full-cell performances for K-ion batteries. Journal of Materials Chemistry A, 2019, 7, 21362-21370.	10.3	61
48	Potassium vanadate as a new cathode material for potassium-ion batteries. Journal of Power Sources, 2019, 432, 24-29.	7.8	53
49	Adiponitrile ($\text{C}_6\text{H}_8\text{N}_2$): A New Bi-functional Additive for High-performance Li-metal Batteries. Advanced Functional Materials, 2019, 29, 1902496.	14.9	115
50	Degradation Mechanism of Ni-Enriched NCA Cathode for Lithium Batteries: Are Microcracks Really Critical?. ACS Energy Letters, 2019, 4, 1394-1400.	17.4	290
51	Customizing a Li-metal battery that survives practical operating conditions for electric vehicle applications. Energy and Environmental Science, 2019, 12, 2174-2184.	30.8	130
52	Trimethylsilyl azide ($\text{C}_3\text{H}_9\text{N}_3\text{Si}$): a highly efficient additive for tailoring fluoroethylene carbonate (FEC) based electrolytes for Li-metal batteries. Journal of Materials Chemistry A, 2019, 7, 13441-13448.	10.3	34
53	$\text{K}_{0.54}[\text{Co}_{0.5}\text{Mn}_{0.5}]\text{O}_2$: New cathode with high power capability for potassium-ion batteries. Nano Energy, 2019, 61, 284-294.	16.0	120
54	High-performance Ti-doped O3-type $\text{Na}[\text{Ti}_x(\text{Ni}_{0.6}\text{Co}_{0.2}\text{Mn}_{0.2})_{1-x}]\text{O}_2$ cathodes for practical sodium-ion batteries. Journal of Power Sources, 2019, 422, 1-8.	7.8	51

#	ARTICLE	IF	CITATIONS
55	A New P2-Type Layered Oxide Cathode with Extremely High Energy Density for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1803346.	19.5	143
56	Nano/Microstructured Silicon-Graphite Composite Anode for High-Energy-Density Li-Ion Battery. <i>ACS Nano</i> , 2019, 13, 2624-2633.	14.6	219
57	Carbon-Free TiO ₂ Microspheres as Anode Materials for Sodium Ion Batteries. <i>ACS Energy Letters</i> , 2019, 4, 494-501.	17.4	63
58	Quaternary Transition Metal Oxide Layered Framework: O3-Type Na[Ni _{0.32} Fe _{0.13} Co _{0.15} Mn _{0.40}]O ₂ Cathode Material for High-Performance Sodium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 13500-13507.	3.1	39
59	Toward High-Safety Potassium-Sulfur Batteries Using a Potassium Polysulfide Catholyte and Metal-Free Anode. <i>ACS Energy Letters</i> , 2018, 3, 540-541.	17.4	99
60	Multiwalled Carbon Nanotubes Anode in Lithium-Ion Battery with LiCoO ₂ , Li[Ni _{1/3} Co _{1/3} Mn _{1/3}]O ₂ , and LiFe _{1/4} Mn _{1/2} Co _{1/4} PO ₄ Cathodes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3225-3232.	6.7	47
61	New Insights on Graphite Anode Stability in Rechargeable Batteries: Li Ion Coordination Structures Prevail over Solid Electrolyte Interphases. <i>ACS Energy Letters</i> , 2018, 3, 335-340.	17.4	217
62	Stabilization of Lithium-Metal Batteries Based on the in Situ Formation of a Stable Solid Electrolyte Interphase Layer. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17985-17993.	8.0	82
63	Designing a High-Performance Lithium-Sulfur Batteries Based on Layered Double Hydroxides-Carbon Nanotubes Composite Cathode and a Dual-Functional Graphene-Polypropylene-Al ₂ O ₃ Separator. <i>Advanced Functional Materials</i> , 2018, 28, 1704294.	14.9	135
64	Controlling the Wettability between Freestanding Electrode and Electrolyte for High Energy Density Lithium-Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A5006-A5013.	2.9	31
65	Recent Progress in Rechargeable Potassium Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1802938.	14.9	518
66	Capacity Degradation Mechanism and Cycling Stability Enhancement of AlF ₃ -Coated Nanorod Gradient Na[Ni _{0.65} Co _{0.08} Mn _{0.27}]O ₂ Cathode for Sodium-Ion Batteries. <i>ACS Nano</i> , 2018, 12, 12912-12922.	14.6	82
67	Superior lithium/potassium storage capability of nitrogen-rich porous carbon nanosheets derived from petroleum coke. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12551-12558.	10.3	79
68	Minimizing the Electrolyte Volume in Li-S Batteries: A Step Forward to High Gravimetric Energy Density. <i>Advanced Energy Materials</i> , 2018, 8, 1801560.	19.5	68
69	Development of P3-K _{0.69} CrO ₂ as an ultra-high-performance cathode material for K-ion batteries. <i>Energy and Environmental Science</i> , 2018, 11, 2821-2827.	30.8	157
70	High performance potassium-sulfur batteries based on a sulfurized polyacrylonitrile cathode and polyacrylic acid binder. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14587-14593.	10.3	89
71	Simultaneous MgO coating and Mg doping of Na[Ni _{0.5} Mn _{0.5}]O ₂ cathode: facile and customizable approach to high-voltage sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 16854-16862.	10.3	93
72	Recent research trends in Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 11582-11605.	10.3	199

#	ARTICLE	IF	CITATIONS
73	Graphene Decorated by Indium Sulfide Nanoparticles as High-Performance Anode for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 23723-23730.	8.0	48
74	Sodium-ion batteries: present and future. Chemical Society Reviews, 2017, 46, 3529-3614.	38.1	3,436
75	Improved electrochemical performance of boron-doped carbon-coated lithium titanate as an anode material for sodium-ion batteries. Journal of Materials Chemistry A, 2017, 5, 2802-2810.	10.3	79
76	Na Storage Capability Investigation of a Carbon Nanotube-Encapsulated Fe _{1-x} S Composite. ACS Energy Letters, 2017, 2, 364-372.	17.4	176
77	Micro-Intertexture Carbon-Free Iron Sulfides as Advanced High Tap Density Anodes for Rechargeable Batteries. ACS Applied Materials & Interfaces, 2017, 9, 39416-39424.	8.0	45
78	Electrochemical Properties of Sulfurized-Polyacrylonitrile Cathode for Lithium-Sulfur Batteries: Effect of Polyacrylic Acid Binder and Fluoroethylene Carbonate Additive. Journal of Physical Chemistry Letters, 2017, 8, 5331-5337.	4.6	101
79	Resolving the degradation pathways of the O3-type layered oxide cathode surface through the nano-scale aluminum oxide coating for high-energy density sodium-ion batteries. Journal of Materials Chemistry A, 2017, 5, 23671-23680.	10.3	107
80	Microsphere Na _{0.65} [Ni _{0.17} Co _{0.11} Mn _{0.72}]O ₂ Cathode Material for High-Performance Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 44534-44541.	8.0	46
81	High-energy-density lithium-ion battery using a carbon-nanotube-Si composite anode and a compositionally graded Li[Ni _{0.85} Co _{0.05} Mn _{0.10}]O ₂ cathode. Energy and Environmental Science, 2016, 9, 2152-2158.	30.8	269
82	Effect of nickel and iron on structural and electrochemical properties of O3 type layer cathode materials for sodium-ion batteries. Journal of Power Sources, 2016, 324, 106-112.	7.8	58
83	Novel Cathode Materials for Na-Ion Batteries Composed of Spoke-Like Nanorods of Na[Ni _{0.61} Co _{0.12} Mn _{0.27}]O ₂ Assembled in Spherical Secondary Particles. Advanced Functional Materials, 2016, 26, 8083-8093.	14.9	78
84	Li-S Batteries: A Scaled-Up Lithium (Ion)-Sulfur Battery: Newly Faced Problems and Solutions (Adv.) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	8.8	2
85	A comprehensive study of the role of transition metals in O3-type layered Na[Ni _x Co _y Mn _z]O ₂ (x = 1/3, 0.5, 0.6, and 0.8) cathodes for sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 17952-17959.	10.3	110
86	A Scaled-Up Lithium (Ion)-Sulfur Battery: Newly Faced Problems and Solutions. Advanced Materials Technologies, 2016, 1, 1600052.	5.8	29
87	Transition metal carbide-based materials: synthesis and applications in electrochemical energy storage. Journal of Materials Chemistry A, 2016, 4, 10379-10393.	10.3	184
88	Comparison between Na-Ion and Li-Ion Cells: Understanding the Critical Role of the Cathodes Stability and the Anodes Pretreatment on the Cells Behavior. ACS Applied Materials & Interfaces, 2016, 8, 1867-1875.	8.0	138
89	High-Energy, High-Rate, Lithium-Sulfur Batteries: Synergetic Effect of Hollow TiO ₂ -Webbed Carbon Nanotubes and a Dual Functional Carbon-Paper Interlayer. Advanced Energy Materials, 2016, 6, 1501480.	19.5	308
90	Rational design of silicon-based composites for high-energy storage devices. Journal of Materials Chemistry A, 2016, 4, 5366-5384.	10.3	154

#	ARTICLE	IF	CITATIONS
91	High-Performance Lithium-Sulfur Batteries with a Self-Assembled Multiwall Carbon Nanotube Interlayer and a Robust Electrode-Electrolyte Interface. ACS Applied Materials & Interfaces, 2016, 8, 983-987.	8.0	104
92	Ultrafast sodium storage in anatase TiO ₂ nanoparticles embedded on carbon nanotubes. Nano Energy, 2015, 16, 218-226.	16.0	128
93	Radially aligned hierarchical columnar structure as a cathode material for high energy density sodium-ion batteries. Nature Communications, 2015, 6, 6865.	12.8	210
94	High Electrochemical Performances of Microsphere C-TiO ₂ Anode for Sodium-Ion Battery. ACS Applied Materials & Interfaces, 2014, 6, 11295-11301.	8.0	213
95	High Capacity O ₃ -Type Na[Li _{0.05} (Ni _{0.25} Fe _{0.25} Mn _{0.5}) _{0.95}]O ₂ Cathode for Sodium Ion Batteries. Chemistry of Materials, 2014, 26, 6165-6171.		175