

# Pitt Supaphol

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9002143/publications.pdf>

Version: 2024-02-01

237  
papers

14,363  
citations

14655

66  
h-index

24982

109  
g-index

240  
all docs

240  
docs citations

240  
times ranked

14438  
citing authors

#	ARTICLE	IF	CITATIONS
1	Immobilization of osteopontin on poly( $\mu$ -caprolactone) scaffolds by polyelectrolyte multilayer deposition to improve the osteogenic differentiation of MC3T3-E1 cells. <i>Polymer Bulletin</i> , 2022, 79, 4667-4684.	3.3	3
2	Development and characterization of antibacterial hydroxyapatite coated with mangosteen extract for bone tissue engineering. <i>Polymer Bulletin</i> , 2021, 78, 3543-3559.	3.3	9
3	Gelatin scaffolds loaded with asiaticoside/ $\beta$ -hydroxypropyl $\alpha$ -cyclodextrin complex for use as wound dressings. <i>Polymers for Advanced Technologies</i> , 2021, 32, 1187-1193.	3.2	7
4	Development of thermoresponsive poloxamer in situ gel loaded with gentamicin sulfate for cavity wounds. <i>Journal of Polymer Research</i> , 2021, 28, 1.	2.4	9
5	Surface immobilization of PCL electrospun nanofibers with pexiganan for wound dressing. <i>Journal of Polymer Research</i> , 2021, 28, 1.	2.4	18
6	Wound-aided semi-solid poly(vinyl alcohol) hydrogels incorporating essential oil-loaded chitosan nanoparticles. <i>International Journal of Biological Macromolecules</i> , 2021, 189, 135-141.	7.5	9
7	The potential use of cross-linked alginate/gelatin hydrogels containing silver nanoparticles for wound dressing applications. <i>Polymer Bulletin</i> , 2020, 77, 2679-2695.	3.3	17
8	Adsorption study of bovine serum albumin onto multiwalled carbon nanotubes. <i>Materials Today: Proceedings</i> , 2020, 33, 1814-1818.	1.8	0
9	Development of gelatin hydrogel pads incorporated with Eupatorium adenophorum essential oil as antibacterial wound dressing. <i>Polymer Bulletin</i> , 2019, 76, 701-724.	3.3	28
10	Development of antituberculosis melt-blown polypropylene filters coated with mangosteen extracts for medical face mask applications. <i>Polymer Bulletin</i> , 2019, 76, 1985-2004.	3.3	24
11	Semi-solid poly(vinyl alcohol) hydrogels containing ginger essential oil encapsulated in chitosan nanoparticles for use in wound management. <i>Journal of Polymer Research</i> , 2019, 26, 1.	2.4	34
12	Cyclic tensile force-upregulated IL6 increases MMP3 expression by human periodontal ligament cells. <i>Archives of Oral Biology</i> , 2019, 107, 104495.	1.8	16
13	The use of electrospun curcumin-loaded poly(L-lactic acid) fiber mats as wound dressing materials. <i>Journal of Drug Delivery Science and Technology</i> , 2019, 53, 101121.	3.0	47
14	Green synthesis of photomediated silver nanoprisms via a light-induced transformation reaction and silver nanoprism-impregnated bacteria cellulose films for use as antibacterial wound dressings. <i>Journal of Drug Delivery Science and Technology</i> , 2019, 54, 101305.	3.0	10
15	Development of bacterial cellulose/alginate/chitosan composites incorporating copper (II) sulfate as an antibacterial wound dressing. <i>Journal of Drug Delivery Science and Technology</i> , 2019, 51, 662-671.	3.0	79
16	Synthesis of Cationic Waterborne Polyurethanes from Waste Frying Oil as Antibacterial Film Coatings. <i>International Journal of Polymer Science</i> , 2019, 2019, 1-11.	2.7	5
17	Cyclic tensile force stimulates BMP9 synthesis and in vitro mineralization by human periodontal ligament cells. <i>Journal of Cellular Physiology</i> , 2019, 234, 4528-4539.	4.1	21
18	The potential use of gentamicin sulfate-loaded poly(L-lactic acid)-sericin hybrid scaffolds for bone tissue engineering. <i>Polymer Bulletin</i> , 2019, 76, 2867-2885.	3.3	6

#	ARTICLE	IF	CITATIONS
19	Electrospinning: a carbonized gold/graphene/PAN nanofiber for high performance biosensing. <i>Analytical Methods</i> , 2018, 10, 874-883.	2.7	17
20	Preparation and characterization of electrospun polyacrylonitrile fiber mats containing <i>Garcinia mangostana</i> . <i>Polymer Bulletin</i> , 2018, 75, 1311-1327.	3.3	12
21	Protein adsorption and cell behaviors on polycaprolactone film: The effect of surface topography. <i>Advances in Polymer Technology</i> , 2018, 37, 2030-2042.	1.7	36
22	Carbonized electrospun polyvinylpyrrolidone/metal hybrid nanofiber composites for electrochemical applications. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45639.	2.6	12
23	Silver nanoparticles-based hydrogel: Characterization of material parameters for pressure ulcer dressing applications. <i>Journal of Drug Delivery Science and Technology</i> , 2018, 44, 91-100.	3.0	48
24	Enhancement of biocompatibility on aligned electrospun poly(3-hydroxybutyrate) scaffold immobilized with laminin towards murine neuroblastoma Neuro2a cell line and rat brain-derived neural stem cells (mNSCs). <i>Polymers for Advanced Technologies</i> , 2018, 29, 2050-2063.	3.2	16
25	Preparation of mangosteen extract-loaded poly(vinyl acetate) for use as an antibacterial spray-on dressing. <i>Journal of Drug Delivery Science and Technology</i> , 2018, 46, 322-329.	3.0	21
26	Hydrogel wound dressings loaded with PLGA/ciprofloxacin hydrochloride nanoparticles for use on pressure ulcers. <i>Journal of Drug Delivery Science and Technology</i> , 2018, 47, 106-114.	3.0	18
27	Rotating-disk electrospinning: needleless electrospinning of poly(caprolactone), poly(lactic acid) and poly(vinyl alcohol) nanofiber mats with controlled morphology. <i>Journal of Polymer Research</i> , 2018, 25, 1.	2.4	26
28	Proton Exchange Membrane Based on Sulfonated Poly (Aromatic Imide-Co-Aliphatic Imide) for Direct Methanol Fuel Cell. <i>Materials Research</i> , 2018, 21, .	1.3	8
29	Preparation, characterization and biocompatibility of poly(vinyl alcohol) films containing tetracycline hydrochloride-loaded quaternized chitosan nanoparticles. <i>Journal of Drug Delivery Science and Technology</i> , 2017, 38, 36-44.	3.0	32
30	Fabrication and Evaluation of Polycaprolactone-Poly(hydroxybutyrate) or Poly(3-Hydroxybutyrate)-Poly(3-Hydroxyvalerate) Dual-Leached Porous Scaffolds for Bone Tissue Engineering Applications. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1600289.	3.6	23
31	Gelatin scaffolds functionalized by silver nanoparticle-containing calcium alginate beads for wound care applications. <i>Polymers for Advanced Technologies</i> , 2017, 28, 849-858.	3.2	14
32	Electrospinning and solid state polymerization: A simple and versatile route to conducting PEDOT composite films. <i>European Polymer Journal</i> , 2017, 96, 452-462.	5.4	13
33	Effect of the surface topography and chemistry of poly(3-hydroxybutyrate) substrates on cellular behavior of the murine neuroblastoma Neuro2a cell line. <i>Polymer Bulletin</i> , 2017, 74, 4101-4118.	3.3	17
34	Antimicrobial mangosteen extract infused alginate-coated gauze wound dressing. <i>Journal of Drug Delivery Science and Technology</i> , 2017, 41, 182-190.	3.0	29
35	Performance of Electropun Polyacrylonitrile Nanofibrous Phases, Shown for the Separation of Water-Soluble Food Dyes via UTLC-Vis-ESI-MS. <i>Nanomaterials</i> , 2017, 7, 218.	4.1	6
36	Experimental investigation on process parameters of near-field deposition of electrospinning-based rapid prototyping. <i>Virtual and Physical Prototyping</i> , 2016, 11, 193-207.	10.4	8

#	ARTICLE	IF	CITATIONS
37	The efficacy of polycaprolactone/hydroxyapatite scaffold in combination with mesenchymal stem cells for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 264-271.	4.0	72
38	Hybrid biomimetic electrospun fibrous mats derived from poly( $\epsilon$ -caprolactone) and silk fibroin protein for wound dressing application. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	2.6	17
39	Electrospinnability of poly(butylene succinate): Effects of solvents and organic salt on the fiber size and morphology. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	2.6	24
40	Electrospun crosslinked poly(acrylic acid) fiber constructs: towards a synthetic model of the cortical layer of nerve. <i>Polymer International</i> , 2015, 64, 42-48.	3.1	25
41	Applications of Cellulose Acetate Nanofiber Mats. , 2015, , 355-368.		5
42	Silk sericin loaded alginate nanoparticles: Preparation and anti-inflammatory efficacy. <i>International Journal of Biological Macromolecules</i> , 2015, 80, 636-643.	7.5	41
43	Development of an electrospinning-based rapid prototyping for scaffold fabrication. <i>Rapid Prototyping Journal</i> , 2015, 21, 329-339.	3.2	17
44	Environmental effects in fibre fabrication using electrospinning-based rapid prototyping. <i>Virtual and Physical Prototyping</i> , 2015, 10, 227-237.	10.4	10
45	Development of silver nanoparticles-loaded calcium alginate beads embedded in gelatin scaffolds for use as wound dressings. <i>Polymer International</i> , 2015, 64, 275-283.	3.1	32
46	Electrospun DOXY-h loaded-poly(acrylic acid) nanofiber mats: <i>in vitro</i> drug release and antibacterial properties investigation. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 1292-1305.	3.5	40
47	Silver nanoparticle-embedded poly(vinyl pyrrolidone) hydrogel dressing: gamma-ray synthesis and biological evaluation. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 826-842.	3.5	26
48	Characterization and cytological effects of a novel glycated gelatine substrate. <i>Biomedical Materials (Bristol)</i> , 2014, 9, 025001.	3.3	7
49	Improvement of dual-leached polycaprolactone porous scaffolds by incorporating with hydroxyapatite for bone tissue regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 1986-2008.	3.5	27
50	Development of polycaprolactone porous scaffolds by combining solvent casting, particulate leaching, and polymer leaching techniques for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 3379-3392.	4.0	138
51	Electrospun poly(L-lactic acid) fiber mats containing crude <i>Garcinia mangostana</i> extracts for use as wound dressings. <i>Polymer Bulletin</i> , 2014, 71, 925-949.	3.3	23
52	Hydrogels containing silver nanoparticles for burn wounds show antimicrobial activity without cytotoxicity. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	63
53	Preparation and Characterization of Silver Nanoparticles-Loaded Calcium Alginate Beads Embedded in Gelatin Scaffolds. <i>AAPS PharmSciTech</i> , 2014, 15, 1105-1115.	3.3	25
54	Development of a disposable electrode modified with carbonized, graphene-loaded nanofiber for the detection of dopamine in human serum. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	8

#	ARTICLE	IF	CITATIONS
55	Gamma irradiation synthesis and characterization of AgNP/gelatin/PVA hydrogels for antibacterial wound dressings. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	26
56	Electrically Conductive Ultrafine Fibers of PVA-PEDOT/PSS and PVA-AgNPs by Means of Electrospinning. <i>Advanced Materials Research</i> , 2014, 1033-1034, 1024-1035.	0.3	3
57	Novel copper (II) alginate hydrogels and their potential for use as anti-bacterial wound dressings. <i>Biomedical Materials (Bristol)</i> , 2014, 9, 045008.	3.3	61
58	Surface modification of electrospun chitosan nanofibrous mats for antibacterial activity. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	23
59	Development and Characterization of a Novel, Antimicrobial, Sterile Hydrogel Dressing for Burn Wounds: Single-Step Production with Gamma Irradiation Creates Silver Nanoparticles and Radical Polymerization. <i>Journal of Pharmaceutical Sciences</i> , 2014, 103, 3244-3253.	3.3	45
60	Polypyrrole-coated electrospun poly(lactic acid) fibrous scaffold: effects of coating on electrical conductivity and neural cell growth. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 1240-1252.	3.5	57
61	The Study of Competitive Adsorption of Heavy Metal Ions from Aqueous Solution by Aminated Polyacrylonitrile Nanofiber Mats. <i>Energy Procedia</i> , 2014, 56, 142-151.	1.8	93
62	The responses of human adipose-derived mesenchymal stem cells on polycaprolactone-based scaffolds: an in vitro study. <i>Tissue Engineering and Regenerative Medicine</i> , 2014, 11, 239-246.	3.7	24
63	Antimicrobial efficacy of a novel silver hydrogel dressing compared to two common silver burn wound dressings: Acticoat <sup>®</sup> and PolyMem Silver <sup>®</sup> . <i>Burns</i> , 2014, 40, 89-96.	1.9	113
64	Preparation of bioactive glycosylated glial cell-line derived neurotrophic factor-loaded microspheres for medical applications. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	9
65	Electrospinning of Asiaticoside/2-Hydroxypropyl- $\beta$ -cyclodextrin Inclusion Complex-loaded Cellulose Acetate Fiber Mats: Release Characteristics and Potential for Use as Wound Dressing. <i>Porrime</i> , 2014, 38, 338-350.	0.2	5
66	Environmental Effects in Fiber Fabrication Using Electrospinning-Based Rapid Prototyping. , 2014, , .		0
67	Preparation and characterization of electrospun poly(vinyl alcohol) nanofibers containing platinum or platinum-ruthenium nanoparticles. <i>Journal of Polymer Research</i> , 2013, 20, 1.	2.4	11
68	Modification of disposable screen-printed carbon electrode surfaces with conductive electrospun nanofibers for biosensor applications. <i>Journal of Applied Polymer Science</i> , 2013, 130, 3885-3893.	2.6	10
69	Electrospun nanofiber layers with incorporated photoluminescence indicator for chromatography and detection of ultraviolet-active compounds. <i>Journal of Chromatography A</i> , 2013, 1299, 110-117.	3.7	31
70	Process optimization of electrospun silk fibroin fiber mat for accelerated wound healing. <i>Journal of Applied Polymer Science</i> , 2013, 130, 3634-3644.	2.6	46
71	Effects of copolymer microstructure on the properties of electrospun poly(l-lactide-co-lu-caprolactone) absorbable nerve guide tubes. <i>Journal of Applied Polymer Science</i> , 2013, 130, n/a-n/a.	2.6	11
72	DEVELOPMENT OF POLYCAPROLACTONE POROUS SCAFFOLDS BY COMBINING SOLVENT CASTING, PARTICULATE LEACHING, AND POLYMER LEACHING TECHNIQUES FOR BONE TISSUE ENGINEERING. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 102, n/a-n/a.	4.0	35

#	ARTICLE	IF	CITATIONS
73	Biological responses of MC3T3-E1 cultured on poly( $\epsilon$ -caprolactone) sponge scaffolds filled with crude bone protein-loaded hydroxyapatite nanoparticles. , 2012, , .		0
74	Preparation and Characterization of Caffeic Acid-Grafted Electrospun Poly(L-Lactic Acid) Fiber Mats for Biomedical Applications. ACS Applied Materials & Interfaces, 2012, 4, 3031-3040.	8.0	34
75	Electrospun poly(L-lactic acid) fiber mats containing a crude <i>Garcinia cowa</i> extract for wound dressing applications. Journal of Polymer Research, 2012, 19, 1.	2.4	12
76	Hydroxyapatite/ovalbumin composite particles as model protein carriers for bone tissue engineering: I. Synthesis and characterization. Materials Science and Engineering C, 2012, 32, 758-762.	7.3	13
77	Polydiphenylamine-polyethylene oxide blends as methanol sensing materials. Advances in Polymer Technology, 2012, 31, 401-413.	1.7	11
78	<i>In vitro</i> efficacy and toxicology evaluation of silver nanoparticle-loaded gelatin hydrogel pads as antibacterial wound dressings. Journal of Applied Polymer Science, 2012, 124, 1668-1682.	2.6	46
79	Effects of processing parameters on morphology of electrospun polystyrene nanofibers. Korean Journal of Chemical Engineering, 2012, 29, 173-181.	2.7	49
80	Carbendazim-loaded electrospun poly(vinyl alcohol) fiber mats and release characteristics of carbendazim therefrom. Polymers for Advanced Technologies, 2011, 22, 1366-1374.	3.2	8
81	Effect of the Surface Topography of Electrospun Poly( $\mu$ -caprolactone)/Poly(3-hydroxybuterate-3-hydroxyvalerate) Fibrous Substrates on Cultured Bone Cell Behavior. Langmuir, 2011, 27, 10938-10946.	3.5	19
82	Electrospinning of Biocompatible Polymers and Their Potentials in Biomedical Applications. Advances in Polymer Science, 2011, , 213-239.	0.8	52
83	Effects of Magnesium and Zirconium Dopants on Characteristics of Titanium(IV) Oxide Fibers Prepared by Combined Sol-Gel and Electrospinning Techniques. Industrial & Engineering Chemistry Research, 2011, 50, 8042-8049.	3.7	12
84	Preparation of Hydrolyzed Electrospun Polyacrylonitrile Fiber Mats as Chelating Substrates: A Case Study on Copper(II) Ions. Industrial & Engineering Chemistry Research, 2011, 50, 11912-11921.	3.7	56
85	Tuning Hydrophobicity and Water Adhesion by Electrospinning and Silanization. Langmuir, 2011, 27, 3654-3661.	3.5	51
86	Biologically Inspired Hierarchical Design of Nanocomposites Based on Poly(ethylene oxide) and Cellulose Nanofibers. Macromolecular Rapid Communications, 2011, 32, 1367-1372.	3.9	29
87	Preparation and characterization of asiaticoside-loaded alginate films and their potential for use as effectual wound dressings. Carbohydrate Polymers, 2011, 83, 1457-1469.	10.2	145
88	Use of 2-hydroxypropyl- $\beta$ -cyclodextrin as adjuvant for enhancing encapsulation and release characteristics of asiaticoside within and from cellulose acetate films. Carbohydrate Polymers, 2011, 85, 251-260.	10.2	12
89	Improvement of Hydrophilic Properties on Electrospun Polyacrylonitrile Fabrics Surface by Plasma Treatment. Advanced Materials Research, 2011, 213, 103-106.	0.3	0
90	Electrospun poly(L-lactic acid)/hydroxyapatite composite fibrous scaffolds for bone tissue engineering. Polymer International, 2010, 59, 227-235.	3.1	15

#	ARTICLE	IF	CITATIONS
91	Thermal stability of isotactic polypropylene modified with calcium carbonate nanoparticles. <i>Polymer Bulletin</i> , 2010, 64, 783-790.	3.3	22
92	Preparation and characterization of chitosan-hydroxybenzotriazole/polyvinyl alcohol blend nanofibers by the electrospinning technique. <i>Carbohydrate Polymers</i> , 2010, 81, 675-680.	10.2	102
93	Fibrous zinc oxide prepared by combined electrospinning and solvothermal techniques. <i>Ceramics International</i> , 2010, 36, 357-363.	4.8	36
94	Fabrication and characterization of neat and aluminium-doped titanium (IV) oxide fibers prepared by combined sol-gel and electrospinning techniques. <i>Ceramics International</i> , 2010, 36, 2055-2061.	4.8	10
95	Effect of gamma radiation on dilute aqueous solutions and thin films of N-succinyl chitosan. <i>Polymer Degradation and Stability</i> , 2010, 95, 234-244.	5.8	30
96	Preparation of poly(vinyl alcohol)/tin glycolate composite fibers by combined sol-gel/electrospinning techniques and their conversion to ultrafine tin oxide fibers. <i>Materials Chemistry and Physics</i> , 2010, 119, 175-181.	4.0	5
97	Polycaprolactone/hydroxyapatite composite scaffolds: Preparation, characterization, and <i>in vitro</i> and <i>in vivo</i> biological responses of human primary bone cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 94A, 241-251.	4.0	165
98	<i>In vitro</i> biological evaluation of electrospun cellulose acetate fiber mats containing asiaticoside or curcumin. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 94A, 1216-1225.	4.0	31
99	Preparation, characterization, and antibacterial properties of electrospun polyacrylonitrile fibrous membranes containing silver nanoparticles. <i>Journal of Applied Polymer Science</i> , 2010, 116, 1967-1976.	2.6	36
100	Preparation and properties of chitin-whisker-reinforced hyaluronan-gelatin nanocomposite scaffolds. <i>Journal of Applied Polymer Science</i> , 2010, 117, 3406-3418.	2.6	27
101	Electrospinning of food-grade nanofibers from cellulose acetate and egg albumen blends. <i>Journal of Food Engineering</i> , 2010, 98, 370-376.	5.2	177
102	Melt rheology and extrudate swell of sodium chloride-filled low-density polyethylene: Effects of content and size of salt particles. <i>Polymer Testing</i> , 2010, 29, 188-195.	4.8	14
103	<i>In vitro</i> biocompatibility of electrospun and solvent-cast chitosan substrata towards Schwann, osteoblast, keratinocyte and fibroblast cells. <i>European Polymer Journal</i> , 2010, 46, 428-440.	5.4	59
104	Wet-spun alginate/chitosan whiskers nanocomposite fibers: Preparation, characterization and release characteristic of the whiskers. <i>Carbohydrate Polymers</i> , 2010, 79, 738-746.	10.2	88
105	X-ray diffraction and dynamic mechanical analyses of chitin whisker-reinforced poly(vinyl alcohol) nanocomposite nanofibers. <i>Polymer International</i> , 2010, 59, 85-91.	3.1	57
106	A review on wound dressings with an emphasis on electrospun nanofibrous polymeric bandages. <i>Polymers for Advanced Technologies</i> , 2010, 21, 77-95.	3.2	637
107	Aliphatic Lipid Substitution on 2 kDa Polyethylenimine Improves Plasmid Delivery and Transgene Expression. <i>Molecular Pharmaceutics</i> , 2010, 7, 618-618.	4.6	0
108	Preparation and Adsorption Behavior of Aminated Electrospun Polyacrylonitrile Nanofiber Mats for Heavy Metal Ion Removal. <i>ACS Applied Materials &amp; Interfaces</i> , 2010, 2, 3619-3627.	8.0	332

#	ARTICLE	IF	CITATIONS
109	Morphology, Release Characteristics, and Antimicrobial Effect of Nisin-Loaded Electrospun Gelatin Fiber Mat. <i>Journal of Food Protection</i> , 2009, 72, 2293-2300.	1.7	27
110	Novel Chitosan-Spotted Alginate Fibers from Wet-Spinning of Alginate Solutions Containing Emulsified Chitosan-Citrate Complex and their Characterization. <i>Biomacromolecules</i> , 2009, 10, 320-327.	5.4	63
111	Gallic Acid-Loaded Electrospun Poly(L-lactic Acid) Fiber Mats and their Release Characteristic. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 814-822.	2.2	46
112	Development of Gelatin Hydrogel Pads as Antibacterial Wound Dressings. <i>Macromolecular Bioscience</i> , 2009, 9, 1004-1015.	4.1	74
113	Stochastic simulation for morphological development during the isothermal crystallization of semicrystalline polymers: A case study of syndiotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2009, 111, 2260-2268.	2.6	6
114	Versatile route for tuning optical properties of poly(2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 696-705.	2.1	3
115	Electrospun 1,6-diisocyanatohexane-extended poly(1,4-butylene succinate) fiber mats and their potential for use as bone scaffolds. <i>Polymer</i> , 2009, 50, 1548-1558.	3.8	37
116	Aliphatic Lipid Substitution on 2 kDa Polyethylenimine Improves Plasmid Delivery and Transgene Expression. <i>Molecular Pharmaceutics</i> , 2009, 6, 1798-1815.	4.6	124
117	Development of Meloxicam-Loaded Electrospun Polyvinyl Alcohol Mats as a Transdermal Therapeutic Agent. <i>Pharmaceutical Development and Technology</i> , 2009, 14, 73-82.	2.4	72
118	Biodegradable alginate microparticles developed by electrohydrodynamic spraying techniques for oral delivery of protein. <i>Journal of Microencapsulation</i> , 2009, 26, 563-570.	2.8	72
119	Immobilization of Biomolecules on the Surface of Electrospun Polycaprolactone Fibrous Scaffolds for Tissue Engineering. <i>ACS Applied Materials &amp; Interfaces</i> , 2009, 1, 1076-1085.	8.0	137
120	Effectual drug-releasing porous scaffolds from 1,6-diisocyanatohexane-extended poly(1,4-butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	8.8	27
121	Electrospun cellulose acetate fiber mats containing asiaticoside or <i>Centella asiatica</i> crude extract and the release characteristics of asiaticoside. <i>Polymer</i> , 2008, 49, 4239-4247.	3.8	93
122	Wound-dressing materials with antibacterial activity from electrospun gelatin fiber mats containing silver nanoparticles. <i>Polymer</i> , 2008, 49, 4723-4732.	3.8	484
123	Electrospun dextran fibrous membranes. <i>Cellulose</i> , 2008, 15, 435-444.	4.9	35
124	Morphology and Photophysical Properties of Electrospun Light-Emitting Polystyrene/Poly(phenylene ethynylene) Fibers. <i>Macromolecular Materials and Engineering</i> , 2008, 293, 952-963.	3.6	6
125	On the electrospinning of poly(vinyl alcohol) nanofiber mats: A revisit. <i>Journal of Applied Polymer Science</i> , 2008, 108, 969-978.	2.6	133
126	Fabrication, structure, and properties of chitin whisker-reinforced alginate nanocomposite fibers. <i>Journal of Applied Polymer Science</i> , 2008, 110, 890-899.	2.6	116



#	ARTICLE	IF	CITATIONS
127	Melt rheology and extrudate swell of titanium (IV) oxide nanoparticle-filled isotactic polypropylene: Effects of content and surface characteristics. <i>Polymer Testing</i> , 2008, 27, 951-956.	4.8	25
128	In vitro biocompatibility of electrospun hexanoyl chitosan fibrous scaffolds towards human keratinocytes and fibroblasts. <i>European Polymer Journal</i> , 2008, 44, 2060-2067.	5.4	52
129	Development of polyelectrolyte multilayer-coated electrospun cellulose acetate fiber mat as composite membranes. <i>European Polymer Journal</i> , 2008, 44, 3963-3968.	5.4	31
130	Preparation of Ultra-Fine Silica Fibers Using Electrospun Poly(Vinyl Alcohol)/Silatrane Composite Fibers as Precursor. <i>Journal of the American Ceramic Society</i> , 2008, 91, 2830-2835.	3.8	23
131	Electrospun gelatin fiber mats containing a herbal "Centella asiatica" extract and release characteristic of asiaticoside. <i>Nanotechnology</i> , 2008, 19, 015102.	2.6	72
132	Extraction and electrospinning of gelatin from fish skin. <i>International Journal of Biological Macromolecules</i> , 2008, 42, 247-255.	7.5	161
133	Isotactic Poly(propylene)/Wood Sawdust Composite: Effects of Natural Weathering, Water Immersion, and Gamma-Ray Irradiation on Mechanical Properties. <i>Macromolecular Symposia</i> , 2008, 264, 59-66.	0.7	8
134	Miscibility, Isothermal Crystallization/Melting Behavior and Morphology of Poly(Trimethylene Terephthalate)/Poly(ethylene terephthalate) Blends. <i>Journal of Applied Polymer Science</i> , 2008, 107, 243-248.	0.2	4
135	Preparation of Ultrafine TiO <sub>2</sub> Nanofibers and their Application in Removal of NO <sub>x</sub> in Air. <i>Materials Science Forum</i> , 2008, 569, 25-28.	0.3	5
136	Preparation and Physico-Chemical Characteristics of N-Maleoyl Chitosan Films. <i>Macromolecular Symposia</i> , 2008, 264, 121-126.	0.7	6
137	Electrospun poly(vinyl alcohol) fiber mats as carriers for extracts from the fruit hull of mangosteen. <i>Journal of Cosmetic Science</i> , 2008, 59, 233-42.	0.1	23
138	Photocatalytic Activity of Neat and Silicon-Doped Titanium(IV)Oxide Nanofibers Prepared by Combined Sol-Gel and Electrospinning Techniques. <i>Journal of Nanoscience and Nanotechnology</i> , 2007, 7, 2443-2450.	0.9	17
139	Mechanical and electro-rheological properties of electrospun poly(vinyl alcohol) nanofibre mats filled with carbon black nanoparticles. <i>Nanotechnology</i> , 2007, 18, 145705.	2.6	47
140	Preparation of Ultrafine Poly(ethylene oxide)/Poly(ethylene glycol) Fibers Containing Silver Nanoparticles as Antibacterial Coating. <i>Journal of Applied Polymer Science</i> , 2007, 104, 1143-1148.		4
141	Vitamin-loaded electrospun cellulose acetate nanofiber mats as transdermal and dermal therapeutic agents of vitamin A acid and vitamin E. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 67, 387-397.	4.3	301
142	In vitro biocompatibility of electrospun poly(3-hydroxybutyrate) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) fiber mats. <i>International Journal of Biological Macromolecules</i> , 2007, 40, 217-223.	7.5	122
143	Effect of cross-linking on properties and release characteristics of sodium salicylate-loaded electrospun poly(vinyl alcohol) fibre mats. <i>Nanotechnology</i> , 2007, 18, 175102.	2.6	42
144	In Vitro Biocompatibility of Schwann Cells on Surfaces of Biocompatible Polymeric Electrospun Fibrous and Solution-Cast Film Scaffolds. <i>Biomacromolecules</i> , 2007, 8, 1587-1594.	5.4	98

#	ARTICLE	IF	CITATIONS
145	Preparation of electrospun silk fibroin fiber mats as bone scaffolds: a preliminary study. <i>Biomedical Materials (Bristol)</i> , 2007, 2, 181-188.	3.3	81
146	Osteoblastic Phenotype Expression of MC3T3-E1 Cultured on Electrospun Polycaprolactone Fiber Mats Filled with Hydroxyapatite Nanoparticles. <i>Biomacromolecules</i> , 2007, 8, 2602-2610.	5.4	131
147	Preparation and Characterization of Polycaprolactone/Diclofenac Sodium and Poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 Journal, 2007, 39, 369-378.	2.7	35
148	Effect of casting solvent on characteristics of hexanoyl chitosan/polylactide blend films. <i>Journal of Applied Polymer Science</i> , 2007, 105, 1844-1852.	2.6	17
149	Color Change of Electrospun Polystyrene/MEH-PPV Fibers from Orange to Yellow through Partial Decomposition of MEH Side Groups. <i>Macromolecular Rapid Communications</i> , 2007, 28, 651-659.	3.9	37
150	Removal of solvent-based ink from printed surface of high-density polyethylene bottles by alkyltrimethylammonium bromides: Effects of pH, temperature, and salinity. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 297, 163-171.	4.7	14
151	In vitro biocompatibility evaluations of hexanoyl chitosan film. <i>Carbohydrate Polymers</i> , 2007, 68, 166-172.	10.2	40
152	Non-isothermal melt-crystallization and mechanical properties of titanium(IV) oxide nanoparticle-filled isotactic polypropylene. <i>Polymer Testing</i> , 2007, 26, 20-37.	4.8	43
153	Effect of small amount of poly(ethylene naphthalate) on isothermal crystallization and spherulitic morphology of poly(trimethylene terephthalate). <i>Polymer Testing</i> , 2007, 26, 985-1000.	4.8	15
154	Electrospun Gelatin Fibers: Effect of Solvent System on Morphology and Fiber Diameters. <i>Polymer Journal</i> , 2007, 39, 622-631.	2.7	117
155	Electrospun Methacrylate-Based Copolymer/Indomethacin Fibers and Their Release Characteristics of Indomethacin. <i>Journal of Polymer Research</i> , 2007, 14, 53-59.	2.4	21
156	Electrospun cellulose acetate fibers: effect of solvent system on morphology and fiber diameter. <i>Cellulose</i> , 2007, 14, 563-575.	4.9	207
157	Influences of thermal aging on properties and pyrolysis products of tire tread compound. <i>Journal of Analytical and Applied Pyrolysis</i> , 2007, 80, 269-276.	5.5	19
158	Bone scaffolds from electrospun fiber mats of poly(3-hydroxybutyrate), poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and their blend. <i>Polymer</i> , 2007, 48, 1419-1427.	3.8	173
159	Release characteristics of four model drugs from drug-loaded electrospun cellulose acetate fiber mats. <i>Polymer</i> , 2007, 48, 5030-5041.	3.8	219
160	Electrospun cellulose acetate fiber mats containing curcumin and release characteristic of the herbal substance. <i>Polymer</i> , 2007, 48, 7546-7557.	3.8	271
161	Fabrication of $\hat{\pm}$ -chitin whisker-reinforced poly(vinyl alcohol) nanocomposite nanofibres by electrospinning. <i>Nanotechnology</i> , 2006, 17, 4519-4528.	2.6	121
162	Drug-loaded electrospun mats of poly(vinyl alcohol) fibres and their release characteristics of four model drugs. <i>Nanotechnology</i> , 2006, 17, 2317-2329.	2.6	352

#	ARTICLE	IF	CITATIONS
163	Stability Improvement of Electrospun Chitosan Nanofibrous Membranes in Neutral or Weak Basic Aqueous Solutions. <i>Biomacromolecules</i> , 2006, 7, 2710-2714.	5.4	199
164	Electrospinning of Styrene-Isoprene Copolymeric Thermoplastic Elastomers. <i>Polymer Journal</i> , 2006, 38, 961-969.	2.7	13
165	Electrospun mat of tyrosine-derived polycarbonate fibers for potential use as tissue scaffolding material. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006, 17, 1039-1056.	3.5	94
166	Electrospun fiber mats of poly(3-hydroxybutyrate), poly(3-hydroxybutyrate-co-3-hydroxyvalerate), and their blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 2923-2933.	2.1	77
167	Preparation and characterization of ultrafine electrospun polyacrylonitrile fibers and their subsequent pyrolysis to carbon fibers. <i>Polymer International</i> , 2006, 55, 825-833.	3.1	137
168	Dilute solution properties of hexanoyl chitosan in chloroform, dichloromethane, and tetrahydrofuran. <i>Carbohydrate Polymers</i> , 2006, 64, 175-183.	10.2	8
169	Electrospinning of hexanoyl chitosan. <i>Carbohydrate Polymers</i> , 2006, 66, 298-305.	10.2	95
170	Surface-modified calcium carbonate particles by admicellar polymerization to be used as filler for isotactic polypropylene. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006, 275, 114-125.	4.7	68
171	Non-isothermal melt- and cold-crystallization kinetics of poly(3-hydroxybutyrate). <i>Polymer Testing</i> , 2006, 25, 807-818.	4.8	48
172	Melt rheology and extrudate swell of low-density polyethylene/ethylene- $\alpha$ -octene copolymer blends. <i>Polymer Testing</i> , 2006, 25, 888-895.	4.8	14
173	Hard-coating materials for poly(methyl methacrylate) from glycidoxypropyltrimethoxysilane-modified silatrane via a sol-gel process. <i>Surface and Coatings Technology</i> , 2006, 200, 2784-2790.	4.8	59
174	Electrospinning of hexanoyl chitosan/polylactide blends. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006, 17, 547-565.	3.5	75
175	Removal of solvent-based ink from printed surface of HDPE bottles by alkyltrimethylammonium bromides: effects of surfactant concentration and alkyl chain length. <i>Colloid and Polymer Science</i> , 2006, 284, 980-989.	2.1	7
176	Ultrafine electrospun poly(ethylene glycol)-polydimethylsiloxane-poly(ethylene glycol) triblock copolymer/poly(ethylene oxide) blend fibers. <i>Materials Letters</i> , 2006, 60, 2920-2924.	2.6	10
177	Rheological and isothermal crystallization characteristics of neat and calcium carbonate-filled syndiotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2006, 100, 4515-4525.	2.6	16
178	Polycarbonate microfilters by nuclear tracking and chemical etching (track-etching) technique: Preparation and characterization. <i>Journal of Applied Polymer Science</i> , 2006, 101, 982-990.	2.6	5
179	Mechanical properties of injection-molded isotactic polypropylene/roselle fiber composites. <i>Journal of Applied Polymer Science</i> , 2006, 101, 3291-3300.	2.6	34
180	In situ microfibrillar-reinforced composites of isotactic polypropylene/recycled poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 T 1173-1181.	2.6	64

#	ARTICLE	IF	CITATIONS
181	Preparation and Characterization of Novel Bone Scaffolds Based on Electrospun Polycaprolactone Fibers Filled with Nanoparticles. <i>Macromolecular Bioscience</i> , 2006, 6, 70-77.	4.1	224
182	Effects of Poly(ethylene glycol), Inorganic Salt, Sodium Dodecyl Sulfate, and Solvent System on Electrospinning of Poly(ethylene oxide). <i>Macromolecular Materials and Engineering</i> , 2006, 291, 581-591.	3.6	72
183	The Influence of Solvent Properties and Functionality on the Electrospinnability of Polystyrene Nanofibers. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 840-847.	3.6	62
184	Novel Bone Scaffolds of Electrospun Polycaprolactone Fibers Filled with Nanoparticles. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 514-522.	0.9	76
185	The Control of Thermal and Radiation Stability of Polypropylene Containing Calcium Carbonate Nanoparticles. <i>Macromolecular Symposia</i> , 2006, 242, 319-324.	0.7	14
186	Fabrication of Aligned Poly(vinyl alcohol) Nanofibers by Electrospinning. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 125-129.	0.9	45
187	Fabrication of aligned poly (vinyl alcohol) nanofibers by electrospinning. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 125-9.	0.9	0
188	Preparation and characterization of $\beta$ -chitin whisker-reinforced poly(vinyl alcohol) nanocomposite films with or without heat treatment. <i>Polymer</i> , 2005, 46, 5637-5644.	3.8	142
189	Melt rheology and extrudate swell of calcium carbonate nanoparticle-filled isotactic polypropylene. <i>Polymer Testing</i> , 2005, 24, 2-11.	4.8	63
190	Non-isothermal melt-crystallization and subsequent melting behavior of pigmented medium-density polyethylene. <i>Polymer Testing</i> , 2005, 24, 873-885.	4.8	7
191	Effect of solvents on electro-spinnability of polystyrene solutions and morphological appearance of resulting electrospun polystyrene fibers. <i>European Polymer Journal</i> , 2005, 41, 409-421.	5.4	394
192	Preparation and characterization of starch/poly(l-lactic acid) hybrid foams. <i>Carbohydrate Polymers</i> , 2005, 59, 329-337.	10.2	71
193	Preparation and characterization of hexanoyl chitosan/polylactide blend films. <i>Carbohydrate Polymers</i> , 2005, 60, 343-350.	10.2	85
194	Preparation and characterization of $\beta$ -chitin whisker-reinforced chitosan nanocomposite films with or without heat treatment. <i>Carbohydrate Polymers</i> , 2005, 62, 130-136.	10.2	199
195	Thermal and crystallization characteristics of poly(trimethylene terephthalate)/poly(ethylene Tj ETQq1 1 0.784314 rgBT /Overlock 10	5.4	58
196	Nonisothermal melt-crystallization kinetics of syndiotactic polypropylene compounded with various nucleating agents. <i>Journal of Applied Polymer Science</i> , 2005, 95, 245-253.	2.6	17
197	Preparation and Characterization of Microwave-treated Carboxymethyl Chitin and Carboxymethyl Chitosan Films for Potential Use in Wound Care Application. <i>Macromolecular Bioscience</i> , 2005, 5, 1001-1012.	4.1	78
198	Ultrafine Electrospun Polyamide-6 Fibers: Effects of Solvent System and Emitting Electrode Polarity on Morphology and Average Fiber Diameter. <i>Macromolecular Materials and Engineering</i> , 2005, 290, 933-942.	3.6	67

#	ARTICLE	IF	CITATIONS
199	Titanium (IV) oxide nanofibers by combined sol-gel and electrospinning techniques: preliminary report on effects of preparation conditions and secondary metal dopant. <i>Science and Technology of Advanced Materials</i> , 2005, 6, 240-245.	6.1	70
200	Electrospinning of polystyrene/poly(2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylene vinylene) blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 1881-1891.	2.1	36
201	Ultrafine electrospun polyamide-6 fibers: Effect of emitting electrode polarity on morphology and average fiber diameter. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3699-3712.	2.1	81
202	Electrospinning of methacrylate-based copolymers: Effects of solution concentration and applied electrical potential on morphological appearance of as-spun fibers. <i>Polymer Engineering and Science</i> , 2005, 45, 1073-1080.	3.1	28
203	Effects of Solution Concentration, Emitting Electrode Polarity, Solvent Type, and Salt Addition on Electrospun Polyamide-6 Fibers: A Preliminary Report. <i>Macromolecular Symposia</i> , 2004, 216, 293-300.	0.7	63
204	Preparation and Properties of Starch/Poly(vinyl alcohol) Composite Foams. <i>Macromolecular Symposia</i> , 2004, 216, 217-228.	0.7	23
205	Isothermal melt-crystallization and melting behavior for three linear aromatic polyesters. <i>Thermochimica Acta</i> , 2004, 409, 63-77.	2.7	90
206	Porous polyethylene membranes by template-leaching technique: preparation and characterization. <i>Polymer Testing</i> , 2004, 23, 91-99.	4.8	32
207	Non-isothermal melt crystallization kinetics for poly(trimethylene terephthalate)/poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 Td (terephthalat	4.8	91
208	Thermal, crystallization, and rheological characteristics of poly(trimethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td (terephthalat	4.8	83
209	Thermal, crystallization, mechanical, and rheological characteristics of poly(trimethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 Td (terephthalat <i>Physics</i> , 2004, 42, 676-686.	2.1	76
210	Nonisothermal cold-crystallization kinetics of poly(trimethylene terephthalate). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 4151-4163.	2.1	31
211	Effects of crystalline and orientational memory phenomena on the isothermal bulk crystallization and subsequent melting behavior of poly(trimethylene terephthalate). <i>Polymer International</i> , 2004, 53, 1118-1126.	3.1	22
212	Effects of solvents on electrospun polymeric fibers: preliminary study on polystyrene. <i>Polymer International</i> , 2004, 53, 1851-1859.	3.1	364
213	Blends of ethylene-methyl acrylate-acrylic acid terpolymers with ethylene-acrylic acid copolymers: Mechanical and thermomechanical properties. <i>Journal of Applied Polymer Science</i> , 2004, 91, 2216-2222.	2.6	3
214	Effects of calcium carbonate and its purity on crystallization and melting behavior, mechanical properties, and processability of syndiotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2004, 92, 201-212.	2.6	77
215	Ultrafine Electrospun Polyamide-6 Fibers: Effect of Solution Conditions on Morphology and Average Fiber Diameter. <i>Macromolecular Chemistry and Physics</i> , 2004, 205, 2327-2338.	2.2	449
216	Effect of Nucleating Agents on Crystallization and Melting Behavior and Mechanical Properties of Nucleated Syndiotactic Poly(propylene). <i>Macromolecular Materials and Engineering</i> , 2004, 289, 818-827.	3.6	22

#	ARTICLE	IF	CITATIONS
217	Multiple melting behavior in isothermally crystallized poly(trimethylene terephthalate). <i>European Polymer Journal</i> , 2004, 40, 599-608.	5.4	107
218	Effect of calcium stearate and pimelic acid addition on mechanical properties of heterophasic isotactic polypropylene/ethylene- $\alpha$ -propylene rubber blend. <i>Polymer Testing</i> , 2004, 23, 533-539.	4.8	69
219	Characterization of starch/poly( $\mu$ -caprolactone) hybrid foams. <i>Polymer Testing</i> , 2004, 23, 651-657.	4.8	43
220	Non-isothermal melt-crystallization kinetics of poly(trimethylene terephthalate). <i>Polymer Testing</i> , 2004, 23, 817-826.	4.8	94
221	Influence of molecular characteristics on non-isothermal melt-crystallization kinetics of syndiotactic polypropylene. <i>Polymer Testing</i> , 2004, 23, 881-895.	4.8	31
222	Non-isothermal melt crystallization kinetics for ethylene- $\alpha$ -acrylic acid copolymers and ethylene- $\alpha$ -methyl acrylate- $\alpha$ -acrylic acid terpolymers. <i>European Polymer Journal</i> , 2004, 40, 829-838.	5.4	33
223	Influence of molecular characteristics on overall isothermal melt-crystallization behavior and equilibrium melting temperature of syndiotactic polypropylene. <i>European Polymer Journal</i> , 2004, 40, 1671-1682.	5.4	10
224	Preparation and characterization of jute- and flax-reinforced starch-based composite foams. <i>Carbohydrate Polymers</i> , 2004, 58, 53-63.	10.2	172
225	Nonisothermal melt-crystallization kinetics for three linear aromatic polyesters. <i>Thermochimica Acta</i> , 2003, 406, 207-220.	2.7	89
226	Characterisation of beta-chitin/poly(vinyl alcohol) blend films. <i>Polymer Testing</i> , 2003, 22, 381-387.	4.8	56
227	Nonisothermal bulk crystallization of high-density polyethylene via a modified depolarized light microscopy technique: Further analysis. <i>Journal of Applied Polymer Science</i> , 2002, 86, 1009-1022.	2.6	20
228	Application of the Avrami, Tobin, Malkin, and Urbanovi- $\alpha$ -Segal macrokinetic models to isothermal crystallization of syndiotactic polypropylene. <i>Thermochimica Acta</i> , 2001, 370, 37-48.	2.7	68
229	Unbiased evaluation of literature data on equilibrium melting temperature and enthalpy of fusion of perfectly syndiotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2001, 79, 1603-1609.	2.6	18
230	Crystallization and melting behavior in syndiotactic polypropylene: Origin of multiple melting phenomenon. <i>Journal of Applied Polymer Science</i> , 2001, 82, 1083-1097.	2.6	63
231	Crystalline memory effect in isothermal crystallization of syndiotactic polypropylenes: effect of fusion temperature on crystallization and melting behavior. <i>Polymer</i> , 2001, 42, 9617-9626.	3.8	75
232	Thermal properties and isothermal crystallization of syndiotactic polypropylenes: Differential scanning calorimetry and overall crystallization kinetics. <i>Journal of Applied Polymer Science</i> , 2000, 75, 44-59.	2.6	51
233	Crystalline memory effects in isothermal crystallization of syndiotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2000, 75, 337-346.	2.6	85
234	Isothermal melt crystallization and melting behaviour of syndiotactic polypropylene. <i>Polymer International</i> , 2000, 49, 1473-1482.	3.1	17

#	ARTICLE	IF	CITATIONS
235	Nonisothermal bulk crystallization and subsequent melting behavior of syndiotactic polypropylenes: Crystallization from the melt state. Journal of Applied Polymer Science, 2000, 78, 338-354.	2.6	72
236	Nonisothermal bulk crystallization studies of high density polyethylene using light depolarizing microscopy. Journal of Polymer Science, Part B: Polymer Physics, 1998, 36, 681-692.	2.1	46
237	Conductive Nanocomposite Aligned Fibers of PVA-AgNPs-PEDOT/PSS. Advanced Materials Research, 0, 1033-1034, 1009-1019.	0.3	1