

Sven Rinke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9002427/publications.pdf>

Version: 2024-02-01

28
papers

776
citations

567281

15
h-index

526287

27
g-index

28
all docs

28
docs citations

28
times ranked

831
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of periimplant disease in partially edentulous patients: a practice-based cross-sectional study. <i>Clinical Oral Implants Research</i> , 2011, 22, 826-833.	4.5	238
2	Fitting accuracy of zirconia single crowns produced via digital and conventional impressionsâ€”a clinical comparative study. <i>Clinical Oral Investigations</i> , 2017, 21, 579-587.	3.0	52
3	Multifactorial analysis of the impact of different manufacturing processes on the marginal fit of zirconia copings. <i>Dental Materials Journal</i> , 2012, 31, 601-609.	1.8	50
4	Long-term results of implant-supported overdentures retained by double crowns: a practice-based retrospective study after minimally 10 years follow-up. <i>Clinical Oral Implants Research</i> , 2013, 24, 1281-1287.	4.5	47
5	Long-term effects of tongue piercing â€” a case control study. <i>Clinical Oral Investigations</i> , 2012, 16, 231-237.	3.0	34
6	Double Crown-Retained Maxillary Overdentures: 5-Year Follow-Up. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, 22-31.	3.7	31
7	Clinical Outcome of Double Crown-Retained Mandibular Removable Dentures Supported by a Combination of Residual Teeth and Strategic Implants. <i>Journal of Prosthodontics</i> , 2015, 24, 358-365.	3.7	26
8	Chairside Fabrication of an All-Ceramic Partial Crown Using a Zirconia-Reinforced Lithium Silicate Ceramic. <i>Case Reports in Dentistry</i> , 2016, 2016, 1-7.	0.5	26
9	Initial periodontal screening and radiographic findings - A comparison of two methods to evaluate the periodontal situation. <i>BMC Oral Health</i> , 2011, 11, 3.	2.3	24
10	Implant-supported overdentures with different bar designs: A retrospective evaluation after 5-19 years of clinical function. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 338.	2.6	23
11	Influence of Material Selection on the Marginal Accuracy of CAD/CAM-Fabricated Metal- and All-Ceramic Single Crown Copings. <i>BioMed Research International</i> , 2018, 2018, 1-8.	1.9	23
12	Technical and biological complications of single-molar implant restorations. <i>Clinical Oral Implants Research</i> , 2015, 26, 1024-1030.	4.5	21
13	Microbiological and aMMP-8 findings depending on peri-implant disease in patients undergoing supportive implant therapy. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 88, 47-52.	1.8	21
14	Clinical evaluation of chairside-fabricated partial crowns composed of zirconia-reinforced lithium silicate ceramics: 3-year results of a prospective practice-based study. <i>Journal of Esthetic and Restorative Dentistry</i> , 2020, 32, 226-235.	3.8	20
15	Fabrication of Zirconia-Reinforced Lithium Silicate Ceramic Restorations Using a Complete Digital Workflow. <i>Case Reports in Dentistry</i> , 2015, 2015, 1-7.	0.5	19
16	Clinical outcome of double crown-retained implant overdentures with zirconia primary crowns. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 329.	2.6	17
17	Detection of five potentially periodontal pathogenic bacteria in peri-implant disease: A comparison of PCR and real-time PCR. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 85, 289-294.	1.8	13
18	Association between carotid area calcifications and periodontal risk: a cross sectional study of panoramic radiographic findings. <i>BMC Cardiovascular Disorders</i> , 2011, 11, 67.	1.7	12

