Esben Moland Olsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9003940/publications.pdf

Version: 2024-02-01

109 papers 4,926 citations

94433 37 h-index 110387 64 g-index

111 all docs

111 docs citations

times ranked

111

5446 citing authors

#	Article	IF	CITATIONS
1	Anthropogenic and natural size-related selection act in concert during brown trout (Salmo trutta) smolt river descent. Hydrobiologia, 2022, 849, 557-570.	2.0	5
2	Lobster reserves as a management tool in coastal waters: Two decades of experience in Norway. Marine Policy, 2022, 136, 104908.	3.2	8
3	Stabilizing selection on Atlantic cod supergenes through a millennium of extensive exploitation. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	22
4	Technological creep masks continued decline in a lobster (Homarus gammarus) fishery over a century. Scientific Reports, 2022, 12, 3318.	3.3	10
5	Eight decades of adaptive changes in herring reproductive investment: the joint effect of environment and exploitation. ICES Journal of Marine Science, 2021, 78, 631-639.	2.5	7
6	Integral functions of marine vertebrates in the ocean carbon cycle and climate change mitigation. One Earth, 2021, 4, 680-693.	6.8	28
7	Sea temperature effects on depth use and habitat selection in a marine fish community. Journal of Animal Ecology, 2021, 90, 1787-1800.	2.8	32
8	Demographic responses to protection from harvesting in a long-lived marine species. Biological Conservation, 2021, 257, 109094.	4.1	3
9	Selection on fish personality differs between a noâ€take marine reserve and fished areas. Evolutionary Applications, 2021, 14, 1807-1815.	3.1	12
10	Restoration of Abundance and Dynamics of Coastal Fish and Lobster Within Northern Marine Protected Areas Across Two Decades. Frontiers in Marine Science, 2021, 8, .	2.5	12
11	Disparate movement behavior and feeding ecology in sympatric ecotypes of Atlantic cod. Ecology and Evolution, 2021, 11, 11477-11490.	1.9	14
12	Hydropower-induced selection of behavioural traits in Atlantic salmon (Salmo salar). Scientific Reports, 2021, 11, 16444.	3.3	9
13	Time at risk: Individual spatial behaviour drives effectiveness of marine protected areas and fitness. Biological Conservation, 2021, 263, 109333.	4.1	20
14	Marine protected areas rescue a sexually selected trait in European lobster. Evolutionary Applications, 2020, 13, 2222-2233.	3.1	11
15	Inferring individual fate from aquatic acoustic telemetry data. Methods in Ecology and Evolution, 2020, 11, 1186-1198.	5.2	40
16	Protected areas buffer against harvest selection and rebuild phenotypic complexity. Ecological Applications, 2020, 30, e02108.	3.8	10
17	Disentangling conditional effects of multiple regime shifts on Atlantic cod productivity. PLoS ONE, 2020, 15, e0237414.	2.5	11
18	Possible adverse impact of contaminants on Atlantic cod population dynamics in coastal ecosystems. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20191167.	2.6	5

#	Article	IF	CITATIONS
19	Harvest selection on multiple traits in the wild revealed by aquatic animal telemetry. Ecology and Evolution, 2019, 9, 6480-6491.	1.9	14
20	Fishing pressure impacts the abundance gradient of European lobsters across the borders of a newly established marine protected area. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20182455.	2.6	29
21	Potential for managing life history diversity in a commercially exploited intermediate predator, the goldsinny wrasse (Ctenolabrus rupestris). ICES Journal of Marine Science, 2019, 76, 410-417.	2.5	5
22	Potential for managing life history diversity in a commercially exploited intermediate predator, the goldsinny wrasse (Ctenolabrus rupestris). ICES Journal of Marine Science, 2019, 76, 357-357.	2.5	1
23	Potential of a noâ€ŧake marine reserve to protect home ranges of anadromous brown trout (<i>Salmo) Tj ETQq1 I</i>	l 0,78431	4 ₈ rgBT /Ove
24	Migratory passage structures at hydropower plants as potential physiological and behavioural selective agents. Royal Society Open Science, 2019, 6, 190989.	2.4	14
25	Disentangling structural genomic and behavioural barriers in a sea of connectivity. Molecular Ecology, 2019, 28, 1394-1411.	3.9	68
26	Condition-dependent skipped spawning in anadromous brown trout (<i>Salmo trutta</i>). Canadian Journal of Fisheries and Aquatic Sciences, 2018, 75, 2313-2319.	1.4	25
27	Harvesting changes mating behaviour in European lobster. Evolutionary Applications, 2018, 11, 963-977.	3.1	33
28	Fineâ€scale population differences in Atlantic cod reproductive success: A potential mechanism for ecological speciation in a marine fish. Ecology and Evolution, 2018, 8, 11634-11644.	1.9	6
29	Stable coexistence of genetically divergent Atlantic cod ecotypes at multiple spatial scales. Evolutionary Applications, 2018, 11, 1527-1539.	3.1	47
30	Temporal variability in offspring quality and individual reproductive output in a broadcast-spawning marine fish. ICES Journal of Marine Science, 2018, 75, 1353-1361.	2.5	13
31	Who is fishing on what stock: population-of-origin of individual cod (Gadus morhua) in commercial and recreational fisheries. ICES Journal of Marine Science, 2018, 75, 2153-2162.	2.5	19
32	BioTIME: A database of biodiversity time series for the Anthropocene. Global Ecology and Biogeography, 2018, 27, 760-786.	5.8	289
33	Personalities influence spatial responses to environmental fluctuations in wild fish. Journal of Animal Ecology, 2018, 87, 1309-1319.	2.8	61
34	Causes of mortality in depleted populations of Atlantic cod estimated from multi-event modelling of mark–recapture and recovery data. Canadian Journal of Fisheries and Aquatic Sciences, 2017, 74, 116-126.	1.4	14
35	Individual level consistency and correlations of fish spatial behaviour assessed from aquatic animal telemetry. Animal Behaviour, 2017, 124, 83-94.	1.9	48
36	Impact of harvesting cleaner fish for salmonid aquaculture assessed from replicated coastal marine protected areas. Marine Biology Research, 2017, 13, 359-369.	0.7	42

#	Article	IF	CITATIONS
37	Fineâ€scale population dynamics in a marine fish species inferred from dynamic stateâ€space models. Journal of Animal Ecology, 2017, 86, 888-898.	2.8	16
38	Sex- and size-selective harvesting of corkwing wrasse (Symphodus melops)â€"a cleaner fish used in salmonid aquaculture. ICES Journal of Marine Science, 2017, 74, 660-669.	2.5	19
39	Recruitment signals in juvenile cod surveys depend on thermal growth conditions. Canadian Journal of Fisheries and Aquatic Sciences, 2017, 74, 511-523.	1.4	17
40	Potential of contemporary evolution to erode fishery benefits from marine reserves. Fish and Fisheries, 2017, 18, 571-577.	5.3	24
41	Temperatureâ€associated habitat selection in a coldâ€water marine fish. Journal of Animal Ecology, 2016, 85, 628-637.	2.8	71
42	Male-biased sexual size dimorphism in the nest building corkwing wrasse (<i>Symphodus melops</i>): implications for a size regulated fishery. ICES Journal of Marine Science, 2016, 73, 2586-2594.	2.5	29
43	"lslands of Divergence―in the Atlantic Cod Genome Represent Polymorphic Chromosomal Rearrangements. Genome Biology and Evolution, 2016, 8, 1012-1022.	2.5	107
44	Eight decades of sampling reveal a contemporary novel fish assemblage in coastal nursery habitats. Global Change Biology, 2016, 22, 1155-1167.	9.5	42
45	Small-scale life history variability suggests potential for spatial mismatches in Atlantic cod management units. ICES Journal of Marine Science, 2016, 73, 286-292.	2.5	14
46	Harvest Pressure on Coastal Atlantic Cod (Gadus morhua) from Recreational Fishing Relative to Commercial Fishing Assessed from Tag-Recovery Data. PLoS ONE, 2016, 11, e0149595.	2.5	26
47	Behavioral responses of Atlantic cod to sea temperature changes. Ecology and Evolution, 2015, 5, 2070-2083.	1.9	52
48	The Pillars of Hercules as a bathymetric barrier to gene flow promoting isolation in a global deepâ€sea shark (<i><scp>C</scp>entroscymnus coelolepis</i>). Molecular Ecology, 2015, 24, 6061-6079.	3.9	39
49	Demographic effects of full vs. partial protection from harvesting: inference from an empirical before–after controlâ€impact study on <scp>A</scp> tlantic cod. Journal of Applied Ecology, 2015, 52, 1206-1215.	4.0	31
50	Modelling drift of pelagic offspring: the importance of egg surveys in providing a realistic model initialization. ICES Journal of Marine Science, 2015, 72, 2578-2589.	2.5	14
51	Catch-and-release of Atlantic cod (<i>Gadus morhua</i>): post-release behaviour of acoustically pretagged fish in a natural marine environment. Canadian Journal of Fisheries and Aquatic Sciences, 2015, 72, 252-261.	1.4	29
52	Evolutionary and ecological constraints of fish spawning habitats. ICES Journal of Marine Science, 2015, 72, 285-296.	2.5	83
53	Seasonal Dynamics of Atlantic Herring (Clupea harengus L.) Populations Spawning in the Vicinity of Marginal Habitats. PLoS ONE, 2014, 9, e111985.	2.5	19
54	Probabilistic maturation reaction norms assessed from mark–recaptures of wild fish in their natural habitat. Ecology and Evolution, 2014, 4, 1601-1610.	1.9	5

#	Article	IF	Citations
55	Contrasting evolutionary demography induced by fishing: the role of adaptive phenotypic plasticity. , $2014, 24, 1101-1114.$		34
56	Spatially structured interactions between lobsters and lobster fishers in a coastal habitat: fine-scale behaviour and survival estimated from acoustic telemetry. Canadian Journal of Fisheries and Aquatic Sciences, 2013, 70, 1468-1476.	1.4	37
57	Interacting effects of temperature and density on individual growth performance in a wild population of brown trout. Freshwater Biology, 2013, 58, 1329-1339.	2.4	34
58	Lobster and cod benefit from small-scale northern marine protected areas: inference from an empirical before–after control-impact study. Proceedings of the Royal Society B: Biological Sciences, 2013, 280, 20122679.	2.6	92
59	Conservation, Spillover and Gene Flow within a Network of Northern European Marine Protected Areas. PLoS ONE, 2013, 8, e73388.	2.5	40
60	Long-term decrease in sex-specific natural mortality of European lobster within a marine protected area. Marine Ecology - Progress Series, 2013, 491, 153-164.	1.9	21
61	Three-dimensional kernel utilization distributions improve estimates of space use in aquatic animals. Canadian Journal of Fisheries and Aquatic Sciences, 2012, 69, 565-572.	1.4	59
62	Small-scale dispersal and population structure in stream-living brown trout (⟨i⟩Salmo trutta⟨li⟩) inferred by mark–recapture, pedigree reconstruction, and population genetics. Canadian Journal of Fisheries and Aquatic Sciences, 2012, 69, 1513-1524.	1.4	36
63	Consistent movement traits indicative of innate behavior in neonate sharks. Journal of Experimental Marine Biology and Ecology, 2012, 432-433, 131-137.	1.5	20
64	Short-Term Genetic Changes: Evaluating Effective Population Size Estimates in a Comprehensively Described Brown Trout (<i>Salmo trutta</i>) Population. Genetics, 2012, 191, 579-592.	2.9	38
65	The role of MPAs in reconciling fisheries management with conservation ofÂbiological diversity. Ocean and Coastal Management, 2012, 69, 217-230.	4.4	47
66	Harvest selection on Atlantic cod behavioral traits: implications for spatial management. Ecology and Evolution, 2012, 2, 1549-1562.	1.9	93
67	Life history and demographic determinants of effective/census size ratios as exemplified by brown trout (<i>Salmo trutta</i>). Evolutionary Applications, 2012, 5, 607-618.	3.1	34
68	Total Catch of a Red-Listed Marine Species Is an Order of Magnitude Higher than Official Data. PLoS ONE, 2012, 7, e31216.	2.5	37
69	Home range of European lobster (<i>Homarus gammarus</i>) in a marine reserve: implications for future reserve design. Canadian Journal of Fisheries and Aquatic Sciences, 2011, 68, 1197-1210.	1.4	60
70	Effects of Fishing Tourism in a Coastal Municipality: a Case Study from Ris \tilde{A}_{r} , Norway. Ecology and Society, 2011, 16, .	2.3	18
71	Estimating Recreational and Commercial Fishing Effort for European LobsterHomarus gammarusby Strip Transect Sampling. Marine and Coastal Fisheries, 2011, 3, 383-393.	1.4	10
72	Are low but statistically significant levels of genetic differentiation in marine fishes †biologically meaningful'? A case study of coastal Atlantic cod. Molecular Ecology, 2011, 20, 768-783.	3.9	164

#	Article	IF	CITATIONS
73	Fitness landscape of Atlantic cod shaped by harvest selection and natural selection. Evolutionary Ecology, 2011, 25, 695-710.	1.2	70
74	Climate and population density drive changes in cod body size throughout a century on the Norwegian coast. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1961-1966.	7.1	79
75	Pathogen-induced rapid evolution in a vertebrate life-history trait. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 35-41.	2.6	34
76	Spawning stock and recruitment in North Sea cod shaped by food and climate. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 504-510.	2.6	83
77	Life history of fjord cod from the Skagerrak in the mid-2000s compared to 1905. Marine Ecology - Progress Series, 2011, 424, 169-174.	1.9	4
78	Activity patterns of wild European lobster Homarus gammarus in coastal marine reserves: implications for future reserve design. Marine Ecology - Progress Series, 2011, 429, 197-207.	1.9	30
79	Mating patterns and determinants of individual reproductive success in brown trout (Salmo trutta) revealed by parentage analysis of an entire stream living population. Molecular Ecology, 2010, 19, 3193-3205.	3.9	71
80	Quantitative genetic parameters for wild streamâ€living brown trout: heritability and parental effects. Journal of Evolutionary Biology, 2010, 23, 1631-1641.	1.7	31
81	Maternal influences on offspring size variation and viability in wild European lobster Homarus gammarus. Marine Ecology - Progress Series, 2010, 400, 165-173.	1.9	44
82	Smallâ€scale genetic structure in a marine population in relation to water circulation and egg characteristics. Ecology, 2010, 91, 2918-2930.	3.2	62
83	Diel vertical migration patterns in juvenile cod from the Skagerrak coast. Marine Ecology - Progress Series, 2010, 405, 29-37.	1.9	19
84	Siblingâ€size variation in brown trout <i>>Salmo trutta</i> in relation to egg size and stream size. Journal of Fish Biology, 2009, 74, 1259-1268.	1.6	8
85	Nine decades of decreasing phenotypic variability in Atlantic cod. Ecology Letters, 2009, 12, 622-631.	6.4	58
86	Nonâ€additive effects of densityâ€dependent and densityâ€independent factors on brown trout vital rates. Oikos, 2008, 117, 1752-1760.	2.7	47
87	Seasonal mortality and the effect of body size: a review and an empirical test using individual data on brown trout. Functional Ecology, 2008, 22, 663-673.	3.6	100
88	Smallâ€scale biocomplexity in coastal Atlantic cod supporting a Darwinian perspective on fisheries management. Evolutionary Applications, 2008, 1, 524-533.	3.1	64
89	New perspectives on fish movement: kernel and GAM smoothers applied to a century of tagging data on coastal Atlantic cod. Marine Ecology - Progress Series, 2008, 372, 231-241.	1.9	26
90	Non-additive effects of density-dependent and density-independent factors on brown trout vital rates. Oikos, 2008, , .	2.7	0

#	Article	IF	CITATIONS
91	Home range and elevated egg densities within an inshore spawning ground of coastal cod. ICES Journal of Marine Science, 2007, 64, 920-928.	2.5	47
92	Spatially structured interactions between a migratory pelagic predator, the Norwegian spring-spawning herring Clupea harengus L., and its zooplankton prey. Journal of Fish Biology, 2007, 70, 799-815.	1.6	21
93	Egg distribution, bottom topography and small-scale cod population structure in a coastal marine system. Marine Ecology - Progress Series, 2007, 333, 249-255.	1.9	80
94	Seasonal variation in marine growth of sea trout, Salmo trutta, in coastal Skagerrak. Ecology of Freshwater Fish, 2006, 15, 446-452.	1.4	36
95	Small-scale spatial variation in age and size at maturity of stream-dwelling brown trout, Salmo trutta. Ecology of Freshwater Fish, 2005, 14, 202-208.	1.4	25
96	Assessing changes in age and size at maturation in collapsing populations of Atlantic cod (Gadus) Tj ETQq0 0 0 r	gBT_/Over	lock 10 Tf 50
97	Evaluation of the Use of Visible Implant Tags in Age-O Atlantic Cod. North American Journal of Fisheries Management, 2004, 24, 282-286.	1.0	27
98	Marine feeding of anadromous Salmo trutta during winter. Journal of Fish Biology, 2004, 64, 89-99.	1.6	46
99	Life-history variation among local populations of Atlantic cod from the Norwegian Skagerrak coast. Journal of Fish Biology, 2004, 64, 1725-1730.	1.6	48
100	Maturation trends indicative of rapid evolution preceded the collapse of northern cod. Nature, 2004, 428, 932-935.	27.8	703
101	Microgeographical variation in brown trout reproductive traits: possible effects of biotic interactions. Oikos, 2003, 100, 483-492.	2.7	40
102	First-year survival of brown trout in three Norwegian streams. Journal of Fish Biology, 2003, 62, 323-340.	1.6	35
103	Interspecific competition between stream-dwelling brown trout and Alpine bullhead. Journal of Fish Biology, 2003, 62, 1312-1325.	1.6	33
104	Growth-rate variation in brown trout in small neighbouring streams: evidence for density-dependence?. Journal of Fish Biology, 2002, 61, 1513-1527.	1.6	3
105	An Evaluation of Visible Implant Elastomer for Marking Age-O Brown Trout. North American Journal of Fisheries Management, 2001, 21, 967-970.	1.0	84
106	Within-stream variation in early life-history traits in brown trout. Journal of Fish Biology, 2001, 59, 1579-1588.	1.6	24
107	Estimates of survival of stream-dwelling brown trout using. Journal of Fish Biology, 2001, 59, 1622-1637.	1.6	25
108	The feeding strategies of two large marine copepods. Journal of Plankton Research, 2000, 22, 1513-1528.	1.8	31

#	ARTICLE	IF	CITATIONS
109	Effects of copepod foraging behavior on predation risk: An experimental study of the predatory copepod <i>Pareuchaeta norvegica</i> feeding on <i>Acartia clausi</i> and <i>A. tonsa</i> (Copepoda). Limnology and Oceanography, 1997, 42, 164-170.	3.1	74