Patrizia Mancuso

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9004263/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	The multifaceted circulating endothelial cell in cancer: towards marker and target identification. Nature Reviews Cancer, 2006, 6, 835-845.	28.4	559
2	Resting and activated endothelial cells are increased in the peripheral blood of cancer patients. Blood, 2001, 97, 3658-3661.	1.4	401
3	Circulating endothelial cells. Thrombosis and Haemostasis, 2005, 93, 228-235.	3.4	337
4	Circulating endothelial-cell kinetics and viability predict survival in breast cancer patients receiving metronomic chemotherapy. Blood, 2006, 108, 452-459.	1.4	242
5	Validation of a Standardized Method for Enumerating Circulating Endothelial Cells and Progenitors: Flow Cytometry and Molecular and Ultrastructural Analyses. Clinical Cancer Research, 2009, 15, 267-273.	7.0	153
6	Complementary Populations of Human Adipose CD34+ Progenitor Cells Promote Growth, Angiogenesis, and Metastasis of Breast Cancer. Cancer Research, 2013, 73, 5880-5891.	0.9	91
7	Circulating Endothelial Cells as a Novel Marker of Angiogenesis. Advances in Experimental Medicine and Biology, 2003, 522, 83-97.	1.6	82
8	Vinorelbine, cyclophosphamide and 5-FU effects on the circulating and intratumoural landscape of immune cells improve anti-PD-L1 efficacy in preclinical models of breast cancer and lymphoma. British Journal of Cancer, 2018, 118, 1329-1336.	6.4	75
9	Adipose Progenitor Cell Secretion of GM-CSF and MMP9 Promotes a Stromal and Immunological Microenvironment That Supports Breast Cancer Progression. Cancer Research, 2017, 77, 5169-5182.	0.9	60
10	Circulating endothelial cells as biomarkers in clinical oncology. Microvascular Research, 2010, 79, 224-228.	2.5	50
11	Aspirin and atenolol enhance metformin activity against breast cancer by targeting both neoplastic and microenvironment cells. Scientific Reports, 2016, 6, 18673.	3.3	46
12	Circulating endothelial progenitors are increased in COVIDâ€19 patients and correlate with SARSâ€CoVâ€2 RNA in severe cases. Journal of Thrombosis and Haemostasis, 2020, 18, 2744-2750.	3.8	39
13	Cyclophosphamide and Vinorelbine Activate Stem-Like CD8+ T Cells and Improve Anti-PD-1 Efficacy in Triple-Negative Breast Cancer. Cancer Research, 2021, 81, 685-697.	0.9	31
14	Circulating perivascular progenitors: A target of PDGFR inhibition. International Journal of Cancer, 2011, 129, 1344-1350.	5.1	21
15	If it is in the marrow, is it also in the blood? An analysis of 1,000 paired samples from patients with B-cell non-Hodgkin lymphoma. BMC Cancer, 2010, 10, 644.	2.6	20
16	A Subpopulation of Circulating Endothelial Cells Express CD109 and is Enriched in the Blood of Cancer Patients. PLoS ONE, 2014, 9, e114713.	2.5	17
17	Circulating Endothelial Cells and Circulating Endothelial Progenitors. Recent Results in Cancer Research, 2012, 195, 163-170.	1.8	14
18	Strategies to Investigate Circulating Endothelial Cells in Cancer. Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research, 2003, 33, 503-506.	0.3	13

PATRIZIA MANCUSO

#	Article	IF	CITATIONS
19	Circulating Endothelial Cell Number and Viability Are Reduced by Exposure to High Altitude. Endothelium: Journal of Endothelial Cell Research, 2008, 15, 53-58.	1.7	12
20	Interim 18f[FDG] Positron Emission Tomography in Patients with Diffuse Large B-Cell Lymphoma. Blood, 2008, 112, 3607-3607.	1.4	5
21	Plasma levels of IL-8 and g-CSF in high-grade gliomas treated with bevacizumab Journal of Clinical Oncology, 2012, 30, 2083-2083.	1.6	5
22	Evolving First-Line Treatments -from Chemotherapy to Immunotherapy Alone- in 143 Consecutive Follicular Lymphoma Patients Treated in the Last 14 Years at the European Institute of Oncology, Milano. Blood, 2008, 112, 5016-5016.	1.4	5
23	Efficacy of venetoclax based salvage chemotherapy followed by "Minimal Residual Disease driven―venetoclax maintenance therapy post-allotransplant in a young patient with high risk primary refractory acute myeloid leukemia. Leukemia and Lymphoma, 2020, 61, 2277-2279.	1.3	4
24	Human acute leukemia cells injected in NOD/LtSz-scid/IL-2RÎ ³ null mice generate a faster and more efficient disease compared to other NOD/scid-related strains. , 2008, 123, 2222.		1
25	Abstract 1653: A single-cell atlas of the effect of chemotherapeutics over intratumoral immune cells reveals that combining an alkylating agent and a vinca alkaloid can activate antigen presenting cells and increase tcf1+ stem-like CD8+ T-cells, thus improving anti-PD-1 efficacy in triple negative breast cancer and lymphoma. 2021		Ο
26	Lymphoma Cell Detection and Follow-Up in the Rituximab Era: Concordance between Flow Cytometry, Qualitative/Quantitative PCR and FISH in the Marrow and Blood from 647 Patients Blood, 2004, 104, 1376-1376.	1.4	0
27	Comparison of Three Different NOD/SCID-Related Strains in Preclinical Models of Acute Leukemia Blood, 2006, 108, 2361-2361.	1.4	Ο
28	Continuous Immuno-Chemotherapy Followed by High Dose and Autologous Cell Transplantation May Improve the Event-Free-Survival in Mantle Cell Lymphoma Patients. Experience at the European Institute of Oncology in Milan Blood, 2007, 110, 5116-5116.	1.4	0
29	Taxanes Induce a Rapid Mobilization of Different Populations of Circulating Endothelial Progenitors by SDF-1 Modulation in Cancer Patients Blood, 2008, 112, 1885-1885.	1.4	Ο
30	Rituximab and Chlorambucil as Front-Line Treatment in Untreated Follicular Lymphoma: a Combination with a Durable Response and Low Toxicity Profile Blood, 2009, 114, 3754-3754.	1.4	0
31	CD45-CD34+ Endothelial Progenitor Cells (EPCs) from Human Adipose Tissue Promote Tumor Growth and Metastases. Blood, 2011, 118, 2208-2208.	1.4	Ο
32	Mature Circulating Endothelial Cells and Progenitors in Patients with Chronic Gvhd. Blood, 2011, 118, 4700-4700.	1.4	0