

Taryn M Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9004673/publications.pdf>

Version: 2024-02-01

20
papers

379
citations

840776

11
h-index

794594

19
g-index

21
all docs

21
docs citations

21
times ranked

617
citing authors

#	ARTICLE	IF	CITATIONS
1	Students achieve comparable performance scores for clinical placements in public and private sectors: a longitudinal observational study. <i>Journal of Physiotherapy</i> , 2021, 67, 56-61.	1.7	5
2	Home-based, tailored intervention for reducing falls after stroke (FAST): Protocol for a randomized trial. <i>International Journal of Stroke</i> , 2021, 16, 174749302199199.	5.9	5
3	Perceptions about the implementation of physiotherapist prescribing in Australia: a national survey of Australian physiotherapists. <i>BMJ Open</i> , 2019, 9, e024991.	1.9	6
4	Perceptions of Australian physiotherapy students about the potential implementation of physiotherapist prescribing in Australia: a national survey. <i>BMJ Open</i> , 2019, 9, e026327.	1.9	3
5	Identifying factors associated with sedentary time after stroke. Secondary analysis of pooled data from nine primary studies.. <i>Topics in Stroke Rehabilitation</i> , 2019, 26, 327-334.	1.9	22
6	Observations of Activity Levels in a Purpose-Built, Inpatient, Rehabilitation Facility. <i>Herd</i> , 2019, 12, 26-38.	1.5	11
7	Activity Monitors for Increasing Physical Activity in Adult Stroke Survivors. <i>Stroke</i> , 2019, 50, STROKEAHA118023088.	2.0	3
8	Activity monitors for increasing physical activity in adult stroke survivors. <i>The Cochrane Library</i> , 2018, 7, CD012543.	2.8	46
9	Application of Intervention Mapping to the Development of a Complex Physical Therapist Intervention. <i>Physical Therapy</i> , 2016, 96, 1994-2004.	2.4	11
10	myMoves Program: Feasibility and Acceptability Study of a Remotely Delivered Self-Management Program for Increasing Physical Activity Among Adults With Acquired Brain Injury Living in the Community. <i>Physical Therapy</i> , 2016, 96, 1982-1993.	2.4	23
11	An internet survey of the characteristics and physical activity of community-dwelling Australian adults with acquired brain injury: Exploring interest in an internet-delivered self-management program focused on physical activity. <i>Disability and Health Journal</i> , 2016, 9, 54-63.	2.8	6
12	After-hours or weekend rehabilitation improves outcomes and increases physical activity but does not affect length of stay: a systematic review. <i>Journal of Physiotherapy</i> , 2015, 61, 61-67.	1.7	29
13	A systematic review of the efficacy of self-management programs for increasing physical activity in community-dwelling adults with acquired brain injury (ABI). <i>Systematic Reviews</i> , 2015, 4, 51.	5.3	32
14	Fine Motor Skills in Children With Prenatal Alcohol Exposure or Fetal Alcohol Spectrum Disorder. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2014, 35, 598-609.	1.1	54
15	The efficacy of self-management programmes for increasing physical activity in community-dwelling adults with acquired brain injury (ABI): a systematic review. <i>Systematic Reviews</i> , 2014, 3, 39.	5.3	10
16	Gross Motor Deficits in Children Prenatally Exposed to Alcohol: A Meta-analysis. <i>Pediatrics</i> , 2014, 134, e192-e209.	2.1	70
17	Exercise instructor-led functional training programme for community dwelling stroke survivors: A qualitative study. <i>International Journal of Therapy and Rehabilitation</i> , 2013, 20, 597-605.	0.3	11
18	Circuit class therapy can provide a fitness training stimulus for adults with severe traumatic brain injury: a randomised trial within an observational study. <i>Journal of Physiotherapy</i> , 2012, 58, 105-112.	1.7	13

#	ARTICLE	IF	CITATIONS
19	The prevalence and characteristics of shoulder pain after traumatic brain injury. <i>Clinical Rehabilitation</i> , 2007, 21, 171-181.	2.2	18
20	Activity monitors for increasing physical activity in adult stroke survivors. <i>The Cochrane Library</i> , 0, , .	2.8	1