

Esther Diana Rossi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9009563/publications.pdf>

Version: 2024-02-01

174
papers

4,638
citations

101543

36
h-index

128289

60
g-index

176
all docs

176
docs citations

176
times ranked

3517
citing authors

#	ARTICLE	IF	CITATIONS
1	Update regarding the role of PD-L1 in oncocytic thyroid lesions on cytological samples. Journal of Clinical Pathology, 2023, 76, 671-677.	2.0	1
2	Preoperative diagnosis of thyroid nodules: An integrated multidisciplinary approach. Cancer Cytopathology, 2022, 130, 320-325.	2.4	2
3	COVID-19 pandemic impact on cytopathology practice in the post-lockdown period: An international, multicenter study. Cancer Cytopathology, 2022, 130, 344-351.	2.4	15
4	Application of the Milan System for Reporting Salivary Gland Cytopathology in pediatric patients: An international, multi-institutional study. Cancer Cytopathology, 2022, 130, 370-380.	2.4	6
5	Does Locally Advanced Thyroid Cancer Have Different Features? Results from a Single Academic Center. Journal of Personalized Medicine, 2022, 12, 221.	2.5	3
6	Secretory carcinoma of the salivary gland, a rare entity: An international multi-institutional study. Cancer Cytopathology, 2022, 130, 684-694.	2.4	13
7	Molecular Characterization of Thyroid Follicular Lesions in the Era of "Next-Generation" Techniques. Frontiers in Endocrinology, 2022, 13, .	3.5	7
8	Medullary Thyroid Cancer with Ectopic Cushing's Syndrome: A Case Report and Systematic Review of Detailed Cases from the Literature. Thyroid, 2022, 32, 1281-1298.	4.5	7
9	Assessing the diagnostic accuracy for pleomorphic adenoma and Warthin tumor by employing the Milan System for Reporting Salivary Gland Cytopathology: An international, multi-institutional study. Cancer Cytopathology, 2021, 129, 43-52.	2.4	27
10	Thyroid paraganglioma: A diagnostic pitfall in thyroid FNA. Cancer Cytopathology, 2021, 129, 439-449.	2.4	11
11	Fine needle aspiration of salivary gland carcinomas with high-grade transformation: A multi-institutional study of 22 cases and review of the literature. Cancer Cytopathology, 2021, 129, 318-325.	2.4	7
12	Utility of ultrasound-guided fine needle aspiration cytology in assessing malignancy in head and neck pathology. Cytopathology, 2021, 32, 407-415.	0.7	11
13	The role of cytology in endometrial cancer: Diagnostic and clinical considerations from peritoneal/pelvic washings. Is it still a heated debate?. Cancer Cytopathology, 2021, 129, 497-498.	2.4	1
14	Thyroid and Molecular Testing. Advances in Thyroid Molecular Cytopathology. Journal of Molecular Pathology, 2021, 2, 77-92.	1.2	5
15	A worldwide journey of thyroid cancer incidence centred on tumour histology. Lancet Diabetes and Endocrinology, 2021, 9, 193-194.	11.4	64
16	Experience from the world: The accuracy of salivary gland FNA and reliability of the Milan System for Reporting Salivary Gland Cytopathology in a large study from the Netherlands. Cancer Cytopathology, 2021, 129, 675-676.	2.4	2
17	The Milan System, from Its Introduction to Its Current Adoption in the Diagnosis of Salivary Gland Cytology. Journal of Molecular Pathology, 2021, 2, 114-122.	1.2	3
18	Overview of the Ultrasound Classification Systems in the Field of Thyroid Cytology. Cancers, 2021, 13, 3133.	3.7	7

#	ARTICLE	IF	CITATIONS
19	How limited molecular testing can also offer diagnostic and prognostic evaluation of thyroid nodules processed with liquid-based cytology: Role of TERT promoter and BRAF V600E mutation analysis. <i>Cancer Cytopathology</i> , 2021, 129, 819-829.	2.4	12
20	The Role of Cytology in the Diagnosis of Subcentimeter Thyroid Lesions. <i>Diagnostics</i> , 2021, 11, 1043.	2.6	6
21	Diagnostic impact of safety protocols for processing peritoneal washing specimens during global pandemic of Coronavirus disease 2019A: a comparative study from 195 cytological samples. <i>Cytopathology</i> , 2021, , .	0.7	2
22	Reporting Thyroid Cytology in a Globalized World. <i>Endocrines</i> , 2021, 2, 311-319.	1.0	4
23	Cytologic and histological features of rare nonepithelial and nonlymphoid tumors of the thyroid. <i>Cancer Cytopathology</i> , 2021, 129, 583-602.	2.4	4
24	A Call for Universal Acceptance of the Milan System for Reporting Salivary Gland Cytopathology. <i>Laryngoscope</i> , 2020, 130, 80-85.	2.0	39
25	The Diagnosis of Hyalinizing Trabecular Tumor: A Difficult and Controversial Thyroid Entity. <i>Head and Neck Pathology</i> , 2020, 14, 778-784.	2.6	17
26	Infiltrating Epitheliosis of the Breast: Fine Needle Aspiration Cytology. <i>International Journal of Surgical Pathology</i> , 2020, 28, 38-43.	0.8	0
27	Diagnostic concordance between whole slide imaging and conventional light microscopy in cytopathology: A systematic review. <i>Cancer Cytopathology</i> , 2020, 128, 17-28.	2.4	56
28	PD-L1 and thyroid cytology: A possible diagnostic and prognostic marker. <i>Cancer Cytopathology</i> , 2020, 128, 177-189.	2.4	13
29	Description of a new biosafe procedure for cytological specimens from patients with COVID-19 processed by liquid-based preparations. <i>Cancer Cytopathology</i> , 2020, 128, 905-909.	2.4	9
30	Global impact of the COVID-19 pandemic on cytopathology practice: Results from an international survey of laboratories in 23 countries. <i>Cancer Cytopathology</i> , 2020, 128, 885-894.	2.4	47
31	Relevance of rosette patterns in variants of papillary thyroid carcinoma. <i>Cytopathology</i> , 2020, 31, 533-540.	0.7	2
32	Lung cancer and molecular testing in small biopsies versus cytology: <i>The Logics of Worlds</i> . <i>Cancer Cytopathology</i> , 2020, 128, 637-641.	2.4	5
33	The world of molecular cytopathology: Predictive testing and precision medicine: Highlights from the eighth International Molecular Cytopathology Meeting in Naples, Italy. <i>Cancer Cytopathology</i> , 2020, 128, 599-600.	2.4	1
34	The Milan system for reporting salivary gland cytopathology: The clinical impact so far. Considerations from theory to practice. <i>Cytopathology</i> , 2020, 31, 181-184.	0.7	12
35	Is thyroid core needle biopsy a valid compliment to fine-needle aspiration?. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 383-388.	0.5	9
36	Insulinoma-associated protein 1 (INSM-1) expression in medullary thyroid carcinoma FNA: a multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 185-190.	0.5	12

#	ARTICLE	IF	CITATIONS
37	Cytologic grading of primary malignant salivary gland tumors: A blinded review by an international panel. <i>Cancer Cytopathology</i> , 2020, 128, 392-402.	2.4	24
38	International perspectives: Impact of the COVID-19 pandemic on cytology. <i>Cancer Cytopathology</i> , 2020, 128, 307-308.	2.4	8
39	Cytologic and histologic samples from patients infected by the novel coronavirus 2019 SARS-CoV-2: An Italian institutional experience focusing on biosafety procedures. <i>Cancer Cytopathology</i> , 2020, 128, 317-320.	2.4	31
40	Performance of a dual-component molecular assay in cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2020, 68, 458-465.	2.3	27
41	Biosafety in surgical pathology in the era of SARS-Cov2 pandemia. A statement of the Italian Society of Surgical Pathology and Cytology. <i>Pathologica</i> , 2020, 112, 1-5.	3.4	22
42	Biosafety procedures for handling intraoperative surgical samples during COVID-19 pandemic: an Italian pathology laboratory experience. <i>Pathologica</i> , 2020, 112, 174-177.	3.4	2
43	The application of current classification systems in pediatric cytopathology: Perspectives from the pediatric cytopathology symposium at the 20th International Congress of Cytology 2019. <i>Cancer Cytopathology</i> , 2019, 127, 625-631.	2.4	2
44	ICC 2019 in Sydney: Considerations for pediatric cytology classifications. <i>Cancer Cytopathology</i> , 2019, 127, 621-621.	2.4	0
45	The Role of Molecular Testing for the Indeterminate Thyroid FNA. <i>Genes</i> , 2019, 10, 736.	2.4	39
46	Ultrasound-guided FNA cytology of groin lymph nodes improves the management of squamous cell carcinoma of the vulva: Results from a comparative cytohistological study. <i>Cancer Cytopathology</i> , 2019, 127, 514-520.	2.4	19
47	International perspectives in cytology: Contributions from around the world. <i>Cancer Cytopathology</i> , 2019, 127, 349-349.	2.4	1
48	A large series of hyalinizing trabecular tumors: Cytomorphology and ancillary techniques on fine needle aspiration. <i>Cancer Cytopathology</i> , 2019, 127, 390-398.	2.4	11
49	Cytologic features of aggressive variants of follicular-derived thyroid carcinoma. <i>Cancer Cytopathology</i> , 2019, 127, 432-446.	2.4	25
50	Effect of alpha-lipoic acid and myoinositol on endometrial inflammasome from recurrent pregnancy loss women. <i>American Journal of Reproductive Immunology</i> , 2019, 82, e13153.	1.2	11
51	Mucoepidermoid carcinoma, acinic cell carcinoma, and adenoid cystic carcinoma on fine-needle aspiration biopsy and The Milan System: an international multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2019, 8, 270-277.	0.5	19
52	NIFTP in Western Practice. , 2019, , 209-217.		0
53	Experience in Molecular Testing Using FNA Cytology in EU Countries. , 2019, , 443-449.		0
54	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019, 127, 306-315.	2.4	45

#	ARTICLE	IF	CITATIONS
55	The immunocytochemical expression of VE \hat{a} 1 (BRAF V600E \hat{a} related) antibody identifies the aggressive variants of papillary thyroid carcinoma on liquid \hat{a} based cytology. <i>Cytopathology</i> , 2019, 30, 460-467.	0.7	12
56	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP): Update and Diagnostic Considerations \hat{a} a Review. <i>Endocrine Pathology</i> , 2019, 30, 155-162.	9.0	25
57	Salivary Gland Fine Needle Aspiration and Introduction of the Milan Reporting System. <i>Advances in Anatomic Pathology</i> , 2019, 26, 84-92.	4.3	48
58	Pitfalls in Thyroid Cytopathology. <i>Surgical Pathology Clinics</i> , 2019, 12, 865-881.	1.7	28
59	Management of Thyroid Nodules in Deceased Donors With Comparison Between Fine Needle Aspiration and Intraoperative Frozen Section in the Setting of Transplantation. <i>Progress in Transplantation</i> , 2019, 29, 316-320.	0.7	7
60	Molecular Diagnostics in Salivary Gland Cytology. , 2019, , 337-353.		0
61	34BetaE12 and Alfa-Methylacyl Coenzyme A Racemase (AMACR) Antibodies Better Than p63 Antibody Distinguish Normal and Neoplastic Glands in Prostatic Tissue With Thermal Artifacts. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019, 27, 306-310.	1.2	3
62	To Obtain More With Less: Cytologic Samples With Ancillary Molecular Techniques \hat{a} The Useful Role of Liquid-Based Cytology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 299-307.	2.5	22
63	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): an ASC-IAC \hat{a} sponsored system for reporting salivary gland fine-needle \hat{a} aspiration. <i>Journal of the American Society of Cytopathology</i> , 2018, 7, 111-118.	0.5	63
64	Morphology combined with ancillary techniques: An algorithm approach for thyroid nodules. <i>Cytopathology</i> , 2018, 29, 418-427.	0.7	17
65	Advocating a Laboratory Information System \hat{a} Centric Approach to Digital Pathology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 434-434.	2.5	3
66	The risk of malignancy of atypical urothelial cells of undetermined significance in patients treated with chemohyperthermia or electromotive drug administration. <i>Cancer Cytopathology</i> , 2018, 126, 200-206.	2.4	12
67	Non-Diagnostic. , 2018, , 11-20.		1
68	Atypia of Undetermined Significance. , 2018, , 43-54.		3
69	Suspicious for Malignancy. , 2018, , 85-95.		7
70	Impact on clinical follow \hat{a} up of the Milan System for salivary gland cytology: A comparison with a traditional diagnostic classification. <i>Cytopathology</i> , 2018, 29, 335-342.	0.7	42
71	A novel nonsense EIF1AX mutation identified in a thyroid nodule histologically diagnosed as oncocytic carcinoma. <i>Endocrine</i> , 2018, 62, 492-495.	2.3	11
72	Diagnostic Approach to Fine Needle Aspirations of Cystic Lesions of the Salivary Gland. <i>Head and Neck Pathology</i> , 2018, 12, 548-561.	2.6	33

#	ARTICLE	IF	CITATIONS
73	“Suspicious” salivary gland FNA: Risk of malignancy and interinstitutional variability. <i>Cancer Cytopathology</i> , 2018, 126, 94-100.	2.4	28
74	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features in the pediatric age group. <i>Cancer Cytopathology</i> , 2018, 126, 27-35.	2.4	28
75	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): Implications for the risk of malignancy (ROM) in the Bethesda System for Reporting Thyroid Cytopathology (TBSRTC). <i>Cancer Cytopathology</i> , 2018, 126, 20-26.	2.4	62
76	The Milan System for Reporting Salivary Gland Cytopathology (MSRSGC): An international effort toward improved patient care” when the roots might be inspired by Leonardo da Vinci. <i>Cancer Cytopathology</i> , 2018, 126, 756-766.	2.4	59
77	Nodular fasciitis of the parotid gland: A challenging diagnosis on FNA. <i>Cancer Cytopathology</i> , 2018, 126, 872-880.	2.4	10
78	NIFTP revised: Chronicle of a change foretold. <i>Cancer Cytopathology</i> , 2018, 126, 897-901.	2.4	7
79	Ancillary molecular testing of indeterminate thyroid nodules. <i>Cancer Cytopathology</i> , 2018, 126, 654-671.	2.4	22
80	Molecular Cytology Application on Thyroid. , 2018, , 179-204.		0
81	A review of the cytomorphological features of NIFTP. <i>Diagnostic Histopathology</i> , 2018, 24, 409-416.	0.4	1
82	One-Step Nucleic Acid Amplification (OSNA): A fast molecular test based on CK19 mRNA concentration for assessment of lymph-nodes metastases in early stage endometrial cancer. <i>PLoS ONE</i> , 2018, 13, e0195877.	2.5	29
83	Morphological features that can predict <i>BRAF</i> ^{V600E} mutated carcinoma in paediatric thyroid cytology. <i>Cytopathology</i> , 2017, 28, 55-64.	0.7	11
84	New Insight in a New Entity: NIFTPs and Valuable Role of Ancillary Techniques. The Role of PD-L1. <i>EBioMedicine</i> , 2017, 18, 11-12.	6.1	5
85	When Somatic Mutations Are Associated With a Higher Aggressive Behavior” A Story of Announced Evidence. <i>JAMA Oncology</i> , 2017, 3, 1427.	7.1	0
86	The role of miRNAs in the evaluation of follicular thyroid neoplasms: an overview of literature. <i>Journal of the American Society of Cytopathology</i> , 2017, 6, 96-104.	0.5	3
87	Diagnosis and Treatment of Metastases to the Thyroid Gland: a Meta-Analysis. <i>Endocrine Pathology</i> , 2017, 28, 112-120.	9.0	34
88	Clinicopathological analysis of mixed endometrial carcinomas: clinical relevance of different neoplastic components. <i>Human Pathology</i> , 2017, 62, 99-107.	2.0	9
89	FNA biopsy of secondary nonlymphomatous malignancies in salivary glands: A multi-institutional study of 184 cases. <i>Cancer Cytopathology</i> , 2017, 125, 91-103.	2.4	28
90	“Atypical” salivary gland fine needle aspiration: Risk of malignancy and interinstitutional variability. <i>Diagnostic Cytopathology</i> , 2017, 45, 1088-1094.	1.0	53

#	ARTICLE	IF	CITATIONS
91	Incidence, malignancy rates of diagnoses and cyto-histological correlations in the new Italian Reporting System for Thyroid Cytology: An institutional experience. <i>Cytopathology</i> , 2017, 28, 503-508.	0.7	22
92	The Milan System for Reporting Salivary Gland Cytopathology: Analysis and suggestions of initial survey. <i>Cancer Cytopathology</i> , 2017, 125, 757-766.	2.4	138
93	Cytopathology of Follicular Cell Nodules. <i>Advances in Anatomic Pathology</i> , 2017, 24, 45-55.	4.3	11
94	The role of thyroid FNA cytology in pediatric malignant lesions: An overview of the literature. <i>Cancer Cytopathology</i> , 2017, 125, 594-603.	2.4	16
95	Intake of Boron, Cadmium, and Molybdenum enhances rat thyroid cell transformation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 73.	8.6	15
96	The expression of monocarboxylate transporters in thyroid carcinoma can be associated with the morphological features of BRAF V600E mutation. <i>Endocrine</i> , 2017, 56, 379-387.	2.3	0
97	The Role of Liquid Based Cytology and Ancillary Techniques in the Peritoneal Washing Analysis: Our Institutional Experience. <i>PLoS ONE</i> , 2017, 12, e0168625.	2.5	18
98	The chromosome analysis of the miscarriage tissue. Miscarried embryo/fetal crown rump length (CRL) measurement: A practical use. <i>PLoS ONE</i> , 2017, 12, e0178113.	2.5	4
99	Somatic mutations in solid tumors: a spectrum at the service of diagnostic armamentarium or an indecipherable puzzle? The morphological eyes looking for BRAF and somatic molecular detections on cyto-histological samples. <i>Oncotarget</i> , 2017, 8, 3746-3760.	1.8	8
100	Routine Digital Pathology Workflow: The Catania Experience. <i>Journal of Pathology Informatics</i> , 2017, 8, 51.	1.7	74
101	The evaluation of miRNAs on thyroid FNAC: the promising role of miR-375 in follicular neoplasms. <i>Endocrine</i> , 2016, 54, 723-732.	2.3	36
102	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 245-251.	0.5	23
103	Young investigator challenge: The morphologic analysis of noninvasive follicular thyroid neoplasm with papillary-like nuclear features on liquid-based cytology: Some insights into their identification. <i>Cancer Cytopathology</i> , 2016, 124, 699-710.	2.4	78
104	The impact of FNAC in the management of salivary gland lesions: Institutional experiences leading to a risk-based classification scheme. <i>Cancer Cytopathology</i> , 2016, 124, 388-396.	2.4	111
105	The potential of liquid-based cytology in lymph node cytological evaluation: the role of morphology and the aid of ancillary techniques. <i>Cytopathology</i> , 2016, 27, 50-58.	0.7	10
106	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016, 60, 399-405.	1.3	110
107	When Morphology Meets Somatic Mutations: The New Possible Scenario in Thyroid Fine-Needle Aspiration. <i>Acta Cytologica</i> , 2016, 60, 93-96.	1.3	2
108	The cytological diagnosis of a "benign thyroid lesion"™: is it a real safe diagnosis for the patient?. <i>Cytopathology</i> , 2016, 27, 168-175.	0.7	6

#	ARTICLE	IF	CITATIONS
109	Inflammosome in the human endometrium: further step in the evaluation of the "maternal side", Fertility and Sterility, 2016, 105, 111-118.e4.	1.0	67
110	DIAGNOSIS OF ENDOCRINE DISEASE: High-yield thyroid fine-needle aspiration cytology: an update focused on ancillary techniques improving its accuracy. European Journal of Endocrinology, 2016, 174, R53-R63.	3.7	18
111	The role of fine-needle aspiration in the thyroid nodules of elderly patients. Oncotarget, 2016, 7, 11850-11859.	1.8	9
112	Cytology of Thyroid Lesions. , 2016, , 25-35.		0
113	Cytology of Head and Neck Lesions. , 2016, , 753-805.		0
114	Uncommon <i>BRAF</i> mutations in the follicular variant of thyroid papillary carcinoma: New insights. Cancer Cytopathology, 2015, 123, 593-602.	2.4	22
115	A meta-analytic review of the Bethesda System for Reporting Thyroid Cytopathology: Has the rate of malignancy in indeterminate lesions been underestimated?. Cancer Cytopathology, 2015, 123, 713-722.	2.4	143
116	Is thyroid gland only a "land" for primary malignancies? role of morphology and immunocytochemistry. Diagnostic Cytopathology, 2015, 43, 374-380.	1.0	19
117	Utilization of Molecular Testing in Thyroid Cytology. , 2015, 20, 129-132.		1
118	Well-differentiated Thyroid Cancer With a Minor Poorly Differentiated Component. Applied Immunohistochemistry and Molecular Morphology, 2015, 23, 196-201.	1.2	3
119	Thyroid FNA: International perspectives from the European Congress of Cytopathology "Can we cross the bridge of classifications?. Cancer Cytopathology, 2015, 123, 207-211.	2.4	17
120	Terminology and nomenclature schemes for reporting thyroid cytopathology: An overview. Seminars in Diagnostic Pathology, 2015, 32, 258-263.	1.5	10
121	Interleukin-22: Biomarker of maternal and fetal inflammation?. Immunologic Research, 2015, 61, 4-10.	2.9	17
122	The role of liquid-based cytology and ancillary techniques in pleural and pericardic effusions: An institutional experience. Cancer Cytopathology, 2015, 123, 258-266.	2.4	35
123	Large non-functioning parathyroid cysts: our institutional experience of a rare entity and a possible pitfall in thyroid cytology. Cytopathology, 2015, 26, 114-121.	0.7	15
124	The diagnostic and prognostic role of liquid-based cytology: are we ready to monitor therapy and resistance?. Expert Review of Anticancer Therapy, 2015, 15, 911-921.	2.4	20
125	The Role of CD56 in Thyroid Fine Needle Aspiration Cytology: A Pilot Study Performed on Liquid Based Cytology. PLoS ONE, 2015, 10, e0132939.	2.5	21
126	The role of thyroid fine-needle aspiration cytology in the pediatric population: An institutional experience. Cancer Cytopathology, 2014, 122, 359-367.	2.4	26

#	ARTICLE	IF	CITATIONS
127	Who was responsible for reaching the Americasâ€”Columbus or his ships?: Focusing on the side of liquidâ€based cytology: The importance and role of the cytopathologist as opposed to the cytological method used. <i>Cancer Cytopathology</i> , 2014, 122, 337-339.	2.4	2
128	Utilization of Molecular Testing in Thyroid Cytology. , 2014, 19, 3-7.		3
129	The Nightmare of Indeterminate Follicular Proliferations: When Liquid-Based Cytology and Ancillary Techniques are not a Moon Landing but a Realistic Plan. <i>Acta Cytologica</i> , 2014, 58, 543-551.	1.3	15
130	Role of ancillary testing in thyroid fine needle aspiration: Review and update. <i>Journal of the American Society of Cytopathology</i> , 2014, 3, 218-224.	0.5	2
131	Papillary Thyroid Carcinoma with Predominant Spindle Cell Component: Report of Two Rare Cases and Discussion on the Differential Diagnosis with Other Spindled Thyroid Neoplasm. <i>Endocrine Pathology</i> , 2014, 25, 307-314.	9.0	10
132	Analysis of immunocytochemical and molecular BRAF expression in thyroid carcinomas: A cytohistologic institutional experience. <i>Cancer Cytopathology</i> , 2014, 122, 527-535.	2.4	47
133	Immunohistochemical Diagnosis of Thyroid Tumors. <i>Surgical Pathology Clinics</i> , 2014, 7, 491-500.	1.7	5
134	Thyroglossal duct cyst cancer most likely arises from a thyroid gland remnant. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 67-72.	2.8	22
135	Is morphology alone able to predict BRAF-mutated malignancies on thyroid FNAC?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 247-248.	2.8	13
136	Papillary thyroid microcarcinoma: a painstaking category to manage. <i>Clinical Endocrinology</i> , 2014, 81, 785-786.	2.4	3
137	Detection of Common and Less Frequent <i>EGFR</i> Mutations in Cytological Samples of Lung Cancer. <i>Acta Cytologica</i> , 2014, 58, 275-280.	1.3	9
138	Morphological parameters able to predict <i>BRAF^{V600E}</i>-mutated malignancies on thyroid fineâ€needle aspiration cytology: Our institutional experience. <i>Cancer Cytopathology</i> , 2014, 122, 883-891.	2.4	39
139	Secondary malignancies of the uterine cervix: a potential diagnostic pitfall. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 23-29.	2.8	13
140	<i>BRAF</i> (V600E) mutation analysis on liquidâ€based cytologyâ€processed aspiration biopsies predicts bilaterality and lymph node involvement in papillary thyroid microcarcinoma. <i>Cancer Cytopathology</i> , 2013, 121, 291-297.	2.4	104
141	Can a geneâ€expression classifier with high negative predictive value solve the indeterminate thyroid fineâ€needle aspiration dilemma?. <i>Cancer Cytopathology</i> , 2013, 121, 403-403.	2.4	6
142	Detection of ectopic thyroid remnants: A serious diagnostic dilemma. When molecular biology and immunohistochemistry can solve the problem. <i>Pathology Research and Practice</i> , 2013, 209, 59-61.	2.3	13
143	Pre-analytic steps for molecular testing on thyroid fine-needle aspirations: The goal of good results. <i>CytoJournal</i> , 2013, 10, 24.	1.7	16
144	Diagnostic and Prognostic Role of HBME-1, Galectin-3, and Î²-Catenin in Poorly Differentiated and Anaplastic Thyroid Carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013, 21, 237-241.	1.2	32

#	ARTICLE	IF	CITATIONS
145	The cytologic category of oncocytic (Hurthle) cell neoplasm mostly includes low-risk lesions at histology: an institutional experience. <i>European Journal of Endocrinology</i> , 2013, 169, 649-655.	3.7	30
146	Diagnostic and prognostic value of immunocytochemistry and BRAF mutation analysis on liquid-based biopsies of thyroid neoplasms suspicious for carcinoma. <i>European Journal of Endocrinology</i> , 2013, 168, 853-859.	3.7	62
147	Application of Liquid-Based Cytology to Fine-Needle Aspiration Biopsies of the Thyroid Gland. <i>Frontiers in Endocrinology</i> , 2012, 3, 57.	3.5	30
148	Cribriform-Morular Variant of Papillary Thyroid Carcinoma in an 8-Year-Old Girl. <i>International Journal of Surgical Pathology</i> , 2012, 20, 629-632.	0.8	15
149	Morphological and immunocytochemical diagnosis of thyroiditis: Comparison between conventional and liquid-based cytology. <i>Diagnostic Cytopathology</i> , 2012, 40, 404-409.	1.0	10
150	Images in Endocrine Pathology: Spindle Cell Lesion of the Thyroid Gland. <i>Endocrine Pathology</i> , 2012, 23, 132-134.	9.0	5
151	Liquid-Based Cytology in Fine-Needle Aspiration Biopsies of the Thyroid Gland. <i>Acta Cytologica</i> , 2011, 55, 389-400.	1.3	119
152	Follicular thyroid neoplasms can be classified as low- and high-risk according to HBME-1 and Galectin-3 expression on liquid-based fine-needle cytology. <i>European Journal of Endocrinology</i> , 2011, 165, 447-453.	3.7	95
153	Endoscopic Ultrasound-Guided Fine-Needle Aspiration With Liquid-Based Cytologic Preparation in the Diagnosis of Primary Pancreatic Lymphoma. <i>Pancreas</i> , 2010, 39, 1299-1302.	1.1	31
154	Thyroid fine needle aspiration cytology processed by ThinPrep: an additional slide decreased the number of inadequate results. <i>Cytopathology</i> , 2010, 21, 97-102.	0.7	62
155	Surgical treatment of thyroid diseases in elderly patients. <i>American Journal of Surgery</i> , 2010, 200, 467-472.	1.8	41
156	The role of fine-needle aspiration performed with liquid-based cytology in the surgical management of thyroid lesions. <i>In Vivo</i> , 2010, 24, 333-7.	1.3	7
157	Diagnostic Efficacy of Conventional as Compared to Liquid-Based Cytology in Thyroid Lesions. <i>Acta Cytologica</i> , 2009, 53, 659-666.	1.3	47
158	Evaluation of hilar biliary strictures by using a newly developed forward-viewing therapeutic echoendoscope: preliminary results of an ongoing experience. <i>Gastrointestinal Endoscopy</i> , 2009, 69, 356-360.	1.0	33
159	Thin-layer liquid-based preparation of non-gynaecological exfoliative and fine-needle aspiration biopsy cytology. <i>Diagnostic Histopathology</i> , 2008, 14, 563-570.	0.4	16
160	Relevance of Immunocytochemistry on Thin-layer Cytology in Thyroid Lesions Suspicious for Medullary Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2008, 16, 548-553.	1.2	25
161	Application of liquid-based preparation to non-gynaecologic exfoliative cytology. <i>Pathologica</i> , 2008, 100, 461-5.	3.4	9
162	Metastases to the thyroid gland: prevalence, clinicopathological aspects and prognosis: a 10-year experience. <i>Clinical Endocrinology</i> , 2007, 66, 070208104737004???	2.4	164

#	ARTICLE	IF	CITATIONS
163	Fine-Needle Aspiration Biopsy of Thyroid Lesions Processed by Thin-Layer Cytology: One-Year Institutional Experience with Histologic Correlation. <i>Thyroid</i> , 2006, 16, 975-981.	4.5	45
164	Gene expression profiling of Adrenal cortical tumors by cDNA macroarray analysis. Results of a preliminary study. <i>Biomedicine and Pharmacotherapy</i> , 2006, 60, 186-190.	5.6	20
165	Diagnostic Relevance of the Immunohistochemical Detection of Growth Factors in Benign and Malignant Cartilaginous Tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006, 14, 334-340.	1.2	5
166	Diagnostic Efficacy of Immunocytochemistry on Fine Needle Aspiration Biopsies Processed by Thin-Layer Cytology. <i>Acta Cytologica</i> , 2006, 50, 129-135.	1.3	50
167	Simultaneous immunohistochemical expression of HBME-1 and galectin-3 differentiates papillary carcinomas from hyperfunctioning lesions of the thyroid. <i>Histopathology</i> , 2006, 48, 795-800.	2.9	80
168	Granular cell tumour on conventional cytology and thin-layer smears. <i>Cytopathology</i> , 2005, 16, 259-261.	0.7	5
169	Safety of video-assisted thyroidectomy versus conventional surgery. <i>Head and Neck</i> , 2005, 27, 58-64.	2.0	92
170	Immunocytochemical evaluation of thyroid neoplasms on thin-layer smears from fine-needle aspiration biopsies. <i>Cancer</i> , 2005, 105, 87-95.	4.1	102
171	Asymptomatic Intrathyroidal Parathyroid Adenoma. <i>Acta Cytologica</i> , 2004, 48, 437-440.	1.3	12
172	Management of Cystic or Predominantly Cystic Thyroid Nodules: The Role of Ultrasound-Guided Fine-Needle Aspiration Biopsy. <i>Thyroid</i> , 2004, 14, 43-47.	4.5	89
173	Does the fine-needle aspiration diagnosis of "atypical cell neoplasm/follicular neoplasm with oncocytic features" denote increased risk of malignancy?. <i>Diagnostic Cytopathology</i> , 2004, 31, 307-312.	1.0	144
174	BRAFV599E Mutation Is the Leading Genetic Event in Adult Sporadic Papillary Thyroid Carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2414-2420.	3.6	259