

John P Dalton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9014579/publications.pdf>

Version: 2024-02-01

83
papers

4,773
citations

117625

34
h-index

98798

67
g-index

86
all docs

86
docs citations

86
times ranked

3025
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Fasciola hepatica is refractory to complement killing by preventing attachment of mannose binding lectin (MBL) and inhibiting MBL-associated serine proteases (MASPs) with serpins. PLoS Pathogens, 2022, 18, e1010226. | 4.7 | 13 |
| 2 | Targeting Secreted Protease/Anti-Protease Balance as a Vaccine Strategy against the Helminth Fasciola hepatica. Vaccines, 2022, 10, 155. | 4.4 | 10 |
| 3 | Tuaimenal A, a Meroterpene from the Irish Deep-Sea Soft Coral <i>Duva florida</i> , Displays Inhibition of the SARS-CoV-2 3CLpro Enzyme. Journal of Natural Products, 2022, 85, 1315-1323. | 3.0 | 6 |
| 4 | Stage-specific miRNAs regulate gene expression associated with growth, development and parasite-host interaction during the intra-mammalian migration of the zoonotic helminth parasite Fasciola hepatica. BMC Genomics, 2022, 23, . | 2.8 | 10 |
| 5 | Complementary transcriptomic and proteomic analyses reveal the cellular and molecular processes that drive growth and development of Fasciola hepatica in the host liver. BMC Genomics, 2021, 22, 46. | 2.8 | 28 |
| 6 | Biochemical and cellular characterisation of the Plasmodium falciparum M1 alanyl aminopeptidase (PfM1AAP) and M17 leucyl aminopeptidase (PfM17LAP). Scientific Reports, 2021, 11, 2854. | 3.3 | 14 |
| 7 | Eudiplozoon nipponicum (Monogenea, Diplozoidae) and its adaptation to haematophagy as revealed by transcriptome and secretome profiling. BMC Genomics, 2021, 22, 274. | 2.8 | 13 |
| 8 | Autonomous Non Antioxidant Roles for Fasciola hepatica Secreted Thioredoxin-1 and Peroxiredoxin-1. Frontiers in Cellular and Infection Microbiology, 2021, 11, 667272. | 3.9 | 13 |
| 9 | Recognition Pattern of the Fasciola hepatica Excretome/Secretome during the Course of an Experimental Infection in Sheep by 2D Immunoproteomics. Pathogens, 2021, 10, 725. | 2.8 | 10 |
| 10 | Antigen-specific response of CD4+ T cells and hepatic lymph node cells to Fasciola hepatica-derived molecules at the early and late stage of the infection in sheep. Veterinary Research, 2021, 52, 99. | 3.0 | 0 |
| 11 | The Impact of Lung Proteases on Snake-Derived Antimicrobial Peptides. Biomolecules, 2021, 11, 1106. | 4.0 | 5 |
| 12 | Diagnosis of sheep fasciolosis caused by Fasciola hepatica using cathepsin L enzyme-linked immunosorbent assays (ELISA). Veterinary Parasitology, 2021, 298, 109517. | 1.8 | 17 |
| 13 | Improved diagnosis of SARS-CoV-2 by using nucleoprotein and spike protein fragment 2 in quantitative dual ELISA tests. Epidemiology and Infection, 2021, 149, e140. | 2.1 | 9 |
| 14 | Pathogenicity and virulence of the liver flukes <i>Fasciola hepatica</i> and <i>Fasciola Gigantica</i> that cause the zoonosis Fasciolosis. Virulence, 2021, 12, 2839-2867. | 4.4 | 42 |
| 15 | The Zoonotic Helminth Parasite Fasciola hepatica: Virulence-Associated Cathepsin B and Cathepsin L Cysteine Peptidases Secreted by Infective Newly Excysted Juveniles (NEJ). Animals, 2021, 11, 3495. | 2.3 | 7 |
| 16 | Fasciola hepatica-Derived Molecules as Regulators of the Host Immune Response. Frontiers in Immunology, 2020, 11, 2182. | 4.8 | 42 |
| 17 | Fasciola hepatica serine protease inhibitor family (serpins): Purposely crafted for regulating host proteases. PLoS Neglected Tropical Diseases, 2020, 14, e0008510. | 3.0 | 20 |
| 18 | Fasciola hepatica Extracellular Vesicles isolated from excretory-secretory products using a gravity flow method modulate dendritic cell phenotype and activity. PLoS Neglected Tropical Diseases, 2020, 14, e0008626. | 3.0 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | An atypical and functionally diverse family of Kunitz-type cysteine/serine proteinase inhibitors secreted by the helminth parasite <i>Fasciola hepatica</i> . <i>Scientific Reports</i> , 2020, 10, 20657. | 3.3 | 14 |
| 20 | Regulation of the <i>Fasciola hepatica</i> newly excysted juvenile cathepsin L3 (FhCL3) by its propeptide: a proposed "clamp-like" mechanism of binding and inhibition. <i>BMC Molecular and Cell Biology</i> , 2020, 21, 90. | 2.0 | 2 |
| 21 | <i>Schistosoma mansoni</i> immunomodulatory molecule Sm16/SPO-1/SmSLP is a member of the trematode-specific helminth defence molecules (HDMs). <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008470. | 3.0 | 8 |
| 22 | Complex and dynamic transcriptional changes allow the helminth <i>Fasciola gigantica</i> to adjust to its intermediate snail and definitive mammalian hosts. <i>BMC Genomics</i> , 2019, 20, 729. | 2.8 | 26 |
| 23 | A secreted schistosome cathepsin B1 cysteine protease and acute schistosome infection induce a transient T helper 17 response. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007070. | 3.0 | 20 |
| 24 | Surface molecules of extracellular vesicles secreted by the helminth pathogen <i>Fasciola hepatica</i> direct their internalisation by host cells. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007087. | 3.0 | 88 |
| 25 | The cathepsin-like cysteine peptidases of trematodes of the genus <i>Fasciola</i> . <i>Advances in Parasitology</i> , 2019, 104, 113-164. | 3.2 | 46 |
| 26 | Advances in <i>Fasciola hepatica</i> research using "omics" technologies. <i>International Journal for Parasitology</i> , 2018, 48, 321-331. | 3.1 | 39 |
| 27 | Antibody recognition of cathepsin L1-derived peptides in <i>Fasciola hepatica</i> -infected and/or vaccinated cattle and identification of protective linear B-cell epitopes. <i>Vaccine</i> , 2018, 36, 958-968. | 3.8 | 24 |
| 28 | Infection by the Helminth Parasite <i>Fasciola hepatica</i> Requires Rapid Regulation of Metabolic, Virulence, and Invasive Factors to Adjust to Its Mammalian Host. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 792-809. | 3.8 | 76 |
| 29 | Steered molecular dynamics simulations reveal critical residues for (un)binding of substrates, inhibitors and a product to the malarial M1 aminopeptidase. <i>PLoS Computational Biology</i> , 2018, 14, e1006525. | 3.2 | 7 |
| 30 | Cysteine proteases during larval migration and development of helminths in their final host. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0005919. | 3.0 | 27 |
| 31 | Immune Mechanisms Involved in <i>Schistosoma mansoni</i> -Cathepsin B Vaccine Induced Protection in Mice. <i>Frontiers in Immunology</i> , 2018, 9, 1710. | 4.8 | 11 |
| 32 | In silico analyses of protein glycosylating genes in the helminth <i>Fasciola hepatica</i> (liver fluke) predict protein-linked glycan simplicity and reveal temporally-dynamic expression profiles. <i>Scientific Reports</i> , 2018, 8, 11700. | 3.3 | 13 |
| 33 | Recombinant vacuolar iron transporter family homologue PfVIT from human malaria-causing <i>Plasmodium falciparum</i> is a Fe ²⁺ /H ⁺ exchanger. <i>Scientific Reports</i> , 2017, 7, 42850. | 3.3 | 20 |
| 34 | Protection against <i>Schistosoma haematobium</i> infection in hamsters by immunization with <i>Schistosoma mansoni</i> gut-derived cysteine peptidases, SmCB1 and SmCL3. <i>Vaccine</i> , 2017, 35, 6977-6983. | 3.8 | 10 |
| 35 | Immune signatures of pathogenesis in the peritoneal compartment during early infection of sheep with <i>Fasciola hepatica</i> . <i>Scientific Reports</i> , 2017, 7, 2782. | 3.3 | 33 |
| 36 | Protective immune responses against <i>Schistosoma mansoni</i> infection by immunization with functionally active gut-derived cysteine peptidases alone and in combination with glyceraldehyde 3-phosphate dehydrogenase. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005443. | 3.0 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Tegument Glycoproteins and Cathepsins of Newly Excysted Juvenile <i>Fasciola hepatica</i> Carry Mannosidic and Paucimannosidic N-glycans. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004688. | 3.0 | 32 |
| 38 | A <i>Plasmodium falciparum</i> S33 proline aminopeptidase is associated with changes in erythrocyte deformability. <i>Experimental Parasitology</i> , 2016, 169, 13-21. | 1.2 | 15 |
| 39 | <i>Fasciola hepatica</i> Surface Tegument: Glycoproteins at the Interface of Parasite and Host. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 3139-3153. | 3.8 | 55 |
| 40 | Unexpected Activity of a Novel Kunitz-type Inhibitor. <i>Journal of Biological Chemistry</i> , 2016, 291, 19220-19234. | 3.4 | 29 |
| 41 | A parasite-derived 68-mer peptide ameliorates autoimmune disease in murine models of Type 1 diabetes and multiple sclerosis. <i>Scientific Reports</i> , 2016, 6, 37789. | 3.3 | 34 |
| 42 | A vaccine consisting of <i>Schistosoma mansoni</i> cathepsin B formulated in Montanide ISA 720 VG induces high level protection against murine schistosomiasis. <i>BMC Infectious Diseases</i> , 2016, 16, 112. | 2.9 | 41 |
| 43 | The <i>Fasciola hepatica</i> genome: gene duplication and polymorphism reveals adaptation to the host environment and the capacity for rapid evolution. <i>Genome Biology</i> , 2015, 16, 71. | 8.8 | 224 |
| 44 | Induction of Protective Immune Responses Against <i>Schistosomiasis haematobium</i> in Hamsters and Mice Using Cysteine Peptidase-Based Vaccine. <i>Frontiers in Immunology</i> , 2015, 6, 130. | 4.8 | 37 |
| 45 | The Extracellular Vesicles of the Helminth Pathogen, <i>Fasciola hepatica</i> : Biogenesis Pathways and Cargo Molecules Involved in Parasite Pathogenesis*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 3258-3273. | 3.8 | 194 |
| 46 | Evaluation of the immune response and protective efficacy of <i>Schistosoma mansoni</i> Cathepsin B in mice using CpG dinucleotides as adjuvant. <i>Vaccine</i> , 2015, 33, 346-353. | 3.8 | 26 |
| 47 | A parasitic helminth-derived peptide that targets the macrophage lysosome is a novel therapeutic option for autoimmune disease. <i>Immunobiology</i> , 2015, 220, 262-269. | 1.9 | 19 |
| 48 | The Endemicity of Human Fascioliasis in Guilan Province, Northern Iran: the Baseline for Implementation of Control Strategies. <i>Iranian Journal of Public Health</i> , 2015, 44, 501-11. | 0.5 | 24 |
| 49 | Cysteine Peptidases as <i>Schistosomiasis</i> Vaccines with Inbuilt Adjuvanticity. <i>PLoS ONE</i> , 2014, 9, e85401. | 2.5 | 57 |
| 50 | RNAi Dynamics in Juvenile <i>Fasciola</i> spp. Liver Flukes Reveals the Persistence of Gene Silencing In Vitro. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3185. | 3.0 | 44 |
| 51 | Induction of protective immune responses against schistosomiasis using functionally active cysteine peptidases. <i>Frontiers in Genetics</i> , 2014, 5, 119. | 2.3 | 33 |
| 52 | Activating the Cathepsin B1 of a Parasite: A Major Route with Alternative Pathways?. <i>Structure</i> , 2014, 22, 1696-1698. | 3.3 | 3 |
| 53 | Secreted Proteins from the Helminth <i>Fasciola hepatica</i> Inhibit the Initiation of Autoreactive T Cell Responses and Prevent Diabetes in the NOD Mouse. <i>PLoS ONE</i> , 2014, 9, e86289. | 2.5 | 59 |
| 54 | Identification of Potent and Selective Inhibitors of the <i>Plasmodium falciparum</i> M18 Aspartyl Aminopeptidase (PfM18AAP) of Human Malaria via High-Throughput Screening. <i>Journal of Biomolecular Screening</i> , 2014, 19, 1107-1115. | 2.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Immunomodulatory molecules of <i>Fasciola hepatica</i> : Candidates for both vaccine and immunotherapeutic development. <i>Veterinary Parasitology</i> , 2013, 195, 272-285. | 1.8 | 162 |
| 56 | The Diagnosis of Human Fascioliasis by Enzyme-Linked Immunosorbent Assay (ELISA) Using Recombinant Cathepsin L Protease. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2414. | 3.0 | 54 |
| 57 | Dissecting the Active Site of the Collagenolytic Cathepsin L3 Protease of the Invasive Stage of <i>Fasciola hepatica</i> . <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2269. | 3.0 | 29 |
| 58 | Large-scale growth of the <i>Plasmodium falciparum</i> malaria parasite in a wave bioreactor. <i>International Journal for Parasitology</i> , 2012, 42, 215-220. | 3.1 | 14 |
| 59 | A Family of Helminth Molecules that Modulate Innate Cell Responses via Molecular Mimicry of Host Antimicrobial Peptides. <i>PLoS Pathogens</i> , 2011, 7, e1002042. | 4.7 | 115 |
| 60 | Collagenolytic Activities of the Major Secreted Cathepsin L Peptidases Involved in the Virulence of the Helminth Pathogen, <i>Fasciola hepatica</i> . <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1012. | 3.0 | 66 |
| 61 | The <i>Plasmodium falciparum</i> Malaria M1 Alanyl Aminopeptidase (PfA-M1): Insights of Catalytic Mechanism and Function from MD Simulations. <i>PLoS ONE</i> , 2011, 6, e28589. | 2.5 | 24 |
| 62 | <i>Plasmodium falciparum</i> neutral aminopeptidases: new targets for anti-malarials. <i>Trends in Biochemical Sciences</i> , 2010, 35, 53-61. | 7.5 | 108 |
| 63 | Innate immunogenicity and in vitro protective potential of <i>Schistosoma mansoni</i> lung schistosomula excretory/secretory candidate vaccine antigens. <i>Microbes and Infection</i> , 2010, 12, 700-709. | 1.9 | 35 |
| 64 | Structural basis for the inhibition of the essential <i>Plasmodium falciparum</i> M1 neutral aminopeptidase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2537-2542. | 7.1 | 133 |
| 65 | An Integrated Transcriptomics and Proteomics Analysis of the Secretome of the Helminth Pathogen <i>Fasciola hepatica</i> . <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1891-1907. | 3.8 | 244 |
| 66 | Zoonotic helminth infections with particular emphasis on fasciolosis and other trematodiasis. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2009, 364, 2763-2776. | 4.0 | 134 |
| 67 | Chapter 4 Peptidases of Trematodes. <i>Advances in Parasitology</i> , 2009, 69, 205-297. | 3.2 | 70 |
| 68 | The Importance of pH in Regulating the Function of the <i>Fasciola hepatica</i> Cathepsin L1 Cysteine Protease. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e369. | 3.0 | 69 |
| 69 | The silencing of cysteine proteases in <i>Fasciola hepatica</i> newly excysted juveniles using RNA interference reduces gut penetration. <i>International Journal for Parasitology</i> , 2008, 38, 149-155. | 3.1 | 163 |
| 70 | Helminth pathogen cathepsin proteases: it's a family affair. <i>Trends in Biochemical Sciences</i> , 2008, 33, 601-608. | 7.5 | 122 |
| 71 | Proteomics and Phylogenetic Analysis of the Cathepsin L Protease Family of the Helminth Pathogen <i>Fasciola hepatica</i> . <i>Molecular and Cellular Proteomics</i> , 2008, 7, 1111-1123. | 3.8 | 118 |
| 72 | Structural and Functional Relationships in the Virulence-associated Cathepsin L Proteases of the Parasitic Liver Fluke, <i>Fasciola hepatica</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 9896-9908. | 3.4 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The Major Secreted Cathepsin L1 Protease of the Liver Fluke, <i>Fasciola hepatica</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 16532-16543. | 3.4 | 30 |
| 74 | De-glycosylation of <i>Pichia pastoris</i> -produced <i>Schistosoma mansoni</i> cathepsin B eliminates non-specific reactivity with IgG in normal human serum. <i>Journal of Immunological Methods</i> , 2005, 304, 151-157. | 1.4 | 21 |
| 75 | Cathepsin L1, the Major Protease Involved in Liver Fluke (<i>Fasciola hepatica</i>) Virulence. <i>Journal of Biological Chemistry</i> , 2004, 279, 17038-17046. | 3.4 | 141 |
| 76 | <i>Fasciola hepatica</i> cathepsin L-like proteases: biology, function, and potential in the development of first generation liver fluke vaccines. <i>International Journal for Parasitology</i> , 2003, 33, 1173-1181. | 3.1 | 238 |
| 77 | The role of aminopeptidases in haemoglobin degradation in <i>Plasmodium falciparum</i> -infected erythrocytes. <i>Molecular and Biochemical Parasitology</i> , 2001, 117, 37-48. | 1.1 | 95 |
| 78 | <i>Fasciola hepatica</i> : Parasite-Secreted Proteinases Degrade All Human IgG Subclasses: Determination of the Specific Cleavage Sites and Identification of the Immunoglobulin Fragments Produced. <i>Experimental Parasitology</i> , 2000, 94, 99-110. | 1.2 | 118 |
| 79 | Proteinases and Associated Genes of Parasitic Helminths. <i>Advances in Parasitology</i> , 1999, 43, 161-266. | 3.2 | 253 |
| 80 | Purification and characterisation of a second cathepsin L proteinase secreted by the parasitic trematode <i>Fasciola hepatica</i> . <i>FEBS Journal</i> , 1994, 223, 91-98. | 0.2 | 91 |
| 81 | Purification of a cathepsin L-like proteinase secreted by adult <i>Fasciola hepatica</i> . <i>Molecular and Biochemical Parasitology</i> , 1993, 62, 1-8. | 1.1 | 138 |
| 82 | Thiol proteases released in vitro by <i>Fasciola hepatica</i> . <i>Molecular and Biochemical Parasitology</i> , 1989, 35, 161-166. | 1.1 | 138 |
| 83 | <i>Fasciola hepatica</i> : comparison of immature and mature immunoreactive glycoproteins. <i>Parasite Immunology</i> , 1985, 7, 643-657. | 1.5 | 15 |