

# Luis Carrasco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9016514/publications.pdf>

Version: 2024-02-01

243  
papers

11,572  
citations

26630

56  
h-index

46799

89  
g-index

244  
all docs

244  
docs citations

244  
times ranked

7743  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polymicrobial Infections and Neurodegenerative Diseases. <i>Current Clinical Microbiology Reports</i> , 2020, 7, 20-30.	3.4	5
2	Parkinson's Disease: A Comprehensive Analysis of Fungi and Bacteria in Brain Tissue. <i>International Journal of Biological Sciences</i> , 2020, 16, 1135-1152.	6.4	37
3	A viral RNA motif involved in signaling the initiation of translation on non-AUG codons. <i>Rna</i> , 2019, 25, 431-452.	3.5	8
4	Searching for Bacteria in Neural Tissue From Amyotrophic Lateral Sclerosis. <i>Frontiers in Neuroscience</i> , 2019, 13, 171.	2.8	27
5	System-wide Profiling of RNA-Binding Proteins Uncovers Key Regulators of Virus Infection. <i>Molecular Cell</i> , 2019, 74, 196-211.e11.	9.7	137
6	Brain Microbiota in Huntington's Disease Patients. <i>Frontiers in Microbiology</i> , 2019, 10, 2622.	3.5	24
7	Human and Microbial Proteins From Corpora Amylacea of Alzheimer's Disease. <i>Scientific Reports</i> , 2018, 8, 9880.	3.3	37
8	The Initiation Factors eIF2, eIF2A, eIF2D, eIF4A, and eIF4G Are Not Involved in Translation Driven by Hepatitis C Virus IRES in Human Cells. <i>Frontiers in Microbiology</i> , 2018, 9, 207.	3.5	31
9	Infection of Fungi and Bacteria in Brain Tissue From Elderly Persons and Patients With Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 159.	3.4	125
10	The Regulation of Translation in Alphavirus-Infected Cells. <i>Viruses</i> , 2018, 10, 70.	3.3	63
11	Multiple sclerosis and mixed microbial infections. Direct identification of fungi and bacteria in nervous tissue. <i>Neurobiology of Disease</i> , 2018, 117, 42-61.	4.4	39
12	Identification of Fungal Species in Brain Tissue from Alzheimer's Disease by Next-Generation Sequencing. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 55-67.	2.6	89
13	Fungal infection in neural tissue of patients with amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2017, 108, 249-260.	4.4	64
14	Translation of Sindbis Subgenomic mRNA is Independent of eIF2, eIF2A and eIF2D. <i>Scientific Reports</i> , 2017, 7, 43876.	3.3	30
15	Polymicrobial Infections In Brain Tissue From Alzheimer's Disease Patients. <i>Scientific Reports</i> , 2017, 7, 5559.	3.3	99
16	Fungal Enolase, $\beta$ -Tubulin, and Chitin Are Detected in Brain Tissue from Alzheimer's Disease Patients. <i>Frontiers in Microbiology</i> , 2016, 7, 1772.	3.5	57
17	Corpora Amylacea of Brain Tissue from Neurodegenerative Diseases Are Stained with Specific Antifungal Antibodies. <i>Frontiers in Neuroscience</i> , 2016, 10, 86.	2.8	59
18	Influence of glutathione availability on cell damage induced by human immunodeficiency virus type 1 viral protein R. <i>Virus Research</i> , 2016, 213, 116-123.	2.2	9

#	ARTICLE	IF	CITATIONS
19	A Viral mRNA Motif at the 3' Untranslated Region that Confers Translatability in a Cell-Specific Manner. Implications for Virus Evolution. <i>Scientific Reports</i> , 2016, 6, 19217.	3.3	21
20	Different Brain Regions are Infected with Fungi in Alzheimer's Disease. <i>Scientific Reports</i> , 2015, 5, 15015.	3.3	210
21	Cerebrospinal Fluid from Alzheimer's Disease Patients Contains Fungal Proteins and DNA. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 873-876.	2.6	30
22	Viroporins: Structures and functions beyond cell membrane permeabilization. <i>Viruses</i> , 2015, 7, 5169-5171.	3.3	20
23	Differential action of pateamine A on translation of genomic and subgenomic mRNAs from Sindbis virus. <i>Virology</i> , 2015, 484, 41-50.	2.4	19
24	Evidence for Fungal Infection in Cerebrospinal Fluid and Brain Tissue from Patients with Amyotrophic Lateral Sclerosis. <i>International Journal of Biological Sciences</i> , 2015, 11, 546-558.	6.4	87
25	Inhibition of host protein synthesis by Sindbis virus: correlation with viral RNA replication and release of nuclear proteins to the cytoplasm. <i>Cellular Microbiology</i> , 2015, 17, 520-541.	2.1	10
26	Initiation codon selection is accomplished by a scanning mechanism without crucial initiation factors in Sindbis virus subgenomic mRNA. <i>Rna</i> , 2015, 21, 93-112.	3.5	15
27	Impact of Vesicular Stomatitis Virus M Proteins on Different Cellular Functions. <i>PLoS ONE</i> , 2015, 10, e0131137.	2.5	19
28	L protease from foot and mouth disease virus confers eIF2-independent translation for mRNAs bearing picornavirus IRES. <i>FEBS Letters</i> , 2014, 588, 4053-4059.	2.8	10
29	Direct Visualization of Fungal Infection in Brains from Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 613-624.	2.6	85
30	Fungal Infection in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 301-311.	2.6	128
31	Alzheimer's disease and disseminated mycoses. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 1125-1132.	2.9	59
32	Translation of viral mRNAs that do not require eIF4E is blocked by the inhibitor 4EGI-1. <i>Virology</i> , 2013, 444, 171-180.	2.4	6
33	Fungal infection in cerebrospinal fluid from some patients with multiple sclerosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2013, 32, 795-801.	2.9	33
34	Phosphorylation of eIF2 is responsible for the failure of the picornavirus internal ribosome entry site to direct translation from Sindbis virus replicons. <i>Journal of General Virology</i> , 2013, 94, 796-806.	2.9	11
35	Participation of eIF4F complex in Junin virus infection: blockage of eIF4E does not impair virus replication. <i>Cellular Microbiology</i> , 2013, 15, n/a-n/a.	2.1	22
36	Requirements for eIF4A and eIF2 during translation of Sindbis virus subgenomic mRNA in vertebrate and invertebrate host cells. <i>Cellular Microbiology</i> , 2013, 15, 823-840.	2.1	29

#	ARTICLE	IF	CITATIONS
37	Poliovirus 2A Protease Triggers a Selective Nucleo-Cytoplasmic Redistribution of Splicing Factors to Regulate Alternative Pre-mRNA Splicing. PLoS ONE, 2013, 8, e73723.	2.5	34
38	A non-infectious cell-based phenotypic assay for the assessment of HIV-1 susceptibility to protease inhibitors. Journal of Antimicrobial Chemotherapy, 2012, 67, 32-38.	3.0	7
39	Membrane-Active Peptides Derived from Picornavirus 2B Viroporin. Current Protein and Peptide Science, 2012, 13, 632-643.	1.4	15
40	Viroporins: structure and biological functions. Nature Reviews Microbiology, 2012, 10, 563-574.	28.6	388
41	Translation Directed by Hepatitis A Virus IRES in the Absence of Active eIF4F Complex and eIF2. PLoS ONE, 2012, 7, e52065.	2.5	23
42	Alternative splicing, a new target to block cellular gene expression by poliovirus 2A protease. Biochemical and Biophysical Research Communications, 2011, 414, 142-147.	2.1	10
43	Translation of Viral mRNA without Active eIF2: The Case of Picornaviruses. PLoS ONE, 2011, 6, e22230.	2.5	24
44	Translation without eIF2 Promoted by Poliovirus 2A Protease. PLoS ONE, 2011, 6, e25699.	2.5	26
45	Functional impairment of eIF4A and eIF4G factors correlates with inhibition of influenza virus mRNA translation. Virology, 2011, 413, 93-102.	2.4	24
46	Fungal infection in a patient with multiple sclerosis. European Journal of Clinical Microbiology and Infectious Diseases, 2011, 30, 1173-1180.	2.9	20
47	Membrane Integration of Poliovirus 2B Viroporin. Journal of Virology, 2011, 85, 11315-11324.	3.4	43
48	The Multifaceted Poliovirus 2A Protease: Regulation of Gene Expression by Picornavirus Proteases. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-23.	3.0	66
49	Association between multiple sclerosis and Candida species: evidence from a case-control study. European Journal of Clinical Microbiology and Infectious Diseases, 2010, 29, 1139-1145.	2.9	49
50	Cell permeabilization by poliovirus 2B viroporin triggers bystander permeabilization in neighbouring cells through a mechanism involving gap junctions. Cellular Microbiology, 2010, 12, 1144-1157.	2.1	14
51	Translation Driven by Picornavirus IRES Is Hampered from Sindbis Virus Replicons: Rescue by Poliovirus 2A Protease. Journal of Molecular Biology, 2010, 402, 101-117.	4.2	21
52	A peptide based on the pore-forming domain of pro-apoptotic poliovirus 2B viroporin targets mitochondria. Biochimica Et Biophysica Acta - Biomembranes, 2010, 1798, 52-58.	2.6	12
53	Dual Mechanism for the Translation of Subgenomic mRNA from Sindbis Virus in Infected and Uninfected Cells. PLoS ONE, 2009, 4, e4772.	2.5	44
54	HIV- 1 Protease Inhibits Cap- and Poly(A)-Dependent Translation upon eIF4G1 and PABP Cleavage. PLoS ONE, 2009, 4, e7997.	2.5	59

#	ARTICLE	IF	CITATIONS
55	Regulation of Host Translational Machinery by African Swine Fever Virus. PLoS Pathogens, 2009, 5, e1000562.	4.7	69
56	RNA nuclear export is blocked by poliovirus 2A protease and is concomitant with nucleoporin cleavage. Journal of Cell Science, 2009, 122, 3799-3809.	2.0	83
57	Translation of mRNAs from Vesicular Stomatitis Virus and Vaccinia Virus Is Differentially Blocked in Cells with Depletion of eIF4GI and/or eIF4GII. Journal of Molecular Biology, 2009, 394, 506-521.	4.2	24
58	Functional and Structural Characterization of 2B Viroporin Membranolytic Domains. Biochemistry, 2008, 47, 10731-10739.	2.5	18
59	Fungal Infection in Patients with Serpiginous Choroiditis or Acute Zonal Occult Outer Retinopathy. Journal of Clinical Microbiology, 2008, 46, 130-135.	3.9	35
60	Fungal Infection in Patients with Multiple Sclerosis. The Open Mycology Journal, 2008, 2, 22-28.	0.8	12
61	Evolution of antibody response and fungal antigens in the serum of a patient infected with <i>Candida famata</i> . Journal of Medical Microbiology, 2007, 56, 571-578.	1.8	11
62	Viral Translation Is Coupled to Transcription in Sindbis Virus-Infected Cells. Journal of Virology, 2007, 81, 7061-7068.	3.4	36
63	Plasma Membrane-porating Domain in Poliovirus 2B Protein. A Short Peptide Mimics Viroporin Activity. Journal of Molecular Biology, 2007, 374, 951-964.	4.2	41
64	Attachment and entry of <i>Candida famata</i> in monocytes and epithelial cells. Microscopy Research and Technique, 2007, 70, 975-986.	2.2	23
65	Viroporins from RNA viruses induce caspase-dependent apoptosis. Cellular Microbiology, 2007, 10, 071027034427002-???.	2.1	91
66	Differential inhibition of cellular and Sindbis virus translation by brefeldin A. Virology, 2007, 363, 430-436.	2.4	10
67	Translation of Sindbis Virus 26S mRNA Does Not Require Intact Eukariotic Initiation Factor 4G. Journal of Molecular Biology, 2006, 355, 942-956.	4.2	45
68	HIV protease cleaves poly(A)-binding protein. Biochemical Journal, 2006, 396, 219-226.	3.7	85
69	Antiviral effect of the mammalian translation initiation factor 2 <sup>nd</sup> kinase GCN2 against RNA viruses. EMBO Journal, 2006, 25, 1730-1740.	7.8	170
70	Translational resistance of late alphavirus mRNA to eIF2 <sup>nd</sup> phosphorylation: a strategy to overcome the antiviral effect of protein kinase PKR. Genes and Development, 2006, 20, 87-100.	5.9	176
71	Differential Cleavage of eIF4GI and eIF4GII in Mammalian Cells. Journal of Biological Chemistry, 2006, 281, 33206-33216.	3.4	38
72	Regulation of HIV-1 env mRNA translation by Rev protein. Biochimica Et Biophysica Acta - Molecular Cell Research, 2005, 1743, 169-175.	4.1	34

#	ARTICLE	IF	CITATIONS
73	Involvement of HIV-1 protease in virus-induced cell killing. <i>Antiviral Research</i> , 2005, 66, 47-55.	4.1	23
74	Requirement of the vesicular system for membrane permeabilization by Sindbis virus. <i>Virology</i> , 2005, 332, 307-315.	2.4	33
75	Isolation of <i>Candida famata</i> from a Patient with Acute Zonal Occult Outer Retinopathy. <i>Journal of Clinical Microbiology</i> , 2005, 43, 635-640.	3.9	38
76	Viroporin activity of murine hepatitis virus E protein. <i>FEBS Letters</i> , 2005, 579, 3607-3612.	2.8	70
77	The Alphavirus 6K Protein. , 2005, , 233-244.		4
78	Viral Proteins that Enhance Membrane Permeability. , 2005, , 79-90.		1
79	Membrane-permeabilizing motif in Semliki forest virus E1 glycoprotein. <i>FEBS Letters</i> , 2004, 576, 417-422.	2.8	10
80	Individual expression of poliovirus 2A <sub>pro</sub> and 3C <sub>pro</sub> induces activation of caspase-3 and PARP cleavage in HeLa cells. <i>Virus Research</i> , 2004, 104, 39-49.	2.2	74
81	Individual Expression of Sindbis Virus Glycoproteins. E1 Alone Promotes Cell Fusion. <i>Virology</i> , 2003, 305, 463-472.	2.4	21
82	Cleavage of eIF4G by HIV-1 protease: effects on translation. <i>FEBS Letters</i> , 2003, 533, 89-94.	2.8	49
83	Viroporins. <i>FEBS Letters</i> , 2003, 552, 28-34.	2.8	324
84	Mechanisms of membrane permeabilization by picornavirus 2B viroporin. <i>FEBS Letters</i> , 2003, 552, 68-73.	2.8	64
85	The Eukaryotic Translation Initiation Factor 4GI Is Cleaved by Different Retroviral Proteases. <i>Journal of Virology</i> , 2003, 77, 12392-12400.	3.4	73
86	Interfacial Domains in Sindbis Virus 6K Protein. <i>Journal of Biological Chemistry</i> , 2003, 278, 2051-2057.	3.4	53
87	Cell Killing by HIV-1 Protease. <i>Journal of Biological Chemistry</i> , 2003, 278, 1086-1093.	3.4	68
88	Antiviral Activity of Seven Iridoids, Three Saikosaponins and One Phenylpropanoid Glycoside Extracted from <i>Bupleurum rigidum</i> and <i>Scrophularia scorodonia</i> . <i>Planta Medica</i> , 2002, 68, 106-110.	1.3	81
89	Viroporin-mediated Membrane Permeabilization. <i>Journal of Biological Chemistry</i> , 2002, 277, 40434-40441.	3.4	124
90	Entry of Poliovirus into Cells Is Blocked by Valinomycin and Concanamycin A. <i>Biochemistry</i> , 2001, 40, 3589-3600.	2.5	34

#	ARTICLE	IF	CITATIONS
91	Human Immunodeficiency Virus Type 1 VPU Protein Affects Sindbis Virus Glycoprotein Processing and Enhances Membrane Permeabilization. <i>Virology</i> , 2001, 279, 201-209.	2.4	29
92	HIV-1 protease cleaves eukaryotic initiation factor 4G and inhibits cap-dependent translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 12966-12971.	7.1	115
93	Sindbis Virus Variant with a Deletion in the 6K Gene Shows Defects in Glycoprotein Processing and Trafficking: Lack of Complementation by a Wild-Type 6K Gene in trans. <i>Journal of Virology</i> , 2001, 75, 7778-7784.	3.4	48
94	Antipoliavirus Flavonoids from <i>Psidium Dentata</i> . <i>Antiviral Chemistry and Chemotherapy</i> , 2001, 12, 283-291.	0.6	37
95	Search for antiviral activity in higher plant extracts. <i>Phytotherapy Research</i> , 2000, 14, 604-607.	5.8	85
96	Poliovirus Induces Apoptosis in the Human U937 Promonocytic Cell Line. <i>Virology</i> , 2000, 272, 250-256.	2.4	41
97	Poliovirus Protease 3Cpro Kills Cells by Apoptosis. <i>Virology</i> , 2000, 266, 352-360.	2.4	116
98	A Stable HeLa Cell Line That Inducibly Expresses Poliovirus 2Apro: Effects on Cellular and Viral Gene Expression. <i>Journal of Virology</i> , 2000, 74, 2383-2392.	3.4	35
99	Eukaryotic Translation Initiation Factor 4G Is a Cellular Target for NS1 Protein, a Translational Activator of Influenza Virus. <i>Molecular and Cellular Biology</i> , 2000, 20, 6259-6268.	2.3	181
100	The Amino-Terminal Nine Amino Acid Sequence of Poliovirus Capsid VP4 Protein Is Sufficient To Confer N-Myristoylation and Targeting to Detergent-Insoluble Membranes. <i>Biochemistry</i> , 2000, 39, 1083-1090.	2.5	28
101	Nonradioactive Methods for the Detection of RNA-Protein Interaction. , 2000, , 783-791.		0
102	Antiviral activity of Bolivian plant extracts. <i>General Pharmacology</i> , 1999, 32, 499-503.	0.7	66
103	Cleavage of Eukaryotic Translation Initiation Factor 4G by Exogenously Added Hybrid Proteins Containing Poliovirus 2A <sup>pro</sup> in HeLa Cells: Effects on Gene Expression. <i>Molecular and Cellular Biology</i> , 1999, 19, 2445-2454.	2.3	50
104	Genetic Selection of Poliovirus 2A pro -Binding Peptides. <i>Journal of Virology</i> , 1999, 73, 814-818.	3.4	12
105	Antiviral activity of some South American medicinal plants. <i>Phytotherapy Research</i> , 1999, 13, 142-146.	5.8	0
106	Poliovirus 2A proteinase cleaves directly the eIF-4G subunit of eIF-4F complex. <i>FEBS Letters</i> , 1998, 435, 79-83.	2.8	63
107	The Human Immunodeficiency Virus Type 1 Vpu Protein Enhances Membrane Permeability. <i>Biochemistry</i> , 1998, 37, 13710-13719.	2.5	64
108	Mutational Analysis of Poliovirus 2Apro. <i>Journal of Biological Chemistry</i> , 1998, 273, 27960-27967.	3.4	33

#	ARTICLE	IF	CITATIONS
109	Effect of Nitric Oxide on Poliovirus Infection of Two Human Cell Lines. <i>Journal of Virology</i> , 1998, 72, 2538-2540.	3.4	32
110	Identification of Regions of Poliovirus 2BC Protein That Are Involved in Cytotoxicity. <i>Journal of Virology</i> , 1998, 72, 3560-3570.	3.4	35
111	The Yeast <i>Saccharomyces cerevisiae</i> as a Genetic System for Obtaining Variants of Poliovirus Protease 2A. <i>Journal of Biological Chemistry</i> , 1997, 272, 12683-12691.	3.4	16
112	Cleavage of p220 by Purified Poliovirus 2Apro in Cell-Free Systems: Effects on Translation of Capped and Uncapped mRNAs. <i>Biochemistry</i> , 1997, 36, 7802-7809.	2.5	23
113	Permeabilization of Mammalian Cells to Proteins: Poliovirus 2Apro as a Probe to Analyze Entry of Proteins into Cells. <i>Experimental Cell Research</i> , 1997, 232, 186-190.	2.6	0
114	The N-Terminal Arg-Rich Region of Human Immunodeficiency Virus Types 1 and 2 and Simian Immunodeficiency Virus Nef is Involved in RNA Binding. <i>FEBS Journal</i> , 1997, 246, 38-44.	0.2	10
115	Entry of Semliki Forest Virus into Cells: Effects of Concanamycin A and Nigericin on Viral Membrane Fusion and Infection. <i>Virology</i> , 1997, 227, 488-492.	2.4	34
116	Membrane Permeability Changes Induced in <i>Escherichia coli</i> by the SH Protein of Human Respiratory Syncytial Virus. <i>Virology</i> , 1997, 235, 342-351.	2.4	66
117	Antiviral activity of medicinal plant extracts. <i>Phytotherapy Research</i> , 1997, 11, 198-202.	5.8	36
118	Human Immunodeficiency Virus (HIV) Nef is an RNA Binding Protein in Cell-free Systems. <i>Journal of Molecular Biology</i> , 1996, 262, 640-651.	4.2	10
119	Screening for Membrane-Permeabilizing Mutants of the Poliovirus Protein 3AB. <i>Journal of General Virology</i> , 1996, 77, 2109-2119.	2.9	18
120	Membrane Permeabilization by Poliovirus Proteins 2B and 2BC. <i>Journal of Biological Chemistry</i> , 1996, 271, 23134-23137.	3.4	121
121	Biotin-Labeled Riboprobes to Study RNA-Binding Proteins. , 1996, , 215-225.		1
122	Effects of Poliovirus 2Apro on Vaccinia Virus Gene Expression. <i>FEBS Journal</i> , 1995, 234, 849-854.	0.2	22
123	Modification of Membrane Permeability by Animal Viruses. <i>Advances in Virus Research</i> , 1995, 45, 61-112.	2.1	200
124	Cloning and inducible synthesis of poliovirus non-structural proteins in <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1995, 156, 19-25.	2.2	12
125	Induction of Membrane Proliferation by Poliovirus Proteins 2C and 2BC. <i>Biochemical and Biophysical Research Communications</i> , 1995, 206, 64-76.	2.1	135
126	Efficient Cleavage of p220 by Poliovirus 2Apro Expression in Mammalian Cells: Effects on Vaccinia Virus. <i>Biochemical and Biophysical Research Communications</i> , 1995, 215, 928-936.	2.1	48



#	ARTICLE	IF	CITATIONS
127	Mutations in the hydrophobic domain of poliovirus protein 3AB abrogate its permeabilizing activity. FEBS Letters, 1995, 367, 5-11.	2.8	27
128	Poliovirus 2Aproexpression inhibits growth of yeast cells. FEBS Letters, 1995, 371, 4-8.	2.8	17
129	Expression of poliovirus 2Aproin mammalian cells: effects on translation. FEBS Letters, 1995, 377, 1-5.	2.8	22
130	Poliovirus Protein 2C Contains Two Regions Involved in RNA Binding Activity. Journal of Biological Chemistry, 1995, 270, 10105-10112.	3.4	119
131	Requirement for vacuolar proton-ATPase activity during entry of influenza virus into cells. Journal of Virology, 1995, 69, 2306-2312.	3.4	114
132	Membrane permeabilization by different regions of the human immunodeficiency virus type 1 transmembrane glycoprotein gp41. Journal of Virology, 1995, 69, 4095-4102.	3.4	51
133	Enhanced intracellular calcium concentration during poliovirus infection. Journal of Virology, 1995, 69, 5142-5146.	3.4	64
134	Involvement of the vacuolar H <sup>+</sup> -ATPase in animal virus entry. Journal of General Virology, 1994, 75, 2595-2606.	2.9	127
135	Action of brefeldin A on translation in Semliki Forest virus-infected HeLa cells and cells doubly infected with poliovirus. Journal of General Virology, 1994, 75, 2197-2203.	2.9	3
136	Picornavirus inhibitors. , 1994, 64, 215-290.		52
137	Concanamycin A: A Powerful Inhibitor of Enveloped Animal Virus Entry into Cells. Biochemical and Biophysical Research Communications, 1994, 201, 1270-1278.	2.1	23
138	Concanamycin A blocks influenza virus entry into cells under acidic conditions. FEBS Letters, 1994, 349, 327-330.	2.8	27
139	Entry of animal viruses and macromolecules into cells. FEBS Letters, 1994, 350, 151-154.	2.8	60
140	Hybrid proteins betweenPseudomonasexotoxin A and poliovirus protease 2Apro. FEBS Letters, 1994, 355, 45-48.	2.8	13
141	Influenza virus M2 protein modifies membrane permeability inE. colicells. FEBS Letters, 1994, 343, 242-246.	2.8	53
142	Activation of Phospholipase Activity during Semliki Forest Virus Infection. Virology, 1993, 194, 28-36.	2.4	17
143	Brefeldin A blocks protein glycosylation and RNA replication of vesicular stomatitis virus. FEBS Letters, 1993, 336, 496-500.	2.8	24
144	High level expression in Escherichia coli cells and purification of poliovirus protein 2Apro. Journal of General Virology, 1993, 74, 2645-2652.	2.9	17

#	ARTICLE	IF	CITATIONS
145	Enhancement of phospholipase activity during poliovirus infection. Journal of General Virology, 1993, 74, 1063-1071.	2.9	21
146	Modification of Membrane Permeability by Animal Viruses. , 1993, , 283-303.		22
147	Cloning and inducible synthesis of poliovirus nonstructural proteins. Gene, 1992, 117, 185-192.	2.2	19
148	Inducible expression of a toxic poliovirus membrane protein in Escherichia coli: Comparative studies using different expression systems based on T7 promoters. Biochemical and Biophysical Research Communications, 1992, 188, 972-981.	2.1	26
149	Involvement of membrane traffic in the replication of poliovirus genomes: Effects of brefeldin A. Virology, 1992, 191, 166-175.	2.4	133
150	Lack of direct correlation between p220 cleavage and the shut-off of host translation after poliovirus infection. Virology, 1992, 189, 178-186.	2.4	87
151	Gliotoxin: inhibitor of poliovirus RNA synthesis that blocks the viral RNA polymerase 3Dpol. Journal of Virology, 1992, 66, 1971-1976.	3.4	63
152	Cell type determines the relative proportions of (âˆ-) and (+) strand RNA during poliovirus replication. Virus Research, 1991, 20, 23-29.	2.2	9
153	Cerulenin, an inhibitor of lipid synthesis, blocks vesicular stomatitis virus RNA replication. FEBS Letters, 1991, 280, 129-133.	2.8	15
154	Mechanism of inhibition of HSV-1 replication by tumor necrosis factor and interferon Î³. Virology, 1991, 180, 822-825.	2.4	49
155	Synthesis of Semliki Forest virus RNA requires continuous lipid synthesis. Virology, 1991, 183, 74-82.	2.4	48
156	Effects of fatty acids on lipid synthesis and viral RNA replication in poliovirus-infected cells. Virology, 1991, 185, 473-476.	2.4	29
157	Restriction of poliovirus RNA translation in a human monocytic cell line. FEBS Journal, 1989, 186, 577-582.	0.2	19
158	Post-translational modifications of poliovirus proteins. Biochemical and Biophysical Research Communications, 1989, 158, 263-271.	2.1	14
159	Modification of membrane permeability by animal viruses. , 1989, 40, 171-212.		70
160	Degradation of cellular proteins during poliovirus infection: studies by two-dimensional gel electrophoresis. Journal of Virology, 1989, 63, 4729-4735.	3.4	52
161	Human gamma interferon and tumor necrosis factor exert a synergistic blockade on the replication of herpes simplex virus.. Journal of Virology, 1989, 63, 1354-1359.	3.4	125
162	The heat-shock response in Trypanosoma cruzi. FEBS Journal, 1988, 172, 121-127.	0.2	22

#	ARTICLE	IF	CITATIONS
163	Inhibition of natural killer cytotoxicity by extracellular ppp(A <sub>2</sub> p <sub>5</sub> )nA oligonucleotides. <i>International Journal of Immunopharmacology</i> , 1988, 10, 73-80.	1.1	2
164	Exogenous phospholipase C permeabilizes mammalian cells to proteins. <i>Experimental Cell Research</i> , 1988, 177, 154-161.	2.6	18
165	Megalomycin C, a macrolide antibiotic that blocks protein glycosylation and shows antiviral activity. <i>FEBS Letters</i> , 1988, 231, 207-211.	2.8	18
166	Reovirus type 3 synthesizes proteins in interferon-treated HeLa cells without reversing the antiviral state. <i>Virology</i> , 1988, 164, 420-426.	2.4	12
167	The P2 and P3 Regions of the Poliovirus Genome are Preferentially Translated at Alkaline pH in Infected HeLa Cells. <i>Journal of General Virology</i> , 1988, 69, 583-590.	2.9	5
168	Effects of Extracellular Cations on Translation in Poliovirus-infected Cells. <i>Journal of General Virology</i> , 1987, 68, 325-333.	2.9	21
169	Cation Content in Poliovirus-infected HeLa Cells. <i>Journal of General Virology</i> , 1987, 68, 335-342.	2.9	39
170	Proteins are cointernalized with virion particles during early infection. <i>Virology</i> , 1987, 160, 75-80.	2.4	52
171	Proteins synthesized in African swine fever virus-infected cells analyzed by two-dimensional gel electrophoresis. <i>Virology</i> , 1987, 160, 286-291.	2.4	23
172	Adenovirus infection reverses the antiviral state induced by human interferon. <i>FEBS Letters</i> , 1987, 214, 153-157.	2.8	7
173	Control of membrane permeability in animal cells by divalent cations. <i>Experimental Cell Research</i> , 1987, 169, 531-542.	2.6	15
174	Animal viruses promote the entry of polysaccharides with antiviral activity into cells. <i>Biochemical and Biophysical Research Communications</i> , 1987, 146, 1303-1310.	2.1	14
175	Baciphelacin: a new eukaryotic translation inhibitor. <i>Biochimie</i> , 1987, 69, 797-802.	2.6	7
176	Polysaccharides as antiviral agents: antiviral activity of carrageenan. <i>Antimicrobial Agents and Chemotherapy</i> , 1987, 31, 1388-1393.	3.2	169
177	Hexose-modified anti-viral analogues of uridine 5'-disphosphate glucose derivatives. <i>European Journal of Medicinal Chemistry</i> , 1987, 22, 59-65.	5.5	14
178	3-methylquercetin is a potent and selective inhibitor of poliovirus RNA synthesis. <i>Virology</i> , 1986, 152, 219-227.	2.4	86
179	External ATP permeabilizes transformed cells to macromolecules. <i>Biochemical and Biophysical Research Communications</i> , 1986, 134, 453-460.	2.1	9
180	The inhibition of nucleic acid synthesis in encephalomyocarditis virus-infected L929 cells: Effects on nucleoside transport. <i>Molecular and Cellular Biochemistry</i> , 1986, 71, 53-60.	3.1	5

#	ARTICLE	IF	CITATIONS
181	Mildiomyacin: A nucleoside antibiotic that inhibits protein synthesis.. Journal of Antibiotics, 1985, 38, 415-419.	2.0	38
182	Increased inhibition of cellular RNA synthesis by alpha-amanitin during entry of viruses into animal cells. FEMS Microbiology Letters, 1985, 26, 221-225.	1.8	3
183	The Regulation of Translation in Reovirus-infected Cells. Journal of General Virology, 1985, 66, 2161-2170.	2.9	13
184	Analogues of Uridinediphosphatehexoses. A New Type of Protein Glycosylation Inhibitors That Show Antiviral Activity. Nucleosides & Nucleotides, 1985, 4, 149-151.	0.5	0
185	Modification of membrane permeability during semliki forest virus infection. Virology, 1985, 146, 203-212.	2.4	49
186	Uridine 5'-diphosphate glucose analogs. Inhibitors of protein glycosylation that show antiviral activity. Journal of Medicinal Chemistry, 1985, 28, 40-46.	6.4	50
187	Synthesis and antiviral evaluation of nucleosides of 5-methylimidazole-4-carboxamide. Journal of Medicinal Chemistry, 1985, 28, 834-838.	6.4	11
188	Action of Human Lymphoblastoid Interferon on HeLa Cells Infected with RNA-containing Animal Viruses. Journal of General Virology, 1984, 65, 377-390.	2.9	28
189	Formation of Non-infective Herpesvirus Particles in Cultured Cells Treated with Human Interferon. Journal of General Virology, 1984, 65, 1069-1078.	2.9	53
190	Molecular bases for the action and selectivity of nucleoside antibiotics. Medicinal Research Reviews, 1984, 4, 471-512.	10.5	25
191	Action of oligomycin on cultured mammalian cells. Permeabilization to translation inhibitors. Molecular and Cellular Biochemistry, 1984, 61, 183-91.	3.1	8
192	Synthesis of heat-shock proteins in HeLa cells: Inhibition by virus infection. Virology, 1984, 137, 150-159.	2.4	60
193	Screening for new compounds with antiherpes activity. Antiviral Research, 1984, 4, 231-244.	4.1	41
194	Comparison of the antiviral action of different human interferons against DNA and RNA viruses. FEMS Microbiology Letters, 1984, 21, 105-111.	1.8	2
195	Do cells treated with human interferon survive virus infection?. FEMS Microbiology Letters, 1983, 20, 317-321.	1.8	0
196	Effect of interferon treatment on blockade of protein synthesis induced by poliovirus infection. FEBS Journal, 1983, 137, 623-629.	0.2	14
197	Cellular RNA is not degraded in interferon-treated HeLa cells after poliovirus infection. FEBS Letters, 1983, 160, 87-92.	2.8	11
198	Permeabilization of cells during animal virus infection. , 1983, 23, 109-145.		35

#	ARTICLE	IF	CITATIONS
199	Modification of Membrane Permeability in Poliovirus-infected HeLa Cells: Effect of Guanidine. Journal of General Virology, 1983, 64, 787-793.	2.9	16
200	Do cells treated with human interferon survive virus infection?. FEMS Microbiology Letters, 1983, 20, 317-321.	1.8	0
201	Protein Synthesis in HeLa Cells Double-infected with Encephalomyocarditis Virus and Poliovirus. Journal of General Virology, 1982, 61, 15-24.	2.9	14
202	Translation of Capped Virus mRNA in Encephalomyocarditis Virus-infected Cells. Journal of General Virology, 1982, 60, 315-325.	2.9	5
203	Modification of membrane permeability in vaccinia virus-infected cells. Virology, 1982, 117, 62-69.	2.4	56
204	Relationship between Membrane Integrity and the Inhibition of Host Translation in Virus-Infected Mammalian Cells. Comparative Studies between Encephalomyocarditis Virus and Poliovirus. FEBS Journal, 1982, 127, 359-366.	0.2	45
205	Molecular Basis of the Permeabilization of Mammalian Cells by Ionophores. FEBS Journal, 1982, 127, 567-569.	0.2	33
206	Permeabilization of mammalian cells to proteins by the ionophore nigericin. FEBS Letters, 1981, 127, 112-114.	2.8	18
207	Modification of membrane permeability induced by animal viruses early in infection. Virology, 1981, 113, 623-629.	2.4	88
208	Selective inhibition of cellular protein synthesis by amphotericin B in EMC virus-infected cells. Virology, 1981, 114, 247-251.	2.4	10
209	Reversal by Hypotonic Medium of the Antiviral State Induced by Lymphoblastoid Interferon in Human HeLa Cells. Intervirology, 1981, 16, 106-113.	2.8	4
210	Thionins: Plant Peptides that Modify Membrane Permeability in Cultured Mammalian Cells. FEBS Journal, 1981, 116, 185-189.	0.2	124
211	Action of Nucleotide Derivatives on Translation in Encephalomyocarditis Virus-infected Mouse Cells. Journal of General Virology, 1981, 54, 125-134.	2.9	3
212	Protein Synthesis and Membrane Integrity in Interferon-treated HeLa Cells Infected with Encephalomyocarditis Virus. Journal of General Virology, 1981, 56, 153-162.	2.9	27
213	Relationship between Membrane Permeability and the Translation Capacity of Human HeLa Cells Studied by Means of the Ionophore Nigericin. FEBS Journal, 1981, 118, 289-294.	0.2	19
214	Reversion by hypotonic medium of the shutoff of protein synthesis induced by encephalomyocarditis virus. Journal of Virology, 1981, 37, 535-540.	3.4	47
215	Antibiotics that specifically block translation in virus-infected cells.. Journal of Antibiotics, 1980, 33, 441-446.	2.0	39
216	Action of Membrane-Active Compounds on Mammalian Cells. Permeabilization of Human Cells by ionophores to Inhibitors of Translation and Transcription. FEBS Journal, 1980, 109, 535-540.	0.2	41

#	ARTICLE	IF	CITATIONS
217	Inhibition of animal virus production by means of translation inhibitors unable to penetrate normal cells. <i>Virology</i> , 1980, 106, 123-132.	2.4	49
218	Selective inhibition of translation in transformed cells. <i>FEBS Letters</i> , 1980, 110, 341-343.	2.8	10
219	Molecular biology of animal virus infection. , 1980, 9, 311-355.		48
220	Viral infection permeabilizes mammalian cells to protein toxins. <i>Cell</i> , 1980, 20, 769-775.	28.9	197
221	Selective inhibition of protein synthesis in virus-infected mammalian cells. <i>Journal of Virology</i> , 1979, 29, 114-122.	3.4	87
222	The Development of New Antiviral Agents Based on Virus-Mediated Cell Modification. , 1979, , 623-631.		4
223	Membrane leakiness after viral infection and a new approach to the development of antiviral agents. <i>Nature</i> , 1978, 272, 694-699.	27.8	184
224	Inhibition, by selected antibiotics, of protein synthesis in cells growing in tissue cultures.. <i>Journal of Antibiotics</i> , 1978, 31, 598-602.	2.0	25
225	Enzymic and nonenzymic translocation by yeast polysomes. Site of action of a number of inhibitors. <i>Biochemistry</i> , 1977, 16, 4727-4730.	2.5	69
226	The inhibition of cell functions after viral infection A proposed general mechanism. <i>FEBS Letters</i> , 1977, 76, 11-15.	2.8	132
227	Do viruses use calcium ions to shut off host cell functions? (reply). <i>Nature</i> , 1977, 267, 376-376.	27.8	1
228	Site of action of ricin on the ribosome. <i>Biochemistry</i> , 1976, 15, 4364-4369.	2.5	30
229	Sodium ions and the shut-off of host cell protein synthesis by picornaviruses. <i>Nature</i> , 1976, 264, 807-809.	27.8	248
230	Specific Inhibition of Translocation by Tubulosine in Eukaryotic Polysomes. <i>FEBS Journal</i> , 1976, 64, 1-5.	0.2	24
231	Initiation of the Polypeptide Chain by Reticulocyte Cell-Free Systems. Survey of Different Inhibitors of Translation. <i>FEBS Journal</i> , 1976, 68, 355-364.	0.2	50
232	Antibiotics and compounds affecting translation by eukaryotic ribosomes. Specific enhancement of aminoacyl-tRNA binding by methylxanthines. <i>Molecular and Cellular Biochemistry</i> , 1976, 10, 97-122.	3.1	33
233	Binding of aminoacyl-tRNA to rat liver ribosomal proteins. <i>Molecular Biology Reports</i> , 1976, 2, 471-477.	2.3	8
234	Effects of Ricin on the Ribosomal Sites Involved in the Interaction of the Elongation Factors. <i>FEBS Journal</i> , 1975, 54, 499-503.	0.2	80

#	ARTICLE	IF	CITATIONS
235	The Involvement of Sulphydryl Groups in the Peptidyl Transferase Centre of Eukaryotic Ribosomes. FEBS Journal, 1975, 50, 317-323.	0.2	16
236	Ribosome Inactivation by the Toxic Lectins Abrin and Ricin. Kinetics of the Enzymic Activity of the Toxin A-Chains. FEBS Journal, 1975, 60, 281-288.	0.2	196
237	Narciclasine: an antitumour alkaloid which blocks peptide bond formation by eukaryotic ribosomes. FEBS Letters, 1975, 52, 236-239.	2.8	82
238	The enhancement of polypeptide synthesis in mammalian systems by methylxanthines. FEBS Letters, 1974, 45, 132-135.	2.8	11
239	Differences in eukaryotic ribosomes detected by the selective action of an antibiotic. Nucleic Acids and Protein Synthesis, 1973, 319, 209-215.	1.7	40
240	The trichodermin group of antibiotics, inhibitors of peptide bond formation by eukaryotic ribosomes. Nucleic Acids and Protein Synthesis, 1973, 312, 368-376.	1.7	92
241	Ribosomal sites involved in binding of aminoacyl-tRNA and EF 2. mode of action of fusidic acid. FEBS Letters, 1973, 32, 152-156.	2.8	21
242	SURVEY OF INHIBITORS IN DIFFERENT STEPS OF PROTEIN SYNTHESIS BY MAMMALIAN RIBOSOMES. Journal of Antibiotics, 1972, 25, 732-737.	2.0	30
243	Effects of Viral Replication on Cellular Membrane Metabolism and Function. , 0, , 337-354.		6