

Frank Wania

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9017610/publications.pdf>

Version: 2024-02-01

308
papers

19,229
citations

8181

76
h-index

16183

124
g-index

335
all docs

335
docs citations

335
times ranked

9568
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying organic chemicals not subject to bioaccumulation in air-breathing organisms using predicted partitioning and biotransformation properties. <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 1297-1312.	2.9	7
2	Thirdhand smoke from tobacco, e-cigarettes, cannabis, methamphetamine and cocaine: Partitioning, reactive fate, and human exposure in indoor environments. <i>Environment International</i> , 2022, 160, 107063.	10.0	21
3	Graphical tools for the planning and interpretation of polyurethane foam based passive air sampling campaigns. <i>Environmental Sciences: Processes and Impacts</i> , 2022, 24, 414-425.	3.5	5
4	Traffic-related sources may dominate urban water contamination for many organic contaminants. <i>Environmental Research Letters</i> , 2022, 17, 044030.	5.2	3
5	A New Approach to Characterizing the Partitioning of Volatile Organic Compounds to Cotton Fabric. <i>Environmental Science & Technology</i> , 2022, 56, 3365-3374.	10.0	13
6	Organophosphate esters in Arctic air from 2011 to 2019: Concentrations, temporal trends, and potential sources. <i>Journal of Hazardous Materials</i> , 2022, 434, 128872.	12.4	13
7	Ecological unequal exchange: quantifying emissions of toxic chemicals embodied in the global trade of chemicals, products, and waste. <i>Environmental Research Letters</i> , 2022, 17, 044054.	5.2	11
8	Response to Comment on "A Database of Experimentally Derived and Estimated Octanol-Air Partition Ratios (K_{OA})". <i>J. Phys. Chem. Ref. Data</i> 51, 026101 (2022)]. <i>Journal of Physical and Chemical Reference Data</i> , 2022, 51, 026102.	4.2	4
9	Global Historical Production, Use, In-Use Stocks, and Emissions of Short-, Medium-, and Long-Chain Chlorinated Paraffins. <i>Environmental Science & Technology</i> , 2022, 56, 7895-7904.	10.0	44
10	Probing the Thermodynamics of Biomagnification in Zoo-Housed Polar Bears by Equilibrium Sampling of Dietary and Fecal Samples. <i>Environmental Science & Technology</i> , 2022, 56, 9497-9504.	10.0	6
11	Mercury in air and soil on an urban-rural transect in East Africa. <i>Environmental Sciences: Processes and Impacts</i> , 2022, , .	3.5	6
12	Development, characterization, and testing of a personal passive sampler for measuring inhalation exposure to gaseous elemental mercury. <i>Environment International</i> , 2021, 146, 106264.	10.0	13
13	Introducing a nested multimedia fate and transport model for organic contaminants (NEM). <i>Environmental Sciences: Processes and Impacts</i> , 2021, 23, 1146-1157.	3.5	4
14	Partitioning between polyurethane foam and the gas phase: data compilation, uncertainty estimation and implications for air sampling. <i>Environmental Sciences: Processes and Impacts</i> , 2021, 23, 723-734.	3.5	6
15	Atmospheric concentrations and temporal trends of polychlorinated biphenyls and organochlorine pesticides in the Arctic during 2011-2018. <i>Chemosphere</i> , 2021, 267, 128859.	8.2	18
16	Spatial and temporal distribution of Persistent Organic Pollutants and current use pesticides in the atmosphere of Argentinean Patagonia. <i>Chemosphere</i> , 2021, 266, 129015.	8.2	27
17	Polycyclic Aromatic Hydrocarbons and Quinones in Urban and Rural Stormwater Runoff: Effects of Land Use and Storm Characteristics. <i>ACS ES&T Water</i> , 2021, 1, 1209-1219.	4.6	6
18	A field intercomparison of three passive air samplers for gaseous mercury in ambient air. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 3657-3672.	3.1	19

#	ARTICLE	IF	CITATIONS
19	Do dissipation and transformation of $\delta^{13}\text{C}$ -HCH and p,p'-DDT in soil respond to a proxy for climate change? Insights from a field study on the eastern Tibetan Plateau. <i>Environmental Pollution</i> , 2021, 278, 116824.	7.5	11
20	Using Passive Air Samplers to Quantify Vertical Gaseous Elemental Mercury Concentration Gradients Within a Forest and Above Soil. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD034981.	3.3	7
21	Mercury stable isotopes reveal the sources and transformations of atmospheric Hg in the high Arctic. <i>Applied Geochemistry</i> , 2021, 131, 105002.	3.0	23
22	Reliable Prediction of the Octanol:Air Partition Ratio. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 3166-3180.	4.3	22
23	Phase partitioning, transport and sources of Benzotriazole Ultraviolet Stabilizers during a runoff event. <i>Water Research X</i> , 2021, 13, 100115.	6.1	3
24	Characterization of inhalation exposure to gaseous elemental mercury during artisanal gold mining and e-waste recycling through combined stationary and personal passive sampling. <i>Environmental Sciences: Processes and Impacts</i> , 2021, 23, 569-579.	3.5	7
25	The unlikely fate of a term paper. <i>Ambio</i> , 2021, 50, 532-533.	5.5	1
26	Precipitation-induced transport and phase partitioning of organophosphate esters (OPEs) in urban and rural watersheds. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 2106-2115.	2.4	6
27	A Database of Experimentally Derived and Estimated Octanol:Air Partition Ratios (K_{OA}). <i>Journal of Physical and Chemical Reference Data</i> , 2021, 50, .	4.2	34
28	Development and Evaluation of a Holistic and Mechanistic Modeling Framework for Chemical Emissions, Fate, Exposure, and Risk. <i>Environmental Health Perspectives</i> , 2021, 129, 127006.	6.0	15
29	Clarifying Temporal Trend Variability in Human Biomonitoring of Polybrominated Diphenyl Ethers through Mechanistic Modeling. <i>Environmental Science & Technology</i> , 2020, 54, 166-175.	10.0	19
30	Maternal-Child Exposures to Persistent Organic Pollutants in Dhaka, Bangladesh. <i>Exposure and Health</i> , 2020, 12, 79-87.	4.9	7
31	Formation of non-extractable residues as a potentially dominant process in the fate of PAHs in soil: Insights from a combined field and modeling study on the eastern Tibetan Plateau. <i>Environmental Pollution</i> , 2020, 267, 115383.	7.5	9
32	Isotopic Characterization of Atmospheric Gaseous Elemental Mercury by Passive Air Sampling. <i>Environmental Science & Technology</i> , 2020, 54, 10533-10543.	10.0	24
33	Passive air sampling for semi-volatile organic chemicals. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 1925-2002.	3.5	51
34	Measurement of Atmospheric Mercury over Volcanic and Fumarolic Regions on the North Island of New Zealand Using Passive Air Samplers. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 2435-2443.	2.7	12
35	Quantifying the Biomagnification Capability of Arctic Wolf and Domestic Dog by Equilibrium Sampling. <i>Environmental Science & Technology</i> , 2020, 54, 6842-6849.	10.0	2
36	Spatial variation of short- and medium-chain chlorinated paraffins in ambient air across Australia. <i>Environmental Pollution</i> , 2020, 261, 114141.	7.5	31

#	ARTICLE	IF	CITATIONS
37	The presence, emission and partitioning behavior of polychlorinated biphenyls in waste, leachate and aerosols from Norwegian waste-handling facilities. <i>Science of the Total Environment</i> , 2020, 715, 136824.	8.0	16
38	Mechanistically Modeling Human Exposure to Persistent Organic Pollutants. , 2020, , 115-128.		0
39	How are Humans Exposed to Organic Chemicals Released to Indoor Air?. <i>Environmental Science & Technology</i> , 2019, 53, 11276-11284.	10.0	49
40	Measuring the Octan-1-ol Air Partition Coefficient of Volatile Organic Chemicals with the Variable Phase Ratio Headspace Technique. <i>Journal of Chemical & Engineering Data</i> , 2019, 64, 4793-4800.	1.9	7
41	Model-based exploration of the variability in lake trout (<i>Salvelinus namaycush</i>) bioaccumulation factors: The influence of physiology and trophic relationships. <i>Environmental Toxicology and Chemistry</i> , 2019, 38, 831-840.	4.3	3
42	Characterization and Quantification of Atmospheric Mercury Sources Using Passive Air Samplers. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 2351-2362.	3.3	36
43	Trans-Himalayan Transport of Organochlorine Compounds: Three-Year Observations and Model-Based Flux Estimation. <i>Environmental Science & Technology</i> , 2019, 53, 6773-6783.	10.0	23
44	Hydrological transit times in nested urban and agricultural watersheds in the Greater Toronto Area, Canada. <i>Hydrological Processes</i> , 2019, 33, 350-360.	2.6	13
45	Quantitative bias analysis of the association of type 2 diabetes mellitus with 2,2,4,4,5,5-hexachlorobiphenyl (PCB-153). <i>Environment International</i> , 2019, 125, 291-299.	10.0	14
46	Development and Evaluation of a Combined Bioenergetics and Organic Chemical Mass-Balance Bioaccumulation Model for Fish. <i>Environmental Science & Technology</i> , 2019, 53, 752-759.	10.0	9
47	Polycyclic aromatic hydrocarbons and polychlorinated biphenyls in soils and atmosphere of Western Canadian mountains: The role of source proximity, precipitation, forest cover and mountain cold-trapping. <i>Atmospheric Environment: X</i> , 2019, 1, 100004.	1.4	6
48	Investigating the Sources and Transport of Benzotriazole UV Stabilizers during Rainfall and Snowmelt across an Urbanization Gradient. <i>Environmental Science & Technology</i> , 2018, 52, 2595-2602.	10.0	29
49	Towards a systematic understanding of the dynamic fate of polychlorinated biphenyls in indoor, urban and rural environments. <i>Environment International</i> , 2018, 117, 57-68.	10.0	38
50	Occurrence of Single- and Double-Peaked Emission Profiles of Synthetic Chemicals. <i>Environmental Science & Technology</i> , 2018, 52, 4684-4693.	10.0	16
51	Comparing winter-time herbicide behavior and exports in urban, rural, and mixed-use watersheds. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 767-779.	3.5	5
52	Spatial and temporal distribution of pesticides and PCBs in the atmosphere using XAD-resin based passive samplers: A case study in the Quequ�n Grande River watershed, Argentina. <i>Atmospheric Pollution Research</i> , 2018, 9, 238-245.	3.8	24
53	Is secondary organic aerosol yield governed by kinetic factors rather than equilibrium partitioning?. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 245-252.	3.5	5
54	A Model for Risk-Based Screening and Prioritization of Human Exposure to Chemicals from Near-Field Sources. <i>Environmental Science & Technology</i> , 2018, 52, 14235-14244.	10.0	38

#	ARTICLE	IF	CITATIONS
55	Identifying and evaluating urban mercury emission sources through passive sampler-based mapping of atmospheric concentrations. <i>Environmental Research Letters</i> , 2018, 13, 074008.	5.2	26
56	Air synthesis review: polycyclic aromatic compounds in the oil sands region. <i>Environmental Reviews</i> , 2018, 26, 430-468.	4.5	58
57	Revisiting the Contributions of Far- and Near-Field Routes to Aggregate Human Exposure to Polychlorinated Biphenyls (PCBs). <i>Environmental Science & Technology</i> , 2018, 52, 6974-6984.	10.0	40
58	Who in the world is most exposed to polychlorinated biphenyls? Using models to identify highly exposed populations. <i>Environmental Research Letters</i> , 2018, 13, 064036.	5.2	16
59	Elucidating the Variability in the Hexabromocyclododecane Diastereomer Profile in the Global Environment. <i>Environmental Science & Technology</i> , 2018, 52, 10532-10542.	10.0	26
60	Measurement of Vapor Pressures and Melting Properties of Five Polybrominated Aromatic Flame Retardants. <i>Journal of Chemical & Engineering Data</i> , 2018, 63, 2578-2585.	1.9	4
61	Global evaluation and calibration of a passive air sampler for gaseous mercury. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 5905-5919.	4.9	43
62	Quantifying the equilibrium partitioning of substituted polycyclic aromatic hydrocarbons in aerosols and clouds using COSMOtherm. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 288-299.	3.5	6
63	The Role of Water in Organic Aerosol Multiphase Chemistry: Focus on Partitioning and Reactivity. , 2017, , 95-184.		9
64	Mechanistic Pharmacokinetic Modeling of the Bioamplification of Persistent Lipophilic Organic Pollutants in Humans during Weight Loss. <i>Environmental Science & Technology</i> , 2017, 51, 5563-5571.	10.0	14
65	Field Calibration of XAD-Based Passive Air Sampler on the Tibetan Plateau: Wind Influence and Configuration Improvement. <i>Environmental Science & Technology</i> , 2017, 51, 5642-5649.	10.0	17
66	Comment on "Measured Saturation Vapor Pressures of Phenolic and Nitro-Aromatic Compounds". <i>Environmental Science & Technology</i> , 2017, 51, 7742-7743.	10.0	3
67	Application of sodium carbonate prevents sulphur poisoning of catalysts in automated total mercury analysis. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 133, 60-62.	2.9	18
68	Mechanistic modeling of persistent organic pollutant exposure among indigenous Arctic populations: motivations, challenges, and benefits. <i>Environmental Reviews</i> , 2017, 25, 396-407.	4.5	12
69	Assessing the Source-to-Stream Transport of Benzotriazoles during Rainfall and Snowmelt in Urban and Agricultural Watersheds. <i>Environmental Science & Technology</i> , 2017, 51, 4191-4198.	10.0	36
70	Degradation of Fluorotelomer-Based Polymers Contributes to the Global Occurrence of Fluorotelomer Alcohol and Perfluoroalkyl Carboxylates: A Combined Dynamic Substance Flow and Environmental Fate Modeling Analysis. <i>Environmental Science & Technology</i> , 2017, 51, 4461-4470.	10.0	53
71	Semivolatile Organic Contaminants in the Hawaiian Atmosphere. <i>Environmental Science & Technology</i> , 2017, 51, 11634-11642.	10.0	10
72	Effects of preparation on nutrient and environmental contaminant levels in Arctic beluga whale (<i>Delphinapterus leucas</i>) traditional foods. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 1000-1015.	3.5	9

#	ARTICLE	IF	CITATIONS
73	The transport of polycyclic aromatic hydrocarbons during rainfall and snowmelt in contrasting landscapes. <i>Water Research</i> , 2017, 124, 407-414.	11.3	27
74	Persistent Organic Pollutants in the East Antarctic Atmosphere: Inter-Annual Observations from 2010 to 2015 Using High-Flow-Through Passive Sampling. <i>Environmental Science & Technology</i> , 2017, 51, 13929-13937.	10.0	40
75	Uncertain Henry's law constants compromise equilibrium partitioning calculations of atmospheric oxidation products. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 7529-7540.	4.9	33
76	A synthesis of research needs for improving the understanding of atmospheric mercury cycling. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 9133-9144.	4.9	33
77	The effects of meteorological parameters and diffusive barrier reuse on the sampling rate of a passive air sampler for gaseous mercury. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 3651-3660.	3.1	33
78	Estimating Time-Varying PCB Exposures Using Person-Specific Predictions to Supplement Measured Values: A Comparison of Observed and Predicted Values in Two Cohorts of Norwegian Women. <i>Environmental Health Perspectives</i> , 2016, 124, 299-305.	6.0	12
79	Mechanistic polychlorinated biphenyl exposure modeling of mothers in the Canadian Arctic: the challenge of reliably establishing dietary composition. <i>Environment International</i> , 2016, 92-93, 256-268.	10.0	18
80	Unravelling the Relationship between Body Mass Index and Polychlorinated Biphenyl Concentrations Using a Mechanistic Model. <i>Environmental Science & Technology</i> , 2016, 50, 10055-10064.	10.0	22
81	Balancing the benefits and costs of traditional food substitution by indigenous Arctic women of childbearing age: Impacts on persistent organic pollutant, mercury, and nutrient intakes. <i>Environment International</i> , 2016, 94, 554-566.	10.0	16
82	Tracking chemicals in products around the world: introduction of a dynamic substance flow analysis model and application to PCBs. <i>Environment International</i> , 2016, 94, 674-686.	10.0	47
83	Deterministic modeling of the exposure of individual participants in the National Health and Nutrition Examination Survey (NHANES) to polychlorinated biphenyls. <i>Environmental Sciences: Processes and Impacts</i> , 2016, 18, 1157-1168.	3.5	17
84	Effect of Sodium Sulfate, Ammonium Chloride, Ammonium Nitrate, and Salt Mixtures on Aqueous Phase Partitioning of Organic Compounds. <i>Environmental Science & Technology</i> , 2016, 50, 12742-12749.	10.0	18
85	Passive air sampling of gaseous elemental mercury: a critical review. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3061-3076.	4.9	41
86	Tracking the Global Distribution of Persistent Organic Pollutants Accounting for E-Waste Exports to Developing Regions. <i>Environmental Science & Technology</i> , 2016, 50, 798-805.	10.0	121
87	A High-Precision Passive Air Sampler for Gaseous Mercury. <i>Environmental Science and Technology Letters</i> , 2016, 3, 24-29.	8.7	54
88	Using the chemical equilibrium partitioning space to explore factors influencing the phase distribution of compounds involved in secondary organic aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 3395-3412.	4.9	32
89	Celebrating Bidleman's 1988 "Atmospheric Processes". <i>Environmental Science & Technology</i> , 2015, 49, 1235-1236.	10.0	2
90	Evaluating the PAS-SIM model using a passive air sampler calibration study for pesticides. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 1228-1237.	3.5	15

#	ARTICLE	IF	CITATIONS
91	Calculating Equilibrium Phase Distribution during the Formation of Secondary Organic Aerosol Using COSMO <i>therm</i> . <i>Environmental Science & Technology</i> , 2015, 49, 8585-8594.	10.0	18
92	Spatial distribution of selected persistent organic pollutants (POPs) in Australia's atmosphere. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 525-532.	3.5	23
93	Exploring the role of the sampler housing in limiting uptake of semivolatile organic compounds in passive air samplers. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 2006-2012.	3.5	9
94	Seven questions when deciding where to submit. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 10-11.	3.5	0
95	Comparison of Atmospheric Travel Distances of Several PAHs Calculated by Two Fate and Transport Models (The Tool and ELPOS) with Experimental Values Derived from a Peat Bog Transect. <i>Atmosphere</i> , 2014, 5, 324-341.	2.3	12
96	Evaluating officially reported polycyclic aromatic hydrocarbon emissions in the Athabasca oil sands region with a multimedia fate model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3344-3349.	7.1	92
97	Evaluating the Effectiveness of Fish Consumption Advisories: Modeling Prenatal, Postnatal, and Childhood Exposures to Persistent Organic Pollutants. <i>Environmental Health Perspectives</i> , 2014, 122, 178-186.	6.0	22
98	Model for Screening-Level Assessment of Near-Field Human Exposure to Neutral Organic Chemicals Released Indoors. <i>Environmental Science & Technology</i> , 2014, 48, 12312-12319.	10.0	60
99	Clarifying relationships between persistent organic pollutant concentrations and age in wildlife biomonitoring: individuals, cross-sections, and the roles of lifespan and sex. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 1415-1426.	4.3	19
100	Reply to Ahad et al.: Source apportionment of polycyclic aromatic hydrocarbons in the Athabasca oil sands region is still a work in progress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2440.	7.1	12
101	Cluster analysis of passive air sampling data based on the relative composition of persistent organic pollutants. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 453-463.	3.5	9
102	Off to a flying start. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 9-9.	3.5	0
103	Measuring and Modeling the Salting-out Effect in Ammonium Sulfate Solutions. <i>Environmental Science & Technology</i> , 2014, 48, 13238-13245.	10.0	57
104	Neutral polyfluoroalkyl substances in the global Atmosphere. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 404-413.	3.5	46
105	Using Model-Based Screening to Help Discover Unknown Environmental Contaminants. <i>Environmental Science & Technology</i> , 2014, 48, 7264-7271.	10.0	29
106	Partitioning of Polychlorinated Biphenyls into Human Cells and Adipose Tissues: Evaluation of Octanol, Triolein, and Liposomes as Surrogates. <i>Environmental Science & Technology</i> , 2014, 48, 5920-5928.	10.0	18
107	Estimating Screening-Level Organic Chemical Half-Lives in Humans. <i>Environmental Science & Technology</i> , 2014, 48, 723-730.	10.0	52
108	Tracking the Global Generation and Exports of e-Waste. Do Existing Estimates Add up?. <i>Environmental Science & Technology</i> , 2014, 48, 8735-8743.	10.0	201

#	ARTICLE	IF	CITATIONS
109	Application of Mass Balance Models and the Chemical Activity Concept To Facilitate the Use of in Vitro Toxicity Data for Risk Assessment. <i>Environmental Science & Technology</i> , 2014, 48, 9770-9779.	10.0	130
110	Advancing passive sampling of contaminants in environmental science. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 366.	3.5	9
111	Novel methods for predicting gas-particle partitioning during the formation of secondary organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 13189-13204.	4.9	27
112	Mountain Cold-Trapping Increases Transfer of Persistent Organic Pollutants from Atmosphere to Cows' Milk. <i>Environmental Science & Technology</i> , 2013, 47, 9175-9181.	10.0	16
113	Chemical fate, latitudinal distribution and long-range transport of cyclic volatile methylsiloxanes in the global environment: A modeling assessment. <i>Chemosphere</i> , 2013, 93, 835-843.	8.2	60
114	Exploring the potential influence of climate change and particulate organic carbon scenarios on the fate of neutral organic contaminants in the Arctic environment. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 2263.	3.5	17
115	Model-based exploration of the drivers of mountain cold-trapping in soil. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 2220.	3.5	18
116	Using quantitative structural property relationships, chemical fate models, and the chemical partitioning space to investigate the potential for long range transport and bioaccumulation of complex halogenated chemical mixtures. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 1671.	3.5	34
117	Evaluating the environmental fate of short-chain chlorinated paraffins (SCCPs) in the Nordic environment using a dynamic multimedia model. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 2240.	3.5	20
118	Atmospheric deposition of current use pesticides in the Arctic: Snow core records from the Devon Island Ice Cap, Nunavut, Canada. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 2304.	3.5	29
119	Development and evaluation of a mechanistic bioconcentration model for ionogenic organic chemicals in fish. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 115-128.	4.3	144
120	Effect of Wind on the Chemical Uptake Kinetics of a Passive Air Sampler. <i>Environmental Science & Technology</i> , 2013, 47, 7868-7875.	10.0	37
121	Large Bubbles Reduce the Surface Sorption Artifact of the Inert Gas Stripping Method. <i>Journal of Chemical & Engineering Data</i> , 2013, 58, 792-797.	1.9	12
122	Calibration and Application of a Passive Air Sampler (XAD-PAS) for Volatile Methyl Siloxanes. <i>Environmental Science & Technology</i> , 2013, 47, 4463-4470.	10.0	42
123	Modeling the Uptake of Neutral Organic Chemicals on XAD Passive Air Samplers under Variable Temperatures, External Wind Speeds and Ambient Air Concentrations (PAS-SIM). <i>Environmental Science & Technology</i> , 2013, 47, 13546-13554.	10.0	45
124	Exploring the Role of Shelf Sediments in the Arctic Ocean in Determining the Arctic Contamination Potential of Neutral Organic Contaminants. <i>Environmental Science & Technology</i> , 2013, 47, 923-931.	10.0	9
125	The role of the global cryosphere in the fate of organic contaminants. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 3271-3305.	4.9	128
126	In search of potential source regions of semi-volatile organic contaminants in air in the Yukon Territory, Canada from 2007 to 2009 using hybrid receptor models. <i>Environmental Chemistry</i> , 2013, 10, 22.	1.5	9

#	ARTICLE	IF	CITATIONS
127	Prioritizing Chemicals and Data Requirements for Screening-Level Exposure and Risk Assessment. <i>Environmental Health Perspectives</i> , 2012, 120, 1565-1570.	6.0	87
128	Understanding Differences in the Body Burden—Age Relationships of Bioaccumulating Contaminants Based on Population Cross Sections versus Individuals. <i>Environmental Health Perspectives</i> , 2012, 120, 554-559.	6.0	72
129	Modeling the Uptake of Semivolatile Organic Compounds by Passive Air Samplers: Importance of Mass Transfer Processes within the Porous Sampling Media. <i>Environmental Science & Technology</i> , 2012, 46, 9563-9570.	10.0	45
130	JEM Editorial: Focus on scope. <i>Journal of Environmental Monitoring</i> , 2012, 14, 22-22.	2.1	0
131	Screening organic chemicals in commerce for emissions in the context of environmental and human exposure. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2028.	2.1	25
132	Potential Role of Phospholipids in Determining the Internal Tissue Distribution of Perfluoroalkyl Acids in Biota. <i>Environmental Science & Technology</i> , 2012, 46, 12285-12286.	10.0	62
133	Influence of Sampler Configuration on the Uptake Kinetics of a Passive Air Sampler. <i>Environmental Science & Technology</i> , 2012, 46, 397-403.	10.0	22
134	Iterative Fragment Selection: A Group Contribution Approach to Predicting Fish Biotransformation Half-Lives. <i>Environmental Science & Technology</i> , 2012, 46, 8253-8260.	10.0	67
135	Field Evaluation of a Flow-Through Sampler for Measuring Pesticides and Brominated Flame Retardants in the Arctic Atmosphere. <i>Environmental Science & Technology</i> , 2012, 46, 7669-7676.	10.0	16
136	Deposition of Brominated Flame Retardants to the Devon Ice Cap, Nunavut, Canada. <i>Environmental Science & Technology</i> , 2012, 46, 826-833.	10.0	43
137	A methodology for evaluating the influence of diets and intergenerational dietary transitions on historic and future human exposure to persistent organic pollutants in the Arctic. <i>Environment International</i> , 2012, 49, 83-91.	10.0	20
138	Atmospheric concentrations of halogenated flame retardants at two remote locations: The Canadian High Arctic and the Tibetan Plateau. <i>Environmental Pollution</i> , 2012, 161, 154-161.	7.5	99
139	Application of XAD-resin based passive air samplers to assess local (roadside) and regional patterns of persistent organic pollutants. <i>Environmental Pollution</i> , 2012, 166, 218-225.	7.5	19
140	Global climate change and contaminants—an overview of opportunities and priorities for modelling the potential implications for long-term human exposure to organic compounds in the Arctic. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1532.	2.1	63
141	Mercury fate in ageing and melting snow: Development and testing of a controlled laboratory system. <i>Journal of Environmental Monitoring</i> , 2011, 13, 2695.	2.1	15
142	Visualising the equilibrium distribution and mobility of organic contaminants in soil using the chemical partitioning space. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1569.	2.1	13
143	Identifying the Research and Infrastructure Needs for the Global Assessment of Hazardous Chemicals Ten Years after Establishing the Stockholm Convention. <i>Environmental Science & Technology</i> , 2011, 45, 7617-7619.	10.0	25
144	Sampling Medium Side Resistance to Uptake of Semivolatile Organic Compounds in Passive Air Samplers. <i>Environmental Science & Technology</i> , 2011, 45, 10509-10515.	10.0	32

#	ARTICLE	IF	CITATIONS
145	Toward a Consistent Evaluative Framework for POP Risk Characterization. <i>Environmental Science & Technology</i> , 2011, 45, 97-103.	10.0	24
146	On the Construction, Comparison, and Variability of Airsheds for Interpreting Semivolatile Organic Compounds in Passively Sampled Air. <i>Environmental Science & Technology</i> , 2011, 45, 8850-8857.	10.0	14
147	Fate of Perfluorinated Carboxylates and Sulfonates During Snowmelt Within an Urban Watershed. <i>Environmental Science & Technology</i> , 2011, 45, 8113-8119.	10.0	25
148	On the Reversibility of Environmental Contamination with Persistent Organic Pollutants. <i>Environmental Science & Technology</i> , 2011, 45, 8834-8841.	10.0	22
149	Laboratory Studies on the Fate of Perfluoroalkyl Carboxylates and Sulfonates during Snowmelt. <i>Environmental Science & Technology</i> , 2011, 45, 6872-6878.	10.0	30
150	Transport of polycyclic aromatic hydrocarbons and pesticides during snowmelt within an urban watershed. <i>Water Research</i> , 2011, 45, 1147-1156.	11.3	81
151	Modeling the elution of organic chemicals from a melting homogeneous snow pack. <i>Water Research</i> , 2011, 45, 3627-3637.	11.3	34
152	Spatial variability of atmospheric semivolatile organic compounds in Chile. <i>Atmospheric Environment</i> , 2011, 45, 303-309.	4.1	38
153	Sorption of a diverse set of organic chemical vapors onto XAD-2 resin: Measurement, prediction and implications for air sampling. <i>Atmospheric Environment</i> , 2011, 45, 296-302.	4.1	43
154	Current pesticide transport to Costa Rica's high altitude tropical cloud forest. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 2709-2717.	4.3	24
155	Chemical activity as an integrating concept in environmental assessment and management of contaminants. <i>Integrated Environmental Assessment and Management</i> , 2011, 7, 248-255.	2.9	38
156	Investigating Intergenerational Differences in Human PCB Exposure due to Variable Emissions and Reproductive Behaviors. <i>Environmental Health Perspectives</i> , 2011, 119, 641-646.	6.0	59
157	Three methods for quantifying proximity of air sampling sites to spatially resolved emissions of semi-volatile organic contaminants. <i>Atmospheric Environment</i> , 2010, 44, 4380-4387.	4.1	10
158	Comparison of Four Active and Passive Sampling Techniques for Pesticides in Air. <i>Environmental Science & Technology</i> , 2010, 44, 3410-3416.	10.0	113
159	Critical Review and Recommended Values for the Physical-Chemical Property Data of 15 Polycyclic Aromatic Hydrocarbons at 25 °C. <i>Journal of Chemical & Engineering Data</i> , 2010, 55, 819-825.	1.9	140
160	Transport of semivolatile organic compounds to the Tibetan Plateau: Monthly resolved air concentrations at Nam Co. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	37
161	Transport of Semivolatile Organic Compounds to the Tibetan Plateau: Spatial and Temporal Variation in Air Concentrations in Mountainous Western Sichuan, China. <i>Environmental Science & Technology</i> , 2010, 44, 1559-1565.	10.0	68
162	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers. <i>Journal of Chemical & Engineering Data</i> , 2010, 55, 5868-5873.	1.9	48

#	ARTICLE	IF	CITATIONS
163	Theoretical and Experimental Simulation of the Fate of Semifluorinated <i>n</i> -Alkanes during Snowmelt. <i>Environmental Science & Technology</i> , 2010, 44, 6692-6697.	10.0	16
164	Response to Comment on "More of EPA's SPARC Online Calculator" The Need for High Quality Predictions of Chemical Properties. <i>Environmental Science & Technology</i> , 2010, 44, 7746-7747.	10.0	3
165	Fate of Pesticides in the Arid Subtropics, Botswana, Southern Africa. <i>Environmental Science & Technology</i> , 2010, 44, 8082-8088.	10.0	39
166	Susceptibility of Human Populations to Environmental Exposure to Organic Contaminants. <i>Environmental Science & Technology</i> , 2010, 44, 6249-6255.	10.0	33
167	Levels and Seasonal Variability of Pesticides in the Rural Atmosphere of Southern Ontario. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1077-1084.	5.2	34
168	Towards an understanding of the link between environmental emissions and human body burdens of PCBs using CoZMoMAN. <i>Environment International</i> , 2010, 36, 85-91.	10.0	51
169	Assessment of chemical screening outcomes based on different partitioning property estimation methods. <i>Environment International</i> , 2010, 36, 514-520.	10.0	39
170	Spatial and temporal pattern of pesticides in the global atmosphere. <i>Journal of Environmental Monitoring</i> , 2010, 12, 1650.	2.1	106
171	More of EPA's SPARC Online Calculator The Need for High-Quality Predictions of Chemical Properties. <i>Environmental Science & Technology</i> , 2010, 44, 4400-4401.	10.0	18
172	Persistent Organic Contaminants in Alpine Waters. <i>Handbook of Environmental Chemistry</i> , 2010, , 151-171.	0.4	1
173	Validation of a flow-through sampler for pesticides and polybrominated diphenyl ethers in air. <i>Atmospheric Environment</i> , 2009, 43, 2401-2409.	4.1	13
174	Development and Exploration of an Organic Contaminant Fate Model Using Poly-Parameter Linear Free Energy Relationships. <i>Environmental Science & Technology</i> , 2009, 43, 6676-6683.	10.0	23
175	Levels of polycyclic aromatic hydrocarbons in Canadian mountain air and soil are controlled by proximity to roads. <i>Environmental Pollution</i> , 2009, 157, 3199-3206.	7.5	81
176	Modeling Exposure to Persistent Chemicals in Hazard and Risk Assessment. <i>Integrated Environmental Assessment and Management</i> , 2009, 5, 662.	2.9	40
177	Organic Contaminant Release from Melting Snow. 2. Influence of Snow Pack and Melt Characteristics. <i>Environmental Science & Technology</i> , 2009, 43, 663-668.	10.0	56
178	Organic Contaminant Release from Melting Snow. 1. Influence of Chemical Partitioning. <i>Environmental Science & Technology</i> , 2009, 43, 657-662.	10.0	74
179	Seasonally Resolved Concentrations of Persistent Organic Pollutants in the Global Atmosphere from the First Year of the GAPS Study. <i>Environmental Science & Technology</i> , 2009, 43, 796-803.	10.0	277
180	Passive Air Sampling of Polychlorinated Biphenyls and Organochlorine Pesticides at the Korean Arctic and Antarctic Research Stations: Implications for Long-Range Transport and Local Pollution. <i>Environmental Science & Technology</i> , 2008, 42, 7125-7131.	10.0	163

#	ARTICLE	IF	CITATIONS
181	Organic contaminant amplification during snowmelt. <i>Water Research</i> , 2008, 42, 1847-1865.	11.3	165
182	Cold-Trapping of Persistent Organic Pollutants in the Mountain Soils of Western Sichuan, China. <i>Environmental Science & Technology</i> , 2008, 42, 9086-9091.	10.0	81
183	On the Mechanism of Mountain Cold-Trapping of Organic Chemicals. <i>Environmental Science & Technology</i> , 2008, 42, 9092-9098.	10.0	176
184	Field Testing a Flow-Through Sampler for Semivolatile Organic Compounds in Air. <i>Environmental Science & Technology</i> , 2008, 42, 2970-2975.	10.0	21
185	Screening Chemicals for the Potential to be Persistent Organic Pollutants: A Case Study of Arctic Contaminants. <i>Environmental Science & Technology</i> , 2008, 42, 5202-5209.	10.0	157
186	Combining Long-Range Transport and Bioaccumulation Considerations to Identify Potential Arctic Contaminants. <i>Environmental Science & Technology</i> , 2008, 42, 3704-3709.	10.0	49
187	Field Testing Passive Air Samplers for Current Use Pesticides in a Tropical Environment. <i>Environmental Science & Technology</i> , 2008, 42, 6625-6630.	10.0	98
188	Altitudinal Transect of Atmospheric and Aqueous Fluorinated Organic Compounds in Western Canada. <i>Environmental Science & Technology</i> , 2008, 42, 2374-2379.	10.0	50
189	Depletion of gaseous polycyclic aromatic hydrocarbons by a forest canopy. <i>Atmospheric Chemistry and Physics</i> , 2008, 8, 4105-4113.	4.9	34
190	Organochlorine Pesticides in the Soils and Atmosphere of Costa Rica. <i>Environmental Science & Technology</i> , 2007, 41, 1124-1130.	10.0	104
191	Changes in Surface Area and Concentrations of Semivolatile Organic Contaminants in Aging Snow. <i>Environmental Science & Technology</i> , 2007, 41, 4932-4937.	10.0	39
192	Temperature Dependence of the Air Concentrations of Polychlorinated Biphenyls and Polybrominated Diphenyl Ethers in a Forest and a Clearing. <i>Environmental Science & Technology</i> , 2007, 41, 4655-4661.	10.0	16
193	A Flow-Through Sampler for Semivolatile Organic Compounds in Air. <i>Environmental Science & Technology</i> , 2007, 41, 250-256.	10.0	35
194	Evidence of Bias in Air-Water Henry's Law Constants for Semivolatile Organic Compounds Measured by Inert Gas Stripping. <i>Environmental Science & Technology</i> , 2007, 41, 3807-3814.	10.0	29
195	Pesticides in Western Canadian Mountain Air and Soil. <i>Environmental Science & Technology</i> , 2007, 41, 6020-6025.	10.0	130
196	Time Trends of Arctic Contamination in Relation to Emission History and Chemical Persistence and Partitioning Properties. <i>Environmental Science & Technology</i> , 2007, 41, 5986-5992.	10.0	59
197	Polychlorinated Naphthalenes in the Global Atmospheric Passive Sampling (GAPS) Study. <i>Environmental Science & Technology</i> , 2007, 41, 2680-2687.	10.0	97
198	Accumulation of Current-Use Pesticides in Neotropical Montane Forests. <i>Environmental Science & Technology</i> , 2007, 41, 1118-1123.	10.0	104

#	ARTICLE	IF	CITATIONS
199	A Global Mass Balance Analysis of the Source of Perfluorocarboxylic Acids in the Arctic Ocean. <i>Environmental Science & Technology</i> , 2007, 41, 4529-4535.	10.0	201
200	Deposition of Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls, and Polycyclic Aromatic Hydrocarbons to a Boreal Deciduous Forest. <i>Environmental Science & Technology</i> , 2007, 41, 534-540.	10.0	89
201	Comparison of Headspace and Gas-Stripping Techniques for Measuring the Air-Water Partitioning of Normal Alkanols (C4 to C10): Effect of Temperature, Chain Length, and Adsorption to the Water Surface. <i>Journal of Chemical & Engineering Data</i> , 2007, 52, 168-179.	1.9	20
202	What environmental fate processes have the strongest influence on a completely persistent organic chemical's accumulation in the Arctic?. <i>Atmospheric Environment</i> , 2007, 41, 2757-2767.	4.1	24
203	Polycyclic aromatic hydrocarbons in Costa Rican air and soil: A tropical/temperate comparison. <i>Atmospheric Environment</i> , 2007, 41, 7339-7350.	4.1	70
204	Toward a Global Network for Persistent Organic Pollutants in Air: Results from the GAPS Study. <i>Environmental Science & Technology</i> , 2006, 40, 4867-4873.	10.0	386
205	Measuring the Release of Organic Contaminants from Melting Snow under Controlled Conditions. <i>Environmental Science & Technology</i> , 2006, 40, 3320-3326.	10.0	54
206	Application of Multimedia Models for Screening Assessment of Long-Range Transport Potential and Overall Persistence. <i>Environmental Science & Technology</i> , 2006, 40, 53-60.	10.0	103
207	Potential of Degradable Organic Chemicals for Absolute and Relative Enrichment in the Arctic. <i>Environmental Science & Technology</i> , 2006, 40, 569-577.	10.0	135
208	Empirical and Modeling Evidence of the Long-Range Atmospheric Transport of Decabromodiphenyl Ether. <i>Environmental Science & Technology</i> , 2006, 40, 4612-4618.	10.0	84
209	Regressing Gas/Particle Partitioning Data for Polycyclic Aromatic Hydrocarbons. <i>Environmental Science & Technology</i> , 2006, 40, 3558-3564.	10.0	69
210	Evaluation of Three Prediction Methods for Partitioning Coefficients of Organic Solutes between a Long-Chain Aliphatic Alcohol and the Gas Phase as a Function of Temperature. <i>Journal of Chemical & Engineering Data</i> , 2006, 51, 330-337.	1.9	5
211	Determination of Partitioning Coefficients of Numerous Organic Solutes between a Long-Chain Aliphatic Alcohol and the Gas Phase as a Function of Temperature. <i>Journal of Chemical & Engineering Data</i> , 2006, 51, 338-346.	1.9	6
212	Passive air sampling for persistent organic pollutants: Introductory remarks to the special issue. <i>Environmental Pollution</i> , 2006, 144, 361-364.	7.5	96
213	Polychlorinated biphenyls and polybrominated diphenyl ethers in the North American atmosphere. <i>Environmental Pollution</i> , 2006, 144, 434-444.	7.5	131
214	CoZMo-POP 2 – A fugacity-based dynamic multi-compartmental mass balance model of the fate of persistent organic pollutants. <i>Environmental Modelling and Software</i> , 2006, 21, 868-884.	4.5	84
215	COMPARATIVE EVALUATION OF THREE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY-BASED K_{ow} ESTIMATION METHODS FOR HIGHLY HYDROPHOBIC ORGANIC COMPOUNDS: POLYBROMINATED DIPHENYL ETHERS AND HEXABROMOCYCLODODECANE. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 2018.	4.3	51
216	Establishing a Framework for Life Cycle Toxicity Assessment. Findings of the Lausanne Review Workshop (4 pp). <i>International Journal of Life Cycle Assessment</i> , 2006, 11, 209-212.	4.7	35

#	ARTICLE	IF	CITATIONS
217	Evaluating the environmental fate of pharmaceuticals using a level III model based on poly-parameter linear free energy relationships. <i>Science of the Total Environment</i> , 2006, 359, 177-187.	8.0	16
218	Variability of concentrations of polybrominated diphenyl ethers and polychlorinated biphenyls in air: implications for monitoring, modeling and control. <i>Atmospheric Environment</i> , 2005, 39, 151-166.	4.1	110
219	Measuring and simulating atmospheric concentration trends of polychlorinated biphenyls in the Northern Hemisphere. <i>Atmospheric Environment</i> , 2005, 39, 6502-6512.	4.1	40
220	Illustrating Sensitivity and Uncertainty in Environmental Fate Models Using Partitioning Maps. <i>Environmental Science & Technology</i> , 2005, 39, 3186-3196.	10.0	35
221	Persistent organic pollutants and mercury in the Himalaya. <i>Aquatic Ecosystem Health and Management</i> , 2005, 8, 223-233.	0.6	53
222	Compilation, Evaluation, and Selection of Physical-Chemical Property Data for Organochlorine Pesticides. <i>Journal of Chemical & Engineering Data</i> , 2005, 50, 742-768.	1.9	262
223	Organic Contaminants in Mountains. <i>Environmental Science & Technology</i> , 2005, 39, 385-398.	10.0	324
224	Comparing Estimates of Persistence and Long-Range Transport Potential among Multimedia Models. <i>Environmental Science & Technology</i> , 2005, 39, 1932-1942.	10.0	138
225	Does the Forest Filter Effect Prevent Semivolatile Organic Compounds from Reaching the Arctic?. <i>Environmental Science & Technology</i> , 2005, 39, 7185-7193.	10.0	51
226	Prediction of Subcooled Vapor Pressures of Nonpolar Organic Compounds Using a One-Parameter QSPR. <i>Journal of Chemical & Engineering Data</i> , 2005, 50, 438-443.	1.9	14
227	Atmospheric Distribution and Long-Range Transport Behavior of Organochlorine Pesticides in North America. <i>Environmental Science & Technology</i> , 2005, 39, 409-420.	10.0	309
228	Molecular polarizability as a single-parameter predictor of vapour pressures and octanol-air partitioning coefficients of non-polar compounds: a priori approach and results. <i>Atmospheric Environment</i> , 2004, 38, 213-225.	4.1	60
229	Is rain or snow a more efficient scavenger of organic chemicals?. <i>Atmospheric Environment</i> , 2004, 38, 3557-3571.	4.1	287
230	The effect of export to the deep sea on the long-range transport potential of persistent organic pollutants. <i>Environmental Science and Pollution Research</i> , 2004, 11, 41-48.	5.3	44
231	MODELING THE FATE OF POLYCHLORINATED BIPHENYLS IN THE INNER OSLOFJORD, NORWAY. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 2386.	4.3	12
232	EMPIRICAL AND MODELING EVIDENCE OF REGIONAL ATMOSPHERIC TRANSPORT OF CURRENT-USE PESTICIDES. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 2421.	4.3	128
233	Quantifying the Global Fractionation of Polychlorinated Biphenyls. <i>Ambio</i> , 2004, 33, 161-168.	5.5	90
234	Comment on "Reevaluation of Air-Water Exchange Fluxes of PCBs in Green Bay and Southern Lake Michigan". <i>Environmental Science & Technology</i> , 2004, 38, 1626-1628.	10.0	30

#	ARTICLE	IF	CITATIONS
235	Hexachlorocyclohexanes in the North American Atmosphere. <i>Environmental Science & Technology</i> , 2004, 38, 965-975.	10.0	166
236	Response to Comment on "Simulating the Influence of Snow on the Fate of Organic Compounds". <i>Environmental Science & Technology</i> , 2004, 38, 6905-6906.	10.0	2
237	Determination of Vapor Pressures, Octanol-Air, and Water-Air Partition Coefficients for Polyfluorinated Sulfonamide, Sulfonamidoethanols, and Telomer Alcohols. <i>Journal of Chemical & Engineering Data</i> , 2004, 49, 1013-1022.	1.9	116
238	Compilation, Evaluation, and Selection of Physical-Chemical Property Data for $\hat{1}$ -, $\hat{2}$ -, and $\hat{3}$ -Hexachlorocyclohexane. <i>Journal of Chemical & Engineering Data</i> , 2004, 49, 173-185.	1.9	159
239	Simulating the Influence of Snow on the Fate of Organic Compounds. <i>Environmental Science & Technology</i> , 2004, 38, 4176-4186.	10.0	134
240	Schadstoffe ohne Grenzen - Ferntransport persistenter organischer Umweltchemikalien in die Kalteregionen der Erde. <i>Gaia</i> , 2004, 13, 176-185.	0.7	8
241	Quantifying the Global Fractionation of Polychlorinated Biphenyls. <i>Ambio</i> , 2004, 33, 161.	5.5	0
242	Statement for the SERRA forum on the effects of vegetation. <i>Stochastic Environmental Research and Risk Assessment</i> , 2003, 17, 238-240.	4.0	0
243	Is vapor pressure or the octanol-air partition coefficient a better descriptor of the partitioning between gas phase and organic matter?. <i>Atmospheric Environment</i> , 2003, 37, 2867-2878.	4.1	103
244	Assessing the long-range transport potential of polybrominated diphenyl ethers: A comparison of four multimedia models. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 1252-1261.	4.3	367
245	Expanding the Applicability of Multimedia Fate Models to Polar Organic Chemicals. <i>Environmental Science & Technology</i> , 2003, 37, 4934-4943.	10.0	36
246	Temperature Dependence of the Characteristic Travel Distance. <i>Environmental Science & Technology</i> , 2003, 37, 766-771.	10.0	91
247	Assessing the Potential of Persistent Organic Chemicals for Long-Range Transport and Accumulation in Polar Regions. <i>Environmental Science & Technology</i> , 2003, 37, 1344-1351.	10.0	352
248	Development and Calibration of a Resin-Based Passive Sampling System for Monitoring Persistent Organic Pollutants in the Atmosphere. <i>Environmental Science & Technology</i> , 2003, 37, 1352-1359.	10.0	253
249	A Comprehensive and Critical Compilation, Evaluation, and Selection of Physical-Chemical Property Data for Selected Polychlorinated Biphenyls. <i>Journal of Physical and Chemical Reference Data</i> , 2003, 32, 1545-1590.	4.2	224
250	ASSESSING THE LONG-RANGE TRANSPORT POTENTIAL OF POLYBROMINATED DIPHENYL ETHERS: A COMPARISON OF FOUR MULTIMEDIA MODELS. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 1252.	4.3	8
251	Transport and Fate of Chemicals in the Environment. , 2003, , 89-105.		1
252	Assessing the long-range transport potential of polybrominated diphenyl ethers: a comparison of four multimedia models. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 1252-61.	4.3	27

#	ARTICLE	IF	CITATIONS
253	Supercooled Liquid Vapor Pressures of the Polycyclic Aromatic Hydrocarbons. <i>Journal of Chemical & Engineering Data</i> , 2002, 47, 801-806.	1.9	123
254	Mass Budgets, Pathways, and Equilibrium States of Two Hexachlorocyclohexanes in the Baltic Sea Environment. <i>Environmental Science & Technology</i> , 2002, 36, 1024-1032.	10.0	29
255	The Air-Sea Equilibrium and Time Trend of Hexachlorocyclohexanes in the Atlantic Ocean between the Arctic and Antarctica. <i>Environmental Science & Technology</i> , 2002, 36, 138-145.	10.0	128
256	Evaluating a Model of the Historical Behavior of Two Hexachlorocyclohexanes in the Baltic Sea Environment. <i>Environmental Science & Technology</i> , 2002, 36, 1014-1023.	10.0	45
257	Sorption of Chlorobenzene Vapors on Styrene-Divinylbenzene Polymer. <i>Journal of Chemical & Engineering Data</i> , 2002, 47, 944-949.	1.9	15
258	The Influence of Vertical Sorbed Phase Transport on the Fate of Organic Chemicals in Surface Soils. <i>Environmental Science & Technology</i> , 2002, 36, 4860-4867.	10.0	72
259	Determination of Octanol-Air Partition Coefficient (K _{OA}) Values for Chlorobenzenes and Polychlorinated Naphthalenes from Gas Chromatographic Retention Times. <i>Journal of Chemical & Engineering Data</i> , 2002, 47, 449-455.	1.9	46
260	Estimating Octanol-Air Partition Coefficients of Nonpolar Semivolatile Organic Compounds from Gas Chromatographic Retention Times. <i>Analytical Chemistry</i> , 2002, 74, 3476-3483.	6.5	81
261	Estimating the contribution of degradation in air and deposition to the deep sea to the global loss of PCBs. <i>Atmospheric Environment</i> , 2002, 36, 5581-5593.	4.1	145
262	Selecting internally consistent physicochemical properties of organic compounds. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 941-953.	4.3	149
263	SELECTING INTERNALLY CONSISTENT PHYSICOCHEMICAL PROPERTIES OF ORGANIC COMPOUNDS. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 941.	4.3	7
264	Selecting internally consistent physicochemical properties of organic compounds. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 941-53.	4.3	11
265	Estimating the Influence of Forests on the Overall Fate of Semivolatile Organic Compounds Using a Multimedia Fate Model. <i>Environmental Science & Technology</i> , 2001, 35, 582-590.	10.0	186
266	Vapor Pressures of the Polybrominated Diphenyl Ethers. <i>Journal of Chemical & Engineering Data</i> , 2001, 46, 239-242.	1.9	106
267	A Multicompartmental, Multi-Basin Fugacity Model Describing the Fate of PCBs in the Baltic Sea. <i>Ecological Studies</i> , 2001, , 417-447.	1.2	10
268	Environmental fate of POPs. , 2000, 102, 54-56.		7
269	Defining the Bioaccumulation, Persistence, and Transport Attributes of Priority Chemicals. <i>ACS Symposium Series</i> , 2000, , 14-28.	0.5	1
270	Contaminants in the Canadian Arctic: 5 years of progress in understanding sources, occurrence and pathways. <i>Science of the Total Environment</i> , 2000, 254, 93-234.	8.0	600

#	ARTICLE	IF	CITATIONS
271	Assessing Long-Range Transport Potential of Persistent Organic Pollutants. <i>Environmental Science & Technology</i> , 2000, 34, 699-703.	10.0	322
272	Screening Chemicals for Persistence in the Environment. <i>Environmental Science & Technology</i> , 2000, 34, 881-884.	10.0	96
273	HPLC-Based Method for Estimating the Temperature Dependence of n-Octanol-Water Partition Coefficients. <i>Journal of Chemical & Engineering Data</i> , 2000, 45, 738-742.	1.9	43
274	Environmental fate of POPs. <i>European Journal of Lipid Science and Technology</i> , 2000, 102, 54-56.	1.5	1
275	On the origin of elevated levels of persistent chemicals in the environment. <i>Environmental Science and Pollution Research</i> , 1999, 6, 11-19.	5.3	71
276	Global chemical fate of α -hexachlorocyclohexane. 1. Evaluation of a global distribution model. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1390-1399.	4.3	114
277	Global chemical fate of α -hexachlorocyclohexane. 2. Use of a global distribution model for mass balancing, source apportionment, and trend prediction. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1400-1407.	4.3	78
278	Modelling the fate of non-polar organic chemicals during the melting of an Arctic snowpack. , 1999, 13, 2245-2256.		40
279	Long term measurements of wet deposition and precipitation scavenging of hexachlorocyclohexanes in Southern Norway. <i>Environmental Pollution</i> , 1999, 105, 381-386.	7.5	22
280	The evolution of mass balance models of persistent organic pollutant fate in the environment. <i>Environmental Pollution</i> , 1999, 100, 223-240.	7.5	154
281	Estimation of vapor pressures, solubilities and Henry's law constants of selected persistent organic pollutants as functions of temperature. <i>Chemosphere</i> , 1999, 39, 811-832.	8.2	162
282	Vapor Pressures of the Polychlorinated Naphthalenes. <i>Journal of Chemical & Engineering Data</i> , 1999, 44, 577-582.	1.9	62
283	Polychlorinated Biphenyls in the Atmosphere of Southern Norway. <i>Environmental Science & Technology</i> , 1999, 33, 2340-2345.	10.0	43
284	The Importance of Snow Scavenging of Polychlorinated Biphenyl and Polycyclic Aromatic Hydrocarbon Vapors. <i>Environmental Science & Technology</i> , 1999, 33, 195-197.	10.0	110
285	Evidence of Latitudinal Fractionation of Polychlorinated Biphenyl Congeners along the Baltic Sea Region. <i>Environmental Science & Technology</i> , 1999, 33, 1149-1156.	10.0	60
286	Temperature Dependent Vapor Pressures of Chlorinated Catechols, Syringols, and Syringaldehydes. <i>Journal of Chemical & Engineering Data</i> , 1999, 44, 200-202.	1.9	17
287	GLOBAL CHEMICAL FATE OF α -HEXACHLOROCYCLOHEXANE. 2. USE OF A GLOBAL DISTRIBUTION MODEL FOR MASS BALANCING, SOURCE APPORTIONMENT, AND TREND PREDICTION. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1400.	4.3	5
288	GLOBAL CHEMICAL FATE OF α -HEXACHLOROCYCLOHEXANE. 1. EVALUATION OF A GLOBAL DISTRIBUTION MODEL. <i>Environmental Toxicology and Chemistry</i> , 1999, 18, 1390.	4.3	3

#	ARTICLE	IF	CITATIONS
289	Multi-compartmental models of contaminant fate in the environment. , 1998, 11, 65-68.		8
290	Evaluating environmental persistence. Environmental Toxicology and Chemistry, 1998, 17, 2148-2158.	4.3	151
291	A review of processes involved in the exchange of persistent organic pollutants across the air-sea interface. Environmental Pollution, 1998, 102, 3-23.	7.5	94
292	The effects of snow and ice on the environmental behaviour of hydrophobic organic chemicals. Environmental Pollution, 1998, 102, 25-41.	7.5	160
293	Temperature Dependence of Atmospheric Concentrations of Semivolatile Organic Compounds. Environmental Science & Technology, 1998, 32, 1013-1021.	10.0	299
294	Measurement of the Specific Surface Area of Snow with the Nitrogen Adsorption Technique. Environmental Science & Technology, 1998, 32, 58-62.	10.0	51
295	Hexachlorocyclohexanes in Air in Southern Norway. Temporal Variation, Source Allocation, and Temperature Dependence. Environmental Science & Technology, 1998, 32, 217-224.	10.0	96
296	Global fate of persistent organic pollutants. Toxicological and Environmental Chemistry, 1998, 66, 81-89.	1.2	10
297	EVALUATING ENVIRONMENTAL PERSISTENCE. Environmental Toxicology and Chemistry, 1998, 17, 2148.	4.3	6
298	Temperature Dependence of Aqueous Solubility of Selected Chlorobenzenes, Polychlorinated Biphenyls, and Dibenzofuran. Journal of Chemical & Engineering Data, 1997, 42, 293-297.	1.9	45
299	Modelling the fate of non-polar organic chemicals in an ageing snow pack. Chemosphere, 1997, 35, 2345-2363.	8.2	80
300	Peer Reviewed: Tracking the Distribution of Persistent Organic Pollutants. Environmental Science & Technology, 1996, 30, 390A-396A.	10.0	1,244
301	Spatial variability in compartmental fate modelling. Environmental Science and Pollution Research, 1996, 3, 39-46.	5.3	21
302	Prospects for modeling the behavior and fate of mercury, globally and in aquatic systems. Water, Air, and Soil Pollution, 1995, 80, 941-950.	2.4	29
303	Sorption of Nonpolar Organic Vapors by Ice and Snow. Environmental Science & Technology, 1995, 29, 1982-1989.	10.0	86
304	Transport of contaminants to the Arctic: partitioning, processes and models. Science of the Total Environment, 1995, 160-161, 25-38.	8.0	141
305	A global distribution model for persistent organic chemicals. Science of the Total Environment, 1995, 160-161, 211-232.	8.0	333
306	Measurement of the Vapor Pressure of Several Low-Volatility Organochlorine Chemicals at Low Temperatures with a Gas Saturation Method. Journal of Chemical & Engineering Data, 1994, 39, 572-577.	1.9	68

#	ARTICLE	IF	CITATIONS
307	Modelling the global distribution of toxaphene: A discussion of feasibility and desirability. Chemosphere, 1993, 27, 2079-2094.	8.2	48
308	Copper-promoted reactions of polybrominated dibenzo-para-dioxins (PBrDD). Chemosphere, 1990, 21, 417-432.	8.2	6