
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9020151/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	13.7	3,062
2	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. Lancet Public Health, The, 2018, 3, e490-e497.	10.0	241
3	Insomnia as a risk factor for ill health: results from the large populationâ€based prospective <scp>HUNT</scp> Study in <scp>N</scp> orway. Journal of Sleep Research, 2014, 23, 124-132.	3.2	195
4	Multiple socio-economic circumstances and healthy food habits. European Journal of Clinical Nutrition, 2007, 61, 701-710.	2.9	171
5	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. BMJ, The, 2015, 350, g7772-g7772.	6.0	152
6	Associations of job strain and working overtime with adverse health behaviors and obesity: Evidence from the Whitehall II Study, Helsinki Health Study, and the Japanese Civil Servants Study. Social Science and Medicine, 2008, 66, 1681-1698.	3.8	150
7	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. Journal of Clinical Epidemiology, 2008, 61, 900-906.	5.0	142
8	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. JAMA Internal Medicine, 2020, 180, 760.	5.1	140
9	Cohort Profile: The Helsinki Health Study. International Journal of Epidemiology, 2013, 42, 722-730.	1.9	133
10	Does survey non-response bias the association between occupational social class and health?. Scandinavian Journal of Public Health, 2007, 35, 212-215.	2.3	127
11	Past, present, and future: trends in sleep duration and implications for public health. Sleep Health, 2017, 3, 317-323.	2.5	117
12	Working conditions and health behaviours among employed women and men: the Helsinki Health Study. Preventive Medicine, 2004, 38, 48-56.	3.4	116
13	Bidirectional associations between insomnia symptoms and unhealthy behaviours. Journal of Sleep Research, 2013, 22, 89-95.	3.2	114
14	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. BMC Public Health, 2012, 12, 565.	2.9	111
15	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. BMC Public Health, 2012, 12, 309.	2.9	109
16	Risk Factors for Low Back Pain: A Populationâ€Based Longitudinal Study. Arthritis Care and Research, 2019, 71, 290-299.	3.4	108
17	Socioeconomic circumstances and common mental disorders among Finnish and British public sector employees: evidence from the Helsinki Health Study and the Whitehall II Study. International Journal of Epidemiology, 2007, 36, 776-786.	1.9	101
18	Sleep complaints in middle-aged women and men: the contribution of working conditions and work-family conflicts. Journal of Sleep Research, 2010, 19, 466-477.	3.2	100

#	Article	IF	CITATIONS
19	Obesity as a Risk Factor for Sciatica: A Meta-Analysis. American Journal of Epidemiology, 2014, 179, 929-937.	3.4	97
20	Psychosocial factors at work, long work hours, and obesity: a systematic review. Scandinavian Journal of Work, Environment and Health, 2013, 39, 241-258.	3.4	93
21	Rethinking the sleep-health link. Sleep Health, 2018, 4, 339-348.	2.5	87
22	Having lunch at a staff canteen is associated with recommended food habits. Public Health Nutrition, 2004, 7, 53-61.	2.2	86
23	Association of sleep duration and sleep quality with the physical, social, and emotional functioning among Australian adults. Sleep Health, 2018, 4, 194-200.	2.5	74
24	Workplace bullying and subsequent sleep problems – the Helsinki Health Study. Scandinavian Journal of Work, Environment and Health, 2011, 37, 204-212.	3.4	73
25	Associations of work–family conflicts with food habits and physical activity. Public Health Nutrition, 2007, 10, 222-229.	2.2	70
26	Physical and psychosocial working conditions as explanations for occupational class inequalities in self-rated health. European Journal of Public Health, 2009, 19, 458-463.	0.3	70
27	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. Lancet Regional Health - Europe, The, 2022, 16, 100341.	5.6	70
28	Sleep and Sickness Absence: A Nationally Representative Register-Based Follow-Up Study. Sleep, 2014, 37, 1413-1425.	1.1	68
29	Association of sleep duration with weight and weight gain: a prospective follow-up study. Journal of Sleep Research, 2011, 20, 298-302.	3.2	63
30	Socio-economic circumstances and food habits in Eastern, Central and Western European populations. Public Health Nutrition, 2011, 14, 678-687.	2.2	61
31	The association of income with fresh fruit and vegetable consumption at different levels of education. European Journal of Clinical Nutrition, 2010, 64, 324-327.	2.9	55
32	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. BMC Public Health, 2020, 20, 184.	2.9	53
33	Psychosocial working conditions and weight gain among employees. International Journal of Obesity, 2005, 29, 909-915.	3.4	50
34	Sleep problems and major weight gain: a follow-up study. International Journal of Obesity, 2011, 35, 109-114.	3.4	49
35	Sleep Problems and Disability Retirement: A Register-based Follow-up Study. American Journal of Epidemiology, 2011, 173, 871-881.	3.4	49
36	Comparison of a Sleep Item From the General Health Questionnaire-12 With the Jenkins Sleep Questionnaire as Measures of Sleep Disturbance. Journal of Epidemiology, 2011, 21, 474-480.	2.4	48

#	Article	IF	CITATIONS
37	Pain and disability retirement: A prospective cohort study. Pain, 2012, 153, 526-531.	4.2	47
38	Sex inequalities in physical and mental functioning of British, Finnish, and Japanese civil servants: Role of job demand, control and work hours. Social Science and Medicine, 2011, 73, 595-603.	3.8	46
39	Working conditions and weight gain: a 28-year follow-up study of industrial employees. European Journal of Epidemiology, 2008, 23, 303-310.	5.7	44
40	Economic difficulties and common mental disorders among Finnish and British white-collar employees: the contribution of social and behavioural factors. Journal of Epidemiology and Community Health, 2009, 63, 439-446.	3.7	39
41	Work–family conflicts and subsequent sleep medication among women and men: A longitudinal registry linkage study. Social Science and Medicine, 2013, 79, 66-75.	3.8	39
42	Work–Family Conflicts and Health Behaviors Among British, Finnish, and Japanese Employees. International Journal of Behavioral Medicine, 2010, 17, 134-142.	1.7	38
43	Insomnia symptoms and mortality: a registerâ€linked study among women and men from Finland, Norway and Lithuania. Journal of Sleep Research, 2016, 25, 96-103.	3.2	38
44	Sleep problems and sickness absence among middle-aged employees. Scandinavian Journal of Work, Environment and Health, 2012, 38, 47-55.	3.4	38
45	Relative weight and disability retirement: a prospective cohort study. Scandinavian Journal of Work, Environment and Health, 2013, 39, 259-267.	3.4	37
46	Joint associations of sleep duration and insomnia symptoms with subsequent sickness absence: The Helsinki Health Study. Scandinavian Journal of Public Health, 2013, 41, 516-523.	2.3	36
47	Common mental disorders and cause-specific disability retirement. Occupational and Environmental Medicine, 2015, 72, 181-187.	2.8	36
48	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up—introducing Helsinki Health Study job exposure matrix. International Archives of Occupational and Environmental Health, 2019, 92, 337-345.	2.3	36
49	Social class differences in health behaviours among employees from Britain, Finland and Japan: The influence of psychosocial factors. Health and Place, 2010, 16, 61-70.	3.3	35
50	Work Disability Before and After Diabetes Diagnosis: A Nationwide Population-Based Register Study in Sweden. American Journal of Public Health, 2015, 105, e22-e29.	2.7	35
51	Economic difficulties and subsequent sleep problems: Evidence from British and Finnish occupational cohorts. Sleep Medicine, 2012, 13, 680-685.	1.6	34
52	Complaints of insomnia among midlife employed people: The contribution of childhood and present socioeconomic circumstances. Sleep Medicine, 2010, 11, 828-836.	1.6	32
53	Changes in healthy food habits after transition to old age retirement. European Journal of Public Health, 2012, 22, 582-586.	0.3	31
54	Insomnia symptoms and short sleep duration predict trajectory of mental health symptoms. Sleep Medicine, 2019, 54, 53-61.	1.6	31

#	Article	IF	CITATIONS
55	Changes in working conditions and subsequent sickness absence. Scandinavian Journal of Work, Environment and Health, 2014, 40, 82-88.	3.4	30
56	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. International Journal of Obesity, 2020, 44, 1368-1375.	3.4	29
57	Economic difficulties and physical functioning in Finnish and British employees: contribution of social and behavioural factors. European Journal of Public Health, 2011, 21, 456-462.	0.3	28
58	Working Conditions and Major Weight Gain—A Prospective Cohort Study. Archives of Environmental and Occupational Health, 2013, 68, 166-172.	1.4	28
59	Different measures of body weight as predictors of sickness absence. Scandinavian Journal of Public Health, 2013, 41, 25-31.	2.3	28
60	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. BMJ, The, 2021, 374, n1804.	6.0	28
61	The joint association of sleep duration and insomnia symptoms with disability retirement – a longitudinal, register-linked study. Scandinavian Journal of Work, Environment and Health, 2012, 38, 427-435.	3.4	28
62	Childhood and adult socioâ€economic position and social mobility as determinants of low back pain outcomes. European Journal of Pain, 2014, 18, 128-138.	2.8	27
63	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. Occupational and Environmental Medicine, 2017, 74, 659-666.	2.8	27
64	Co-occurrence of depressive, anxiety, and somatic symptoms: trajectories from adolescence to midlife using group-based joint trajectory analysis. BMC Psychiatry, 2019, 19, 236.	2.6	27
65	Joint associations of smoking and physical activity with disability retirement: a register-linked cohort study. BMJ Open, 2015, 5, e006988.	1.9	26
66	The Economic Burden of Insomnia at the Workplace. An Opportunity and Time for Intervention?. Sleep, 2011, 34, 1151-1152.	1.1	25
67	Working conditions and psychotropic medication: a prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 663-670.	3.1	24
68	Early work-related physical exposures and low back pain in midlife: the Cardiovascular Risk in Young Finns Study. Occupational and Environmental Medicine, 2017, 74, 163-168.	2.8	24
69	Associations of relative weight with subsequent changes over time in insomnia symptoms: A follow-up study among middle-aged women and men. Sleep Medicine, 2012, 13, 1271-1279.	1.6	23
70	Insomnia symptoms and subsequent cardiovascular medication: a registerâ€linked followâ€up study among middleâ€aged employees. Journal of Sleep Research, 2014, 23, 283-291.	3.2	23
71	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. Nicotine and Tobacco Research, 2016, 18, 1697-1704.	2.6	23
72	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. International Journal of Cardiology, 2017, 230, 222-227.	1.7	22

#	Article	IF	CITATIONS
73	Conflicts Between Work and Family Life and Subsequent Sleep Problems Among Employees from Finland, Britain, and Japan. International Journal of Behavioral Medicine, 2014, 21, 310-318.	1.7	21
74	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. Journal of Occupational and Environmental Medicine, 2017, 59, 114-119.	1.7	21
75	Trends in Diagnosisâ€5pecific Work Disability Before and After Stroke: A Longitudinal Populationâ€Based Study in Sweden. Journal of the American Heart Association, 2018, 7, .	3.7	21
76	The joint contribution of pain and insomnia to sickness absence and disability retirement: A register–linkage study among <scp>N</scp> orwegian and <scp>F</scp> innish employees. European Journal of Pain, 2014, 18, 883-892.	2.8	20
77	Risk and Prognostic Factors of Low Back Pain. Spine, 2019, 44, 1248-1255.	2.0	20
78	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. BMC Public Health, 2013, 13, 259.	2.9	19
79	Weight change and sickness absencea prospective study among middle-aged employees. European Journal of Public Health, 2015, 25, 263-267.	0.3	19
80	Changes in working conditions and physical health functioning among midlife and ageing employees. Scandinavian Journal of Work, Environment and Health, 2015, 41, 511-518.	3.4	19
81	Changes in socio-economic differences in food habits over time. Public Health Nutrition, 2011, 14, 1919-1926.	2.2	18
82	Workplace bullying and subsequent psychotropic medication: a cohort study with register linkages. BMJ Open, 2012, 2, e001660.	1.9	18
83	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. Scientific Reports, 2017, 7, 1142.	3.3	18
84	Common Mental Disorders and Sickness Absence. Journal of Occupational and Environmental Medicine, 2018, 60, 569-575.	1.7	17
85	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. European Journal of Public Health, 2018, 28, 805-809.	0.3	16
86	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1021-1029.	3.1	16
87	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. British Journal of Nutrition, 2020, 123, 1390-1395.	2.3	16
88	Associations Between Working Conditions and Angina Pectoris Symptoms Among Employed Women. Psychosomatic Medicine, 2006, 68, 348-354.	2.0	15
89	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. BMJ Open, 2016, 6, e009788.	1.9	15
90	Body mass index and the risk of disability retirement: a systematic review and meta-analysis. Occupational and Environmental Medicine, 2020, 77, 48-55.	2.8	15

#	Article	IF	CITATIONS
91	Trends of Diagnosis-Specific Work Disability After Newly Diagnosed Diabetes: A 4-Year Nationwide Prospective Cohort Study. Diabetes Care, 2015, 38, 1883-1890.	8.6	14
92	Changes in psychosocial and physical working conditions and common mental disorders. European Journal of Public Health, 2016, 26, 458-463.	0.3	14
93	Recurrent back pain during working life and exit from paid employment: a 28-year follow-up of the Whitehall II Study. Occupational and Environmental Medicine, 2018, 75, 786-791.	2.8	14
94	Alcohol use and sickness absence due to all causes and mental- or musculoskeletal disorders: a nationally representative study. BMC Public Health, 2018, 18, 152.	2.9	14
95	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. BMC Public Health, 2017, 17, 744.	2.9	13
96	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. BMC Public Health, 2019, 19, 1418.	2.9	13
97	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. Journal of Affective Disorders, 2019, 247, 66-72.	4.1	13
98	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: A follow up study. Health and Place, 2015, 31, 173-179.	3.3	12
99	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. International Journal of Epidemiology, 2017, 46, dyw293.	1.9	12
100	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. BMJ Open, 2017, 7, e015573.	1.9	12
101	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. BMC Public Health, 2019, 19, 1525.	2.9	12
102	Ageing shift workers' sleep and workingâ€hour characteristics after implementing ergonomic shiftâ€scheduling rules. Journal of Sleep Research, 2021, 30, e13227.	3.2	12
103	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. Scandinavian Journal of Work, Environment and Health, 2016, 42, 405-412.	3.4	12
104	Acceptability of Computerized Cognitive Behavioral Therapy for Adults: Umbrella Review. JMIR Mental Health, 2021, 8, e23091.	3.3	12
105	Magnesium supplementation for the treatment of restless legs syndrome and periodic limb movement disorder: A systematic review. Sleep Medicine Reviews, 2019, 48, 101218.	8.5	11
106	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. SSM - Population Health, 2019, 8, 100410.	2.7	11
107	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of shortâ€ŧerm sickness absence. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 440-449.	2.9	11
108	Recurrent pain and work disability: a record linkage study. International Archives of Occupational and Environmental Health, 2020, 93, 421-432.	2.3	11

#	Article	IF	CITATIONS
109	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 2064.	2.6	11
110	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. Scandinavian Journal of Public Health, 2016, 44, 580-586.	2.3	10
111	Obesity and socioeconomic disadvantage in midlife female public sector employees: a cohort study. BMC Public Health, 2017, 17, 842.	2.9	10
112	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. International Journal of Environmental Research and Public Health, 2019, 16, 2099.	2.6	10
113	Associations between Childhood Disadvantage and Adult Body Mass Index Trajectories: A Follow-Up Study among Midlife Finnish Municipal Employees. Obesity Facts, 2019, 12, 564-574.	3.4	10
114	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. European Journal of Pain, 2020, 24, 364-373.	2.8	10
115	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. Scandinavian Journal of Work, Environment and Health, 2020, 46, 410-416.	3.4	10
116	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19–39-year-old municipal employees. International Archives of Occupational and Environmental Health, 2022, 95, 489-497.	2.3	10
117	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. BMC Public Health, 2017, 17, 114.	2.9	9
118	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. Occupational and Environmental Medicine, 2019, 76, 230-235.	2.8	9
119	Changes in economic difficulties and subsequent sickness absence: a prospective register-linkage study. BMJ Open, 2013, 3, e002212.	1.9	8
120	The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. European Journal of Public Health, 2016, 26, 826-830.	0.3	8
121	Trajectory analyses in insurance medicine studies: Examples and key methodological aspects and pitfalls. PLoS ONE, 2022, 17, e0263810.	2.5	8
122	Insomnia symptoms and subsequent psychotropic medication: a register-linked study with 5-year follow-up. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1993-2002.	3.1	7
123	Sleep improvement by internet-based cognitive behavioural therapy might help prevent mental health disorders. Lancet Psychiatry,the, 2017, 4, 734-735.	7.4	7
124	The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. BMC Public Health, 2017, 17, 978.	2.9	7
125	Pathways from parental mental disorders to offspring's work disability due to depressive or anxiety disorders in early adulthood—The 1987 Finnish Birth Cohort. Depression and Anxiety, 2019, 36, 305-312.	4.1	7
126	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. Scandinavian Journal of Public Health, 2020, 48, 155-163.	2.3	7

#	Article	IF	CITATIONS
127	Contributions of childhood adversities to chronic pain among mid-life employees. Scandinavian Journal of Public Health, 2022, 50, 333-339.	2.3	7
128	Change in economic difficulties and physical and mental functioning: Evidence from British and Finnish employee cohorts. Scandinavian Journal of Work, Environment and Health, 2013, 39, 521-530.	3.4	7
129	Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees. Journal of Epidemiology and Community Health, 2009, 63, 980-985.	3.7	6
130	Economic difficulties and subsequent disability retirement. Scandinavian Journal of Public Health, 2015, 43, 169-175.	2.3	6
131	Country specific associations between social contact and mental health: evidence from civil servant studies across Great Britain, Japan and Finland. Public Health, 2016, 137, 139-146.	2.9	6
132	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. BMJ Open, 2019, 9, e026994.	1.9	6
133	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. BMJ Open, 2019, 9, e031564.	1.9	6
134	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. European Journal of Public Health, 2019, 29, 555-561.	0.3	6
135	Psychological distress and sickness absence: Within- versus between-individual analysis. Journal of Affective Disorders, 2020, 264, 333-339.	4.1	6
136	Body Mass Index Trajectory–Specific Changes in Economic Circumstances: A Person-Oriented Approach Among Midlife and Ageing Finns. International Journal of Environmental Research and Public Health, 2020, 17, 3668.	2.6	6
137	Intergenerational social mobility and body mass index trajectories – A follow-up study from Finland. SSM - Population Health, 2021, 13, 100723.	2.7	6
138	Indicators and determinants of the years of working life lost: a narrative review. Scandinavian Journal of Public Health, 2021, 49, 666-674.	2.3	6
139	Working Conditions and Long-Term Sickness Absence Due to Mental Disorders. Journal of Occupational and Environmental Medicine, 2022, 64, 105-114.	1.7	6
140	The social gradient of sleep in adolescence: results from the youth@hordaland survey. European Journal of Public Health, 2016, 27, ckw200.	0.3	5
141	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. Occupational and Environmental Medicine, 2020, 77, 478-487.	2.8	5
142	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. Psychiatry Research, 2021, 305, 114213.	3.3	5
143	A machine learning approach to predict resilience and sickness absence in the healthcare workforce during the COVID-19 pandemic. Scientific Reports, 2022, 12, 8055.	3.3	5
144	Mental symptoms and cause-specific mortality among midlife employees. BMC Public Health, 2016, 16, 1142.	2.9	4

#	Article	IF	CITATIONS
145	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. International Journal of Environmental Research and Public Health, 2020, 17, 2486.	2.6	4
146	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. Scandinavian Journal of Public Health, 2021, 49, 141-148.	2.3	4
147	Angina pectoris: relation of epidemiological survey to registry data. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 621-6.	2.8	3
148	Obesity and psychotropic medication: a prospective register linkage study among midlife women and men. BMC Psychiatry, 2016, 16, 185.	2.6	3
149	The contribution of sleep quality and quantity to public health and work ability. European Journal of Public Health, 2016, 26, 532-532.	0.3	3
150	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. International Archives of Occupational and Environmental Health, 2021, 94, 1549-1558.	2.3	3
151	Recurring pain, mental health problems and sick leave in Australia. SSM Mental Health, 2021, 1, 100025.	1.8	3
152	Internet-delivered cognitive behavioral therapy (iCBT) for common mental disorders and subsequent sickness absence: a systematic review and meta-analysis. Scandinavian Journal of Public Health, 2023, 51, 137-147.	2.3	3
153	Healthy Eating. , 2010, , 99-110.		2
154	Joint association of physical activity and overweight with subsequent psychotropic medication: a register-linked follow-up study among employees. BMC Public Health, 2015, 15, 1006.	2.9	2
155	Trajectories in hypnotic use and approaching death: a register linked case–control study. Sleep Medicine, 2019, 57, 153-161.	1.6	2
156	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. European Journal of Public Health, 2019, 29, 1079-1084.	0.3	2
157	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. European Journal of Public Health, 2020, 30, 253-259.	0.3	2
158	Use of pseudo-trials in public health research: a case for propensity score matching. European Journal of Public Health, 2020, 30, 394-395.	0.3	2
159	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. International Journal of Environmental Research and Public Health, 2020, 17, 7854.	2.6	2
160	OUP accepted manuscript. European Journal of Public Health, 2021, , .	0.3	2
161	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. Scandinavian Journal of Public Health, 2021, , 140349482110027.	2.3	2
162	Do psychosocial job stressors differentially affect the sleep quality of men and women? A study using the HILDA Survey. European Journal of Public Health, 2021, 31, 736-738.	0.3	2

#	Article	IF	CITATIONS
163	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering. Scandinavian Journal of Public Health, 2023, 51, 257-267.	2.3	2
164	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000–2017). Journal of Aging and Health, 2022, 34, 916-928.	1.7	2
165	Associations of childhood and adult socioeconomic circumstances with recommended food habits among young and midlife Finnish employees. BMC Nutrition, 2022, 8, .	1.6	2
166	Diagnosis-Specific Sickness Absence and Subsequent Common Mental Disorders: A Register-Linkage Cohort Study among Finnish Public Sector Employees. International Journal of Environmental Research and Public Health, 2020, 17, 782.	2.6	1
167	Work participation and physicality of work in young adulthood and the development of unhealthy lifestyle habits and obesity later in life: a prospective cohort study. Occupational and Environmental Medicine, 2021, 78, 153-159.	2.8	1
168	Pain in Multiple Sites and Clusters of Cause-Specific Work Disability Development among Midlife Municipal Employees. International Journal of Environmental Research and Public Health, 2021, 18, 3375.	2.6	1
169	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. BMJ Open, 2019, 9, e032119.	1.9	1
170	Intervention targeted at physicians' treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. BMJ Open, 2021, 11, e047018.	1.9	1
171	Impact of a Conformité Européenne (CE) Certification–Marked Medical Software Sensor on COVID-19 Pandemic Progression Prediction: Register-Based Study Using Machine Learning Methods. JMIR Formative Research, 2022, 6, e35181.	1.4	1
172	Clustering of social disadvantage with attentionâ€deficit/hyperactivity disorder in young adults: A registerâ€based study in Sweden. Scandinavian Journal of Psychology, 2022, , .	1.5	1
173	A follow-up study of physical activity and changes in health functioning among middle-aged Finnish, British and Japanese women and men. European Journal of Public Health, 2013, 23, .	0.3	Ο
174	Common mental disorders and subsequent disability retirement. European Journal of Public Health, 2013, 23, .	0.3	0
175	Insomnia symptoms and mortality. European Journal of Public Health, 2013, 23, .	0.3	Ο
176	The association of weight change with subsequent insomnia symptoms among middle-aged Finnish employees in 2000–2007. European Journal of Public Health, 2013, 23, .	0.3	0
177	Joint associations of smoking and physical activity with disability retirement. European Journal of Public Health, 2014, 24, .	0.3	Ο
178	Changes over time in social class differences in smoking among employee cohorts from Britain, Finland and Japan. European Journal of Public Health, 2014, 24, .	0.3	0
179	Joint associations of smoking and physical activity with all-cause mortality among employees of the City of Helsinki in 2000-2012. European Journal of Public Health, 2014, 24, .	0.3	0
180	Changes in working conditions and physical functioning in ageing employees in Finland. European Journal of Public Health, 2015, 25, .	0.3	0

#	Article	IF	CITATIONS
181	Early physical exposures at work and low back pain: The Cardiovascular Risk in Young Finns Study. European Journal of Public Health, 2016, 26, .	0.3	0
182	Weight gain and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. European Journal of Public Health, 2017, 27, .	0.3	0
183	P54a€Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. , 2017, , .		0
184	Healthy behaviours and risk of all-cause mortality. European Journal of Public Health, 2019, 29, .	0.3	0
185	Joint associations of fruit and vegetable consumption and physical activity with mortality risk. European Journal of Public Health, 2019, 29, .	0.3	0
186	Trajectories of musculoskeletal pain among midlife employees. European Journal of Public Health, 2019, 29, .	0.3	0
187	Menopause, multisite pain and work ability among municipal workers. European Journal of Public Health, 2020, 30, .	0.3	0
188	Associations of Sleep and Health Functioning with Premature Exit from Work: A Cohort Study with a Methodological Emphasis. International Journal of Environmental Research and Public Health, 2021, 18, 1725.	2.6	0
189	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. Preventive Medicine, 2021, 149, 106611.	3.4	0
190	Diagnosis-Specific Work Disability before and after Lumbar Spine Decompression Surgery—A Register Study from Sweden. International Journal of Environmental Research and Public Health, 2021, 18, 8937.	2.6	0
191	Working conditions and mental health functioning among young public sector employees. Scandinavian Journal of Public Health, 2021, , 140349482110454.	2.3	0
192	Joint association of overweight and common mental disorders with disability retirement in Finland. European Journal of Public Health, 2018, 28, .	0.3	0
193	Impact of a CE-marked medical software sensor on SARS-CoV-2 disease pandemic progression estimation. European Journal of Public Health, 2021, 31, .	0.3	0
194	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. European Journal of Public Health, 2020, 30, .	0.3	0
195	Commercialization challenges open science. European Journal of Public Health, 2022, , .	0.3	0
196	Joint association of overweight and common mental disorders with disability retirement in Finland. European Journal of Public Health, 2018, 28, .	0.3	0
197	Multiple socioeconomic circumstances and trajectories of fruit and vegetable consumption: the Helsinki Health Study. Scandinavian Journal of Public Health, 2022, , 140349482210944.	2.3	0
198	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees. Scandinavian Journal of Public Health, 2022, , 140349482210879.	2.3	0

#	Article	IF	CITATIONS
199	Sosioekonomisten tekijĶiden yhteydet ruokatottumuksiin vanhuuselĤkeelle siirtymisen jĤeen: Helsinki Health Study. Sosiaalilaaketieteellinen Aikakauslehti, 2022, 59, .	0.1	0
200	Occupational Class Differences in Emotional Exhaustion Among Municipal Employees – The Role of Employment Sector and Psychosocial Working Conditions, Psychological Paparts, 0 , 003329412211063	1.7	0

Occupational Class Differences in Emotional Exhaustion Among Municipal Employees – The Role of Employment Sector and Psychosocial Working Conditions. Psychological Reports, 0, , 003329412211063. 200