

Tea Lallukka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9020151/publications.pdf>

Version: 2024-02-01

200
papers

8,619
citations

81900

39
h-index

51608

86
g-index

204
all docs

204
docs citations

204
times ranked

11907
citing authors

#	ARTICLE	IF	CITATIONS
1	Internet-delivered cognitive behavioral therapy (iCBT) for common mental disorders and subsequent sickness absence: a systematic review and meta-analysis. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 137-147.	2.3	3
2	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 257-267.	2.3	2
3	Contributions of childhood adversities to chronic pain among mid-life employees. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 333-339.	2.3	7
4	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19â€“39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 489-497.	2.3	10
5	Working Conditions and Long-Term Sickness Absence Due to Mental Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, 105-114.	1.7	6
6	Trajectory analyses in insurance medicine studies: Examples and key methodological aspects and pitfalls. <i>PLoS ONE</i> , 2022, 17, e0263810.	2.5	8
7	Impact of a Conformit� Europ�enne (CE) Certification�Marked Medical Software Sensor on COVID-19 Pandemic Progression Prediction: Register-Based Study Using Machine Learning Methods. <i>JMIR Formative Research</i> , 2022, 6, e35181.	1.4	1
8	Commercialization challenges open science. <i>European Journal of Public Health</i> , 2022, , .	0.3	0
9	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990�2019: Findings from the Global Burden of Disease Study 2019. <i>Lancet Regional Health - Europe</i> , The, 2022, 16, 100341.	5.6	70
10	Clustering of social disadvantage with attention�deficit/hyperactivity disorder in young adults: A register�based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	1.5	1
11	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000�2017). <i>Journal of Aging and Health</i> , 2022, 34, 916-928.	1.7	2
12	Multiple socioeconomic circumstances and trajectories of fruit and vegetable consumption: the Helsinki Health Study. <i>Scandinavian Journal of Public Health</i> , 2022, , 140349482210944.	2.3	0
13	A machine learning approach to predict resilience and sickness absence in the healthcare workforce during the COVID-19 pandemic. <i>Scientific Reports</i> , 2022, 12, 8055.	3.3	5
14	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees. <i>Scandinavian Journal of Public Health</i> , 2022, , 140349482210879.	2.3	0
15	Sosioekonomisten tekij�iden yhteydet ruokatottumuksiin vanhuusel�kkeelle siirtymisen j�lkeen: Helsinki Health Study. <i>Sosiaalilaaketieteellinen Aikakauslehti</i> , 2022, 59, .	0.1	0
16	Associations of childhood and adult socioeconomic circumstances with recommended food habits among young and midlife Finnish employees. <i>BMC Nutrition</i> , 2022, 8, .	1.6	2
17	Ageing shift workers� sleep and working�hour characteristics after implementing ergonomic shift�scheduling rules. <i>Journal of Sleep Research</i> , 2021, 30, e13227.	3.2	12
18	Work participation and physicality of work in young adulthood and the development of unhealthy lifestyle habits and obesity later in life: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 153-159.	2.8	1

#	ARTICLE	IF	CITATIONS
19	OUP accepted manuscript. European Journal of Public Health, 2021, , .	0.3	2
20	Associations of Sleep and Health Functioning with Premature Exit from Work: A Cohort Study with a Methodological Emphasis. International Journal of Environmental Research and Public Health, 2021, 18, 1725.	2.6	0
21	Pain in Multiple Sites and Clusters of Cause-Specific Work Disability Development among Midlife Municipal Employees. International Journal of Environmental Research and Public Health, 2021, 18, 3375.	2.6	1
22	Intergenerational social mobility and body mass index trajectories – A follow-up study from Finland. SSM - Population Health, 2021, 13, 100723.	2.7	6
23	Indicators and determinants of the years of working life lost: a narrative review. Scandinavian Journal of Public Health, 2021, 49, 666-674.	2.3	6
24	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. Scandinavian Journal of Public Health, 2021, , 140349482110027.	2.3	2
25	Do psychosocial job stressors differentially affect the sleep quality of men and women? A study using the HILDA Survey. European Journal of Public Health, 2021, 31, 736-738.	0.3	2
26	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. International Archives of Occupational and Environmental Health, 2021, 94, 1549-1558.	2.3	3
27	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. BMJ, The, 2021, 374, n1804.	6.0	28
28	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. Preventive Medicine, 2021, 149, 106611.	3.4	0
29	Diagnosis-Specific Work Disability before and after Lumbar Spine Decompression Surgery – A Register Study from Sweden. International Journal of Environmental Research and Public Health, 2021, 18, 8937.	2.6	0
30	Recurring pain, mental health problems and sick leave in Australia. SSM Mental Health, 2021, 1, 100025.	1.8	3
31	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. Psychiatry Research, 2021, 305, 114213.	3.3	5
32	Working conditions and mental health functioning among young public sector employees. Scandinavian Journal of Public Health, 2021, , 140349482110454.	2.3	0
33	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. Scandinavian Journal of Public Health, 2021, 49, 141-148.	2.3	4
34	Impact of a CE-marked medical software sensor on SARS-CoV-2 disease pandemic progression estimation. European Journal of Public Health, 2021, 31, .	0.3	0
35	Acceptability of Computerized Cognitive Behavioral Therapy for Adults: Umbrella Review. JMIR Mental Health, 2021, 8, e23091.	3.3	12
36	Intervention targeted at physicians –™ treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. BMJ Open, 2021, 11, e047018.	1.9	1

#	ARTICLE	IF	CITATIONS
37	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 155-163.	2.3	7
38	Body mass index and the risk of disability retirement: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2020, 77, 48-55.	2.8	15
39	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020, 30, 253-259.	0.3	2
40	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. <i>European Journal of Pain</i> , 2020, 24, 364-373.	2.8	10
41	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1021-1029.	3.1	16
42	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , 2020, 264, 333-339.	4.1	6
43	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 421-432.	2.3	11
44	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
45	Use of pseudo-trials in public health research: a case for propensity score matching. <i>European Journal of Public Health</i> , 2020, 30, 394-395.	0.3	2
46	Menopause, multisite pain and work ability among municipal workers. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
47	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7854.	2.6	2
48	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020, 77, 478-487.	2.8	5
49	Body Mass Index Trajectoryâ€“Specific Changes in Economic Circumstances: A Person-Oriented Approach Among Midlife and Ageing Finns. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3668.	2.6	6
50	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 123, 1390-1395.	2.3	16
51	Diagnosis-Specific Sickness Absence and Subsequent Common Mental Disorders: A Register-Linkage Cohort Study among Finnish Public Sector Employees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 782.	2.6	1
52	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020, 20, 184.	2.9	53
53	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	5.1	140
54	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2064.	2.6	11

#	ARTICLE	IF	CITATIONS
55	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2486.	2.6	4
56	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 410-416.	3.4	10
57	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
58	Risk Factors for Low Back Pain: A Population-Based Longitudinal Study. <i>Arthritis Care and Research</i> , 2019, 71, 290-299.	3.4	108
59	Trajectories in hypnotic use and approaching death: a register linked case-control study. <i>Sleep Medicine</i> , 2019, 57, 153-161.	1.6	2
60	Co-occurrence of depressive, anxiety, and somatic symptoms: trajectories from adolescence to midlife using group-based joint trajectory analysis. <i>BMC Psychiatry</i> , 2019, 19, 236.	2.6	27
61	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2099.	2.6	10
62	Magnesium supplementation for the treatment of restless legs syndrome and periodic limb movement disorder: A systematic review. <i>Sleep Medicine Reviews</i> , 2019, 48, 101218.	8.5	11
63	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. <i>BMC Public Health</i> , 2019, 19, 1418.	2.9	13
64	Associations between Childhood Disadvantage and Adult Body Mass Index Trajectories: A Follow-Up Study among Midlife Finnish Municipal Employees. <i>Obesity Facts</i> , 2019, 12, 564-574.	3.4	10
65	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.3	2
66	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up-introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	2.3	36
67	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. <i>SSM - Population Health</i> , 2019, 8, 100410.	2.7	11
68	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019, 9, e026994.	1.9	6
69	Health effects of dietary risks in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2019, 393, 1958-1972.	13.7	3,062
70	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. <i>BMJ Open</i> , 2019, 9, e031564.	1.9	6
71	Healthy behaviours and risk of all-cause mortality. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
72	Joint associations of fruit and vegetable consumption and physical activity with mortality risk. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0

#	ARTICLE	IF	CITATIONS
73	Trajectories of musculoskeletal pain among midlife employees. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	0
74	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. <i>BMC Public Health</i> , 2019, 19, 1525.	2.9	12
75	Risk and Prognostic Factors of Low Back Pain. <i>Spine</i> , 2019, 44, 1248-1255.	2.0	20
76	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019, 29, 555-561.	0.3	6
77	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 247, 66-72.	4.1	13
78	Insomnia symptoms and short sleep duration predict trajectory of mental health symptoms. <i>Sleep Medicine</i> , 2019, 54, 53-61.	1.6	31
79	Pathways from parental mental disorders to offspring's work disability due to depressive or anxiety disorders in early adulthood – The 1987 Finnish Birth Cohort. <i>Depression and Anxiety</i> , 2019, 36, 305-312.	4.1	7
80	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of short-term sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 440-449.	2.9	11
81	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 230-235.	2.8	9
82	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032119.	1.9	1
83	Association of sleep duration and sleep quality with the physical, social, and emotional functioning among Australian adults. <i>Sleep Health</i> , 2018, 4, 194-200.	2.5	74
84	Common Mental Disorders and Sickness Absence. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 569-575.	1.7	17
85	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. <i>European Journal of Public Health</i> , 2018, 28, 805-809.	0.3	16
86	Recurrent back pain during working life and exit from paid employment: a 28-year follow-up of the Whitehall II Study. <i>Occupational and Environmental Medicine</i> , 2018, 75, 786-791.	2.8	14
87	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	10.0	241
88	Rethinking the sleep-health link. <i>Sleep Health</i> , 2018, 4, 339-348.	2.5	87
89	Alcohol use and sickness absence due to all causes and mental- or musculoskeletal disorders: a nationally representative study. <i>BMC Public Health</i> , 2018, 18, 152.	2.9	14
90	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	21

#	ARTICLE	IF	CITATIONS
91	Joint association of overweight and common mental disorders with disability retirement in Finland. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
92	Joint association of overweight and common mental disorders with disability retirement in Finland. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
93	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	1.7	22
94	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017, 46, dyw293.	1.9	12
95	Early work-related physical exposures and low back pain in midlife: the Cardiovascular Risk in Young Finns Study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 163-168.	2.8	24
96	Predictors of Depression and Musculoskeletal Disorder Related Work Disability Among Young, Middle-Aged, and Aging Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 114-119.	1.7	21
97	Past, present, and future: trends in sleep duration and implications for public health. <i>Sleep Health</i> , 2017, 3, 317-323.	2.5	117
98	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017, 7, e015573.	1.9	12
99	Sleep improvement by internet-based cognitive behavioural therapy might help prevent mental health disorders. <i>Lancet Psychiatry</i> , 2017, 4, 734-735.	7.4	7
100	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	3.3	18
101	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 659-666.	2.8	27
102	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 114.	2.9	9
103	Weight gain and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>European Journal of Public Health</i> , 2017, 27, .	0.3	0
104	P54â€¦Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. , 2017, , .		0
105	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 744.	2.9	13
106	Obesity and socioeconomic disadvantage in midlife female public sector employees: a cohort study. <i>BMC Public Health</i> , 2017, 17, 842.	2.9	10
107	The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. <i>BMC Public Health</i> , 2017, 17, 978.	2.9	7
108	Obesity and psychotropic medication: a prospective register linkage study among midlife women and men. <i>BMC Psychiatry</i> , 2016, 16, 185.	2.6	3

#	ARTICLE	IF	CITATIONS
109	The social gradient of sleep in adolescence: results from the youth@hordaland survey. <i>European Journal of Public Health</i> , 2016, 27, ckw200.	0.3	5
110	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. <i>BMJ Open</i> , 2016, 6, e009788.	1.9	15
111	Country specific associations between social contact and mental health: evidence from civil servant studies across Great Britain, Japan and Finland. <i>Public Health</i> , 2016, 137, 139-146.	2.9	6
112	The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. <i>European Journal of Public Health</i> , 2016, 26, 826-830.	0.3	8
113	Insomnia symptoms and mortality: a register-linked study among women and men from Finland, Norway and Lithuania. <i>Journal of Sleep Research</i> , 2016, 25, 96-103.	3.2	38
114	Early physical exposures at work and low back pain: The Cardiovascular Risk in Young Finns Study. <i>European Journal of Public Health</i> , 2016, 26, .	0.3	0
115	Mental symptoms and cause-specific mortality among midlife employees. <i>BMC Public Health</i> , 2016, 16, 1142.	2.9	4
116	The contribution of sleep quality and quantity to public health and work ability. <i>European Journal of Public Health</i> , 2016, 26, 532-532.	0.3	3
117	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 580-586.	2.3	10
118	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1697-1704.	2.6	23
119	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016, 26, 458-463.	0.3	14
120	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 405-412.	3.4	12
121	Work Disability Before and After Diabetes Diagnosis: A Nationwide Population-Based Register Study in Sweden. <i>American Journal of Public Health</i> , 2015, 105, e22-e29.	2.7	35
122	Joint association of physical activity and overweight with subsequent psychotropic medication: a register-linked follow-up study among employees. <i>BMC Public Health</i> , 2015, 15, 1006.	2.9	2
123	Changes in working conditions and physical functioning in ageing employees in Finland. <i>European Journal of Public Health</i> , 2015, 25, .	0.3	0
124	Weight change and sickness absence--a prospective study among middle-aged employees. <i>European Journal of Public Health</i> , 2015, 25, 263-267.	0.3	19
125	Joint associations of smoking and physical activity with disability retirement: a register-linked cohort study. <i>BMJ Open</i> , 2015, 5, e006988.	1.9	26
126	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: A follow up study. <i>Health and Place</i> , 2015, 31, 173-179.	3.3	12

#	ARTICLE	IF	CITATIONS
127	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015, 350, g7772-g7772.	6.0	152
128	Common mental disorders and cause-specific disability retirement. <i>Occupational and Environmental Medicine</i> , 2015, 72, 181-187.	2.8	36
129	Economic difficulties and subsequent disability retirement. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 169-175.	2.3	6
130	Trends of Diagnosis-Specific Work Disability After Newly Diagnosed Diabetes: A 4-Year Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2015, 38, 1883-1890.	8.6	14
131	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 511-518.	3.4	19
132	Joint associations of smoking and physical activity with disability retirement. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
133	Changes over time in social class differences in smoking among employee cohorts from Britain, Finland and Japan. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
134	Joint associations of smoking and physical activity with all-cause mortality among employees of the City of Helsinki in 2000-2012. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
135	The joint contribution of pain and insomnia to sickness absence and disability retirement: A register-linkage study among Norwegian and Finnish employees. <i>European Journal of Pain</i> , 2014, 18, 883-892.	2.8	20
136	Insomnia symptoms and subsequent cardiovascular medication: a register-linked follow-up study among middle-aged employees. <i>Journal of Sleep Research</i> , 2014, 23, 283-291.	3.2	23
137	Conflicts Between Work and Family Life and Subsequent Sleep Problems Among Employees from Finland, Britain, and Japan. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 310-318.	1.7	21
138	Childhood and adult socioeconomic position and social mobility as determinants of low back pain outcomes. <i>European Journal of Pain</i> , 2014, 18, 128-138.	2.8	27
139	Insomnia as a risk factor for ill health: results from the large population-based prospective HUNT Study in Norway. <i>Journal of Sleep Research</i> , 2014, 23, 124-132.	3.2	195
140	Obesity as a Risk Factor for Sciatica: A Meta-Analysis. <i>American Journal of Epidemiology</i> , 2014, 179, 929-937.	3.4	97
141	Sleep and Sickness Absence: A Nationally Representative Register-Based Follow-Up Study. <i>Sleep</i> , 2014, 37, 1413-1425.	1.1	68
142	Insomnia symptoms and subsequent psychotropic medication: a register-linked study with 5-year follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1993-2002.	3.1	7
143	Changes in working conditions and subsequent sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 82-88.	3.4	30
144	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. <i>BMC Public Health</i> , 2013, 13, 259.	2.9	19

#	ARTICLE	IF	CITATIONS
145	Workâ€‘family conflicts and subsequent sleep medication among women and men: A longitudinal registry linkage study. <i>Social Science and Medicine</i> , 2013, 79, 66-75.	3.8	39
146	Working Conditions and Major Weight Gainâ€‘A Prospective Cohort Study. <i>Archives of Environmental and Occupational Health</i> , 2013, 68, 166-172.	1.4	28
147	Bidirectional associations between insomnia symptoms and unhealthy behaviours. <i>Journal of Sleep Research</i> , 2013, 22, 89-95.	3.2	114
148	Changes in economic difficulties and subsequent sickness absence: a prospective register-linkage study. <i>BMJ Open</i> , 2013, 3, e002212.	1.9	8
149	Joint associations of sleep duration and insomnia symptoms with subsequent sickness absence: The Helsinki Health Study. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 516-523.	2.3	36
150	Cohort Profile: The Helsinki Health Study. <i>International Journal of Epidemiology</i> , 2013, 42, 722-730.	1.9	133
151	Different measures of body weight as predictors of sickness absence. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 25-31.	2.3	28
152	A follow-up study of physical activity and changes in health functioning among middle-aged Finnish, British and Japanese women and men. <i>European Journal of Public Health</i> , 2013, 23, .	0.3	0
153	Common mental disorders and subsequent disability retirement. <i>European Journal of Public Health</i> , 2013, 23, .	0.3	0
154	Insomnia symptoms and mortality. <i>European Journal of Public Health</i> , 2013, 23, .	0.3	0
155	The association of weight change with subsequent insomnia symptoms among middle-aged Finnish employees in 2000â€‘2007. <i>European Journal of Public Health</i> , 2013, 23, .	0.3	0
156	Relative weight and disability retirement: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 259-267.	3.4	37
157	Psychosocial factors at work, long work hours, and obesity: a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 241-258.	3.4	93
158	Change in economic difficulties and physical and mental functioning: Evidence from British and Finnish employee cohorts. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 521-530.	3.4	7
159	Workplace bullying and subsequent psychotropic medication: a cohort study with register linkages. <i>BMJ Open</i> , 2012, 2, e001660.	1.9	18
160	Changes in healthy food habits after transition to old age retirement. <i>European Journal of Public Health</i> , 2012, 22, 582-586.	0.3	31
161	Associations of relative weight with subsequent changes over time in insomnia symptoms: A follow-up study among middle-aged women and men. <i>Sleep Medicine</i> , 2012, 13, 1271-1279.	1.6	23
162	Economic difficulties and subsequent sleep problems: Evidence from British and Finnish occupational cohorts. <i>Sleep Medicine</i> , 2012, 13, 680-685.	1.6	34

#	ARTICLE	IF	CITATIONS
163	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. BMC Public Health, 2012, 12, 309.	2.9	109
164	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. BMC Public Health, 2012, 12, 565.	2.9	111
165	Working conditions and psychotropic medication: a prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 663-670.	3.1	24
166	Pain and disability retirement: A prospective cohort study. Pain, 2012, 153, 526-531.	4.2	47
167	Sleep problems and sickness absence among middle-aged employees. Scandinavian Journal of Work, Environment and Health, 2012, 38, 47-55.	3.4	38
168	The joint association of sleep duration and insomnia symptoms with disability retirement – a longitudinal, register-linked study. Scandinavian Journal of Work, Environment and Health, 2012, 38, 427-435.	3.4	28
169	Angina pectoris: relation of epidemiological survey to registry data. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 621-6.	2.8	3
170	The Economic Burden of Insomnia at the Workplace. An Opportunity and Time for Intervention?. Sleep, 2011, 34, 1151-1152.	1.1	25
171	Comparison of a Sleep Item From the General Health Questionnaire-12 With the Jenkins Sleep Questionnaire as Measures of Sleep Disturbance. Journal of Epidemiology, 2011, 21, 474-480.	2.4	48
172	Association of sleep duration with weight and weight gain: a prospective follow-up study. Journal of Sleep Research, 2011, 20, 298-302.	3.2	63
173	Sleep problems and major weight gain: a follow-up study. International Journal of Obesity, 2011, 35, 109-114.	3.4	49
174	Sex inequalities in physical and mental functioning of British, Finnish, and Japanese civil servants: Role of job demand, control and work hours. Social Science and Medicine, 2011, 73, 595-603.	3.8	46
175	Economic difficulties and physical functioning in Finnish and British employees: contribution of social and behavioural factors. European Journal of Public Health, 2011, 21, 456-462.	0.3	28
176	Sleep Problems and Disability Retirement: A Register-based Follow-up Study. American Journal of Epidemiology, 2011, 173, 871-881.	3.4	49
177	Socio-economic circumstances and food habits in Eastern, Central and Western European populations. Public Health Nutrition, 2011, 14, 678-687.	2.2	61
178	Changes in socio-economic differences in food habits over time. Public Health Nutrition, 2011, 14, 1919-1926.	2.2	18
179	Workplace bullying and subsequent sleep problems – the Helsinki Health Study. Scandinavian Journal of Work, Environment and Health, 2011, 37, 204-212.	3.4	73
180	Work–Family Conflicts and Health Behaviors Among British, Finnish, and Japanese Employees. International Journal of Behavioral Medicine, 2010, 17, 134-142.	1.7	38

#	ARTICLE	IF	CITATIONS
181	Social class differences in health behaviours among employees from Britain, Finland and Japan: The influence of psychosocial factors. <i>Health and Place</i> , 2010, 16, 61-70.	3.3	35
182	Sleep complaints in middle-aged women and men: the contribution of working conditions and work-family conflicts. <i>Journal of Sleep Research</i> , 2010, 19, 466-477.	3.2	100
183	The association of income with fresh fruit and vegetable consumption at different levels of education. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 324-327.	2.9	55
184	Healthy Eating. , 2010, , 99-110.		2
185	Complaints of insomnia among midlife employed people: The contribution of childhood and present socioeconomic circumstances. <i>Sleep Medicine</i> , 2010, 11, 828-836.	1.6	32
186	Physical and psychosocial working conditions as explanations for occupational class inequalities in self-rated health. <i>European Journal of Public Health</i> , 2009, 19, 458-463.	0.3	70
187	Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 980-985.	3.7	6
188	Economic difficulties and common mental disorders among Finnish and British white-collar employees: the contribution of social and behavioural factors. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 439-446.	3.7	39
189	Working conditions and weight gain: a 28-year follow-up study of industrial employees. <i>European Journal of Epidemiology</i> , 2008, 23, 303-310.	5.7	44
190	Associations of job strain and working overtime with adverse health behaviors and obesity: Evidence from the Whitehall II Study, Helsinki Health Study, and the Japanese Civil Servants Study. <i>Social Science and Medicine</i> , 2008, 66, 1681-1698.	3.8	150
191	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 900-906.	5.0	142
192	Does survey non-response bias the association between occupational social class and health?. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 212-215.	2.3	127
193	Associations of work-family conflicts with food habits and physical activity. <i>Public Health Nutrition</i> , 2007, 10, 222-229.	2.2	70
194	Socioeconomic circumstances and common mental disorders among Finnish and British public sector employees: evidence from the Helsinki Health Study and the Whitehall II Study. <i>International Journal of Epidemiology</i> , 2007, 36, 776-786.	1.9	101
195	Multiple socio-economic circumstances and healthy food habits. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 701-710.	2.9	171
196	Associations Between Working Conditions and Angina Pectoris Symptoms Among Employed Women. <i>Psychosomatic Medicine</i> , 2006, 68, 348-354.	2.0	15
197	Psychosocial working conditions and weight gain among employees. <i>International Journal of Obesity</i> , 2005, 29, 909-915.	3.4	50
198	Working conditions and health behaviours among employed women and men: the Helsinki Health Study. <i>Preventive Medicine</i> , 2004, 38, 48-56.	3.4	116

#	ARTICLE	IF	CITATIONS
199	Having lunch at a staff canteen is associated with recommended food habits. Public Health Nutrition, 2004, 7, 53-61.	2.2	86
200	Occupational Class Differences in Emotional Exhaustion Among Municipal Employees – The Role of Employment Sector and Psychosocial Working Conditions. Psychological Reports, 0, , 003329412211063.	1.7	0