

# Madelon M Maurice

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/902283/publications.pdf>

Version: 2024-02-01

66  
papers

6,801  
citations

87888

38  
h-index

118850

62  
g-index

69  
all docs

69  
docs citations

69  
times ranked

10925  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tumour suppressor RNF43 is a stem-cell E3 ligase that induces endocytosis of Wnt receptors. <i>Nature</i> , 2012, 488, 665-669.	27.8	791
2	Wnt Signaling through Inhibition of $\beta^2$ -Catenin Degradation in an Intact Axin1 Complex. <i>Cell</i> , 2012, 149, 1245-1256.	28.9	747
3	Visualization of a short-range Wnt gradient in the intestinal stem-cell niche. <i>Nature</i> , 2016, 530, 340-343.	27.8	425
4	FOXO4 transcriptional activity is regulated by monoubiquitination and USP7/HAUSP. <i>Nature Cell Biology</i> , 2006, 8, 1064-1073.	10.3	413
5	How antibodies to a ubiquitous cytoplasmic enzyme may provoke joint-specific autoimmune disease. <i>Nature Immunology</i> , 2002, 3, 360-365.	14.5	322
6	Stabilization of the Transcription Factor Foxp3 by the Deubiquitinase USP7 Increases Treg-Cell-Suppressive Capacity. <i>Immunity</i> , 2013, 39, 259-271.	14.3	248
7	Loss of HAUSP-Mediated Deubiquitination Contributes to DNA Damage-Induced Destabilization of Hdmx and Hdm2. <i>Molecular Cell</i> , 2005, 18, 565-576.	9.7	247
8	Mutations and mechanisms of WNT pathway tumour suppressors in cancer. <i>Nature Reviews Cancer</i> , 2021, 21, 5-21.	28.4	235
9	Wingless secretion requires endosome-to-Golgi retrieval of Wntless/Evi/Sprinter by the retromer complex. <i>Nature Cell Biology</i> , 2008, 10, 170-177.	10.3	227
10	Loss of the Tumor Suppressor CYLD Enhances Wnt/ $\beta^2$ -Catenin Signaling through K63-Linked Ubiquitination of Dvl. <i>Molecular Cell</i> , 2010, 37, 607-619.	9.7	191
11	Canonical Wnt Signaling Negatively Modulates Regulatory T Cell Function. <i>Immunity</i> , 2013, 39, 298-310.	14.3	183
12	Wnt/ $\beta^2$ -catenin signaling requires interaction of the Dishevelled DEP domain and C terminus with a discontinuous motif in Frizzled. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E812-20.	7.1	172
13	Messing up disorder: how do missense mutations in the tumor suppressor protein APC lead to cancer?. <i>Molecular Cancer</i> , 2011, 10, 101.	19.2	140
14	Mst4 and Ezrin Induce Brush Borders Downstream of the Lkb1/Strad/Mo25 Polarization Complex. <i>Developmental Cell</i> , 2009, 16, 551-562.	7.0	137
15	Expression of the thioredoxin-thioredoxin reductase system in the inflamed joints of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 2430-2439.	6.7	110
16	Evidence for the role of an altered redox state in hyporesponsiveness of synovial T cells in rheumatoid arthritis. <i>Journal of Immunology</i> , 1997, 158, 1458-65.	0.8	104
17	Defective TCR-mediated signaling in synovial T cells in rheumatoid arthritis. <i>Journal of Immunology</i> , 1997, 159, 2973-8.	0.8	100
18	Tales from the crypt: intestinal niche signals in tissue renewal, plasticity and cancer. <i>Open Biology</i> , 2018, 8, .	3.6	96

#	ARTICLE	IF	CITATIONS
19	Loss-of-Function Mutations in the WNT Co-receptor LRP6 Cause Autosomal-Dominant Oligodontia. American Journal of Human Genetics, 2015, 97, 621-626.	6.2	93
20	Deubiquitination of Dishevelled by Usp14 is required for Wnt signaling. Oncogenesis, 2013, 2, e64-e64.	4.9	90
21	Mitochondria Define Intestinal Stem Cell Differentiation Downstream of a FOXO/Notch Axis. Cell Metabolism, 2020, 32, 889-900.e7.	16.2	90
22	Heterogeneity of the circulating human CD4+ T cell population. Further evidence that the CD4+CD45RA-CD27- T cell subset contains specialized primed T cells. Journal of Immunology, 1995, 154, 17-25.	0.8	83
23	Treatment with monoclonal anti-tumor necrosis factor $\alpha$ antibody results in an accumulation of Th1 CD4+ T cells in the peripheral blood of patients with rheumatoid arthritis. Arthritis and Rheumatism, 1999, 42, 2166-2173.	6.7	82
24	The various roles of ubiquitin in Wnt pathway regulation. Cell Cycle, 2010, 9, 3724-3733.	2.6	74
25	In vivo role of lipid adducts on Wingless. Journal of Cell Science, 2008, 121, 1587-1592.	2.0	69
26	Syndecan-1 promotes Wnt/ $\beta$ -catenin signaling in multiple myeloma by presenting Wnts and R-spondins. Blood, 2018, 131, 982-994.	1.4	68
27	USP7 is essential for maintaining Rad18 stability and DNA damage tolerance. Oncogene, 2016, 35, 965-976.	5.9	65
28	Wnt Signaling in 3D: Recent Advances in the Applications of Intestinal Organoids. Trends in Cell Biology, 2020, 30, 60-73.	7.9	64
29	DEP domains: structurally similar but functionally different. Nature Reviews Molecular Cell Biology, 2014, 15, 357-362.	37.0	63
30	Molecular regulation and pharmacological targeting of the $\beta$ -catenin destruction complex. British Journal of Pharmacology, 2017, 174, 4575-4588.	5.4	61
31	Organoid-based modeling of intestinal development, regeneration, and repair. Cell Death and Differentiation, 2021, 28, 95-107.	11.2	60
32	Critical Scaffolding Regions of the Tumor Suppressor Axin1 Are Natively Unfolded. Journal of Molecular Biology, 2011, 405, 773-786.	4.2	58
33	NEDD4 and NEDD4L regulate Wnt signalling and intestinal stem cell priming by degrading LGR5 receptor. EMBO Journal, 2020, 39, e102771.	7.8	58
34	Anti-LRP5/6 VHHs promote differentiation of Wnt-hypersensitive intestinal stem cells. Nature Communications, 2019, 10, 365.	12.8	53
35	Class I negative CD8 T cells reveal the confounding role of peptide-transfer onto CD8 T cells stimulated with soluble H2-Kb molecules. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 13735-13740.	7.1	52
36	Hyperubiquitylation of wild-type p53 contributes to cytoplasmic sequestration in neuroblastoma. Cell Death and Differentiation, 2007, 14, 1350-1360.	11.2	47

#	ARTICLE	IF	CITATIONS
37	Large Extent of Disorder in Adenomatous Polyposis Coli Offers a Strategy to Guard Wnt Signalling against Point Mutations. <i>PLoS ONE</i> , 2013, 8, e77257.	2.5	46
38	The ubiquitinâ€“proteasome pathway in thymocyte apoptosis: caspase-dependent processing of the deubiquitinating enzyme USP7 (HAUSP). <i>Molecular Immunology</i> , 2002, 39, 431-441.	2.2	41
39	Proteome Changes Induced by Knock-Down of the Deubiquitylating Enzyme HAUSP/USP7. <i>Journal of Proteome Research</i> , 2007, 6, 4163-4172.	3.7	41
40	Wnt signalling induces accumulation of phosphorylated $\beta$ -catenin in two distinct cytosolic complexes. <i>Open Biology</i> , 2014, 4, 140120.	3.6	41
41	Stochastic machines as a colocalization mechanism for scaffold protein function. <i>FEBS Letters</i> , 2013, 587, 1587-1591.	2.8	40
42	R-spondins engage heparan sulfate proteoglycans to potentiate WNT signaling. <i>ELife</i> , 2020, 9, .	6.0	37
43	TMEM59 potentiates Wnt signaling by promoting signalosome formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E3996-E4005.	7.1	36
44	Positive selection of an MHC class-I restricted TCR in the absence of classical MHC class I molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 7437-7442.	7.1	35
45	Loss of CYLD expression unleashes Wnt signaling in multiple myeloma and is associated with aggressive disease. <i>Oncogene</i> , 2017, 36, 2105-2115.	5.9	34
46	Variants in members of the cadherinâ€“catenin complex, CDH1 and CTNND1, cause blepharocheilodontic syndrome. <i>European Journal of Human Genetics</i> , 2018, 26, 210-219.	2.8	34
47	Determining Biophysical Protein Stability in Lysates by a Fast Proteolysis Assay, FASTpp. <i>PLoS ONE</i> , 2012, 7, e46147.	2.5	33
48	Axin cancer mutants form nanoaggregates to rewire the Wnt signaling network. <i>Nature Structural and Molecular Biology</i> , 2016, 23, 324-332.	8.2	31
49	<sc>RNF</sc> 43 truncations trap <sc>CK</sc> 1 to drive nicheâ€“independent selfâ€“renewal in cancer. <i>EMBO Journal</i> , 2020, 39, e103932.	7.8	31
50	Specific Labeling of Stem Cell Activity in Human Colorectal Organoids Using an ASCL2-Responsive Minigene. <i>Cell Reports</i> , 2018, 22, 1600-1614.	6.4	28
51	Wnt Signaling Directs Neuronal Polarity and Axonal Growth. <i>IScience</i> , 2019, 13, 318-327.	4.1	22
52	Joint-Derived T Cells in Rheumatoid Arthritis Proliferate to Antigens Present in Autologous Synovial Fluid. <i>Scandinavian Journal of Rheumatology</i> , 1995, 24, 169-177.	1.1	19
53	mRNA spindle localization and mitotic translational regulation by CPEB1 and CPEB4. <i>Rna</i> , 2021, 27, 291-302.	3.5	19
54	Thymic Selection and Peripheral Activation of CD8 T Cells by the Same Class I MHC/Peptide Complex. <i>Journal of Immunology</i> , 2004, 172, 699-708.	0.8	18

#	ARTICLE	IF	CITATIONS
55	Rac1 acts in conjunction with Nedd4 and Dishevelled-1 to promote maturation of cell-cell contacts. <i>Journal of Cell Science</i> , 2012, 125, 3430-42.	2.0	18
56	Simultaneous regulation of CD2 adhesion and signaling functions by a novel CD2 monoclonal antibody. <i>Journal of Immunology</i> , 1994, 152, 4425-32.	0.8	18
57	Epstein-Barr virus DNA in Reed-Sternberg cells of Hodgkin's disease is frequently associated with CR2 (EBV receptor) expression. <i>Histopathology</i> , 1992, 21, 51-57.	2.9	17
58	CD28 co-stimulation is intact and contributes to prolonged <i>in vivo</i> survival of hyporesponsive synovial fluid T cells in rheumatoid arthritis. <i>European Journal of Immunology</i> , 1998, 28, 1554-1562.	2.9	15
59	Three-dimensional analysis of single molecule FISH in human colon organoids. <i>Biology Open</i> , 2019, 8, .	1.2	9
60	Characterization of the hyporesponsiveness of synovial T-cells in rheumatoid arthritis: Role of chronic oxidative stress. <i>Drugs of Today</i> , 1999, 35, 321.	1.1	7
61	Investigations of dynamic amyloid-like structures of the Wnt signalling pathway by solid-state NMR. <i>Chemical Communications</i> , 2018, 54, 3959-3962.	4.1	1
62	Expression of the thioredoxin-thioredoxin reductase system in the inflamed joints of patients with rheumatoid arthritis. , 1999, 42, 2430.		1
63	Characterization of the hyporesponsiveness of synovial T cells in rheumatoid arthritis: role of chronic oxidative stress. <i>Japanese Journal of Rheumatology</i> , 1998, 8, 347-354.	0.0	0
64	Characterization of the hyporesponsiveness of synovial T cells in rheumatoid arthritis: role of chronic oxidative stress. <i>Japanese Journal of Rheumatology</i> , 1998, 8, 347-354.	0.0	0
65	Loss of HAUSP-Mediated Deubiquitination Contributes to DNA Damage-Induced Destabilization of Hdmx and Hdm2. <i>Molecular Cell</i> , 2005, 19, 143-144.	9.7	0
66	Building a complex for destruction. <i>Molecular Cell</i> , 2021, 81, 3241-3243.	9.7	0