

Robert G Roeder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9031923/publications.pdf>

Version: 2024-02-01

194
papers

32,448
citations

3933

88
h-index

4228

174
g-index

199
all docs

199
docs citations

199
times ranked

25830
citing authors

#	ARTICLE	IF	CITATIONS
1	EZH2 noncanonically binds cMyc and p300 through a cryptic transactivation domain to mediate gene activation and promote oncogenesis. <i>Nature Cell Biology</i> , 2022, 24, 384-399.	10.3	88
2	A PRC2-Kdm5b axis sustains tumorigenicity of acute myeloid leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	11
3	Phosphorylated MED1 links transcription recycling and cancer growth. <i>Nucleic Acids Research</i> , 2022, 50, 4450-4463.	14.5	2
4	Mediator subunit MED1 is required for E2A-PBX1-mediated oncogenic transcription and leukemic cell growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	17
5	Histone H3Q5 serotonylation stabilizes H3K4 methylation and potentiates its readout. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	27
6	The regulatory enzymes and protein substrates for the lysine ϵ^2 -hydroxybutyrylation pathway. <i>Science Advances</i> , 2021, 7, .	10.3	87
7	Critical roles of transcriptional coactivator MED1 in the formation and function of mouse adipose tissues. <i>Genes and Development</i> , 2021, 35, 729-748.	5.9	5
8	DOT1L complex regulates transcriptional initiation in human erythroleukemic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	26
9	OCT2 pre-positioning facilitates cell fate transition and chromatin architecture changes in humoral immunity. <i>Nature Immunology</i> , 2021, 22, 1327-1340.	14.5	11
10	Transcription recycling assays identify PAF1 as a driver for RNA Pol II recycling. <i>Nature Communications</i> , 2021, 12, 6318.	12.8	4
11	Sumoylation of the human histone H4 tail inhibits p300-mediated transcription by RNA polymerase II in cellular extracts. <i>ELife</i> , 2021, 10, .	6.0	12
12	Impaired cell fate through gain-of-function mutations in a chromatin reader. <i>Nature</i> , 2020, 577, 121-126.	27.8	84
13	A Structural Model of the Endogenous Human BAF Complex Informs Disease Mechanisms. <i>Cell</i> , 2020, 183, 802-817.e24.	28.9	100
14	Unique Immune Cell Coactivators Specify Locus Control Region Function and Cell Stage. <i>Molecular Cell</i> , 2020, 80, 845-861.e10.	9.7	21
15	The CTD Is Not Essential for the Post-Initiation Control of RNA Polymerase II Activity. <i>Journal of Molecular Biology</i> , 2020, 432, 5489-5498.	4.2	6
16	Regulation of hepatocyte cell cycle re-entry by RNA polymerase II-associated Gdown1. <i>Cell Cycle</i> , 2020, 19, 3222-3230.	2.6	4
17	A Novel N-Substituted Valine Derivative with Unique Peroxisome Proliferator-Activated Receptor β^3 Binding Properties and Biological Activities. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 13124-13139.	6.4	7
18	Transcriptional down-regulation of metabolic genes by Gdown1 ablation induces quiescent cell re-entry into the cell cycle. <i>Genes and Development</i> , 2020, 34, 767-784.	5.9	5

#	ARTICLE	IF	CITATIONS
19	E2A-PBX1 functions as a coactivator for RUNX1 in acute lymphoblastic leukemia. <i>Blood</i> , 2020, 136, 11-23.	1.4	33
20	The Long and the Short of BRD4: Two Tales in Breast Cancer. <i>Molecular Cell</i> , 2020, 78, 993-995.	9.7	9
21	Functions of paralogous RNA polymerase III subunits POLR3G and POLR3GL in mouse development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15702-15711.	7.1	22
22	Selective Inhibition of HDAC3 Targets Synthetic Vulnerabilities and Activates Immune Surveillance in Lymphoma. <i>Cancer Discovery</i> , 2020, 10, 440-459.	9.4	103
23	ZBTB1 Regulates Asparagine Synthesis and Leukemia Cell Response to L-Asparaginase. <i>Cell Metabolism</i> , 2020, 31, 852-861.e6.	16.2	40
24	Gene-Specific Control of tRNA Expression by RNA Polymerase II. <i>Molecular Cell</i> , 2020, 78, 765-778.e7.	9.7	48
25	Efficacy of a small molecule inhibitor of the transcriptional cofactor PC4 in prevention and treatment of non-small cell lung cancer. <i>PLoS ONE</i> , 2020, 15, e0230670.	2.5	2
26	50+ years of eukaryotic transcription: an expanding universe of factors and mechanisms. <i>Nature Structural and Molecular Biology</i> , 2019, 26, 783-791.	8.2	143
27	The Histone Deacetylase SIRT6 Restrains Transcription Elongation via Promoter-Proximal Pausing. <i>Molecular Cell</i> , 2019, 75, 683-699.e7.	9.7	50
28	MTA2/NuRD Regulates B Cell Development and Cooperates with OCA-B in Controlling the Pre-B to Immature B Cell Transition. <i>Cell Reports</i> , 2019, 28, 472-485.e5.	6.4	28
29	AIDâ€™s RNA polymerase II transcription-dependent deamination of IgV DNA. <i>Nucleic Acids Research</i> , 2019, 47, 10815-10829.	14.5	23
30	Multivalent Role of Human TFIID in Recruiting Elongation Components at the Promoter-Proximal Region for Transcriptional Control. <i>Cell Reports</i> , 2019, 26, 1303-1317.e7.	6.4	18
31	PMLâ€™s RARÎ± induces all-trans retinoic acid-dependent transcriptional activation through interaction with MED1. <i>Transcription</i> , 2019, 10, 147-156.	3.1	0
32	Selective binding of the PHD6 finger of MLL4 to histone H4K16ac links MLL4 and MOF. <i>Nature Communications</i> , 2019, 10, 2314.	12.8	40
33	Gene-Specific H1 Eviction through a Transcriptional Activatorâ€™s p300â€™NAP1â€™H1 Pathway. <i>Molecular Cell</i> , 2019, 74, 268-283.e5.	9.7	35
34	Histone serotonylation is a permissive modification that enhances TFIID binding to H3K4me3. <i>Nature</i> , 2019, 567, 535-539.	27.8	292
35	Destabilization of AETFC through C/EBPÎ±-mediated repression of LYL1 contributes to t(8;21) leukemic cell differentiation. <i>Leukemia</i> , 2019, 33, 1822-1827.	7.2	5
36	AFF1 acetylation by p300 temporally inhibits transcription during genotoxic stress response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22140-22151.	7.1	15

#	ARTICLE	IF	CITATIONS
37	Metabolic regulation of gene expression by histone lactylation. <i>Nature</i> , 2019, 574, 575-580.	27.8	1,308
38	Different roles of E proteins in t(8;21) leukemia: E2-2 compromises the function of AETFC and negatively regulates leukemogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 890-899.	7.1	18
39	An OCT2 / OCA-B / MEF2B Ternary Complex Controls the Activity and Architecture of an Essential Locus Control Region for Normal and Malignant Germinal Center B-Cells. <i>Blood</i> , 2019, 134, 24-24.	1.4	1
40	Transcriptional elongation factor Paf1 core complex adopts a spirally wrapped solenoidal topology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9998-10003.	7.1	20
41	Architecture of Pol II(G) and molecular mechanism of transcription regulation by Gdown1. <i>Nature Structural and Molecular Biology</i> , 2018, 25, 859-867.	8.2	31
42	Coactivator condensation at super-enhancers links phase separation and gene control. <i>Science</i> , 2018, 361, .	12.6	1,687
43	p300-Mediated Lysine 2-Hydroxyisobutyrylation Regulates Glycolysis. <i>Molecular Cell</i> , 2018, 70, 663-678.e6.	9.7	126
44	Histone H1 acetylation at lysine 85 regulates chromatin condensation and genome stability upon DNA damage. <i>Nucleic Acids Research</i> , 2018, 46, 7716-7730.	14.5	56
45	Proteomic profiling identifies key coactivators utilized by mutant ERÎ± proteins as potential new therapeutic targets. <i>Oncogene</i> , 2018, 37, 4581-4598.	5.9	51
46	A noncanonical PPARÎ³/RXRÎ±-binding sequence regulates leptin expression in response to changes in adipose tissue mass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6039-E6047.	7.1	27
47	Regulation of RNA polymerase III transcription during transformation of human IMR90 fibroblasts with defined genetic elements. <i>Cell Cycle</i> , 2018, 17, 605-615.	2.6	21
48	The Three E Proteins Define a Heterogeneity of the AML1-ETO-Containing Transcription Factor Complex (AETFC) and Differentially Regulate t(8;21) Leukemogenesis. <i>Blood</i> , 2018, 132, 5247-5247.	1.4	0
49	DND1 maintains germline stem cells via recruitment of the CCR4-NOT complex to target mRNAs. <i>Nature</i> , 2017, 543, 568-572.	27.8	109
50	Control of Secreted Protein Gene Expression and the Mammalian Secretome by the Metabolic Regulator PGC-1Î±. <i>Journal of Biological Chemistry</i> , 2017, 292, 43-50.	3.4	1
51	A UTX-MLL4-p300 Transcriptional Regulatory Network Coordinately Shapes Active Enhancer Landscapes for Eliciting Transcription. <i>Molecular Cell</i> , 2017, 67, 308-321.e6.	9.7	172
52	CREBBP Inactivation Promotes the Development of HDAC3-Dependent Lymphomas. <i>Cancer Discovery</i> , 2017, 7, 38-53.	9.4	218
53	Molecular Coupling of Histone Crotonylation and Active Transcription by AF9 YEATS Domain. <i>Molecular Cell</i> , 2016, 62, 181-193.	9.7	271
54	Metabolic Regulation of Gene Expression by Histone Lysine Î²-Hydroxybutyrylation. <i>Molecular Cell</i> , 2016, 62, 194-206.	9.7	406

#	ARTICLE	IF	CITATIONS
55	Periostin supports hematopoietic progenitor cells and niche-dependent myeloblastoma cells in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 1706-1712.	2.1	7
56	Chromatin Kinases Act on Transcription Factors and Histone Tails in Regulation of Inducible Transcription. <i>Molecular Cell</i> , 2016, 64, 347-361.	9.7	58
57	Mediator: A Drawbridge across the Enhancer-Promoter Divide. <i>Molecular Cell</i> , 2016, 64, 433-434.	9.7	27
58	Dynamic Competing Histone H4 K5K8 Acetylation and Butyrylation Are Hallmarks of Highly Active Gene Promoters. <i>Molecular Cell</i> , 2016, 62, 169-180.	9.7	215
59	Inhibition of Adhesion Molecule Gene Expression and Cell Adhesion by the Metabolic Regulator PGC-1 β . <i>PLoS ONE</i> , 2016, 11, e0165598.	2.5	3
60	The Mediator subunit MED23 couples H2B mono-ubiquitination to transcriptional control and cell fate determination. <i>EMBO Journal</i> , 2015, 34, 2885-2902.	7.8	29
61	RNA polymerase II-associated factor 1 regulates the release and phosphorylation of paused RNA polymerase II. <i>Science</i> , 2015, 350, 1383-1386.	12.6	189
62	PRDM16 enhances nuclear receptor-dependent transcription of the brown fat-specific <i>Ucp1</i> gene through interactions with Mediator subunit MED1. <i>Genes and Development</i> , 2015, 29, 308-321.	5.9	91
63	Self-Enforcing Feedback Activation between BCL6 and Pre-B Cell Receptor Signaling Defines a Distinct Subtype of Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2015, 27, 409-425.	16.8	109
64	Intracellular Crotonyl-CoA Stimulates Transcription through p300-Catalyzed Histone Crotonylation. <i>Molecular Cell</i> , 2015, 58, 203-215.	9.7	434
65	JMJD1C is required for the survival of acute myeloid leukemia by functioning as a coactivator for key transcription factors. <i>Genes and Development</i> , 2015, 29, 2123-2139.	5.9	76
66	Direct link between metabolic regulation and the heat-shock response through the transcriptional regulator PGC-1 β . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E5669-78.	7.1	38
67	Identification of a functional hotspot on ubiquitin required for stimulation of methyltransferase activity on chromatin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10365-10370.	7.1	44
68	AF10 Regulates Progressive H3K79 Methylation and HOX Gene Expression in Diverse AML Subtypes. <i>Cancer Cell</i> , 2014, 26, 896-908.	16.8	153
69	CCAR1/COCOA/CA pair-mediated recruitment of the Mediator defines a novel pathway for GATA1 function. <i>Genes To Cells</i> , 2014, 19, 28-51.	1.2	11
70	Reconstitution of active human core Mediator complex reveals a critical role of the MED14 subunit. <i>Nature Structural and Molecular Biology</i> , 2014, 21, 1028-1034.	8.2	109
71	Chromatin and Transcriptional Tango on the Immune Dance Floor. <i>Frontiers in Immunology</i> , 2014, 5, 631.	4.8	2
72	Tumor suppressor p53 cooperates with SIRT6 to regulate gluconeogenesis by promoting FoxO1 nuclear exclusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10684-10689.	7.1	193

#	ARTICLE	IF	CITATIONS
73	A stable transcription factor complex nucleated by oligomeric AML1-ETO controls leukaemogenesis. <i>Nature</i> , 2013, 500, 93-97.	27.8	134
74	RUNX1 Is a Key Target in t(4;11) Leukemias that Contributes to Gene Activation through an AF4-MLL Complex Interaction. <i>Cell Reports</i> , 2013, 3, 116-127.	6.4	130
75	SET1 and p300 Act Synergistically, through Coupled Histone Modifications, in Transcriptional Activation by p53. <i>Cell</i> , 2013, 154, 297-310.	28.9	147
76	Linker Histone H1.2 Cooperates with Cul4A and PAF1 to Drive H4K31 Ubiquitylation-Mediated Transactivation. <i>Cell Reports</i> , 2013, 5, 1690-1703.	6.4	58
77	Regulation of transcription by the MLL2 complex and MLL complex-associated AKAP95. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 1156-1163.	8.2	51
78	H3K4me3 Interactions with TAF3 Regulate Preinitiation Complex Assembly and Selective Gene Activation. <i>Cell</i> , 2013, 152, 1021-1036.	28.9	353
79	A TAF4 coactivator function for E proteins that involves enhanced TFIID binding. <i>Genes and Development</i> , 2013, 27, 1596-1609.	5.9	30
80	Histone H3K27 Trimethylation Inhibits H3 Binding and Function of SET1-Like H3K4 Methyltransferase Complexes. <i>Molecular and Cellular Biology</i> , 2013, 33, 4936-4946.	2.3	61
81	Transcriptional Regulation by Pol II(G) Involving Mediator and Competitive Interactions of Gdown1 and TFIIF with Pol II. <i>Molecular Cell</i> , 2012, 45, 51-63.	9.7	68
82	Role for Dpy-30 in ES Cell-Fate Specification by Regulation of H3K4 Methylation within Bivalent Domains. <i>Cell</i> , 2011, 144, 513-525.	28.9	282
83	Enhancer-promoter communication and transcriptional regulation of Igh. <i>Trends in Immunology</i> , 2011, 32, 532-539.	6.8	54
84	RNF20 Inhibits TFIIS-Facilitated Transcriptional Elongation to Suppress Pro-oncogenic Gene Expression. <i>Molecular Cell</i> , 2011, 42, 477-488.	9.7	87
85	Direct Interactions of OCA-B and TFIH Regulate Immunoglobulin Heavy-Chain Gene Transcription by Facilitating Enhancer-Promoter Communication. <i>Molecular Cell</i> , 2011, 42, 342-355.	9.7	56
86	Nucleosomal H2B ubiquitylation with purified factors. <i>Methods</i> , 2011, 54, 331-338.	3.8	23
87	Mediator-dependent nuclear receptor function. <i>Seminars in Cell and Developmental Biology</i> , 2011, 22, 749-758.	5.0	87
88	Core promoter-selective function of HMGA1 and Mediator in Initiator-dependent transcription. <i>Genes and Development</i> , 2011, 25, 2513-2524.	5.9	28
89	The metazoan Mediator co-activator complex as an integrative hub for transcriptional regulation. <i>Nature Reviews Genetics</i> , 2010, 11, 761-772.	16.3	606
90	A muscle-specific knockout implicates nuclear receptor coactivator MED1 in the regulation of glucose and energy metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10196-10201.	7.1	74

#	ARTICLE	IF	CITATIONS
91	The Transcriptional Mediator Subunit MED1/TRAP220 in Stromal Cells Is Involved in Hematopoietic Stem/Progenitor Cell Support through Osteopontin Expression. <i>Molecular and Cellular Biology</i> , 2010, 30, 4818-4827.	2.3	21
92	Two isoforms of human RNA polymerase III with specific functions in cell growth and transformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4176-4181.	7.1	62
93	MED14 Tethers Mediator to the N-Terminal Domain of Peroxisome Proliferator-Activated Receptor β and Is Required for Full Transcriptional Activity and Adipogenesis. <i>Molecular and Cellular Biology</i> , 2010, 30, 2155-2169.	2.3	63
94	Key roles for MED1 LxxLL motifs in pubertal mammary gland development and luminal-cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6765-6770.	7.1	70
95	Cell growth- and differentiation-dependent regulation of RNA polymerase III transcription. <i>Cell Cycle</i> , 2010, 9, 3711-3723.	2.6	59
96	Multiple Interactions Recruit MLL1 and MLL1 Fusion Proteins to the HOXA9 Locus in Leukemogenesis. <i>Molecular Cell</i> , 2010, 38, 853-863.	9.7	186
97	The Human PAF1 Complex Acts in Chromatin Transcription Elongation Both Independently and Cooperatively with SII/TFIIS. <i>Cell</i> , 2010, 140, 491-503.	28.9	222
98	Transcriptional Regulatory Mechanisms in Animal Cells. <i>FASEB Journal</i> , 2010, 24, 186.3.	0.5	0
99	Direct Bre1-Paf1 Complex Interactions and RING Finger-independent Bre1-Rad6 Interactions Mediate Histone H2B Ubiquitylation in Yeast. <i>Journal of Biological Chemistry</i> , 2009, 284, 20582-20592.	3.4	111
100	Chapter 10 Roles of Histone H3acetyltransferase Complexes in NR-mediated Gene Transcription. <i>Progress in Molecular Biology and Translational Science</i> , 2009, 87, 343-382.	1.7	32
101	RAD6-Mediated Transcription-Coupled H2B Ubiquitylation Directly Stimulates H3K4 Methylation in Human Cells. <i>Cell</i> , 2009, 137, 459-471.	28.9	453
102	Transcription of in vitro assembled chromatin templates in a highly purified RNA polymerase II system. <i>Methods</i> , 2009, 48, 353-360.	3.8	11
103	Dynamic Interactions and Cooperative Functions of PGC-1 α and MED1 in TR β -Mediated Activation of the Brown-Fat-Specific UCP-1 Gene. <i>Molecular Cell</i> , 2009, 35, 755-768.	9.7	55
104	Chemically ubiquitylated histone H2B stimulates hDot1L-mediated intranucleosomal methylation. <i>Nature</i> , 2008, 453, 812-816.	27.8	494
105	30Ånm Chromatin Fibre Decompaction Requires both H4-K16 Acetylation and Linker Histone Eviction. <i>Journal of Molecular Biology</i> , 2008, 381, 816-825.	4.2	280
106	CCAR1, a Key Regulator of Mediator Complex Recruitment to Nuclear Receptor Transcription Complexes. <i>Molecular Cell</i> , 2008, 31, 510-519.	9.7	133
107	PTEN Represses RNA Polymerase III-Dependent Transcription by Targeting the TFIIB Complex. <i>Molecular and Cellular Biology</i> , 2008, 28, 4204-4214.	2.3	93
108	Alternative Mechanisms by Which Mediator Subunit MED1/TRAP220 Regulates Peroxisome Proliferator-Activated Receptor β -Stimulated Adipogenesis and Target Gene Expression. <i>Molecular and Cellular Biology</i> , 2008, 28, 1081-1091.	2.3	99

#	ARTICLE	IF	CITATIONS
109	The Mediator subunit MED1/TRAP220 is required for optimal glucocorticoid receptor-mediated transcription activation. <i>Nucleic Acids Research</i> , 2007, 35, 6161-6169.	14.5	53
110	Synergistic Functions of SII and p300 in Productive Activator-Dependent Transcription of Chromatin Templates. <i>Cell</i> , 2006, 125, 275-286.	28.9	86
111	Nontranscriptional Regulation of SYK by the Coactivator OCA-B Is Required at Multiple Stages of B Cell Development. <i>Cell</i> , 2006, 125, 761-774.	28.9	34
112	Coactivator as a target gene specificity determinant for histone H3 lysine 4 methyltransferases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15392-15397.	7.1	148
113	The acute myeloid leukemia fusion protein AML1-ETO targets E proteins via a paired amphipathic helix-like TBP-associated factor homology domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10242-10247.	7.1	40
114	The mediator complex functions as a coactivator for GATA-1 in erythropoiesis via subunit Med1/TRAP220. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18504-18509.	7.1	89
115	A Mediator-responsive form of metazoan RNA polymerase II. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 9506-9511.	7.1	78
116	The Deletion of NHR1 Region of the AML1-ETO Protein Significantly Decreases Its Ability To Promote Proliferation and Self-Renewal of Early Hematopoietic Cells in Culture.. <i>Blood</i> , 2006, 108, 2550-2550.	1.4	0
117	The role of transcriptional coactivator TRAP220 in myelomonocytic differentiation. <i>Genes To Cells</i> , 2005, 10, 1127-1137.	1.2	27
118	Dynamic regulation of pol II transcription by the mammalian Mediator complex. <i>Trends in Biochemical Sciences</i> , 2005, 30, 256-263.	7.5	342
119	Thyroid Hormone-Induced Juxtaposition of Regulatory Elements/Factors and Chromatin Remodeling of Crabp1 Dependent on MED1/TRAP220. <i>Molecular Cell</i> , 2005, 19, 643-653.	9.7	66
120	The Human Homolog of Yeast BRE1 Functions as a Transcriptional Coactivator through Direct Activator Interactions. <i>Molecular Cell</i> , 2005, 20, 759-770.	9.7	274
121	Physical Association and Coordinate Function of the H3 K4 Methyltransferase MLL1 and the H4 K16 Acetyltransferase MOF. <i>Cell</i> , 2005, 121, 873-885.	28.9	584
122	Transcriptional regulation and the role of diverse coactivators in animal cells. <i>FEBS Letters</i> , 2005, 579, 909-915.	2.8	266
123	The Role of Transcriptional Coactivator TRAP220/MED1 in Nuclear Receptor-Mediated Myelomonocytic Differentiation.. <i>Blood</i> , 2005, 106, 2727-2727.	1.4	0
124	Structural and Functional Organization of TRAP220, the TRAP/Mediator Subunit That Is Targeted by Nuclear Receptors. <i>Molecular and Cellular Biology</i> , 2004, 24, 8244-8254.	2.3	88
125	Regulation of the p300 HAT domain via a novel activation loop. <i>Nature Structural and Molecular Biology</i> , 2004, 11, 308-315.	8.2	374
126	Ordered Cooperative Functions of PRMT1, p300, and CARM1 in Transcriptional Activation by p53. <i>Cell</i> , 2004, 117, 735-748.	28.9	445

#	ARTICLE	IF	CITATIONS
127	A Unified Nomenclature for Protein Subunits of Mediator Complexes Linking Transcriptional Regulators to RNA Polymerase II. <i>Molecular Cell</i> , 2004, 14, 553-557.	9.7	230
128	E Protein Silencing by the Leukemogenic AML1-ETO Fusion Protein. <i>Science</i> , 2004, 305, 1286-1289.	12.6	183
129	The eukaryotic transcriptional machinery: complexities and mechanisms unforeseen. <i>Nature Medicine</i> , 2003, 9, 1239-1244.	30.7	61
130	Reconstitution and Transcriptional Analysis of Chromatin In Vitro. <i>Methods in Enzymology</i> , 2003, 377, 460-474.	1.0	52
131	S Phase Activation of the Histone H2B Promoter by OCA-S, a Coactivator Complex that Contains GAPDH as a Key Component. <i>Cell</i> , 2003, 114, 255-266.	28.9	490
132	Coordination of p300-Mediated Chromatin Remodeling and TRAP/Mediator Function through Coactivator PGC-1 β . <i>Molecular Cell</i> , 2003, 12, 1137-1149.	9.7	222
133	The TBN Protein, which Is Essential for Early Embryonic Mouse Development, Is an Inducible TAFII Implicated In Adipogenesis. <i>Molecular Cell</i> , 2003, 12, 991-1001.	9.7	40
134	Isolation and Functional Characterization of the TRAP/Mediator Complex. <i>Methods in Enzymology</i> , 2003, 364, 257-284.	1.0	44
135	Identification of transcription coactivator OCA-B-dependent genes involved in antigen-dependent B cell differentiation by cDNA array analyses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8868-8873.	7.1	26
136	Requirement of TRAP/Mediator for Both Activator-Independent and Activator-Dependent Transcription in Conjunction with TFIID-Associated TAF II s. <i>Molecular and Cellular Biology</i> , 2002, 22, 2842-2852.	2.3	117
137	TRAP/SMCC/Mediator-Dependent Transcriptional Activation from DNA and Chromatin Templates by Orphan Nuclear Receptor Hepatocyte Nuclear Factor 4. <i>Molecular and Cellular Biology</i> , 2002, 22, 5626-5637.	2.3	88
138	The TRAP/Mediator coactivator complex interacts directly with estrogen receptors α and β through the TRAP220 subunit and directly enhances estrogen receptor function in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2642-2647.	7.1	140
139	Selective Requirements for Histone H3 and H4 N Termini in p300-Dependent Transcriptional Activation from Chromatin. <i>Molecular Cell</i> , 2002, 9, 811-821.	9.7	98
140	Transcription coactivator TRAP220 is required for PPAR γ ² -stimulated adipogenesis. <i>Nature</i> , 2002, 417, 563-567.	27.8	290
141	MCEF, the Newest Member of the AF4 Family of Transcription Factors Involved in Leukemia, Is a Positive Transcription Elongation Factor-b-Associated Protein. <i>Journal of Biomedical Science</i> , 2002, 9, 234-245.	7.0	11
142	The TRAP/SMCC/Mediator complex and thyroid hormone receptor function. <i>Trends in Endocrinology and Metabolism</i> , 2001, 12, 127-134.	7.1	232
143	Positive and Negative TAF II Functions That Suggest a Dynamic TFIID Structure and Elicit Synergy with TRAPs in Activator-Induced Transcription. <i>Molecular and Cellular Biology</i> , 2001, 21, 6882-6894.	2.3	49
144	Upstream stimulating factor affects human immunodeficiency virus type 1 (HIV-1) long terminal repeat-directed transcription in a cell-specific manner, independently of the HIV-1 subtype and the core-negative regulatory element. <i>Journal of General Virology</i> , 2001, 82, 547-559.	2.9	25

#	ARTICLE	IF	CITATIONS
145	Transcriptional regulation through Mediator-like coactivators in yeast and metazoan cells. Trends in Biochemical Sciences, 2000, 25, 277-283.	7.5	345
146	Role of OCA-B in α -IgH Enhancer Function. Journal of Immunology, 2000, 164, 5306-5312.	0.8	50
147	Genetic Analyses of NFKB1 and OCA-B Function: Defects in B Cells, Serum IgM Level, and Antibody Responses in Nfkb1 ^{-/-} Oca-b ^{-/-} Mice. Journal of Immunology, 2000, 165, 6825-6832.	0.8	16
148	Activator-Dependent Transcription from Chromatin In Vitro Involving Targeted Histone Acetylation by p300. Molecular Cell, 2000, 6, 551-561.	9.7	196
149	Involvement of the TRAP220 Component of the TRAP/SMCC Coactivator Complex in Embryonic Development and Thyroid Hormone Action. Molecular Cell, 2000, 5, 683-693.	9.7	276
150	The USA-Derived Transcriptional Coactivator PC2 Is a Submodule of TRAP/SMCC and Acts Synergistically with Other PCs. Molecular Cell, 2000, 5, 753-760.	9.7	118
151	A Novel Human SRB/MED-Containing Cofactor Complex, SMCC, Involved in Transcription Regulation. Molecular Cell, 1999, 3, 97-108.	9.7	254
152	Involvement of TFIID and USA Components in Transcriptional Activation of the Human Immunodeficiency Virus Promoter by NF- κ B and Sp1. Molecular and Cellular Biology, 1998, 18, 3234-3244.	2.3	85
153	RNA Polymerase III Transcription Repressed by Rb through Its Interactions with TFIIB and TFIIC2. Journal of Biological Chemistry, 1997, 272, 14755-14761.	3.4	69
154	Activation of p53 Sequence-Specific DNA Binding by Acetylation of the p53 C-Terminal Domain. Cell, 1997, 90, 595-606.	28.9	2,376
155	Characterization of the Core Promoter of the Na ⁺ /K ⁺ -ATPase alpha1 Subunit Gene. Elements required for transcription by RNA polymerase II and RNA polymerase III in vitro. FEBS Journal, 1996, 237, 440-446.	0.2	8
156	Structural similarity between TAFs and the heterotetrameric core of the histone octamer. Nature, 1996, 380, 316-322.	27.8	251
157	A histone octamer-like structure within TFIID. Nature, 1996, 380, 356-359.	27.8	184
158	Topology and reorganization of a human TFIID promoter complex. Nature, 1996, 382, 735-738.	27.8	246
159	The B-cell-specific transcription coactivator OCA-B/OBF-1/Bob-1 is essential for normal production of immunoglobulin isotypes. Nature, 1996, 383, 542-547.	27.8	238
160	Enhanced processivity of RNA polymerase II triggered by Tat-induced phosphorylation of its carboxy-terminal domain. Nature, 1996, 384, 375-378.	27.8	257
161	Activator-dependent transcription by mammalian RNA polymerase II: In vitro reconstitution with general transcription factors and cofactors. Methods in Enzymology, 1996, 274, 57-71.	1.0	63
162	Control of transcription by Kr μ ppel through interactions with TFIIB and TFIIE ² . Nature, 1995, 375, 162-164.	27.8	144

#	ARTICLE	IF	CITATIONS
163	Crystal structure of a TFIIB-TBP-TATA-element ternary complex. <i>Nature</i> , 1995, 377, 119-128.	27.8	543
164	Molecular cloning of <i>Drosophila</i> TFIID subunits. <i>Nature</i> , 1994, 367, 484-487.	27.8	118
165	Regulation of TFIH ATPase and kinase activities by TFIIE during active initiation complex formation. <i>Nature</i> , 1994, 368, 160-163.	27.8	412
166	Effects of activation-defective TBP mutations on transcription initiation in yeast. <i>Nature</i> , 1994, 369, 252-255.	27.8	123
167	Purification, cloning, and characterization of a human coactivator, PC4, that mediates transcriptional activation of class II genes. <i>Cell</i> , 1994, 78, 513-523.	28.9	369
168	Functional dissection of TFIIB domains required for TFIIB-TFIID promoter complex formation and basal transcription activity. <i>Nature</i> , 1993, 363, 744-747.	27.8	85
169	An alternative pathway for transcription initiation involving TFIH. <i>Nature</i> , 1993, 365, 355-359.	27.8	176
170	Direct role for Myc in transcription initiation mediated by interactions with TFIH. <i>Nature</i> , 1993, 365, 359-361.	27.8	260
171	The p250 subunit of native TATA box-binding factor TFIID is the cell-cycle regulatory protein CCG1. <i>Nature</i> , 1993, 362, 179-181.	27.8	202
172	A novel B cell-derived coactivator potentiates the activation of immunoglobulin promoters by octamer-binding transcription factors. <i>Cell</i> , 1992, 71, 231-241.	28.9	278
173	Crystal structure of TFIID TATA-box binding protein. <i>Nature</i> , 1992, 360, 40-46.	27.8	430
174	Activation of class II gene transcription by regulatory factors is potentiated by a novel activity. <i>Cell</i> , 1991, 66, 981-993.	28.9	337
175	Family of proteins that interact with TFIID and regulate promoter activity. <i>Cell</i> , 1991, 67, 557-567.	28.9	333
176	Cooperative interaction of an initiator-binding transcription initiation factor and the helix-loop-helix activator USF. <i>Nature</i> , 1991, 354, 245-248.	27.8	494
177	Structural motifs and potential homologies in the large subunit of human general transcription factor TFIIE. <i>Nature</i> , 1991, 354, 398-401.	27.8	105
178	Conserved sequence motifs in the small subunit of human general transcription factor TFIIE. <i>Nature</i> , 1991, 354, 401-404.	27.8	93
179	Highly conserved core domain and unique N terminus with presumptive regulatory motifs in a human TATA factor (TFIID). <i>Nature</i> , 1990, 346, 387-390.	27.8	370
180	<i>Arabidopsis thaliana</i> contains two genes for TFIID. <i>Nature</i> , 1990, 346, 390-394.	27.8	170

#	ARTICLE	IF	CITATIONS
181	A downstream initiation element required for efficient TATA box binding and in vitro function of TFIID. Nature, 1990, 348, 86-88.	27.8	135
182	Functional cooperativity between protein molecules bound at two distinct sequence elements of the immunoglobulin heavy-chain promoter. Nature, 1989, 337, 573-576.	27.8	136
183	Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that binds to the TATA box. Nature, 1989, 341, 299-303.	27.8	323
184	The HTLV-I Tax-Inducible Enhancer Is Responsive to Various Inducing Agents. Annals of the New York Academy of Sciences, 1989, 567, 291-294.	3.8	1
185	A human lymphoid- specific transcription factor that activates immunoglobulin genes is a homoeobox protein. Nature, 1988, 336, 551-557.	27.8	410
186	Transcriptional regulation by the immediate early protein of pseudorabies virus during in vitro nucleosome assembly. Cell, 1988, 55, 211-219.	28.9	198
187	Transcription factor ATF interacts with the TATA factor to facilitate establishment of a preinitiation complex. Cell, 1988, 54, 1033-1042.	28.9	498
188	Binding of transcription factor TFIID to the major late promoter during in vitro nucleosome assembly potentiates subsequent initiation by RNA polymerase II. Cell, 1987, 51, 613-622.	28.9	412
189	Formation of a rate-limiting intermediate in 5S RNA gene transcription. Cell, 1985, 40, 119-127.	28.9	219
190	Xenopus 5S gene transcription factor, TFIIIA: Characterization of a cDNA clone and measurement of RNA levels throughout development. Cell, 1984, 39, 479-489.	28.9	337
191	Accurate transcription initiation on a purified mouse $\hat{\gamma}$ 2-globin DNA fragment in a cell-free system. Cell, 1980, 20, 691-699.	28.9	134
192	Selective and accurate initiation of transcription at the ad2 major late promoter in a soluble system dependent on purified rna polymerase ii and dna. Cell, 1979, 18, 469-484.	28.9	743
193	SELECTIVE TRANSCRIPTION OF THE 5S RNA GENES IN ISOLATED CHROMATIN BY RNA POLYMERASE III. , 1976, , 223-242.		6
194	Multiple Forms of DNA-dependent RNA Polymerase in Eukaryotic Organisms. Nature, 1969, 224, 234-237.	27.8	918