

Albino Martins

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9032952/publications.pdf>

Version: 2024-02-01

82
papers

4,006
citations

117625

34
h-index

118850

62
g-index

89
all docs

89
docs citations

89
times ranked

6509
citing authors

#	ARTICLE	IF	CITATIONS
1	Microfluidic-assisted electrospinning, an alternative to coaxial, as a controlled dual drug release system to treat inflammatory arthritic diseases. <i>Materials Science and Engineering C</i> , 2022, 134, 112585.	7.3	6
2	Sulfated Seaweed Polysaccharides. , 2022, , 307-340.		1
3	Stimulation of Neurite Outgrowth Using Autologous NGF Bound at the Surface of a Fibrous Substrate. <i>Biomolecules</i> , 2022, 12, 25.	4.0	4
4	Metronidazole Delivery Nanosystem Able To Reduce the Pathogenicity of Bacteria in Colorectal Infection. <i>Biomacromolecules</i> , 2022, 23, 2415-2427.	5.4	3
5	Biomimetic Surface Topography from the <i>Rubus fruticosus</i> Leaf as a Guidance of Angiogenesis in Tissue Engineering Applications. <i>ACS Biomaterials Science and Engineering</i> , 2022, 8, 2943-2953.	5.2	4
6	Biomedical Applications of Fibers Produced by Electrospinning, Microfluidic Spinning and Combinations of Both. , 2022, , 251-295.		1
7	Fucoidan/chitosan nanoparticles functionalized with anti-ErbB-2 target breast cancer cells and impair tumor growth in vivo. <i>International Journal of Pharmaceutics</i> , 2021, 600, 120548.	5.2	15
8	New Vascular Graft Using the Decellularized Human Chorion Membrane. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 3423-3433.	5.2	8
9	Recapitulation of Thymic Function by Tissue Engineering Strategies. <i>Advanced Healthcare Materials</i> , 2021, 10, 2100773.	7.6	5
10	Angiogenic potential of airbrushed fucoidan/polycaprolactone nanofibrous meshes. <i>International Journal of Biological Macromolecules</i> , 2021, 183, 695-706.	7.5	6
11	Marine-derived polymeric nanostructures for cancer treatment. <i>Nanomedicine</i> , 2021, 16, 1931-1935.	3.3	2
12	Arteriovenous access in hemodialysis: A multidisciplinary perspective for future solutions. <i>International Journal of Artificial Organs</i> , 2021, 44, 3-16.	1.4	19
13	Chondrogenic differentiation induced by extracellular vesicles bound to a nanofibrous substrate. <i>Npj Regenerative Medicine</i> , 2021, 6, 79.	5.2	12
14	Tubular Fibrous Scaffolds Functionalized with Tropoelastin as a Small-Diameter Vascular Graft. <i>Biomacromolecules</i> , 2020, 21, 3582-3595.	5.4	17
15	Fibronectin-Functionalized Fibrous Meshes as a Substrate to Support Cultures of Thymic Epithelial Cells. <i>Biomacromolecules</i> , 2020, 21, 4771-4780.	5.4	11
16	Marine-derived biomaterials for cancer treatment. , 2020, , 551-576.		5
17	Fucoidan Immobilized at the Surface of a Fibrous Mesh Presents Toxic Effects over Melanoma Cells, But Not over Noncancer Skin Cells. <i>Biomacromolecules</i> , 2020, 21, 2745-2754.	5.4	13
18	Surface biofunctionalization to improve the efficacy of biomaterial substrates to be used in regenerative medicine. <i>Materials Horizons</i> , 2020, 7, 2258-2275.	12.2	17

#	ARTICLE	IF	CITATIONS
19	A review on fucoidan antitumor strategies: From a biological active agent to a structural component of fucoidan-based systems. <i>Carbohydrate Polymers</i> , 2020, 239, 116131.	10.2	77
20	Spatial immobilization of endogenous growth factors to control vascularization in bone tissue engineering. <i>Biomaterials Science</i> , 2020, 8, 2577-2589.	5.4	38
21	Biofunctional nanostructured systems for regenerative medicine. <i>Nanomedicine</i> , 2020, 15, 1545-1549.	3.3	3
22	Electrospun colourimetric sensors for detecting volatile amines. <i>Sensors and Actuators B: Chemical</i> , 2020, 322, 128570.	7.8	23
23	Fibronectin Bound to a Fibrous Substrate Has Chondrogenic Induction Properties. <i>Biomacromolecules</i> , 2020, 21, 1368-1378.	5.4	10
24	Fucoidan from <i>Fucus vesiculosus</i> inhibits new blood vessel formation and breast tumor growth in vivo. <i>Carbohydrate Polymers</i> , 2019, 223, 115034.	10.2	51
25	Chondrogenesis-inductive nanofibrous substrate using both biological fluids and mesenchymal stem cells from an autologous source. <i>Materials Science and Engineering C</i> , 2019, 98, 1169-1178.	7.3	18
26	Biofunctional Nanofibrous Substrate for Local TNF-Capturing as a Strategy to Control Inflammation in Arthritic Joints. <i>Nanomaterials</i> , 2019, 9, 567.	4.1	9
27	Influence of PDLA nanoparticles size on drug release and interaction with cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 482-493.	4.0	12
28	Micro/Nano Scaffolds for Osteochondral Tissue Engineering. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1058, 125-139.	1.6	11
29	Fish sarcoplasmic proteins as a high value marine material for wound dressing applications. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 167, 310-317.	5.0	12
30	The Use of Electrospinning Technique on Osteochondral Tissue Engineering. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1058, 247-263.	1.6	19
31	The functionalization of natural polymer-coated gold nanoparticles to carry bFGF to promote tissue regeneration. <i>Journal of Materials Chemistry B</i> , 2018, 6, 2104-2115.	5.8	10
32	P3 UNDERSTANDING THE ENDOTHELIAL " SMOOTH MUSCLE " FIBROBLASTIC CELLS INTERACTIONS ON A TISSUE-ENGINEERED VASCULAR GRAFT. <i>Artery Research</i> , 2018, 24, 80.	0.6	0
33	Gemcitabine delivered by fucoidan/chitosan nanoparticles presents increased toxicity over human breast cancer cells. <i>Nanomedicine</i> , 2018, 13, 2037-2050.	3.3	47
34	Chondroitin sulfate immobilization at the surface of electrospun nanofiber meshes for cartilage tissue regeneration approaches. <i>Applied Surface Science</i> , 2017, 403, 112-125.	6.1	39
35	The Key Role of Sulfation and Branching on Fucoidan Antitumor Activity. <i>Macromolecular Bioscience</i> , 2017, 17, 1600340.	4.1	76
36	Electrospun Nanofibrous Meshes Cultured With Wharton's Jelly Stem Cell: An Alternative for Cartilage Regeneration, Without the Need of Growth Factors. <i>Biotechnology Journal</i> , 2017, 12, 1700073.	3.5	16

#	ARTICLE	IF	CITATIONS
37	Dual release of a hydrophilic and a hydrophobic osteogenic factor from a single liposome. RSC Advances, 2016, 6, 114599-114612.	3.6	6
38	Advanced polymer composites and structures for bone and cartilage tissue engineering. , 2016, , 123-142.		2
39	Extracellular Vesicles Derived from Osteogenically Induced Human Bone Marrow Mesenchymal Stem Cells Can Modulate Lineage Commitment. Stem Cell Reports, 2016, 6, 284-291.	4.8	81
40	On the use of dexamethasone-loaded liposomes to induce the osteogenic differentiation of human mesenchymal stem cells. Journal of Tissue Engineering and Regenerative Medicine, 2015, 9, 1056-1066.	2.7	33
41	Hierarchical scaffolds enhance osteogenic differentiation of human Wharton's jelly derived stem cells. Biofabrication, 2015, 7, 035009.	7.1	17
42	Antibacterial activity of chitosan nanofiber meshes with liposomes immobilized releasing gentamicin. Acta Biomaterialia, 2015, 18, 196-205.	8.3	154
43	Nanoparticle-based bioactive agent release systems for bone and cartilage tissue engineering. Regenerative Therapy, 2015, 1, 109-118.	3.0	50
44	Conditioned medium as a strategy for human stem cells chondrogenic differentiation. Journal of Tissue Engineering and Regenerative Medicine, 2015, 9, 714-723.	2.7	34
45	Size Also Matters in Biodegradable Composite Microfiber Reinforced by Chitosan Nanofibers. Materials Research Society Symposia Proceedings, 2014, 1621, 59-69.	0.1	1
46	Immobilization of bioactive factor-loaded liposomes on the surface of electrospun nanofibers targeting tissue engineering. Biomaterials Science, 2014, 2, 1195-1209.	5.4	54
47	Liposomes in tissue engineering and regenerative medicine. Journal of the Royal Society Interface, 2014, 11, 20140459.	3.4	269
48	Biofunctional Nanofibrous Substrate Comprising Immobilized Antibodies and Selective Binding of Autologous Growth Factors. Biomacromolecules, 2014, 15, 2196-2205.	5.4	33
49	Instructive Nanofibrous Scaffold Comprising Runt-Related Transcription Factor 2 Gene Delivery for Bone Tissue Engineering. ACS Nano, 2014, 8, 8082-8094.	14.6	81
50	Hyaluronic acid/poly-L-lysine bilayered silica nanoparticles enhance the osteogenic differentiation of human mesenchymal stem cells. Journal of Materials Chemistry B, 2014, 2, 6939-6946.	5.8	41
51	Automating the Processing Steps for Obtaining Bone Tissue-Engineered Substitutes: From Imaging Tools to Bioreactors. Tissue Engineering - Part B: Reviews, 2014, 20, 567-577.	4.8	15
52	Tissue Engineering and Regenerative Medicine. International Review of Neurobiology, 2013, 108, 1-33.	2.0	107
53	Synergistic effect of scaffold composition and dynamic culturing environment in multilayered systems for bone tissue engineering. Journal of Tissue Engineering and Regenerative Medicine, 2012, 6, e24-e30.	2.7	17
54	Endothelial Differentiation of Human Stem Cells Seeded onto Electrospun Polyhydroxybutyrate/Polyhydroxybutyrate-Co-Hydroxyvalerate Fiber Mesh. PLoS ONE, 2012, 7, e35422.	2.5	73

#	ARTICLE	IF	CITATIONS
55	Optimized electro- and wet-spinning techniques for the production of polymeric fibrous scaffolds loaded with bisphosphonate and hydroxyapatite. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2011, 5, 253-263.	2.7	77
56	Chondrogenic differentiation of human bone marrow mesenchymal stem cells in chitosan-based scaffolds using a flow-perfusion bioreactor. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2011, 5, 722-732.	2.7	78
57	The Influence of Patterned Nanofiber Meshes on Human Mesenchymal Stem Cell Osteogenesis. <i>Macromolecular Bioscience</i> , 2011, 11, 978-987.	4.1	46
58	Improvement of electrospun polymer fiber meshes pore size by femtosecond laser irradiation. <i>Applied Surface Science</i> , 2011, 257, 4091-4095.	6.1	27
59	Osteogenic induction of hBMSCs by electrospun scaffolds with dexamethasone release functionality. <i>Biomaterials</i> , 2010, 31, 5875-5885.	11.4	160
60	Surface modification of a biodegradable composite by UV laser ablation: <i>in vitro</i> biological performance. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2010, 4, n/a-n/a.	2.7	4
61	Impact of Biological Agents and Tissue Engineering Approaches on the Treatment of Rheumatic Diseases. <i>Tissue Engineering - Part B: Reviews</i> , 2010, 16, 331-339.	4.8	12
62	Piezoresponse force microscopy studies of the triglycine sulfate-based nanofibers. <i>Journal of Applied Physics</i> , 2010, 108, .	2.5	15
63	Cartilage Tissue Engineering Using Electrospun PCL Nanofiber Meshes and MSCs. <i>Biomacromolecules</i> , 2010, 11, 3228-3236.	5.4	155
64	High nonlinear optical anisotropy of urea nanofibers. <i>Europhysics Letters</i> , 2010, 91, 28007.	2.0	15
65	Solving cell infiltration limitations of electrospun nanofiber meshes for tissue engineering applications. <i>Nanomedicine</i> , 2010, 5, 539-554.	3.3	71
66	Biodegradable Nanofibers-Reinforced Microfibrous Composite Scaffolds for Bone Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2010, 16, 3599-3609.	3.1	42
67	Expression, mutation and copy number analysis of platelet-derived growth factor receptor A (PDGFRA) and its ligand PDGFA in gliomas. <i>British Journal of Cancer</i> , 2009, 101, 973-982.	6.4	104
68	Synthesis of polymer-based triglycine sulfate nanofibres by electrospinning. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 205403.	2.8	3
69	Hierarchical starch-based fibrous scaffold for bone tissue engineering applications. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2009, 3, 37-42.	2.7	191
70	Surface Modification of Electrospun Polycaprolactone Nanofiber Meshes by Plasma Treatment to Enhance Biological Performance. <i>Small</i> , 2009, 5, 1195-1206.	10.0	244
71	Degradable particulate composite reinforced with nanofibres for biomedical applications. <i>Acta Biomaterialia</i> , 2009, 5, 1104-1114.	8.3	43
72	Evaluation of Extracellular Matrix Formation in Polycaprolactone and Starch-Compounded Polycaprolactone Nanofiber Meshes When Seeded with Bovine Articular Chondrocytes. <i>Tissue Engineering - Part A</i> , 2009, 15, 377-385.	3.1	60

#	ARTICLE	IF	CITATIONS
73	Surface controlled biomimetic coating of polycaprolactone nanofiber meshes to be used as bone extracellular matrix analogues. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2008, 19, 1261-1278.	3.5	91
74	Electrospinning: processing technique for tissue engineering scaffolding. <i>International Materials Reviews</i> , 2008, 53, 257-274.	19.3	147
75	Electrospun nanostructured scaffolds for tissue engineering applications. <i>Nanomedicine</i> , 2007, 2, 929-942.	3.3	173
76	Molecular Alterations of KIT Oncogene in Gliomas. <i>Analytical Cellular Pathology</i> , 2007, 29, 399-408.	1.4	22
77	VEGFR-3 expression in breast cancer tissue is not restricted to lymphatic vessels. <i>Pathology Research and Practice</i> , 2005, 201, 93-99.	2.3	29
78	Mutation analysis of B-RAF gene in human gliomas. <i>Acta Neuropathologica</i> , 2005, 109, 207-210.	7.7	85
79	Overexpression of platelet-derived growth factor receptor β in breast cancer is associated with tumour progression. <i>Breast Cancer Research</i> , 2005, 7, R788-95.	5.0	178
80	p63-driven Nuclear Accumulation of β -Catenin is Not a Frequent Event in Human Neoplasms. <i>Pathology Research and Practice</i> , 2003, 199, 785-793.	2.3	15
81	Distribution of p63, cytokeratins 5/6 and cytokeratin 14 in 51 normal and 400 neoplastic human tissue samples using TARP-4 multi-tumor tissue microarray. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 122-132.	2.8	220
82	Spatial Immobilization of Autologous Growth Factors to Control Vascularization in Bone Tissue Engineering. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0