

# Francesco Spinelli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9033916/publications.pdf>

Version: 2024-02-01

96  
papers

2,612  
citations

159585

30  
h-index

223800

46  
g-index

97  
all docs

97  
docs citations

97  
times ranked

2343  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Unraveling the Role of Red:Blue LED Lights on Resource Use Efficiency and Nutritional Properties of Indoor Grown Sweet Basil. <i>Frontiers in Plant Science</i> , 2019, 10, 305.   | 3.6 | 154       |
| 2  | A novel type of seaweed extract as a natural alternative to the use of iron chelates in strawberry production. <i>Scientia Horticulturae</i> , 2010, 125, 263-269.   | 3.6 | 116       |
| 3  | Resource use efficiency of indoor lettuce ( <i>Lactuca sativa</i> L.) cultivation as affected by red:blue ratio provided by LED lighting. <i>Scientific Reports</i> , 2019, 9, 14127.  | 3.3 | 113       |
| 4  | Optimal light intensity for sustainable water and energy use in indoor cultivation of lettuce and basil under red and blue LEDs. <i>Scientia Horticulturae</i> , 2020, 272, 109508.  | 3.6 | 103       |
| 5  | Biological control of bacterial plant diseases with <i>Lactobacillus plantarum</i> strains selected for their broad-spectrum activity. <i>Annals of Applied Biology</i> , 2019, 174, 92-105.   | 2.5 | 92        |
| 6  | New insights on the bacterial canker of kiwifruit ( <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> ). <i>Journal of Berry Research</i> , 2014, 4, 53-67.  | 1.4 | 78        |
| 7  | Facing Climate Change: Application of Microbial Biostimulants to Mitigate Stress in Horticultural Crops. <i>Agronomy</i> , 2020, 10, 794.  | 3.0 | 77        |
| 8  | Potential Applications and Limitations of Electronic Nose Devices for Plant Disease Diagnosis. <i>Sensors</i> , 2017, 17, 2596.  | 3.8 | 76        |
| 9  | Apple fruit superficial scald resistance mediated by ethylene inhibition is associated with diverse metabolic processes. <i>Plant Journal</i> , 2018, 93, 270-285.   | 5.7 | 76        |
| 10 | Perspectives on the use of a seaweed extract to moderate the negative effects of alternate bearing in apple trees. <i>Journal of Horticultural Science and Biotechnology</i> , 2009, 84, 131-137.  | 1.9 | 74        |
| 11 | Elicitors of the salicylic acid pathway reduce incidence of bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Annals of Applied Biology</i> , 2014, 165, 441-453.   | 2.5 | 69        |
| 12 | <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> : Ecology, Infection Dynamics and Disease Epidemiology. <i>Microbial Ecology</i> , 2020, 80, 81-102.   | 2.8 | 67        |
| 13 | Detection of potato brown rot and ring rot by electronic nose: From laboratory to real scale. <i>Talanta</i> , 2014, 129, 422-430.   | 5.5 | 61        |
| 14 | Pathways of flower infection and pollen-mediated dispersion of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> , the causal agent of kiwifruit bacterial canker. <i>Horticulture Research</i> , 2018, 5, 56.   | 6.3 | 54        |
| 15 | Luteofol, a flavan 4-ol, is induced in pome fruits by prohexadione-calcium and shows phytoalexin-like properties against <i>Erwinia amylovora</i> and other plant pathogens. <i>European Journal of Plant Pathology</i> , 2005, 112, 133-142.          | 1.7 | 51        |
| 16 | Plant Microbiome and Its Link to Plant Health: Host Species, Organs and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Infection Shaping Bacterial Phyllosphere Communities of Kiwifruit Plants. <i>Frontiers in Plant Science</i> , 2018, 9, 1563. | 3.6 | 51        |
| 17 | Supplementary LED Interlighting Improves Yield and Precocity of Greenhouse Tomatoes in the Mediterranean. <i>Agronomy</i> , 2020, 10, 1002.  | 3.0 | 50        |
| 18 | Influence of Stigmatic Morphology on Flower Colonization by <i>Erwinia amylovora</i> and <i>Pantoea agglomerans</i> . <i>European Journal of Plant Pathology</i> , 2005, 113, 395-405.   | 1.7 | 48        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | REAL TIME MONITORING OF THE INTERACTIONS BETWEEN PSEUDOMONAS SYRINGAE PV. ACTINIDIAE AND ACTINIDIA SPECIES. <i>Acta Horticulturae</i> , 2011, , 461-465.   | 0.2 | 47        |
| 20 | Pathogen-induced changes in floral scent may increase honeybee-mediated dispersal of <i>Erwinia amylovora</i> . <i>ISME Journal</i> , 2019, 13, 847-859.   | 9.8 | 45        |
| 21 | Early detection of bacterial diseases in apple plants by analysis of volatile organic compounds profiles and use of electronic nose. <i>Annals of Applied Biology</i> , 2016, 168, 409-420.  | 2.5 | 43        |
| 22 | Biological relevance of volatile organic compounds emitted during the pathogenic interactions between apple plants and <i>Erwinia amylovora</i> . <i>Molecular Plant Pathology</i> , 2018, 19, 158-168.  | 4.2 | 42        |
| 23 | Bacterial volatile compound-based tools for crop management and quality. <i>Trends in Plant Science</i> , 2021, 26, 968-983.   | 8.8 | 38        |
| 24 | PROHEXADIONE-CA: MODES OF ACTION OF A MULTIFUNCTIONAL PLANT BIOREGULATOR FOR FRUIT TREES. <i>Acta Horticulturae</i> , 2006, , 97-106.  | 0.2 | 37        |
| 25 | Induction of Antimicrobial 3-Deoxyflavonoids in Pome Fruit Trees Controls Fire Blight. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003, 58, 765-770.   | 1.4 | 36        |
| 26 | Using fundamental knowledge of induced resistance to develop control strategies for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Frontiers in Plant Science</i> , 2013, 4, 24.                           | 3.6 | 36        |
| 27 | Untargeted metabolomics investigation of volatile compounds involved in the development of apple superficial scald by PTR-ToFMS. <i>Metabolomics</i> , 2015, 11, 341-349.  | 3.0 | 36        |
| 28 | NEAR INFRARED SPECTROSCOPY (NIRS): PERSPECTIVE OF FIRE BLIGHT DETECTION IN ASYMPTOMATIC PLANT MATERIAL. <i>Acta Horticulturae</i> , 2006, , 87-90.   | 0.2 | 33        |
| 29 | Comparative transcriptome analysis of the interaction between <i>Actinidia chinensis</i> var. <i>chinensis</i> and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in absence and presence of acibenzolar-S-methyl. <i>BMC Genomics</i> , 2018, 19, 585. | 2.8 | 33        |
| 30 | Salinity thresholds and genotypic variability of cabbage ( <i>Brassica oleracea</i> L.) grown under saline stress. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 319-330.  | 3.5 | 32        |
| 31 | RECENT ADVANCES IN THE CHARACTERISATION AND CONTROL OF PSEUDOMONAS SYRINGAE PV. ACTINIDIAE, THE CAUSAL AGENT OF BACTERIAL CANCKER ON KIWIFRUIT. <i>Acta Horticulturae</i> , 2011, , 443-455.   | 0.2 | 31        |
| 32 | ABA regulation of calcium-related genes and bitter pit in apple. <i>Postharvest Biology and Technology</i> , 2017, 132, 1-6.   | 6.0 | 30        |
| 33 | Harvest Maturity Stage and Cold Storage Length Influence on Flavour Development in Peach Fruit. <i>Agronomy</i> , 2019, 9, 10.   | 3.0 | 30        |
| 34 | Use of the index of absorbance difference (IAD) as a tool for tailoring post-harvest 1-MCP application to control apple superficial scald. <i>Scientia Horticulturae</i> , 2015, 190, 110-116.   | 3.6 | 29        |
| 35 | Induction of polyphenol gene expression in apple ( <i>Malus x domestica</i> ) after the application of a dioxygenase inhibitor. <i>Physiologia Plantarum</i> , 2006, 128, 604-617.   | 5.2 | 28        |
| 36 | Emission of volatile compounds by <i>Erwinia amylovora</i> : biological activity in vitro and possible exploitation for bacterial identification. <i>Trees - Structure and Function</i> , 2012, 26, 141-152.   | 1.9 | 28        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Identification of Volatile Markers in Potato Brown Rot and Ring Rot by Combined GC-MS and PTR-MS Techniques: Study on in Vitro and in Vivo Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 337-347.                            | 5.2 | 28        |
| 38 | Insecticidal Activity of <i>Photorhabdus luminescens</i> against <i>Drosophila suzukii</i> . <i>Insects</i> , 2018, 9, 148.   | 2.2 | 26        |
| 39 | Pathogens Associated to Kiwifruit Vine Decline in Italy. <i>Agriculture (Switzerland)</i> , 2020, 10, 119.  | 3.1 | 25        |
| 40 | Characterization of volatile organic compounds emitted by kiwifruit plants infected with <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> and their effects on host defences. <i>Trees - Structure and Function</i> , 2016, 30, 795-806.             | 1.9 | 23        |
| 41 | Emission and Function of Volatile Organic Compounds in Response to Abiotic Stress. , 0, , .   |     | 22        |
| 42 | N-Acyl Homoserine Lactones and Lux Solos Regulate Social Behaviour and Virulence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Microbial Ecology</i> , 2020, 79, 383-396.   | 2.8 | 22        |
| 43 | Potential of the electronic nose for the diagnosis of bacterial and fungal diseases in fruit trees. <i>EPPO Bulletin</i> , 2010, 40, 59-67.   | 0.8 | 21        |
| 44 | Soil CO <sub>2</sub> emission partitioning, bacterial community profile and gene expression of <i>Nitrosomonas</i> spp. and <i>Nitrobacter</i> spp. of a sandy soil amended with biochar and compost. <i>Applied Soil Ecology</i> , 2017, 112, 79-89. | 4.3 | 21        |
| 45 | Greenhouse assays on the control of the bacterial canker of kiwifruit ( <i>Pseudomonas syringae</i> pv.) Tj ETQq1 1 0.784314 rgBT / Overlo  | 1.4 | 19        |
| 46 | Role of <i>Metcalfa pruinosa</i> as a Vector for <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Plant Pathology Journal</i> , 2017, 33, 554-560.  | 1.7 | 19        |
| 47 | Optimization of cultural practices to reduce the development of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> , causal agent of the bacterial canker of kiwifruit. <i>Journal of Berry Research</i> , 2016, 6, 355-371.                           | 1.4 | 18        |
| 48 | Fruit of three kiwifruit ( <i>Actinidia chinensis</i> ) cultivars differ in their degreening response to temperature after harvest. <i>Postharvest Biology and Technology</i> , 2018, 141, 16-23.   | 6.0 | 18        |
| 49 | Osmoprotectants and Antioxidative Enzymes as Screening Tools for Salinity Tolerance in Radish ( <i>Raphanus sativus</i> ). <i>Horticultural Plant Journal</i> , 2020, 6, 14-24.   | 5.0 | 18        |
| 50 | Treated wastewater as irrigation source: a microbiological and chemical evaluation in apple and nectarine trees. <i>Agricultural Water Management</i> , 2021, 244, 106403.  | 5.6 | 17        |
| 51 | TWO YEARS OF APPLICATION OF PROHEXADIONE-CA ON APPLE: EFFECT ON VEGETATIVE AND CROPPING PERFORMANCE, FRUIT QUALITY, RETURN BLOOM AND RESIDUAL EFFECT. <i>Acta Horticulturae</i> , 2004, , 35-40.  | 0.2 | 16        |
| 52 | Does Organic Farming Increase Raspberry Quality, Aroma and Beneficial Bacterial Biodiversity?. <i>Microorganisms</i> , 2021, 9, 1617.   | 3.6 | 16        |
| 53 | Nectarine volatilome response to fresh-cutting and storage. <i>Postharvest Biology and Technology</i> , 2020, 159, 111020.  | 6.0 | 13        |
| 54 | INNOVATIVE APPLICATION OF NON-DESTRUCTIVE TECHNIQUES FOR FRUIT QUALITY AND DISEASE DIAGNOSIS. <i>Acta Horticulturae</i> , 2007, , 275-282.  | 0.2 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | INNOVATIVE NON-DESTRUCTIVE DEVICE FOR FRUIT QUALITY ASSESSMENT AND EARLY DISEASE DIAGNOSIS. <i>Acta Horticulturae</i> , 2015, , 69-78.  | 0.2 | 12        |
| 56 | First Report of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> on Kiwifruit Pollen from Argentina. <i>Plant Disease</i> , 2018, 102, 237-237.  | 1.4 | 12        |
| 57 | A Breach in Plant Defences: <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Targets Ethylene Signalling to Overcome <i>Actinidia chinensis</i> Pathogen Responses. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4375. | 4.1 | 12        |
| 58 | Contribution of fruit microbiome to raspberry volatile organic compounds emission. <i>Postharvest Biology and Technology</i> , 2022, 183, 111742.   | 6.0 | 12        |
| 59 | Taxonomical and functional composition of strawberry microbiome is genotype-dependent. <i>Journal of Advanced Research</i> , 2022, 42, 189-204.   | 9.5 | 12        |
| 60 | Genetic and functional characterization of the bacterial community on fruit of three raspberry ( <i>Rubus idaeus</i> ) cultivars. <i>Journal of Berry Research</i> , 2019, 9, 227-247.  | 1.4 | 11        |
| 61 | PROHEXADIONE-CA CONTROLS VEGETATIVE GROWTH AND CROPPING PERFORMANCE IN PEAR. <i>Acta Horticulturae</i> , 2004, , 127-132.   | 0.2 | 11        |
| 62 | CHEMICAL CONTROL OF FIRE BLIGHT IN PEAR: APPLICATION OF PROHEXADIONE-CALCIUM, ACIBENZOLAR-S-METHYL, AND COPPER PREPARATIONS IN VITRO AND UNDER FIELD CONDITIONS. <i>Acta Horticulturae</i> , 2006, , 233-238.                             | 0.2 | 10        |
| 63 | Potential and limits of acylcyclohexanediones for the control of blossom blight in apple and pear caused by <i>Erwinia amylovora</i> . <i>Plant Pathology</i> , 2007, 56, 702-710.  | 2.4 | 10        |
| 64 | PROHEXADIONE-CA: MORE THAN A GROWTH REGULATOR FOR POME FRUIT TREES. <i>Acta Horticulturae</i> , 2006, , 107-116.  | 0.2 | 9         |
| 65 | Use of Nondestructive Devices to Support Pre- and Postharvest Fruit Management. <i>Horticulturae</i> , 2017, 3, 12.   | 2.8 | 9         |
| 66 | <i>Halyomorpha halys</i> (Hemiptera: Pentatomidae) on Kiwifruit in Northern Italy: Phenology, Infestation, and Natural Enemies Assessment. <i>Journal of Economic Entomology</i> , 2021, 114, 1733-1742.                                  | 1.8 | 9         |
| 67 | INCIDENCE OF SCAB ( <i>VENTURIA INAEQUALIS</i> ) IN APPLE AS AFFECTED BY DIFFERENT PLANT GROWTH RETARDANTS. <i>Acta Horticulturae</i> , 2004, , 133-137.  | 0.2 | 8         |
| 68 | Reduction of scab incidence ( <i>Venturia inaequalis</i> ) in apple with prohexadione-Ca and trinexapac-ethyl, two growth regulating acylcyclohexanediones. <i>Crop Protection</i> , 2010, 29, 691-698.                                   | 2.1 | 8         |
| 69 | EMISSION OF VOLATILES DURING THE PATHOGENIC INTERACTION BETWEEN <i>ERWINIA AMYLOVORA</i> AND <i>MALUS DOMESTICA</i> . <i>Acta Horticulturae</i> , 2011, , 55-63.  | 0.2 | 7         |
| 70 | Assessment of <i>in vitro</i> removal of cholesterol oxidation products by <i>Lactobacillus casei</i> ATCC334. <i>Letters in Applied Microbiology</i> , 2013, 57, 443-450.  | 2.2 | 6         |
| 71 | Foliar application of specific yeast derivative enhances anthocyanins accumulation and gene expression in Sangiovese cv ( <i>Vitis vinifera</i> L.). <i>Scientific Reports</i> , 2020, 10, 11627.   | 3.3 | 6         |
| 72 | Host-specific signal perception by <i>PsaR2</i> LuxR solo induces <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> virulence traits. <i>Microbiological Research</i> , 2022, 260, 127048.  | 5.3 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | VOLATILE COMPOUNDS PRODUCED BY ERWINIA AMYLOVORA AND THEIR POTENTIAL EXPLOITATION FOR BACTERIAL IDENTIFICATION. <i>Acta Horticulturae</i> , 2011, , 77-84.   | 0.2 | 5         |
| 74 | Acylcyclohexanediones and biological control agents: combining complementary modes of action to control fire blight. <i>Trees - Structure and Function</i> , 2012, 26, 247-257.  | 1.9 | 4         |
| 75 | SURVIVAL OF PSEUDOMONAS SYRINGAE PV. ACTINIDIAE IN THE ENVIRONMENT. <i>Acta Horticulturae</i> , 2015, , 105-110.   | 0.2 | 4         |
| 76 | Screening of microbial biocoenosis of <i>Actinidia chinensis</i> for the isolation of candidate biological control agents against <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Acta Horticulturae</i> , 2018, , 239-246. | 0.2 | 4         |
| 77 | Influence of cultural practices on the incidence and severity of kiwifruit bacterial canker. <i>Acta Horticulturae</i> , 2019, , 59-64.  | 0.2 | 4         |
| 78 | ESTABLISHMENT AND SURVIVAL ON APPLE AND PEAR LEAVES OF FOUR BIOLOGICAL CONTROL AGENTS INCLUDING PANTOEA AGGLOMERANS P10C AND PSEUDOMONAS FLUORESCENS A506. <i>Acta Horticulturae</i> , 2006, , 307-312.                            | 0.2 | 4         |
| 79 | Colonisation of apple and pear leaves by different strains of biological control agents of fire blight. <i>New Zealand Plant Protection</i> , 0, 57, 49-53.  | 0.3 | 4         |
| 80 | DAFL: NEW INNOVATIVE DEVICE TO MONITOR FRUIT RIPENING IN STORAGE. <i>Acta Horticulturae</i> , 2015, , 549-554.   | 0.2 | 3         |
| 81 | GROWTH-REGULATING ACYLCYCLOHEXANEDIONES, TRINEXAPAC-ETHYL AND PROHEXADIONE-CALCIUM DECREASE BLOSSOM BLIGHT INCIDENCE IN POME FRUITS. <i>Acta Horticulturae</i> , 2006, , 245-248.  | 0.2 | 2         |
| 82 | UNRAVELING THE MOLECULAR INTERACTION BETWEEN PSEUDOMONAS SYRINGAE PV. ACTINIDIAE (PSA) AND THE KIWIFRUIT PLANT THROUGH RNASEQ APPROACH. <i>Acta Horticulturae</i> , 2015, , 89-94.   | 0.2 | 2         |
| 83 | Modification of the phyllosphere bacterial biocoenosis by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> infection. <i>Acta Horticulturae</i> , 2018, , 275-278.  | 0.2 | 2         |
| 84 | Validation of New Zealand Psa forecasting model in Emilia Romagna Region, Italy. <i>Acta Horticulturae</i> , 2019, , 71-78.  | 0.2 | 2         |
| 85 | PROHEXADIONE-CALCIUM INDUCES IN APPLE THE BIOSYNTHESIS OF LUTEOFOROL, A NOVEL FLAVAN 4-OL, WHICH IS ACTIVE AGAINST ERWINIA AMYLOVORA. <i>Acta Horticulturae</i> , 2006, , 239-244.   | 0.2 | 2         |
| 86 | USE OF PLANT BIOREGULATORS IN KIWIFRUIT PRODUCTION. <i>Acta Horticulturae</i> , 2011, , 337-344.   | 0.2 | 1         |
| 87 | Quorum sensing in <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> (Psa). <i>Acta Horticulturae</i> , 2019, , 85-90.  | 0.2 | 1         |
| 88 | RNA-SEQ ANALYSIS OF THE MOLECULAR INTERACTION BETWEEN PSEUDOMONAS SYRINGAE PV. ACTINIDIAE (PSA) AND THE KIWIFRUIT. <i>Acta Horticulturae</i> , 2015, , 357-362.  | 0.2 | 0         |
| 89 | Insect-mediated vectoring of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Acta Horticulturae</i> , 2018, , 269-274.  | 0.2 | 0         |
| 90 | Molecular signalling in <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Acta Horticulturae</i> , 2018, , 299-306.   | 0.2 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | <i>Actinidia</i> - <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> interaction: differentially expressed plant transcripts during infection. <i>Acta Horticulturae</i> , 2018, , 315-320. | 0.2 | 0         |
| 92 | Transcriptome analysis of the <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> (Psa) pathogenesis process. <i>Acta Horticulturae</i> , 2018, , 321-326.                                    | 0.2 | 0         |
| 93 | Is the physiological maturity at harvest influencing nectarine flavour after cold storage?. <i>Acta Horticulturae</i> , 2018, , 1429-1434.  | 0.2 | 0         |
| 94 | Effect of plant extracts on <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> gene expression, motility and virulence. <i>Acta Horticulturae</i> , 2019, , 79-84.                           | 0.2 | 0         |
| 95 | Effect of prohexadione calcium on nectar composition of pomaceous flowers and on bacterial growth. <i>New Zealand Plant Protection</i> , 0, 58, 106-111.                                    | 0.3 | 0         |
| 96 | Biological effect of VOCs produced during <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> infection of kiwifruit plant. <i>Acta Horticulturae</i> , 2019, , 7-14.                         | 0.2 | 0         |