

Francesco Spinelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9033916/publications.pdf>

Version: 2024-02-01

96
papers

2,612
citations

159585

30
h-index

223800

46
g-index

97
all docs

97
docs citations

97
times ranked

2343
citing authors

#	ARTICLE	IF	CITATIONS
1	Contribution of fruit microbiome to raspberry volatile organic compounds emission. <i>Postharvest Biology and Technology</i> , 2022, 183, 111742.	6.0	12
2	Taxonomical and functional composition of strawberry microbiome is genotype-dependent. <i>Journal of Advanced Research</i> , 2022, 42, 189-204.	9.5	12
3	Host-specific signal perception by Psr2 LuxR solo induces <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> virulence traits. <i>Microbiological Research</i> , 2022, 260, 127048.	5.3	6
4	Treated wastewater as irrigation source: a microbiological and chemical evaluation in apple and nectarine trees. <i>Agricultural Water Management</i> , 2021, 244, 106403.	5.6	17
5	A Breach in Plant Defences: <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Targets Ethylene Signalling to Overcome <i>Actinidia chinensis</i> Pathogen Responses. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4375.	4.1	12
6	Does Organic Farming Increase Raspberry Quality, Aroma and Beneficial Bacterial Biodiversity?. <i>Microorganisms</i> , 2021, 9, 1617.	3.6	16
7	<i>Halyomorpha halys</i> (Hemiptera: Pentatomidae) on Kiwifruit in Northern Italy: Phenology, Infestation, and Natural Enemies Assessment. <i>Journal of Economic Entomology</i> , 2021, 114, 1733-1742.	1.8	9
8	Bacterial volatile compound-based tools for crop management and quality. <i>Trends in Plant Science</i> , 2021, 26, 968-983.	8.8	38
9	Osmoprotectants and Antioxidative Enzymes as Screening Tools for Salinity Tolerance in Radish (<i>Raphanus sativus</i>). <i>Horticultural Plant Journal</i> , 2020, 6, 14-24.	5.0	18
10	Nectarine volatilome response to fresh-cutting and storage. <i>Postharvest Biology and Technology</i> , 2020, 159, 111020.	6.0	13
11	N-Acyl Homoserine Lactones and Lux Solos Regulate Social Behaviour and Virulence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Microbial Ecology</i> , 2020, 79, 383-396.	2.8	22
12	<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> : Ecology, Infection Dynamics and Disease Epidemiology. <i>Microbial Ecology</i> , 2020, 80, 81-102.	2.8	67
13	Supplementary LED Interlighting Improves Yield and Precocity of Greenhouse Tomatoes in the Mediterranean. <i>Agronomy</i> , 2020, 10, 1002.	3.0	50
14	Foliar application of specific yeast derivative enhances anthocyanins accumulation and gene expression in Sangiovese cv (<i>Vitis vinifera</i> L.). <i>Scientific Reports</i> , 2020, 10, 11627.	3.3	6
15	Optimal light intensity for sustainable water and energy use in indoor cultivation of lettuce and basil under red and blue LEDs. <i>Scientia Horticulturae</i> , 2020, 272, 109508.	3.6	103
16	Facing Climate Change: Application of Microbial Biostimulants to Mitigate Stress in Horticultural Crops. <i>Agronomy</i> , 2020, 10, 794.	3.0	77
17	Pathogens Associated to Kiwifruit Vine Decline in Italy. <i>Agriculture (Switzerland)</i> , 2020, 10, 119.	3.1	25
18	Influence of cultural practices on the incidence and severity of kiwifruit bacterial canker. <i>Acta Horticulturae</i> , 2019, , 59-64.	0.2	4

#	ARTICLE	IF	CITATIONS
19	Validation of New Zealand Psa forecasting model in Emilia Romagna Region, Italy. <i>Acta Horticulturae</i> , 2019, , 71-78.	0.2	2
20	Effect of plant extracts on <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> gene expression, motility and virulence. <i>Acta Horticulturae</i> , 2019, , 79-84.	0.2	0
21	Resource use efficiency of indoor lettuce (<i>Lactuca sativa</i> L.) cultivation as affected by red:blue ratio provided by LED lighting. <i>Scientific Reports</i> , 2019, 9, 14127.	3.3	113
22	Harvest Maturity Stage and Cold Storage Length Influence on Flavour Development in Peach Fruit. <i>Agronomy</i> , 2019, 9, 10.	3.0	30
23	Genetic and functional characterization of the bacterial community on fruit of three raspberry (<i>Rubus idaeus</i>) cultivars. <i>Journal of Berry Research</i> , 2019, 9, 227-247.	1.4	11
24	Unraveling the Role of Red:Blue LED Lights on Resource Use Efficiency and Nutritional Properties of Indoor Grown Sweet Basil. <i>Frontiers in Plant Science</i> , 2019, 10, 305.	3.6	154
25	Biological control of bacterial plant diseases with <i>Lactobacillus plantarum</i> strains selected for their broad-spectrum activity. <i>Annals of Applied Biology</i> , 2019, 174, 92-105.	2.5	92
26	Pathogen-induced changes in floral scent may increase honeybee-mediated dispersal of <i>Erwinia amylovora</i> . <i>ISME Journal</i> , 2019, 13, 847-859.	9.8	45
27	Quorum sensing in <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> (Psa). <i>Acta Horticulturae</i> , 2019, , 85-90.	0.2	1
28	Biological effect of VOCs produced during <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> infection of kiwifruit plant. <i>Acta Horticulturae</i> , 2019, , 7-14.	0.2	0
29	Fruit of three kiwifruit (<i>Actinidia chinensis</i>) cultivars differ in their degreening response to temperature after harvest. <i>Postharvest Biology and Technology</i> , 2018, 141, 16-23.	6.0	18
30	Biological relevance of volatile organic compounds emitted during the pathogenic interactions between apple plants and <i>Erwinia amylovora</i> . <i>Molecular Plant Pathology</i> , 2018, 19, 158-168.	4.2	42
31	First Report of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> on Kiwifruit Pollen from Argentina. <i>Plant Disease</i> , 2018, 102, 237-237.	1.4	12
32	Apple fruit superficial scald resistance mediated by ethylene inhibition is associated with diverse metabolic processes. <i>Plant Journal</i> , 2018, 93, 270-285.	5.7	76
33	Screening of microbial biocoenosis of <i>Actinidia chinensis</i> for the isolation of candidate biological control agents against <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Acta Horticulturae</i> , 2018, , 239-246.	0.2	4
34	Insect-mediated vectoring of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Acta Horticulturae</i> , 2018, , 269-274.	0.2	0
35	Molecular signalling in <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Acta Horticulturae</i> , 2018, , 299-306.	0.2	0
36	<i>Actinidia</i> - <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> interaction: differentially expressed plant transcripts during infection. <i>Acta Horticulturae</i> , 2018, , 315-320.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Transcriptome analysis of the <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> (Psa) pathogenesis process. <i>Acta Horticulturae</i> , 2018, , 321-326.	0.2	0
38	Modification of the phyllosphere bacterial biocoenosis by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> infection. <i>Acta Horticulturae</i> , 2018, , 275-278.	0.2	2
39	Pathways of flower infection and pollen-mediated dispersion of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> , the causal agent of kiwifruit bacterial canker. <i>Horticulture Research</i> , 2018, 5, 56.	6.3	54
40	Plant Microbiome and Its Link to Plant Health: Host Species, Organs and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Infection Shaping Bacterial Phyllosphere Communities of Kiwifruit Plants. <i>Frontiers in Plant Science</i> , 2018, 9, 1563.	3.6	51
41	Insecticidal Activity of <i>Photorhabdus luminescens</i> against <i>Drosophila suzukii</i> . <i>Insects</i> , 2018, 9, 148.	2.2	26
42	Is the physiological maturity at harvest influencing nectarine flavour after cold storage?. <i>Acta Horticulturae</i> , 2018, , 1429-1434.	0.2	0
43	Comparative transcriptome analysis of the interaction between <i>Actinidia chinensis</i> var. <i>chinensis</i> and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in absence and presence of acibenzolar-S-methyl. <i>BMC Genomics</i> , 2018, 19, 585.	2.8	33
44	Soil CO ₂ emission partitioning, bacterial community profile and gene expression of <i>Nitrosomonas</i> spp. and <i>Nitrobacter</i> spp. of a sandy soil amended with biochar and compost. <i>Applied Soil Ecology</i> , 2017, 112, 79-89.	4.3	21
45	ABA regulation of calcium-related genes and bitter pit in apple. <i>Postharvest Biology and Technology</i> , 2017, 132, 1-6.	6.0	30
46	Potential Applications and Limitations of Electronic Nose Devices for Plant Disease Diagnosis. <i>Sensors</i> , 2017, 17, 2596.	3.8	76
47	Use of Nondestructive Devices to Support Pre- and Postharvest Fruit Management. <i>Horticulturae</i> , 2017, 3, 12.	2.8	9
48	Role of <i>Metcalfa pruinosa</i> as a Vector for <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Plant Pathology Journal</i> , 2017, 33, 554-560.	1.7	19
49	Greenhouse assays on the control of the bacterial canker of kiwifruit (<i>Pseudomonas syringae</i> pv.) Tj ETQq1 1 0.784314 rgBT/Overlo	1.4	19
50	Optimization of cultural practices to reduce the development of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> , causal agent of the bacterial canker of kiwifruit. <i>Journal of Berry Research</i> , 2016, 6, 355-371.	1.4	18
51	Early detection of bacterial diseases in apple plants by analysis of volatile organic compounds profiles and use of electronic nose. <i>Annals of Applied Biology</i> , 2016, 168, 409-420.	2.5	43
52	Salinity thresholds and genotypic variability of cabbage (<i>Brassica oleracea</i> L.) grown under saline stress. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 319-330.	3.5	32
53	Characterization of volatile organic compounds emitted by kiwifruit plants infected with <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> and their effects on host defences. <i>Trees - Structure and Function</i> , 2016, 30, 795-806.	1.9	23
54	DAFL: NEW INNOVATIVE DEVICE TO MONITOR FRUIT RIPENING IN STORAGE. <i>Acta Horticulturae</i> , 2015, , 549-554.	0.2	3

#	ARTICLE	IF	CITATIONS
55	INNOVATIVE NON-DESTRUCTIVE DEVICE FOR FRUIT QUALITY ASSESSMENT AND EARLY DISEASE DIAGNOSIS. <i>Acta Horticulturae</i> , 2015, , 69-78.	0.2	12
56	RNA-SEQ ANALYSIS OF THE MOLECULAR INTERACTION BETWEEN PSEUDOMONAS SYRINGAE PV. ACTINIDIAE (PSA) AND THE KIWIFRUIT. <i>Acta Horticulturae</i> , 2015, , 357-362.	0.2	0
57	SURVIVAL OF PSEUDOMONAS SYRINGAE PV. ACTINIDIAE IN THE ENVIRONMENT. <i>Acta Horticulturae</i> , 2015, , 105-110.	0.2	4
58	UNRAVELING THE MOLECULAR INTERACTION BETWEEN PSEUDOMONAS SYRINGAE PV. ACTINIDIAE (PSA) AND THE KIWIFRUIT PLANT THROUGH RNASEQ APPROACH. <i>Acta Horticulturae</i> , 2015, , 89-94.	0.2	2
59	Use of the index of absorbance difference (IAD) as a tool for tailoring post-harvest 1-MCP application to control apple superficial scald. <i>Scientia Horticulturae</i> , 2015, 190, 110-116.	3.6	29
60	Untargeted metabolomics investigation of volatile compounds involved in the development of apple superficial scald by PTR-ToF-MS. <i>Metabolomics</i> , 2015, 11, 341-349.	3.0	36
61	New insights on the bacterial canker of kiwifruit (<i>Pseudomonas syringae</i> pv. <i>actinidiae</i>). <i>Journal of Berry Research</i> , 2014, 4, 53-67.	1.4	78
62	Detection of potato brown rot and ring rot by electronic nose: From laboratory to real scale. <i>Talanta</i> , 2014, 129, 422-430.	5.5	61
63	Elicitors of the salicylic acid pathway reduce incidence of bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Annals of Applied Biology</i> , 2014, 165, 441-453.	2.5	69
64	Identification of Volatile Markers in Potato Brown Rot and Ring Rot by Combined GC-MS and PTR-MS Techniques: Study on in Vitro and in Vivo Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 337-347.	5.2	28
65	Using fundamental knowledge of induced resistance to develop control strategies for bacterial canker of kiwifruit caused by <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Frontiers in Plant Science</i> , 2013, 4, 24.	3.6	36
66	Assessment of <i>in vitro</i> removal of cholesterol oxidation products by <i>Lactobacillus casei</i> ATCC334. <i>Letters in Applied Microbiology</i> , 2013, 57, 443-450.	2.2	6
67	Emission of volatile compounds by <i>Erwinia amylovora</i> : biological activity in vitro and possible exploitation for bacterial identification. <i>Trees - Structure and Function</i> , 2012, 26, 141-152.	1.9	28
68	Acylcyclohexanediones and biological control agents: combining complementary modes of action to control fire blight. <i>Trees - Structure and Function</i> , 2012, 26, 247-257.	1.9	4
69	EMISSION OF VOLATILES DURING THE PATHOGENIC INTERACTION BETWEEN ERWINIA AMYLOVORA AND MALUS DOMESTICA. <i>Acta Horticulturae</i> , 2011, , 55-63.	0.2	7
70	VOLATILE COMPOUNDS PRODUCED BY ERWINIA AMYLOVORA AND THEIR POTENTIAL EXPLOITATION FOR BACTERIAL IDENTIFICATION. <i>Acta Horticulturae</i> , 2011, , 77-84.	0.2	5
71	REAL TIME MONITORING OF THE INTERACTIONS BETWEEN PSEUDOMONAS SYRINGAE PV. ACTINIDIAE AND ACTINIDIA SPECIES. <i>Acta Horticulturae</i> , 2011, , 461-465.	0.2	47
72	RECENT ADVANCES IN THE CHARACTERISATION AND CONTROL OF PSEUDOMONAS SYRINGAE PV. ACTINIDIAE, THE CAUSAL AGENT OF BACTERIAL CANCKER ON KIWIFRUIT. <i>Acta Horticulturae</i> , 2011, , 443-455.	0.2	31

#	ARTICLE	IF	CITATIONS
73	USE OF PLANT BIOREGULATORS IN KIWIFRUIT PRODUCTION. <i>Acta Horticulturae</i> , 2011, , 337-344.	0.2	1
74	Reduction of scab incidence (<i>Venturia inaequalis</i>) in apple with prohexadione-Ca and trinexapac-ethyl, two growth regulating acylcyclohexanediones. <i>Crop Protection</i> , 2010, 29, 691-698.	2.1	8
75	Potential of the electronic nose for the diagnosis of bacterial and fungal diseases in fruit trees. <i>EPPO Bulletin</i> , 2010, 40, 59-67.	0.8	21
76	A novel type of seaweed extract as a natural alternative to the use of iron chelates in strawberry production. <i>Scientia Horticulturae</i> , 2010, 125, 263-269.	3.6	116
77	Perspectives on the use of a seaweed extract to moderate the negative effects of alternate bearing in apple trees. <i>Journal of Horticultural Science and Biotechnology</i> , 2009, 84, 131-137.	1.9	74
78	INNOVATIVE APPLICATION OF NON-DESTRUCTIVE TECHNIQUES FOR FRUIT QUALITY AND DISEASE DIAGNOSIS. <i>Acta Horticulturae</i> , 2007, , 275-282.	0.2	12
79	Potential and limits of acylcyclohexanediones for the control of blossom blight in apple and pear caused by <i>Erwinia amylovora</i> . <i>Plant Pathology</i> , 2007, 56, 702-710.	2.4	10
80	GROWTH-REGULATING ACYLCYCLOHEXANEDIONES, TRINEXAPAC-ETHYL AND PROHEXADIONE-CALCIUM DECREASE BLOSSOM BLIGHT INCIDENCE IN POME FRUITS. <i>Acta Horticulturae</i> , 2006, , 245-248.	0.2	2
81	PROHEXADIONE-CA: MORE THAN A GROWTH REGULATOR FOR POME FRUIT TREES. <i>Acta Horticulturae</i> , 2006, , 107-116.	0.2	9
82	NEAR INFRARED SPECTROSCOPY (NIRS): PERSPECTIVE OF FIRE BLIGHT DETECTION IN ASYMPTOMATIC PLANT MATERIAL. <i>Acta Horticulturae</i> , 2006, , 87-90.	0.2	33
83	CHEMICAL CONTROL OF FIRE BLIGHT IN PEAR: APPLICATION OF PROHEXADIONE-CALCIUM, ACIBENZOLAR-S-METHYL, AND COPPER PREPARATIONS IN VITRO AND UNDER FIELD CONDITIONS. <i>Acta Horticulturae</i> , 2006, , 233-238.	0.2	10
84	PROHEXADIONE-CA: MODES OF ACTION OF A MULTIFUNCTIONAL PLANT BIOREGULATOR FOR FRUIT TREES. <i>Acta Horticulturae</i> , 2006, , 97-106.	0.2	37
85	Induction of polyphenol gene expression in apple (<i>Malus x domestica</i>) after the application of a dioxygenase inhibitor. <i>Physiologia Plantarum</i> , 2006, 128, 604-617.	5.2	28
86	PROHEXADIONE-CALCIUM INDUCES IN APPLE THE BIOSYNTHESIS OF LUTEOFOROL, A NOVEL FLAVAN 4-OL, WHICH IS ACTIVE AGAINST <i>ERWINIA AMYLOVORA</i> . <i>Acta Horticulturae</i> , 2006, , 239-244.	0.2	2
87	ESTABLISHMENT AND SURVIVAL ON APPLE AND PEAR LEAVES OF FOUR BIOLOGICAL CONTROL AGENTS INCLUDING <i>PANTOEA AGGLOMERANS</i> P10C AND <i>PSEUDOMONAS FLUORESCENS</i> A506. <i>Acta Horticulturae</i> , 2006, , 307-312.	0.2	4
88	Luteoforol, a flavan 4-ol, is induced in pome fruits by prohexadione-calcium and shows phytoalexin-like properties against <i>Erwinia amylovora</i> and other plant pathogens. <i>European Journal of Plant Pathology</i> , 2005, 112, 133-142.	1.7	51
89	Influence of Stigmatic Morphology on Flower Colonization by <i>Erwinia amylovora</i> and <i>Pantoea agglomerans</i> . <i>European Journal of Plant Pathology</i> , 2005, 113, 395-405.	1.7	48
90	INCIDENCE OF SCAB (<i>VENTURIA INAEQUALIS</i>) IN APPLE AS AFFECTED BY DIFFERENT PLANT GROWTH RETARDANTS. <i>Acta Horticulturae</i> , 2004, , 133-137.	0.2	8

#	ARTICLE	IF	CITATIONS
91	TWO YEARS OF APPLICATION OF PROHEXADIONE-CA ON APPLE: EFFECT ON VEGETATIVE AND CROPPING PERFORMANCE, FRUIT QUALITY, RETURN BLOOM AND RESIDUAL EFFECT. Acta Horticulturae, 2004, , 35-40.	0.2	16
92	PROHEXADIONE-CA CONTROLS VEGETATIVE GROWTH AND CROPPING PERFORMANCE IN PEAR. Acta Horticulturae, 2004, , 127-132.	0.2	11
93	Induction of Antimicrobial 3-Deoxyflavonoids in Pome Fruit Trees Controls Fire Blight. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 765-770.	1.4	36
94	Emission and Function of Volatile Organic Compounds in Response to Abiotic Stress. , 0, , .		22
95	Colonisation of apple and pear leaves by different strains of biological control agents of fire blight. New Zealand Plant Protection, 0, 57, 49-53.	0.3	4
96	Effect of prohexadionecalcium on nectar composition of pomaceous flowers and on bacterial growth. New Zealand Plant Protection, 0, 58, 106-111.	0.3	0