

Antonio Celada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9040240/publications.pdf>

Version: 2024-02-01

115
papers

7,811
citations

61984

43
h-index

53230

85
g-index

119
all docs

119
docs citations

119
times ranked

11317
citing authors

#	ARTICLE	IF	CITATIONS
1	GM-CSF Protects Macrophages from DNA Damage by Inducing Differentiation. <i>Cells</i> , 2022, 11, 935.	4.1	7
2	The Translational Relevance of Human Circulating Memory Cutaneous Lymphocyte-Associated Antigen Positive T Cells in Inflammatory Skin Disorders. <i>Frontiers in Immunology</i> , 2021, 12, 652613.	4.8	8
3	Induction of CIITA by IFN- γ in macrophages involves STAT1 activation by JAK and JNK. <i>Immunobiology</i> , 2021, 226, 152114.	1.9	10
4	Interplay between Humoral and CLA+ T Cell Response against <i>Candida albicans</i> in Psoriasis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1519.	4.1	10
5	Mitofusin 2 in Macrophages Links Mitochondrial ROS Production, Cytokine Release, Phagocytosis, Autophagy, and Bactericidal Activity. <i>Cell Reports</i> , 2020, 32, 108079.	6.4	93
6	Macrophage mitochondrial MFN2 (mitofusin 2) links immune stress and immune response through reactive oxygen species (ROS) production. <i>Autophagy</i> , 2020, 16, 2307-2309.	9.1	35
7	IL-15 and IL-23 synergize to trigger Th17 response by CLA+ T cells in psoriasis. <i>Experimental Dermatology</i> , 2020, 29, 630-638.	2.9	11
8	Specific IgA and CLA+ T-Cell IL-17 Response to <i>Streptococcus pyogenes</i> in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1364-1370.e1.	0.7	17
9	Induction of Samhd1 by interferon gamma and lipopolysaccharide in murine macrophages requires IRF1. <i>European Journal of Immunology</i> , 2020, 50, 1321-1334.	2.9	3
10	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019, 49, 1457-1973.	2.9	766
11	Molecular and Cellular Aspects of Macrophage Aging. , 2019, , 1631-1663.		3
12	Microbe-Dependent Induction of IL-9 by CLA+ T Cells in Psoriasis and Relationship with IL-17A. <i>Journal of Investigative Dermatology</i> , 2018, 138, 580-587.	0.7	20
13	CLA+ T Cell Response to Microbes in Psoriasis. <i>Frontiers in Immunology</i> , 2018, 9, 1488.	4.8	10
14	Molecular and Cellular Aspects of Macrophage Aging. , 2018, , 1-32.		0
15	Macrophages and Mitochondria. <i>Advances in Immunology</i> , 2017, 133, 1-36.	2.2	45
16	l-Arginine and Macrophages: Role in Classical and Alternative Activation. , 2017, , 117-129.		0
17	Role of Neutrophils Apoptosis in Osteomyelitis Pathogenesis. <i>Clinical Microbiology (Los Angeles)</i> , 2017, 14, 1-14.	0.2	0
18	Mitogen-Activated Protein Kinases and Mitogen Kinase Phosphatase 1: A Critical Interplay in Macrophage Biology. <i>Frontiers in Molecular Biosciences</i> , 2016, 3, 28.	3.5	33

#	ARTICLE	IF	CITATIONS
19	Streptococcus pyogenes "induced cutaneous lymphocyte antigen" positive T cell-dependent epidermal cell activation triggers T H 17 responses in patients with guttate psoriasis. Journal of Allergy and Clinical Immunology, 2016, 138, 491-499.e6.	2.9	39
20	MCPIP1 RNase Is Aberrantly Distributed in Psoriatic Epidermis and Rapidly Induced by IL-17A. Journal of Investigative Dermatology, 2016, 136, 1599-1607.	0.7	38
21	NBS1 is required for macrophage homeostasis and functional activity in mice. Blood, 2015, 126, 2502-2510.	1.4	37
22	The Response of Secondary Genes to Lipopolysaccharides in Macrophages Depends on Histone Deacetylase and Phosphorylation of C/EBP β . Journal of Immunology, 2014, 192, 418-426.	0.8	41
23	The Exonuclease Trex1 Restrains Macrophage Proinflammatory Activation. Journal of Immunology, 2013, 191, 6128-6135.	0.8	40
24	Circulating CLA+ T lymphocytes as peripheral cell biomarkers in T cell-mediated skin diseases. Experimental Dermatology, 2013, 22, 439-442.	2.9	33
25	Streptococcus Induces Circulating CLA+ Memory T-Cell-Dependent Epidermal Cell Activation in Psoriasis. Journal of Investigative Dermatology, 2013, 133, 999-1007.	0.7	35
26	Arginine Transport Is Impaired in C57Bl/6 Mouse Macrophages as a Result of a Deletion in the Promoter of Slc7a2 (CAT2), and Susceptibility to Leishmania Infection Is Reduced. Journal of Infectious Diseases, 2013, 207, 1684-1693.	4.0	42
27	Reciprocal Negative Cross-Talk between Liver X Receptors (LXRs) and STAT1: Effects on IFN- γ -Induced Inflammatory Responses and LXR-Dependent Gene Expression. Journal of Immunology, 2013, 190, 6520-6532.	0.8	44
28	Inorganic nanoparticles and the immune system: detection, selective activation and tolerance. , 2012, , .		0
29	Deacetylation of C/EBP β is required for IL-4-induced arginase expression in murine macrophages. European Journal of Immunology, 2012, 42, 3028-3037.	2.9	17
30	MKP-1: A critical phosphatase in the biology of macrophages controlling the switch between proliferation and activation. European Journal of Immunology, 2012, 42, 1938-1948.	2.9	33
31	Arginine and Macrophage Activation. Methods in Molecular Biology, 2012, 844, 223-235.	0.9	18
32	DNFB-DNS hapten-induced colitis in mice should not be considered a model of inflammatory bowel disease. Inflammatory Bowel Diseases, 2011, 17, 2087-2101.	1.9	7
33	Liver X Receptors Inhibit Macrophage Proliferation through Downregulation of Cyclins D1 and B1 and Cyclin-Dependent Kinases 2 and 4. Journal of Immunology, 2011, 186, 4656-4667.	0.8	25
34	Characterization of Trex1 Induction by IFN- β in Murine Macrophages. Journal of Immunology, 2011, 186, 2299-2308.	0.8	17
35	Entamoeba lysyl-tRNA Synthetase Contains a Cytokine-Like Domain with Chemokine Activity towards Human Endothelial Cells. PLoS Neglected Tropical Diseases, 2011, 5, e1398.	3.0	13
36	The locus control region of the MHC class II promoter acts as a repressor element, the activity of which is inhibited by CIITA. Molecular Immunology, 2010, 47, 825-832.	2.2	5

#	ARTICLE	IF	CITATIONS
37	Macrophage Proinflammatory Activation and Deactivation. <i>Advances in Immunology</i> , 2010, 108, 1-20.	2.2	132
38	Telomere Shortening and Oxidative Stress in Aged Macrophages Results in Impaired STAT5a Phosphorylation. <i>Journal of Immunology</i> , 2009, 183, 2356-2364.	0.8	68
39	IL-4 blocks M-CSF-dependent macrophage proliferation by inducing p21 ^{waf1} in a STAT6-dependent way. <i>European Journal of Immunology</i> , 2009, 39, 514-526.	2.9	39
40	CREB and AP-1 activation regulates MKP-1 induction by LPS or M-CSF and their kinetics correlate with macrophage activation versus proliferation. <i>European Journal of Immunology</i> , 2009, 39, 1902-1913.	2.9	38
41	p21 ^{waf1/CIP1} , a CDK inhibitor and a negative feedback system that controls macrophage activation. <i>European Journal of Immunology</i> , 2009, 39, 691-694.	2.9	30
42	Macrophage Activation: Classical Vs. Alternative. <i>Methods in Molecular Biology</i> , 2009, 531, 29-43.	0.9	140
43	Peptides conjugated to gold nanoparticles induce macrophage activation. <i>Molecular Immunology</i> , 2009, 46, 743-748.	2.2	130
44	Homogeneous Conjugation of Peptides onto Gold Nanoparticles Enhances Macrophage Response. <i>ACS Nano</i> , 2009, 3, 1335-1344.	14.6	148
45	Molecular and Cellular Aspects of Macrophage Aging. , 2009, , 919-945.		12
46	The kinase p38 β serves cell type-specific inflammatory functions in skin injury and coordinates pro- and anti-inflammatory gene expression. <i>Nature Immunology</i> , 2008, 9, 1019-1027.	14.5	250
47	Structural and biochemical studies of TREG1 inhibition by metals. Identification of a new active histidine conserved in DEDDh exonucleases. <i>Protein Science</i> , 2008, 17, 2059-2069.	7.6	27
48	Autoregulation mechanism of human neutrophil apoptosis during bacterial infection. <i>Molecular Immunology</i> , 2008, 45, 2087-2096.	2.2	29
49	Selective Roles of MAPKs during the Macrophage Response to IFN- γ . <i>Journal of Immunology</i> , 2008, 180, 4523-4529.	0.8	81
50	Deacetylase Activity Is Required for STAT5-Dependent GM-CSF Functional Activity in Macrophages and Differentiation to Dendritic Cells. <i>Journal of Immunology</i> , 2008, 180, 5898-5906.	0.8	47
51	Granulocyte Macrophage-Colony-Stimulating Factor-Dependent Proliferation Is Impaired in Macrophages From Senescence-Accelerated Mice. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 1161-1167.	3.6	2
52	IFN- γ -mediated inhibition of MAPK phosphatase expression results in prolonged MAPK activity in response to M-CSF and inhibition of proliferation. <i>Blood</i> , 2008, 112, 3274-3282.	1.4	44
53	JNK1 Is Required for the Induction of Mkp1 Expression in Macrophages during Proliferation and Lipopolysaccharide-dependent Activation. <i>Journal of Biological Chemistry</i> , 2007, 282, 12566-12573.	3.4	52
54	Bax gene G(-248)A promoter polymorphism is associated with increased lifespan of the neutrophils of patients with osteomyelitis. <i>Genetics in Medicine</i> , 2007, 9, 249-255.	2.4	23

#	ARTICLE	IF	CITATIONS
55	Lipopolysaccharide Up-Regulates MHC Class II Expression on Dendritic Cells through an AP-1 Enhancer without Affecting the Levels of CIITA. <i>Journal of Immunology</i> , 2007, 178, 6307-6315.	0.8	63
56	Structure of the Dimeric Exonuclease TREX1 in Complex with DNA Displays a Proline-rich Binding Site for WW Domains. <i>Journal of Biological Chemistry</i> , 2007, 282, 14547-14557.	3.4	45
57	The NOS3 (27-bp repeat, intron 4) polymorphism is associated with susceptibility to osteomyelitis. <i>Nitric Oxide - Biology and Chemistry</i> , 2007, 16, 44-53.	2.7	28
58	Kv1.3/Kv1.5 heteromeric channels compromise pharmacological responses in macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2007, 352, 913-918.	2.1	65
59	NMR Structural Studies of the ItchWW3 Domain Reveal that Phosphorylation at T30 Inhibits the Interaction with PPxY-Containing Ligands. <i>Structure</i> , 2007, 15, 473-483.	3.3	25
60	Macrophage-Colony-Stimulating Factor-Induced Proliferation and Lipopolysaccharide-Dependent Activation of Macrophages Requires Raf-1 Phosphorylation to Induce Mitogen Kinase Phosphatase-1 Expression. <i>Journal of Immunology</i> , 2006, 176, 6594-6602.	0.8	28
61	Cyclophilin A is required for M-CSF-dependent macrophage proliferation. <i>European Journal of Immunology</i> , 2006, 36, 2515-2524.	2.9	20
62	Macrophages require distinct arginine catabolism and transport systems for proliferation and for activation. <i>European Journal of Immunology</i> , 2006, 36, 1516-1526.	2.9	79
63	Granulocyte-macrophage colony-stimulating factor increases L-arginine transport through the induction of CAT2 in bone marrow-derived macrophages. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 290, C1364-C1372.	4.6	32
64	Arginine Transport via Cationic Amino Acid Transporter 2 Plays a Critical Regulatory Role in Classical or Alternative Activation of Macrophages. <i>Journal of Immunology</i> , 2006, 176, 5918-5924.	0.8	113
65	Pattern of Kv β 2 Subunit Expression in Macrophages Depends upon Proliferation and the Mode of Activation. <i>Journal of Immunology</i> , 2005, 174, 4736-4744.	0.8	54
66	Arginase and polyamine synthesis are key factors in the regulation of experimental leishmaniasis in vivo. <i>FASEB Journal</i> , 2005, 19, 1000-1002.	0.5	248
67	MacrophAging: A cellular and molecular review. <i>Immunobiology</i> , 2005, 210, 121-126.	1.9	78
68	In Vivo Interleukin-6 Protects Neutrophils from Apoptosis in Osteomyelitis. <i>Infection and Immunity</i> , 2004, 72, 3823-3828.	2.2	83
69	STAT1 Regulates Lipopolysaccharide- and TNF- α -Dependent Expression of Transporter Associated with Antigen Processing 1 and Low Molecular Mass Polypeptide 2 Genes in Macrophages by Distinct Mechanisms. <i>Journal of Immunology</i> , 2004, 173, 1103-1110.	0.8	45
70	Macrophage colony-stimulating factor-, granulocyte-macrophage colony-stimulating factor-, or IL-3-dependent survival of macrophages, but not proliferation, requires the expression of p21Waf1 through the phosphatidylinositol 3-kinase/Akt pathway. <i>European Journal of Immunology</i> , 2004, 34, 2257-2267.	2.9	54
71	Macrophage colony-stimulating factor-dependent macrophage proliferation is mediated through a calcineurin-independent but immunophilin-dependent mechanism that mediates the activation of external regulated kinases. <i>European Journal of Immunology</i> , 2003, 33, 3091-3100.	2.9	22
72	Differential Voltage-dependent K ⁺ Channel Responses during Proliferation and Activation in Macrophages. <i>Journal of Biological Chemistry</i> , 2003, 278, 46307-46320.	3.4	154

#	ARTICLE	IF	CITATIONS
73	PKC β is involved in JNK activation that mediates LPS-induced TNF- α , which induces apoptosis in macrophages. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 285, C1235-C1245.	4.6	103
74	Decorin Reverses the Repressive Effect of Autocrine-Produced TGF- β^2 on Mouse Macrophage Activation. <i>Journal of Immunology</i> , 2003, 170, 4450-4456.	0.8	59
75	High expression of p21Waf1 in sarcoid granulomas: a putative role for long-lasting inflammation. <i>Journal of Leukocyte Biology</i> , 2003, 74, 295-301.	3.3	34
76	Interferon- β regulates nucleoside transport systems in macrophages through signal transduction and activator of transduction factor 1 (STAT1)-dependent and -independent signalling pathways. <i>Biochemical Journal</i> , 2003, 375, 777-783.	3.7	41
77	Immunosenescence of macrophages: reduced MHC class II gene expression. <i>Experimental Gerontology</i> , 2002, 37, 389-394.	2.8	107
78	Effect of aging on macrophage function. <i>Experimental Gerontology</i> , 2002, 37, 1325-1331.	2.8	119
79	Treatment with Anti-interferon- β Monoclonal Antibodies Modifies Experimental Autoimmune Encephalomyelitis in Interferon- β Receptor Knockout Mice. <i>Experimental Neurology</i> , 2001, 172, 460-468.	4.1	30
80	Molecular Mechanisms Involved in Macrophage Survival, Proliferation, Activation or Apoptosis. <i>Immunobiology</i> , 2001, 204, 543-550.	1.9	106
81	Decorin inhibits macrophage colony-stimulating factor proliferation of macrophages and enhances cell survival through induction of p27Kip1 and p21Waf1. <i>Blood</i> , 2001, 98, 2124-2133.	1.4	108
82	From transcription to cell surface expression, the induction of MHC class II I-A α by interferon- β in macrophages is regulated at different levels. <i>Immunogenetics</i> , 2001, 53, 136-144.	2.4	31
83	Lipopolysaccharide-induced Apoptosis of Macrophages Determines the Up-regulation of Concentrative Nucleoside Transporters Cnt1 and Cnt2 through Tumor Necrosis Factor- α -dependent and -independent Mechanisms. <i>Journal of Biological Chemistry</i> , 2001, 276, 30043-30049.	3.4	75
84	Macrophages require different nucleoside transport systems for proliferation and activation. <i>FASEB Journal</i> , 2001, 15, 1979-1988.	0.5	94
85	IFN- β dependent transcription of MHC class II IA is impaired in macrophages from aged mice. <i>Journal of Clinical Investigation</i> , 2001, 107, 485-493.	8.2	130
86	Nitric oxide regulates nucleoside transport in activated B lymphocytes. <i>Journal of Leukocyte Biology</i> , 2000, 67, 345-349.	3.3	26
87	LPS induces apoptosis in macrophages mostly through the autocrine production of TNF- α . <i>Blood</i> , 2000, 95, 3823-3831.	1.4	271
88	Protein Kinase C μ Is Required for the Induction of Mitogen-Activated Protein Kinase Phosphatase-1 in Lipopolysaccharide-Stimulated Macrophages. <i>Journal of Immunology</i> , 2000, 164, 29-37.	0.8	98
89	The Expression of MHC Class II Genes in Macrophages Is Cell Cycle Dependent. <i>Journal of Immunology</i> , 2000, 165, 6364-6371.	0.8	35
90	The Differential Time-course of Extracellular-regulated Kinase Activity Correlates with the Macrophage Response toward Proliferation or Activation. <i>Journal of Biological Chemistry</i> , 2000, 275, 7403-7409.	3.4	124

#	ARTICLE	IF	CITATIONS
91	LPS induces apoptosis in macrophages mostly through the autocrine production of TNF- α . <i>Blood</i> , 2000, 95, 3823-3831.	1.4	47
92	Mechanism of I- β gene expression. <i>Microbes and Infection</i> , 1999, 1, 935-941.	1.9	2
93	The key role of PU.1/SPI-1 in B cells, myeloid cells and macrophages. <i>Trends in Immunology</i> , 1999, 20, 184-189.	7.5	119
94	Interferon β Induces the Expression of p21waf-1 and Arrests Macrophage Cell Cycle, Preventing Induction of Apoptosis. <i>Immunity</i> , 1999, 11, 103-113.	14.3	174
95	Different cytokines modulate ubiquitin gene expression in rat skeletal muscle. <i>Cancer Letters</i> , 1998, 133, 83-87.	7.2	98
96	Regulation of Nucleoside Transport by Lipopolysaccharide, Phorbol Esters, and Tumor Necrosis Factor- α in Human B-lymphocytes. <i>Journal of Biological Chemistry</i> , 1998, 273, 26939-26945.	3.4	56
97	Transcription factors that regulate monocyte/macrophage differentiation. <i>Journal of Leukocyte Biology</i> , 1998, 63, 405-417.	3.3	198
98	Repression Mechanisms of the I- β Gene of the Major Histocompatibility Complex. <i>Immunobiology</i> , 1997, 198, 249-263.	1.9	6
99	Identification of a transcription factor that binds to the S box of the I-A β gene of the major histocompatibility complex. <i>Biochemical Journal</i> , 1996, 313, 737-744.	3.7	4
100	Identification of the transcription factors NF-YA and NF-YB as factors A and B that bound to the promoter of the major histocompatibility complex class II gene I-A β . <i>Biochemical Journal</i> , 1996, 317, 771-777.	3.7	5
101	Repression of I- β Gene Expression by the Transcription Factor PU.1. <i>Journal of Biological Chemistry</i> , 1995, 270, 24385-24391.	3.4	34
102	The macrophage and B cell-specific transcription factor PU.1 is related to the ets oncogene. <i>Cell</i> , 1990, 61, 113-124.	28.9	995
103	The PU.1 transcription factor is the product of the putative oncogene Spi-1. <i>Cell</i> , 1990, 61, 1166.	28.9	29
104	The expression of I-A correlates with the uptake of interferon- β by macrophages. <i>European Journal of Immunology</i> , 1989, 19, 205-208.	2.9	20
105	Interferon- β activates multiple pathways to regulate the expression of the genes for major histocompatibility class II I- β , tumor necrosis factor and complement component C3 in mouse macrophages. <i>European Journal of Immunology</i> , 1989, 19, 1103-1109.	2.9	82
106	Increased bone marrow blood flow in acute hemolytic anemia is due to an increase of the erythropoiesis. <i>American Journal of Hematology</i> , 1986, 23, 409-409.	4.1	0
107	Frequency and Clinical and Transfusional Significance of Rheumatoid Factor in Patients with Haemophilia and von Willebrand's Disease. <i>Vox Sanguinis</i> , 1984, 47, 271-275.	1.5	5
108	AUTOIMMUNE HAEMOLYTIC ANAEMIA AND APLASTIC CRISIS. <i>British Journal of Haematology</i> , 1984, 57, 178-179.	2.5	2

#	ARTICLE	IF	CITATIONS
109	MACROCYTOSIS IN PREGNANCY: IRON AS LIMITING FACTOR. British Journal of Haematology, 1982, 51, 662-663.	2.5	2
110	Iron Overload in a Non-transfused Patient with Thalassaemia Intermedia. Scandinavian Journal of Haematology, 1982, 28, 169-174.	0.0	11
111	Basis of Plasma Iron Exchange in the Rabbit. Journal of Clinical Investigation, 1982, 70, 769-779.	8.2	9
112	Effect of Thiamphenicol on Iron Absorption. Acta Haematologica, 1980, 63, 289-291.	1.4	0
113	Increased Frequency of HLA-DR/v3 in Systemic Lupus Erythematosus. Tissue Antigens, 1980, 15, 283-288.	1.0	43
114	Reduced Leucocyte Alkaline Phosphatase Activity and Decreased NBT Reduction Test in Induced Iron Deficiency Anaemia in Rabbits. British Journal of Haematology, 1979, 43, 457-463.	2.5	14
115	Effect of a single ingestion of alcohol on iron absorption. American Journal of Hematology, 1978, 5, 225-237.	4.1	29