

Alberto Munoz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9043687/publications.pdf>

Version: 2024-02-01

215
papers

16,404
citations

15466

65
h-index

19136

118
g-index

218
all docs

218
docs citations

218
times ranked

16860
citing authors

#	ARTICLE	IF	CITATIONS
1	An update on vitamin D signaling and cancer. <i>Seminars in Cancer Biology</i> , 2022, 79, 217-230.	4.3	129
2	Vitamin D and Cancer: An Historical Overview of the Epidemiology and Mechanisms. <i>Nutrients</i> , 2022, 14, 1448.	1.7	85
3	Pyramidal cell axon initial segment in Alzheimer's disease. <i>Scientific Reports</i> , 2022, 12, .	1.6	7
4	Tankyrases as modulators of pro-tumoral functions: molecular insights and therapeutic opportunities. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 144.	3.5	26
5	Organoids and Colorectal Cancer. <i>Cancers</i> , 2021, 13, 2657.	1.7	26
6	Vitamin D differentially regulates colon stem cells in patient-derived normal and tumor organoids. <i>FEBS Journal</i> , 2020, 287, 53-72.	2.2	67
7	Wnt and Vitamin D at the Crossroads in Solid Cancer. <i>Cancers</i> , 2020, 12, 3434.	1.7	21
8	Vitamin D Effects on Cell Differentiation and Stemness in Cancer. <i>Cancers</i> , 2020, 12, 2413.	1.7	41
9	Comparative Study of Organoids from Patient-Derived Normal and Tumor Colon and Rectal Tissue. <i>Cancers</i> , 2020, 12, 2302.	1.7	37
10	Mechanisms of action of vitamin D in colon cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 185, 1-6.	1.2	94
11	Urothelial organoids originating from Cd49fhigh mouse stem cells display Notch-dependent differentiation capacity. <i>Nature Communications</i> , 2019, 10, 4407.	5.8	42
12	Vitamin D and Wnt3A have additive and partially overlapping modulatory effects on gene expression and phenotype in human colon fibroblasts. <i>Scientific Reports</i> , 2019, 9, 8085.	1.6	23
13	Fibroblast-Derived 3D Matrix System Applicable to Endothelial Tube Formation Assay. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	0
14	Slow-Wave Activity in the S1HL Cortex Is Contributed by Different Layer-Specific Field Potential Sources during Development. <i>Journal of Neuroscience</i> , 2019, 39, 8900-8915.	1.7	10
15	Plocabulin Displays Strong Cytotoxic Activity in a Personalized Colon Cancer Patient-Derived 3D Organoid Assay. <i>Marine Drugs</i> , 2019, 17, 648.	2.2	31
16	The Golgi Apparatus of Neocortical Glial Cells During Hibernation in the Syrian Hamster. <i>Frontiers in Neuroanatomy</i> , 2019, 13, 92.	0.9	2
17	Slow Waves in Cortical Slices: How Spontaneous Activity is Shaped by Laminar Structure. <i>Cerebral Cortex</i> , 2019, 29, 319-335.	1.6	68
18	The human <i>PKP2</i> /plakophilin-2 gene is induced by Wnt/ β -catenin in normal and colon cancer-associated fibroblasts. <i>International Journal of Cancer</i> , 2018, 142, 792-804.	2.3	26

#	ARTICLE	IF	CITATIONS
19	Endothelial cell activation on 3D-matrices derived from PDGF-BB-stimulated fibroblasts is mediated by Snail1. <i>Oncogenesis</i> , 2018, 7, 76.	2.1	25
20	Modifications of the axon initial segment during the hibernation of the Syrian hamster. <i>Brain Structure and Function</i> , 2018, 223, 4307-4321.	1.2	6
21	Aryl Hydrocarbon Receptor Promotes Liver Polyploidization and Inhibits PI3K, ERK, and Wnt/ β -Catenin Signaling. <i>IScience</i> , 2018, 4, 44-63.	1.9	26
22	Overview of Vitamin D Actions in Cancer. , 2018, , 711-742.		2
23	Vitamin D and Colon Cancer. , 2018, , 837-862.		6
24	MultiMap: A Tool to Automatically Extract and Analyse Spatial Microscopic Data From Large Stacks of Confocal Microscopy Images. <i>Frontiers in Neuroanatomy</i> , 2018, 12, 37.	0.9	6
25	Vitamin D receptor expression and associated gene signature in tumour stromal fibroblasts predict clinical outcome in colorectal cancer. <i>Gut</i> , 2017, 66, 1449-1462.	6.1	131
26	The endocrine vitamin D system in the gut. <i>Molecular and Cellular Endocrinology</i> , 2017, 453, 79-87.	1.6	93
27	Morphometric alterations of Golgi apparatus in Alzheimer's disease are related to tau hyperphosphorylation. <i>Neurobiology of Disease</i> , 2017, 97, 11-23.	2.1	24
28	Changes in neocortical and hippocampal microglial cells during hibernation. <i>Brain Structure and Function</i> , 2017, 223, 1881-1895.	1.2	8
29	Vitamin D and the Epithelial to Mesenchymal Transition. <i>Stem Cells International</i> , 2016, 2016, 1-11.	1.2	42
30	PGA1-induced apoptosis involves specific activation of H-Ras and N-Ras in cellular endomembranes. <i>Cell Death and Disease</i> , 2016, 7, e2311-e2311.	2.7	7
31	Twist1-induced activation of human fibroblasts promotes matrix stiffness by upregulating palladin and collagen α 1(VI). <i>Oncogene</i> , 2016, 35, 5224-5236.	2.6	58
32	SPROUTY-2 represses the epithelial phenotype of colon carcinoma cells via upregulation of ZEB1 mediated by ETS1 and miR-200/miR-150. <i>Oncogene</i> , 2016, 35, 2991-3003.	2.6	40
33	Changes in the Golgi Apparatus of Neocortical and Hippocampal Neurons in the Hibernating Hamster. <i>Frontiers in Neuroanatomy</i> , 2015, 9, 157.	0.9	19
34	Nuclear DICKKOPF-1 as a biomarker of chemoresistance and poor clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 5903-5917.	0.8	35
35	Cystatin D Locates in the Nucleus at Sites of Active Transcription and Modulates Gene and Protein Expression. <i>Journal of Biological Chemistry</i> , 2015, 290, 26533-26548.	1.6	23
36	Selective presence of a giant saccular organelle in the axon initial segment of a subpopulation of layer V pyramidal neurons. <i>Brain Structure and Function</i> , 2015, 220, 869-884.	1.2	11

#	ARTICLE	IF	CITATIONS
37	Interaction of vitamin D with membrane-based signaling pathways. <i>Frontiers in Physiology</i> , 2014, 5, 60.	1.3	44
38	Snail1 Expression Is Required for Sarcomagenesis. <i>Neoplasia</i> , 2014, 16, 413-421.	2.3	24
39	SPROUTY2 is a β -catenin and FOXO3a target gene indicative of poor prognosis in colon cancer. <i>Oncogene</i> , 2014, 33, 1975-1985.	2.6	26
40	Wnt Pathway at a Glance: From the Deep of the Crypts to the Current Ways of Targeting. , 2014, , 85-106.		1
41	Vitamin D Is a Multilevel Repressor of Wnt/b-Catenin Signaling in Cancer Cells. <i>Cancers</i> , 2013, 5, 1242-1260.	1.7	116
42	c-Jun N-Terminal Kinase Phosphorylation Is a Biomarker of Plitidepsin Activity. <i>Marine Drugs</i> , 2013, 11, 1677-1692.	2.2	10
43	Colocalization of β -actinin and Synaptopodin in the Pyramidal Cell Axon Initial Segment. <i>Cerebral Cortex</i> , 2012, 22, 1648-1661.	1.6	24
44	MicroRNA-22 is induced by vitamin D and contributes to its antiproliferative, antimigratory and gene regulatory effects in colon cancer cells. <i>Human Molecular Genetics</i> , 2012, 21, 2157-2165.	1.4	142
45	Vitamin D has wide regulatory effects on histone demethylase genes. <i>Cell Cycle</i> , 2012, 11, 1081-1089.	1.3	112
46	Vitamin D and colon cancer. <i>Endocrine-Related Cancer</i> , 2012, 19, R51-R71.	1.6	100
47	Plasma 25-Hydroxyvitamin D3 and Bladder Cancer Risk According to Tumor Stage and FGFR3 Status: A Mechanism-Based Epidemiological Study. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1897-1904.	3.0	30
48	Effects of Amyloid- β Plaque Proximity on the Axon Initial Segment of Pyramidal Cells. <i>Journal of Alzheimer's Disease</i> , 2012, 29, 841-852.	1.2	27
49	Synthesis and Biological Evaluation of $1\alpha,25$ -Dihydroxyvitamin D ₃ Analogues with a Long Side Chain at C12 and Short C17 Side Chains. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 8642-8656.	2.9	18
50	β -catenin confers resistance to PI3K and AKT inhibitors and subverts FOXO3a to promote metastasis in colon cancer. <i>Nature Medicine</i> , 2012, 18, 892-901.	15.2	336
51	Developmental Expression of Kv Potassium Channels at the Axon Initial Segment of Cultured Hippocampal Neurons. <i>PLoS ONE</i> , 2012, 7, e48557.	1.1	38
52	Design, Synthesis, Evaluation, and Structure of Vitamin D Analogues with Furan Side Chains. <i>Chemistry - A European Journal</i> , 2012, 18, 603-612.	1.7	14
53	Synthesis and Biological Evaluation of $1\alpha,25$ -Dihydroxyvitamin D ₃ Analogues Hydroxymethylated at C-26. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 3950-3962.	2.9	11
54	Casein kinase 2 and microtubules control axon initial segment formation. <i>Molecular and Cellular Neurosciences</i> , 2011, 46, 222-234.	1.0	42

#	ARTICLE	IF	CITATIONS
55	In vitro maturation of the cisternal organelle in the hippocampal neuron's axon initial segment. <i>Molecular and Cellular Neurosciences</i> , 2011, 48, 104-116.	1.0	30
56	Proteomic analysis of 1 α ,25-Dihydroxyvitamin D3 action on human colon cancer cells reveals a link to splicing regulation. <i>Journal of Proteomics</i> , 2011, 75, 384-397.	1.2	37
57	Synthesis, Structure, and Biological Activity of des β -Side Chain Analogues of 1 α ,25-Dihydroxyvitamin β -D ₃ with Substituents at C18. <i>ChemMedChem</i> , 2011, 6, 788-793.	1.6	12
58	KDM6B/JMJD3 histone demethylase is induced by vitamin D and modulates its effects in colon cancer cells. <i>Human Molecular Genetics</i> , 2011, 20, 4655-4665.	1.4	145
59	Vitamin D and Wnt/ β -Catenin Signaling. , 2011, , 235-250.		1
60	Vitamin D Receptor Deficiency Enhances Wnt/ β -Catenin Signaling and Tumor Burden in Colon Cancer. <i>PLoS ONE</i> , 2011, 6, e23524.	1.1	127
61	Vitamin D: Proteases, protease inhibitors and cancer. <i>Cell Cycle</i> , 2010, 9, 32-37.	1.3	37
62	Aromatase expression in the normal and epileptic human hippocampus. <i>Brain Research</i> , 2010, 1315, 41-52.	1.1	52
63	SPROUTY-2 and E-cadherin regulate reciprocally and dictate colon cancer cell tumourigenicity. <i>Oncogene</i> , 2010, 29, 4800-4813.	2.6	63
64	Novel Snail1 Target Proteins in Human Colon Cancer Identified by Proteomic Analysis. <i>PLoS ONE</i> , 2010, 5, e10221.	1.1	29
65	Epigenetic repression of ROR2 has a Wnt-mediated, pro-tumourigenic role in colon cancer. <i>Molecular Cancer</i> , 2010, 9, 170.	7.9	61
66	CD-ring modified vitamin D3 analogs and their superagonistic action. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 121, 417-419.	1.2	19
67	The transcription factors Snail1 and Snail2 repress vitamin D receptor during colon cancer progression. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 121, 106-109.	1.2	49
68	The effects of 1,25-dihydroxyvitamin D3 on colon cancer cells depend on RhoA-ROCK-p38MAPK-MSK signaling. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 121, 355-361.	1.2	16
69	Site-Dependent E-Cadherin Cleavage and Nuclear Translocation in a Metastatic Colorectal Cancer Model. <i>American Journal of Pathology</i> , 2010, 177, 2067-2079.	1.9	35
70	Epigenetics and environment: a complex relationship. <i>Journal of Applied Physiology</i> , 2010, 109, 243-251.	1.2	191
71	Mechanisms of Resistance to Vitamin D Action in Human Cancer Cells. , 2010, , 325-334.		4
72	Nuclear receptors: Genomic and non-genomic effects converge. <i>Cell Cycle</i> , 2009, 8, 1675-1680.	1.3	101

#	ARTICLE	IF	CITATIONS
73	Snail2 cooperates with Snail1 in the repression of vitamin D receptor in colon cancer. <i>Carcinogenesis</i> , 2009, 30, 1459-1468.	1.3	119
74	Morphology and Distribution of Chandelier Cell Axon Terminals in the Mouse Cerebral Cortex and Claustramygdaloid Complex. <i>Cerebral Cortex</i> , 2009, 19, 41-54.	1.6	51
75	Cystatin D is a candidate tumor suppressor gene induced by vitamin D in human colon cancer cells. <i>Journal of Clinical Investigation</i> , 2009, 119, 2343-2358.	3.9	96
76	SNAIL1 expression in colon cancer related with CDH1 and VDR downregulation in normal adjacent tissue. <i>Oncogene</i> , 2009, 28, 4375-4385.	2.6	61
77	The mechanism of action of plitidepsin. <i>Current Opinion in Investigational Drugs</i> , 2009, 10, 536-42.	2.3	23
78	Superagonistic Fluorinated Vitamin D3 Analogs Stabilize Helix 12 of the Vitamin D Receptor. <i>Chemistry and Biology</i> , 2008, 15, 1029-1034.	6.2	51
79	Petilla terminology: nomenclature of features of GABAergic interneurons of the cerebral cortex. <i>Nature Reviews Neuroscience</i> , 2008, 9, 557-568.	4.9	1,314
80	DICKKOPF-4 is induced by TCF/ β -catenin and upregulated in human colon cancer, promotes tumour cell invasion and angiogenesis and is repressed by $1\alpha,25$ -dihydroxyvitamin D3. <i>Oncogene</i> , 2008, 27, 4467-4477.	2.6	152
81	New role of IKK1/ β phosphorylated β in axon outgrowth and axon initial segment development. <i>Molecular and Cellular Neurosciences</i> , 2008, 37, 832-844.	1.0	48
82	Plitidepsin Has a Dual Effect Inhibiting Cell Cycle and Inducing Apoptosis via Rac1/c-Jun NH ₂ -Terminal Kinase Activation in Human Melanoma Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 1093-1101.	1.3	45
83	E-cadherin controls β -catenin and NF- κ B transcriptional activity in mesenchymal gene expression. <i>Journal of Cell Science</i> , 2008, 121, 2224-2234.	1.2	132
84	RhoA/Rock and p38MAPK-MSK1 mediate vitamin D effects on gene expression, phenotype, and Wnt pathway in colon cancer cells. <i>Journal of Cell Biology</i> , 2008, 183, 697-710.	2.3	102
85	Vitamin D3 and Colorectal Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2008, 617, 271-280.	0.8	8
86	Vitamin D and Wnt/ β -catenin pathway in colon cancer: role and regulation of DICKKOPF genes. <i>Anticancer Research</i> , 2008, 28, 2613-23.	0.5	111
87	Epigenetic Alterations of the Wnt/ β -Catenin Pathway in Human Disease. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2007, 7, 13-21.	0.6	40
88	The inhibition of Wnt/ β -catenin signalling by $1\alpha,25$ -dihydroxyvitamin D3 is abrogated by Snail1 in human colon cancer cells. <i>Endocrine-Related Cancer</i> , 2007, 14, 141-151.	1.6	89
89	The Distribution of Chandelier Cell Axon Terminals that Express the GABA Plasma Membrane Transporter GAT-1 in the Human Neocortex. <i>Cerebral Cortex</i> , 2007, 17, 2060-2071.	1.6	48
90	The Wnt antagonist DICKKOPF-1 gene is induced by $1\alpha,25$ -dihydroxyvitamin D3 associated to the differentiation of human colon cancer cells. <i>Carcinogenesis</i> , 2007, 28, 1877-1884.	1.3	166

#	ARTICLE	IF	CITATIONS
91	Proteomic Analysis of the Resistance to Aplidin in Human Cancer Cells. <i>Journal of Proteome Research</i> , 2007, 6, 1286-1294.	1.8	35
92	Vitamin D regulates the phenotype of human breast cancer cells. <i>Differentiation</i> , 2007, 75, 193-207.	1.0	116
93	Cation-Chloride Cotransporters and GABA-ergic Innervation in the Human Epileptic Hippocampus. <i>Epilepsia</i> , 2007, 48, 663-673.	2.6	134
94	Double-bouquet cells in the monkey and human cerebral cortex with special reference to areas 17 and 18. <i>Progress in Brain Research</i> , 2006, 154, 15-32.	0.9	47
95	Aromatase expression in the human temporal cortex. <i>Neuroscience</i> , 2006, 138, 389-401.	1.1	132
96	Aplidin® induces JNK-dependent apoptosis in human breast cancer cells via alteration of glutathione homeostasis, Rac1 GTPase activation, and MKP-1 phosphatase downregulation. <i>Cell Death and Differentiation</i> , 2006, 13, 1968-1981.	5.0	73
97	Epigenetic inactivation of the Wnt antagonist DICKKOPF-1 (DKK-1) gene in human colorectal cancer. <i>Oncogene</i> , 2006, 25, 4116-4121.	2.6	320
98	Correlation of transcriptome profile with electrical activity in temporal lobe epilepsy. <i>Neurobiology of Disease</i> , 2006, 22, 374-387.	2.1	72
99	The expression levels of the transcriptional regulators p300 and CtBP modulate the correlations between SNAIL, ZEB1, E-cadherin and vitamin D receptor in human colon carcinomas. <i>International Journal of Cancer</i> , 2006, 119, 2098-2104.	2.3	128
100	Snail1 transcriptional repressor binds to its own promoter and controls its expression. <i>Nucleic Acids Research</i> , 2006, 34, 2077-2084.	6.5	135
101	Voltage-gated ion channels in the axon initial segment of human cortical pyramidal cells and their relationship with chandelier cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2920-2925.	3.3	150
102	Plitidepsin Cellular Binding and Rac1/JNK Pathway Activation Depend on Membrane Cholesterol Content. <i>Molecular Pharmacology</i> , 2006, 70, 1654-1663.	1.0	24
103	Effects of 1alpha,25-dihydroxyvitamin D3 in human colon cancer cells. <i>Anticancer Research</i> , 2006, 26, 2669-81.	0.5	51
104	The Wnt antagonist DICKKOPF-1 gene is a downstream target of β -catenin/TCF and is downregulated in human colon cancer. <i>Oncogene</i> , 2005, 24, 1098-1103.	2.6	350
105	1 α ,25-Dihydroxyvitamin D3 regulates the expression of Id1 and Id2 genes and the angiogenic phenotype of human colon carcinoma cells. <i>Oncogene</i> , 2005, 24, 6533-6544.	2.6	91
106	Double bouquet cell in the human cerebral cortex and a comparison with other mammals. <i>Journal of Comparative Neurology</i> , 2005, 486, 344-360.	0.9	115
107	Vitamin D and cancer: an update of in vitro and in vivo data. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 2723.	3.0	90
108	Cyclin D1 Represses p300 Transactivation through a Cyclin-dependent Kinase-independent Mechanism. <i>Journal of Biological Chemistry</i> , 2005, 280, 29728-29742.	1.6	82

#	ARTICLE	IF	CITATIONS
109	SNAIL vs vitamin D receptor expression in colon cancer: therapeutics implications. <i>British Journal of Cancer</i> , 2005, 92, 985-989.	2.9	67
110	Postnatal Thyroid Hormone Supplementation Rescues Developmental Abnormalities Induced by Congenital-Neonatal Hypothyroidism in the Rat Retina. <i>Ophthalmic Research</i> , 2005, 37, 225-234.	1.0	22
111	E-cadherin and vitamin D receptor regulation by SNAIL and ZEB1 in colon cancer: clinicopathological correlations. <i>Human Molecular Genetics</i> , 2005, 14, 3361-3370.	1.4	168
112	Histopathology and reorganization of chandelier cells in the human epileptic sclerotic hippocampus. <i>Brain</i> , 2004, 127, 45-64.	3.7	194
113	The transcription factor SNAIL represses vitamin D receptor expression and responsiveness in human colon cancer. <i>Nature Medicine</i> , 2004, 10, 917-919.	15.2	269
114	JNK activation is critical for Aplidin TM -induced apoptosis. <i>Oncogene</i> , 2004, 23, 4673-4680.	2.6	67
115	Neuroserpin is post-transcriptionally regulated by thyroid hormone. <i>Molecular Brain Research</i> , 2004, 123, 56-65.	2.5	16
116	Glucocorticoid receptor-JNK interaction mediates inhibition of the JNK pathway by glucocorticoids. <i>EMBO Journal</i> , 2003, 22, 6035-6044.	3.5	102
117	Neuronal HuD gene encoding a mRNA stability regulator is transcriptionally repressed by thyroid hormone. <i>Journal of Neurochemistry</i> , 2003, 86, 763-773.	2.1	26
118	The First Locked Side-Chain Analogues of Calcitriol (1 α ,25-Dihydroxyvitamin D ₃) Induce Vitamin D Receptor Transcriptional Activity. <i>Organic Letters</i> , 2003, 5, 4033-4036.	2.4	25
119	Mixed lineage kinase 2 enhances trans-repression of Alien and nuclear receptors. <i>Molecular and Cellular Endocrinology</i> , 2003, 213, 71-78.	1.6	8
120	Alien/CSN2 gene expression is regulated by thyroid hormone in rat brain. <i>Developmental Biology</i> , 2003, 254, 149-160.	0.9	34
121	Thyroid hormone receptors/THR genes in human cancer. <i>Cancer Letters</i> , 2003, 192, 121-132.	3.2	103
122	Localization of KCNQ5 in the normal and epileptic human temporal neocortex and hippocampal formation. <i>Neuroscience</i> , 2003, 120, 353-364.	1.1	65
123	Role of HuR in Skeletal Myogenesis through Coordinate Regulation of Muscle Differentiation Genes. <i>Molecular and Cellular Biology</i> , 2003, 23, 4991-5004.	1.1	177
124	Aplidin TM Induces Apoptosis in Human Cancer Cells via Glutathione Depletion and Sustained Activation of the Epidermal Growth Factor Receptor, Src, JNK, and p38 MAPK. <i>Journal of Biological Chemistry</i> , 2003, 278, 241-250.	1.6	140
125	Genetic signatures of differentiation induced by 1 α ,25-dihydroxyvitamin D ₃ in human colon cancer cells. <i>Cancer Research</i> , 2003, 63, 7799-806.	0.4	158
126	PSA-NCAM Immunoreactivity in Chandelier Cell Axon Terminals of the Human Temporal Cortex. <i>Cerebral Cortex</i> , 2002, 12, 617-624.	1.6	36

#	ARTICLE	IF	CITATIONS
127	HuD binds to three AU-rich sequences in the 3'-UTR of neuroserpin mRNA and promotes the accumulation of neuroserpin mRNA and protein. <i>Nucleic Acids Research</i> , 2002, 30, 2202-2211.	6.5	44
128	Low Thyroid Hormone Levels Impair the Perinatal Development of the Rat Retina. <i>Ophthalmic Research</i> , 2002, 34, 181-191.	1.0	45
129	Regulation of tau RNA Maturation by Thyroid Hormone Is Mediated by the Neural RNA-Binding Protein Musashi-1. <i>Molecular and Cellular Neurosciences</i> , 2002, 20, 198-210.	1.0	39
130	Inhibition of proliferation and expression of T1 and cyclin D1 genes by thyroid hormone in mammary epithelial cells. <i>Molecular Carcinogenesis</i> , 2002, 34, 25-34.	1.3	34
131	GABABR1 receptor protein expression in human mesial temporal cortex: Changes in temporal lobe epilepsy. <i>Journal of Comparative Neurology</i> , 2002, 449, 166-179.	0.9	36
132	Dexamethasone Induces Lipocalin-Type Prostaglandin D Synthase Gene Expression in Mouse Neuronal Cells. <i>Journal of Neurochemistry</i> , 2002, 75, 460-470.	2.1	41
133	The c-erbA β Protooncogene Induces Apoptosis in Glial Cells via a Protein Kinase C- and bcl-2-Suppressible Mechanism. <i>Journal of Neurochemistry</i> , 2002, 70, 2315-2326.	2.1	12
134	Identification of a Mammalian Homologue of the Fungal Tom70 Mitochondrial Precursor Protein Import Receptor as a Thyroid Mitochondrial Precursor Protein Import Receptor as a Thyroid Hormone-Regulated Gene in Specific Brain Regions. <i>Journal of Neurochemistry</i> , 2002, 73, 2240-2249.	2.1	32
135	Expression of thyroid hormone receptor/erbA genes is altered in human breast cancer. <i>Oncogene</i> , 2002, 21, 4307-4316.	2.6	101
136	Aplidin β induces the mitochondrial apoptotic pathway via oxidative stress-mediated JNK and p38 activation and protein kinase C β . <i>Oncogene</i> , 2002, 21, 7533-7544.	2.6	130
137	Glucocorticoid Receptor Antagonism of AP-1 Activity by Inhibition of MAPK Family. , 2002, , 131-152.		2
138	Thyroid hormone regulates TAG-1 expression in the developing rat brain. <i>European Journal of Neuroscience</i> , 2001, 14, 1209-1218.	1.2	30
139	Pyramidal cell axons show a local specialization for GABA and 5-HT inputs in monkey and human cerebral cortex. <i>Journal of Comparative Neurology</i> , 2001, 433, 148-155.	0.9	84
140	Thyroid hormone regulates the obesity gene <i>ob</i> . <i>EMBO Reports</i> , 2001, 2, 499-504.	2.0	49
141	c-Jun N-terminal kinase activation is required for the inhibition of neovascularization by thrombospondin-1. <i>Oncogene</i> , 2001, 20, 3443-3448.	2.6	84
142	Vitamin D3 promotes the differentiation of colon carcinoma cells by the induction of E-cadherin and the inhibition of β -catenin signaling. <i>Journal of Cell Biology</i> , 2001, 154, 369-388.	2.3	725
143	Patterns of GABABR1a,b Receptor Gene Expression in Monkey and Human Visual Cortex. <i>Cerebral Cortex</i> , 2001, 11, 104-113.	1.6	19
144	Role of Thyroid Hormone in Craniofacial and Eye Development Using a Rat Model. <i>Ophthalmic Research</i> , 2001, 33, 283-291.	1.0	44

#	ARTICLE	IF	CITATIONS
145	Effect of Hypothyroidism on G Protein-Coupled Receptor Kinase 2 Expression Levels in Rat Liver, Lung, and Heart*. <i>Endocrinology</i> , 2001, 142, 987-991.	1.4	28
146	Expression patterns of the regulatory proteins G protein-coupled receptor kinase 2 and β -arrestin 1 during rat postnatal brain development. <i>FEBS Journal</i> , 2000, 267, 4390-4396.	0.2	22
147	Glucocorticoids Antagonize Ap-1 by Inhibiting the Activation/Phosphorylation of Jnk without Affecting Its Subcellular Distribution. <i>Journal of Cell Biology</i> , 2000, 150, 1199-1208.	2.3	105
148	Regulation of the L1 Cell Adhesion Molecule by Thyroid Hormone in the Developing Brain. <i>Molecular and Cellular Neurosciences</i> , 2000, 16, 499-514.	1.0	52
149	Thyroid Hormone Regulates <i>reelin</i> and <i>dab1</i> Expression During Brain Development. <i>Journal of Neuroscience</i> , 1999, 19, 6979-6993.	1.7	150
150	Inhibition of tenascin-C expression in mammary epithelial cells by thyroid hormone. <i>Molecular Carcinogenesis</i> , 1999, 24, 99-107.	1.3	10
151	Retinoic acid and 1,25-dihydroxyvitamin D3 inhibit tenascin-C expression in rat glioma C6 cells. <i>Journal of Neuroscience Research</i> , 1999, 58, 293-300.	1.3	20
152	Laminar and cellular distribution of AMPA, kainate, and NMDA receptor subunits in monkey sensory-motor cortex. , 1999, 407, 472-490.		46
153	Temporal modulation of GABAA receptor subunit gene expression in developing monkey cerebral cortex. <i>Neuroscience</i> , 1999, 91, 1223-1245.	1.1	25
154	Identification of the mammalian homolog of the splicing regulator Suppressor-of-white-apricot as a thyroid hormone regulated gene. <i>Molecular Brain Research</i> , 1999, 71, 332-340.	2.5	20
155	Hormone-activated nuclear receptors inhibit the stimulation of the JNK and ERK signalling pathways in endothelial cells. <i>FEBS Letters</i> , 1999, 459, 272-276.	1.3	48
156	GABAB receptor gene expression in monkey thalamus. , 1998, 394, 118-126.		47
157	Changes in subcellular localization of metabotropic glutamate receptor subtypes during postnatal development of mouse thalamus. , 1998, 395, 450-465.		112
158	Identification of a thyroid hormone response element in the promoter region of the rat lipocalin-type prostaglandin D synthase (β -trace) gene. <i>Molecular Brain Research</i> , 1998, 55, 321-330.	2.5	38
159	Developmental expression of tenascin-C is altered by hypothyroidism in the rat brain. <i>Neuroscience</i> , 1998, 84, 309-322.	1.1	64
160	1,25-Dihydroxyvitamin D3 inhibits tenascin-C expression in mammary epithelial cells. <i>FEBS Letters</i> , 1998, 426, 225-228.	1.3	40
161	Vitamin D3 inhibits proliferation and increases c-myc expression in fibroblasts from psoriatic patients. <i>Journal of Endocrinological Investigation</i> , 1998, 21, 520-525.	1.8	6
162	Organization of the Caudal Rhombencephalic Alar Plate of the Ribbed Newt <i>Pleurodeles waltl</i> : Evidence for the Presence of Dorsal Column and Lateral Cervical Nuclei. <i>Brain, Behavior and Evolution</i> , 1998, 51, 162-182.	0.9	8

#	ARTICLE	IF	CITATIONS
163	Nuclear hormone receptor antagonism with AP-1 by inhibition of the JNK pathway. <i>Genes and Development</i> , 1997, 11, 3351-3364.	2.7	298
164	Biological activities of thyroid hormone receptors. <i>European Journal of Endocrinology</i> , 1997, 137, 433-445.	1.9	73
165	Hypothyroidism Alters the Expression of Prostaglandin D ₂ Synthase/ β^2 -Trace in Specific Areas of the Developing Rat Brain. <i>European Journal of Neuroscience</i> , 1997, 9, 1566-1573.	1.2	32
166	Thyroid hormone-dependent transcriptional repression of neural cell adhesion molecule during brain maturation.. <i>EMBO Journal</i> , 1996, 15, 4307-4316.	3.5	72
167	The use of in vitro preparations of the isolated amphibian central nervous system in neuroanatomy and electrophysiology. <i>Journal of Neuroscience Methods</i> , 1996, 70, 91-102.	1.3	68
168	Evidence for an Anuran Homologue of the Mammalian Spinocervicothalamic System: An In Vitro Tract-tracing Study in <i>Xenopus laevis</i> . <i>European Journal of Neuroscience</i> , 1996, 8, 1390-1400.	1.2	23
169	Post-transcriptional induction of β^2 -adrenergic receptor by retinoic acid, but not triiodothyronine, in C6 glioma cells expressing thyroid hormone receptors. <i>European Journal of Endocrinology</i> , 1996, 135, 709-715.	1.9	5
170	Thyroid hormone-dependent transcriptional repression of neural cell adhesion molecule during brain maturation. <i>EMBO Journal</i> , 1996, 15, 4307-16.	3.5	19
171	Anuran dorsal column nucleus: Organization, immunohistochemical characterization, and fiber connections in <i>Rana perezi</i> and <i>Xenopus laevis</i> . <i>Journal of Comparative Neurology</i> , 1995, 363, 197-220.	0.9	53
172	Thyroid hormone regulates stromelysin expression, protease secretion and the morphogenetic potential of normal polarized mammary epithelial cells.. <i>EMBO Journal</i> , 1995, 14, 1145-1155.	3.5	46
173	Ontogeny of vasotocinergic and mesotocinergic systems in the brain of the South African clawed frog <i>Xenopus laevis</i> . <i>Journal of Chemical Neuroanatomy</i> , 1995, 9, 27-40.	1.0	24
174	Identification of the Mitochondrial NADH Dehydrogenase Subunit-3 as a Thyroid Hormone-Regulated Gene by Whole Genome PCR Analysis. <i>Biochemical and Biophysical Research Communications</i> , 1995, 210, 995-1000.	1.0	57
175	Thyroid hormone regulates stromelysin expression, protease secretion and the morphogenetic potential of normal polarized mammary epithelial cells. <i>EMBO Journal</i> , 1995, 14, 1145-55.	3.5	16
176	Induction of platelet-derived growth factor B/c-sis by the v-erbA oncogene in glial cells. <i>Oncogene</i> , 1995, 10, 1103-10.	2.6	7
177	Isolation of genomic DNA fragments corresponding to genes modulated in vivo by a transcription factor. <i>Nucleic Acids Research</i> , 1994, 22, 4132-4138.	6.5	16
178	Characterization of the promoter region and flanking sequences of the neuron-specific gene RC3 (neurogranin). <i>Molecular Brain Research</i> , 1994, 27, 205-214.	2.5	47
179	Expression of neurotrophins and the trk family of neurotrophin receptors in normal and hypothyroid rat brain. <i>Molecular Brain Research</i> , 1994, 27, 249-257.	2.5	101
180	Spinthalamic projections in amphibians as revealed with anterograde tracing techniques. <i>Neuroscience Letters</i> , 1994, 171, 81-84.	1.0	23

#	ARTICLE	IF	CITATIONS
181	Distribution, morphology, and central projections of mesencephalic trigeminal neurons in the frog <i>Rana ridibunda</i> . <i>The Anatomical Record</i> , 1993, 235, 165-177.	2.3	12
182	Trigeminal primary afferent projections to the spinal cord of the frog, <i>Rana ridibunda</i> . <i>Journal of Morphology</i> , 1993, 217, 137-146.	0.6	9
183	Brain-Specific Prostaglandin D2 Synthetase mRNA Is Dependent on Thyroid Hormone during Rat Brain Development. <i>Biochemical and Biophysical Research Communications</i> , 1993, 196, 396-401.	1.0	31
184	Neonatal hypothyroidism affects the timely expression of myelin-associated glycoprotein in the rat brain.. <i>Journal of Clinical Investigation</i> , 1993, 91, 812-818.	3.9	158
185	Early development of dorsal column-medial lemniscal projections in the clawed toad, <i>Xenopus laevis</i> . <i>Developmental Brain Research</i> , 1993, 74, 291-294.	2.1	9
186	Thyroid hormone regulation of RC3, a brain-specific gene encoding a protein kinase-C substrate.. <i>Endocrinology</i> , 1993, 133, 467-473.	1.4	87
187	Thyroid hormone receptor/ <i>c-erbA</i> : control of commitment and differentiation in the neuronal/chromaffin progenitor line PC12.. <i>Journal of Cell Biology</i> , 1993, 121, 423-438.	2.3	68
188	Retinoic acid posttranscriptionally up-regulates proteolipid protein gene expression in C6 glioma cells.. <i>Journal of Biological Chemistry</i> , 1993, 268, 25617-25623.	1.6	27
189	Retinoic acid posttranscriptionally up-regulates proteolipid protein gene expression in C6 glioma cells. <i>Journal of Biological Chemistry</i> , 1993, 268, 25617-23.	1.6	22
190	Effects of Neonatal Hypothyroidism on Rat Brain Gene Expression. <i>Molecular Endocrinology</i> , 1991, 5, 273-280.	3.7	142
191	Biological Effects of the <i>v-erbA</i> Oncogene in Transformation of Avian Erythroid Cells. , 1991, , 137-147.		1
192	The Chicken <i>c-erbA</i> Product Induces Expression of Thyroid Hormone-Responsive Genes in 3,5,3'-Triiodothyronine Receptor- Deficient Rat Hepatoma Cells. <i>Molecular Endocrinology</i> , 1990, 4, 312-320.	3.7	20
193	<i>v-erbA</i> oncogene activation entails the loss of hormone-dependent regulator activity of <i>c-erbA</i> . <i>Cell</i> , 1990, 61, 1035-1049.	13.5	238
194	Ectopic expression of the erythrocyte band 3 anion exchange protein, using a new avian retrovirus vector. <i>Journal of Virology</i> , 1990, 64, 5891-5902.	1.5	36
195	DNA Binding Properties of the Thyroid Hormone Receptor/ <i>c-erbA</i> Protein and Its Viral Homologue P75gag- <i>v-erbA</i> . , 1990, , 69-75.		0
196	Repression of transcription mediated at a thyroid hormone response element by the <i>v-erbA</i> oncogene product. <i>Nature</i> , 1989, 340, 242-244.	13.7	402
197	The Thyroid Hormone Receptor/ <i>c-erbA</i> Protein and its Viral Homologue P75gag- <i>v-erbA</i> . , 1989, , 161-168.		1
198	Functions of the <i>erbA</i> and <i>erbB</i> Oncogenes in Avian Erythroblastosis. , 1989, , 289-300.		0

#	ARTICLE	IF	CITATIONS
199	Characterization of the hormone-binding domain of the chicken c-erbA/thyroid hormone receptor protein.. EMBO Journal, 1988, 7, 155-159.	3.5	104
200	Characterization of the hormone-binding domain of the chicken c-erbA/thyroid hormone receptor protein. EMBO Journal, 1988, 7, 155-9.	3.5	35
201	The c-erb-A protein is a high-affinity receptor for thyroid hormone. Nature, 1986, 324, 635-640.	13.7	1,388
202	Potentialiation by levamisole, methisoprinol, and adenine or adenosine of the inhibitory activity of human interferon against encephalomyocarditis virus. Antimicrobial Agents and Chemotherapy, 1986, 30, 192-195.	1.4	14
203	The Regulation of Translation in Reovirus-infected Cells. Journal of General Virology, 1985, 66, 2161-2170.	1.3	13
204	Modification of membrane permeability during semliki forest virus infection. Virology, 1985, 146, 203-212.	1.1	49
205	Cloning and expression of human interleukin 2 in Streptomyces lividans using the Escherichiacoli consensus promoter. Biochemical and Biophysical Research Communications, 1985, 133, 511-519.	1.0	27
206	Action of Human Lymphoblastoid Interferon on HeLa Cells Infected with RNA-containing Animal Viruses. Journal of General Virology, 1984, 65, 377-390.	1.3	28
207	Formation of Non-infective Herpesvirus Particles in Cultured Cells Treated with Human Interferon. Journal of General Virology, 1984, 65, 1069-1078.	1.3	53
208	Synthesis of heat-shock proteins in HeLa cells: Inhibition by virus infection. Virology, 1984, 137, 150-159.	1.1	60
209	Comparison of the antiviral action of different human interferons against DNA and RNA viruses. FEMS Microbiology Letters, 1984, 21, 105-111.	0.7	2
210	Effect of interferon treatment on blockade of protein synthesis induced by poliovirus infection. FEBS Journal, 1983, 137, 623-629.	0.2	14
211	Cellular RNA is not degraded in interferon-treated HeLa cells after poliovirus infection. FEBS Letters, 1983, 160, 87-92.	1.3	11
212	Do cells treated with human interferon survive virus infection?. FEMS Microbiology Letters, 1983, 20, 317-321.	0.7	0
213	Reversal by Hypotonic Medium of the Antiviral State Induced by Lymphoblastoid Interferon in Human HeLa Cells. Intervirology, 1981, 16, 106-113.	1.2	4
214	Protein Synthesis and Membrane Integrity in Interferon-treated HeLa Cells Infected with Encephalomyocarditis Virus. Journal of General Virology, 1981, 56, 153-162.	1.3	27
215	Thyroid hormone regulation of RC3, a brain-specific gene encoding a protein kinase-C substrate. , 0, .		35