

# Liang Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9047300/publications.pdf>

Version: 2024-02-01

94  
papers

12,446  
citations

61857

43  
h-index

42291

92  
g-index

96  
all docs

96  
docs citations

96  
times ranked

13623  
citing authors

#	ARTICLE	IF	CITATIONS
1	Core/Shell Semiconductor Nanocrystals. <i>Small</i> , 2009, 5, 154-168.	5.2	1,746
2	ZnS nanostructures: From synthesis to applications. <i>Progress in Materials Science</i> , 2011, 56, 175-287.	16.0	1,134
3	Cation and anion immobilization through chemical bonding enhancement with fluorides for stable halide perovskite solar cells. <i>Nature Energy</i> , 2019, 4, 408-415.	19.8	831
4	State of the Art and Prospects for Halide Perovskite Nanocrystals. <i>ACS Nano</i> , 2021, 15, 10775-10981.	7.3	705
5	Efficient Synthesis of Highly Luminescent Copper Indium Sulfide-Based Core/Shell Nanocrystals with Surprisingly Long-Lived Emission. <i>Journal of the American Chemical Society</i> , 2011, 133, 1176-1179.	6.6	671
6	Highly Luminescent CuInS <sub>2</sub> /ZnS Core/Shell Nanocrystals: Cadmium-Free Quantum Dots for In Vivo Imaging. <i>Chemistry of Materials</i> , 2009, 21, 2422-2429.	3.2	644
7	Enhancing the Stability of CH <sub>3</sub> NH <sub>3</sub> PbBr <sub>3</sub> Quantum Dots by Embedding in Silica Spheres Derived from Tetramethyl Orthosilicate in <i>Waterless</i> Toluene. <i>Journal of the American Chemical Society</i> , 2016, 138, 5749-5752.	6.6	501
8	One-pot Synthesis of Highly Luminescent InP/ZnS Nanocrystals without Precursor Injection. <i>Journal of the American Chemical Society</i> , 2008, 130, 11588-11589.	6.6	407
9	Conversion of invisible metal-organic frameworks to luminescent perovskite nanocrystals for confidential information encryption and decryption. <i>Nature Communications</i> , 2017, 8, 1138.	5.8	374
10	Highly Luminescent and Ultrastable CsPbBr <sub>3</sub> Perovskite Quantum Dots Incorporated into a Silica/Alumina Monolith. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8134-8138.	7.2	355
11	Morphology Evolution and Degradation of CsPbBr <sub>3</sub> Nanocrystals under Blue Light-Emitting Diode Illumination. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 7249-7258.	4.0	314
12	Suppression of temperature quenching in perovskite nanocrystals for efficient and thermally stable light-emitting diodes. <i>Nature Photonics</i> , 2021, 15, 379-385.	15.6	260
13	Rapid synthesis of highly luminescent CdTe nanocrystals in the aqueous phase by microwave irradiation with controllable temperature. <i>Chemical Communications</i> , 2005, , 528.	2.2	246
14	A Resonance Energy Transfer between Chemiluminescent Donors and Luminescent Quantum-Dots as Acceptors (CRET). <i>Angewandte Chemie - International Edition</i> , 2006, 45, 5140-5143.	7.2	224
15	Ceramic-like stable CsPbBr <sub>3</sub> nanocrystals encapsulated in silica derived from molecular sieve templates. <i>Nature Communications</i> , 2020, 11, 31.	5.8	185
16	Significant enhancement of the quantum yield of CdTe nanocrystals synthesized in aqueous phase by controlling the pH and concentrations of precursor solutions. <i>Journal of Luminescence</i> , 2006, 116, 59-66.	1.5	183
17	Magnetic Biochar Decorated with ZnS Nanocrystals for Pb (II) Removal. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 125-132.	3.2	180
18	Solution-Processed Inorganic Solar Cell Based on in Situ Synthesis and Film Deposition of CuInS <sub>2</sub> Nanocrystals. <i>Journal of the American Chemical Society</i> , 2010, 132, 22-23.	6.6	178

#	ARTICLE	IF	CITATIONS
19	Microwave-Assisted Aqueous Synthesis: A Rapid Approach to Prepare Highly Luminescent ZnSe(S) Alloyed Quantum Dots. <i>Journal of Physical Chemistry B</i> , 2006, 110, 9034-9040.	1.2	165
20	Highly Luminescent and Ultrastable CsPbBr <sub>3</sub> Perovskite Quantum Dots Incorporated into a Silica/Alumina Monolith. <i>Angewandte Chemie</i> , 2017, 129, 8246-8250.	1.6	153
21	A novel method for the sequential removal and separation of multiple heavy metals from wastewater. <i>Journal of Hazardous Materials</i> , 2018, 342, 617-624.	6.5	143
22	Effect of Poly(ethylene glycol) Length on the in Vivo Behavior of Coated Quantum Dots. <i>Langmuir</i> , 2009, 25, 3040-3044.	1.6	142
23	Economic Synthesis of High Quality InP Nanocrystals Using Calcium Phosphide as the Phosphorus Precursor. <i>Chemistry of Materials</i> , 2008, 20, 2621-2623.	3.2	126
24	Highly luminescent CdTe quantum dots prepared in aqueous phase as an alternative fluorescent probe for cell imaging. <i>Talanta</i> , 2006, 70, 397-402.	2.9	117
25	One-step and rapid synthesis of high quality alloyed quantum dots (CdSe/CdS) in aqueous phase by microwave irradiation with controllable temperature. <i>Materials Research Bulletin</i> , 2005, 40, 1726-1736.	2.7	105
26	Generalized Synthesis of Hybrid Metal-Semiconductor Nanostructures Tunable from the Visible to the Infrared. <i>ACS Nano</i> , 2012, 6, 3832-3840.	7.3	99
27	Postsynthesis Phase Transformation for CsPbBr <sub>3</sub> /Rb <sub>4</sub> PbBr <sub>6</sub> Core/Shell Nanocrystals with Exceptional Photostability. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 23303-23310.	4.0	98
28	Postsynthesis Potassium-Modification Method to Improve Stability of CsPbBr <sub>3</sub> Perovskite Nanocrystals. <i>Advanced Optical Materials</i> , 2018, 6, 1701106.	3.6	95
29	β-Cyclodextrin stabilized magnetic Fe <sub>3</sub> S <sub>4</sub> nanoparticles for efficient removal of Pb(II). <i>Journal of Materials Chemistry A</i> , 2015, 3, 15755-15763.	5.2	92
30	General Method for the Synthesis of Ultrastable Core/Shell Quantum Dots by Aluminum Doping. <i>Journal of the American Chemical Society</i> , 2015, 137, 12430-12433.	6.6	91
31	Metal Halide Perovskite Nanocrystals in Metal-Organic Framework Host: Not Merely Enhanced Stability. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 7488-7501.	7.2	80
32	Ultraeffective ZnS Nanocrystals Sorbent for Mercury(II) Removal Based on Size-Dependent Cation Exchange. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 18026-18032.	4.0	75
33	Highly efficient size separation of CdTe quantum dots by capillary gel electrophoresis using polymer solution as sieving medium. <i>Electrophoresis</i> , 2006, 27, 1341-1346.	1.3	73
34	Efficient removal of Pb(II) from water using magnetic Fe <sub>3</sub> S <sub>4</sub> /reduced graphene oxide composites. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19333-19342.	5.2	72
35	Surface Ligand Engineering toward Brightly Luminescent and Stable Cesium Lead Halide Perovskite Nanoplatelets for Efficient Blue-Light-Emitting Diodes. <i>Journal of Physical Chemistry C</i> , 2019, 123, 26161-26169.	1.5	59
36	Boosting charge separation and photocatalytic CO <sub>2</sub> reduction of CsPbBr <sub>3</sub> perovskite quantum dots by hybridizing with P3HT. <i>Chemical Engineering Journal</i> , 2021, 419, 129543.	6.6	58

#	ARTICLE	IF	CITATIONS
37	Large-Scale Synthesis of Highly Luminescent Perovskite Nanocrystals by Template-Assisted Solid-State Reaction at 800 Å°C. <i>Chemistry of Materials</i> , 2020, 32, 308-314.	3.2	57
38	Stabilizing perovskite nanocrystals by controlling protective surface ligands density. <i>Nano Research</i> , 2019, 12, 1461-1465.	5.8	56
39	Stability enhancement of lead-free CsSn <sub>3</sub> perovskite photodetector with reductive ascorbic acid additive. <i>Informa-MateriÅly</i> , 2020, 2, 577-584.	8.5	56
40	Sizes of water-soluble luminescent quantum dots measured by fluorescence correlation spectroscopy. <i>Analytica Chimica Acta</i> , 2005, 546, 46-51.	2.6	53
41	Non-blinking (Zn)CuInS/ZnS Quantum Dots Prepared by In Situ Interfacial Alloying Approach. <i>Scientific Reports</i> , 2015, 5, 15227.	1.6	52
42	A general non-CH <sub>3</sub> NH <sub>3</sub> X (X = I, Br) one-step deposition of CH <sub>3</sub> NH <sub>3</sub> PbX <sub>3</sub> perovskite for high performance solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3245-3248.	5.2	47
43	Comparative photoluminescence study of close-packed and colloidal InP/ZnS quantum dots. <i>Applied Physics Letters</i> , 2010, 96, 073102.	1.5	44
44	Highly stable CuInS <sub>2</sub> @ZnS:Al core@shell quantum dots: the role of aluminium self-passivation. <i>Chemical Communications</i> , 2015, 51, 8757-8760.	2.2	44
45	Encapsulation of CsPbBr <sub>3</sub> perovskite quantum dots into PPy conducting polymer: Exceptional water stability and enhanced charge transport property. <i>Applied Surface Science</i> , 2020, 526, 146735.	3.1	41
46	Hydrofluoroethers as orthogonal solvents for all-solution processed perovskite quantum-dot light-emitting diodes. <i>Nano Energy</i> , 2018, 51, 358-365.	8.2	40
47	Confined Synthesis of Stable and Uniform CsPbBr <sub>3</sub> Nanocrystals with High Quantum Yield up to 90% by High Temperature Solid-State Reaction. <i>Advanced Optical Materials</i> , 2021, 9, 2002130.	3.6	40
48	Narrow-Band Violet-Light-Emitting Diodes Based on Stable Cesium Lead Chloride Perovskite Nanocrystals. <i>ACS Energy Letters</i> , 2021, 6, 3545-3554.	8.8	39
49	CdTe@Co(OH) <sub>2</sub> (core-shell) nanoparticles: aqueous synthesis and characterization. <i>Chemical Communications</i> , 2005, , 4083.	2.2	38
50	Coupling Fluorescence Correlation Spectroscopy with Microchip Electrophoresis to Determine the Effective Surface Charge of Water-Soluble Quantum Dots. <i>Small</i> , 2006, 2, 534-538.	5.2	36
51	Time-resolved photoluminescence study of CuInS <sub>2</sub> /ZnS nanocrystals. <i>Journal of Family Business Management</i> , 2010, 1, 025007.	2.6	36
52	Stable Lead-Free Tin Halide Perovskite with Operational Stability >1200h by Suppressing Tin(II) Oxidation. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	34
53	CaF <sub>2</sub> -Based Near-Infrared Photocatalyst Using the Multifunctional CaTiO <sub>3</sub> Precursors as the Calcium Source. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 20170-20178.	4.0	33
54	Enhancing the stability of CsPbBr <sub>3</sub> nanocrystals by sequential surface adsorption of S <sup>2-</sup> and metal ions. <i>Chemical Communications</i> , 2018, 54, 9345-9348.	2.2	33

#	ARTICLE	IF	CITATIONS
55	Critical role of metal ions in surface engineering toward brightly luminescent and stable cesium lead bromide perovskite quantum dots. <i>Nanoscale</i> , 2019, 11, 2602-2607.	2.8	33
56	Boosting photocatalytic performance and stability of CuInS <sub>2</sub> /ZnS-TiO <sub>2</sub> heterostructures via sol-gel processed integrate amorphous titania gel. <i>Applied Catalysis B: Environmental</i> , 2017, 204, 403-410.	10.8	32
57	Bifunctional Passivation Strategy to Achieve Stable CsPbBr <sub>3</sub> Nanocrystals with Drastically Reduced Thermal-Quenching. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 993-999.	2.1	32
58	Band Gap Engineering toward Wavelength Tunable CsPbBr <sub>3</sub> Nanocrystals for Achieving Rec. 2020 Displays. <i>Chemistry of Materials</i> , 2021, 33, 3575-3584.	3.2	32
59	CsPbBr <sub>3</sub> Nanocrystal Light-Emitting Diodes with Efficiency up to 13.4% Achieved by Careful Surface Engineering and Device Engineering. <i>Journal of Physical Chemistry C</i> , 2021, 125, 3110-3118.	1.5	29
60	Size-dependent nanocrystal sorbent for copper removal from water. <i>Chemical Engineering Journal</i> , 2016, 284, 565-570.	6.6	28
61	Simultaneous reduction and sequestration of hexavalent chromium by magnetic $\beta$ -Cyclodextrin stabilized Fe <sub>3</sub> S <sub>4</sub> . <i>Journal of Hazardous Materials</i> , 2022, 431, 128592.	6.5	28
62	Removal and recovery of chloride ions in concentrated leachate by Bi(III) containing oxides quantum dots/two-dimensional flakes. <i>Journal of Hazardous Materials</i> , 2020, 382, 121041.	6.5	27
63	Metal recovery based magnetite near-infrared photocatalyst with broadband spectrum utilization property. <i>Applied Catalysis B: Environmental</i> , 2016, 181, 456-464.	10.8	26
64	Suppressing thermal quenching of lead halide perovskite nanocrystals by constructing a wide-bandgap surface layer for achieving thermally stable white light-emitting diodes. <i>Chemical Science</i> , 2022, 13, 3719-3727.	3.7	25
65	Rapid preparation of spinel Co <sub>3</sub> O <sub>4</sub> nanocrystals in aqueous phase by microwave irradiation. <i>Materials Research Bulletin</i> , 2006, 41, 2286-2290.	2.7	24
66	Synthesis of highly photo-stable CuInS <sub>2</sub> /ZnS core/shell quantum dots. <i>Optical Materials</i> , 2015, 47, 56-61.	1.7	23
67	High-efficiency perovskite nanocrystal light-emitting diodes <i>via</i> decorating NiO <sub>x</sub> on the nanocrystal surface. <i>Nanoscale</i> , 2020, 12, 8711-8719.	2.8	23
68	Removal of arsenic( <sup>v</sup> ) from aqueous solutions using sulfur-doped Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <i>RSC Advances</i> , 2018, 8, 40804-40812.	1.7	22
69	Stable and Flexible CuInS <sub>2</sub> /ZnS:Al-TiO <sub>2</sub> Film for Solar-Light-Driven Photodegradation of Soil Fumigant. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 20048-20056.	4.0	20
70	Tuning emission and Stokes shift of CdS quantum dots via copper and indium co-doping. <i>RSC Advances</i> , 2015, 5, 628-634.	1.7	17
71	Evenly distribution of amorphous iron sulfides on reconstructed Mg-Al hydrotalcites for improving Cr(VI) removal efficiency. <i>Chemical Engineering Journal</i> , 2021, 417, 129228.	6.6	17
72	Magnetic Adsorbents for Wastewater Treatment: Advancements in Their Synthesis Methods. <i>Materials</i> , 2022, 15, 1053.	1.3	17

#	ARTICLE	IF	CITATIONS
73	Metal Halide Perovskite Nanocrystals in Metal-Organic Framework Host: Not Merely Enhanced Stability. <i>Angewandte Chemie</i> , 2021, 133, 7564-7577.	1.6	16
74	Solution-Based In Situ Synthesis and Fabrication of Ultrasensitive CdSe Photoconductors. <i>Advanced Materials</i> , 2010, 22, 5366-5369.	11.1	14
75	Enhancing the performance of LARP-synthesized CsPbBr <sub>3</sub> nanocrystal LEDs by employing a dual hole injection layer. <i>RSC Advances</i> , 2020, 10, 17653-17659.	1.7	13
76	Aqueous synthesis of CdTe@FeOOH and CdTe@Ni(OH) <sub>2</sub> composited nanoparticles. <i>Journal of Solid State Chemistry</i> , 2006, 179, 1814-1820.	1.4	12
77	Synthesis of lead halide perovskite nanocrystals by melt crystallization in halide salts. <i>Chemical Communications</i> , 2020, 56, 11291-11294.	2.2	12
78	Surface Oxidation of Quantum Dots to Improve the Device Performance of Quantum Dot Light-Emitting Diodes. <i>Journal of Physical Chemistry C</i> , 2020, 124, 28424-28430.	1.5	12
79	Time-resolved photoluminescence measurements of InP/ZnS quantum dots. <i>Journal of Physics: Conference Series</i> , 2009, 187, 012014.	0.3	11
80	Synthesis of novel magnetic sulfur-doped Fe <sub>3</sub> O <sub>4</sub> nanoparticles for efficient removal of Pb(II). <i>Science China Chemistry</i> , 2018, 61, 164-171.	4.2	10
81	Effect of the Electronic Structure on the Stability of CdSe/CdS and CdSe/CdS/ZnS Quantum-Dot Phosphors Incorporated into a Silica/Alumina Monolith. <i>ACS Applied Nano Materials</i> , 2018, 1, 3086-3090.	2.4	9
82	Sacrificial oxidation of a self-metal source for the rapid growth of metal oxides on quantum dots towards improving photostability. <i>Chemical Science</i> , 2019, 10, 6683-6688.	3.7	9
83	Improving the Stability of CsPbBr <sub>3</sub> Perovskite Nanocrystals by Peroxides Post-treatment. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	9
84	A novel approach to coat silica on quantum dots: Forcing decomposition of tetraethyl orthosilicate in toluene at high temperature. <i>Journal of Alloys and Compounds</i> , 2020, 817, 152698.	2.8	7
85	Optimized synthesis of CuInS <sub>2</sub> /ZnS:Al@TiO <sub>2</sub> nanocomposites for 1,3-dichloropropene photodegradation. <i>RSC Advances</i> , 2016, 6, 77777-77785.	1.7	6
86	Preparation of Thermo-Sensitive Magnetic Cationic Hydrogel for the Adsorption of Reactive Red Dye. <i>Journal of Dispersion Science and Technology</i> , 2015, 36, 714-722.	1.3	5
87	Preparation of CaF <sub>2</sub> /TiO <sub>2</sub> /Ln <sub>2</sub> Ti <sub>2</sub> O <sub>7</sub> (Ln = Er, Tm, Yb) based magnetite near-infrared photocatalyst supported on waste ferrite. <i>Materials Research Bulletin</i> , 2017, 86, 107-112.	2.7	5
88	Large-scale fabrication of upconversion/quantum dots photocatalyst film by a facile spin-coating method. <i>Journal of Solid State Chemistry</i> , 2020, 282, 121092.	1.4	4
89	Integrated solar cells with non-toxic inorganic nanocrystals and polymer bulk heterojunction. <i>Applied Surface Science Advances</i> , 2021, 3, 100052.	2.9	2
90	Stable Lead-Free Tin Halide Perovskite with Operational Stability >1200 h by Suppressing Tin(II) Oxidation. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	2

#	ARTICLE	IF	CITATIONS
91	Rapid Synthesis of Highly Luminescent CdTe Nanocrystals in the Aqueous Phase by Microwave Irradiation with Controllable Temperature.. ChemInform, 2005, 36, no.	0.1	0
92	CdTe@Co(OH)2 (Core-Shell) Nanoparticles: Aqueous Synthesis and Characterization.. ChemInform, 2005, 36, no.	0.1	0
93	1,3-Dichloropropene and chloropicrin emission reduction using a flexible CuInS2/ZnS:Al-TiO2 photocatalytic film. Environmental Science and Pollution Research, 2021, 28, 6980-6989.	2.7	0
94	23.6: Invited Paper: Enhancing the Stability and Efficiency of Perovskite Nanocrystals Light-Emitting Diodes. Digest of Technical Papers SID International Symposium, 2021, 52, 306-306.	0.1	0