

David Ekers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9047420/publications.pdf>

Version: 2024-02-01

24
papers

869
citations

840776

11
h-index

677142

22
g-index

30
all docs

30
docs citations

30
times ranked

1377
citing authors

#	ARTICLE	IF	CITATIONS
1	Behavioural Activation for Depression; An Update of Meta-Analysis of Effectiveness and Sub Group Analysis. PLoS ONE, 2014, 9, e100100.	2.5	390
2	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. JAMA - Journal of the American Medical Association, 2017, 317, 728.	7.4	95
3	Nurse-delivered collaborative care for depression and long-term physical conditions: A systematic review and meta-analysis. Journal of Affective Disorders, 2013, 149, 14-22.	4.1	88
4	Collaborative care for Screen-Positive Elders with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-252.	2.8	56
5	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779.	8.4	31
6	A randomised evaluation of Collaborative care and active surveillance for Screen-Positive Elders with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. Trials, 2011, 12, 225.	1.6	27
7	Behavioural activation therapy for depression in adults. The Cochrane Library, 2020, 7, CD013305.	2.8	26
8	Pharmacy-based management for depression in adults. The Cochrane Library, 2019, 12, CD013299.	2.8	22
9	Sudden gains in behavioural activation for depression. Behaviour Research and Therapy, 2014, 60, 34-38.	3.1	21
10	CASPER plus (Collaborative care in Screen-Positive Elders with major depressive disorder): study protocol for a randomised controlled trial. Trials, 2014, 15, 451.	1.6	16
11	Mitigating the impacts of COVID-19: where are the mental health trials?. Lancet Psychiatry, the, 2021, 8, 647-650.	7.4	15
12	Collaborative care and active surveillance for Screen-Positive Elders with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-196.	2.8	12
13	Behavioural activation therapy for depression in adults with non-communicable diseases. The Cochrane Library, 2020, 2020, CD013461.	2.8	11
14	Can We Prevent Depression in At-Risk Older Adults Using Self-Help? The UK SHARD Trial of Behavioral Activation. American Journal of Geriatric Psychiatry, 2022, 30, 197-207.	1.2	10
15	Cognitive or behavioural interventions (or both) to prevent or mitigate loneliness in adolescents, adults, and older adults. The Cochrane Library, 0, , .	2.8	8
16	Innovations in Practice: A randomised controlled feasibility trial of Behavioural Activation as a treatment for young people with depression. Child and Adolescent Mental Health, 2020, 26, 290-295.	3.5	7
17	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj fully-powered pragmatic randomised controlled trial. PLoS ONE, 2022, 17, e0263856.	2.5	7
18	Behavioral Activation in Nursing Homes to Treat Depression (BAN-Dep): Results From a Clustered, Randomized, Single-Blinded, Controlled Clinical Trial. American Journal of Geriatric Psychiatry, 2022, 30, 1313-1323.	1.2	6

#	ARTICLE	IF	CITATIONS
19	Behavioural activation for overweight and obese adolescents with low mood delivered in a community setting: feasibility study. <i>BMJ Paediatrics Open</i> , 2020, 4, e000624.	1.4	5
20	Behavioural activation therapy for adolescents "at risk" for psychosis?. <i>Microbial Biotechnology</i> , 2016, 10, 186-188.	1.7	4
21	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	1.2	4
22	Pharmacy-based management for depression in adults. <i>The Cochrane Library</i> , 0, , .	2.8	3
23	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation"the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> . 2022, 8, 27.	1.2	3
24	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	1.3	2