

David Ekers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9047420/publications.pdf>

Version: 2024-02-01

24
papers

869
citations

840776

11
h-index

677142

22
g-index

30
all docs

30
docs citations

30
times ranked

1377
citing authors

#	ARTICLE	IF	CITATIONS
1	Can We Prevent Depression in At-Risk Older Adults Using Self-Help? The UK SHARD Trial of Behavioral Activation. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 197-207.	1.2	10
2	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation—the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> , 2022, 8, 27.	1.2	3
3	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	1.3	2
4	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 T fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	2.5	7
5	Behavioral Activation in Nursing Homes to Treat Depression (BAN-Dep): Results From a Clustered, Randomized, Single-Blinded, Controlled Clinical Trial. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 1313-1323.	1.2	6
6	Mitigating the impacts of COVID-19: where are the mental health trials?. <i>Lancet Psychiatry</i> , the, 2021, 8, 647-650.	7.4	15
7	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	8.4	31
8	Innovations in Practice: A randomised controlled feasibility trial of Behavioural Activation as a treatment for young people with depression. <i>Child and Adolescent Mental Health</i> , 2020, 26, 290-295.	3.5	7
9	Behavioural activation therapy for depression in adults with non-communicable diseases. <i>The Cochrane Library</i> , 2020, 2020, CD013461.	2.8	11
10	Behavioural activation for overweight and obese adolescents with low mood delivered in a community setting: feasibility study. <i>BMJ Paediatrics Open</i> , 2020, 4, e000624.	1.4	5
11	Behavioural activation therapy for depression in adults. <i>The Cochrane Library</i> , 2020, 7, CD013305.	2.8	26
12	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	1.2	4
13	Pharmacy-based management for depression in adults. <i>The Cochrane Library</i> , 2019, 12, CD013299.	2.8	22
14	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 728.	7.4	95
15	Collaborative care and active surveillance for Screen-Positive EldeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-196.	2.8	12
16	Collaborative care for Screen-Positive EldeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-252.	2.8	56
17	Behavioural activation therapy for adolescents at risk™ for psychosis?. <i>Microbial Biotechnology</i> , 2016, 10, 186-188.	1.7	4
18	CASPER plus (Collaborative care in Screen-Positive EldeRs with major depressive disorder): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 451.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Sudden gains in behavioural activation for depression. Behaviour Research and Therapy, 2014, 60, 34-38.	3.1	21
20	Behavioural Activation for Depression; An Update of Meta-Analysis of Effectiveness and Sub Group Analysis. PLoS ONE, 2014, 9, e100100.	2.5	390
21	Nurse-delivered collaborative care for depression and long-term physical conditions: A systematic review and meta-analysis. Journal of Affective Disorders, 2013, 149, 14-22.	4.1	88
22	A randomised evaluation of Collaborative care and active surveillance for Screen-Positive Elders with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. Trials, 2011, 12, 225.	1.6	27
23	Cognitive or behavioural interventions (or both) to prevent or mitigate loneliness in adolescents, adults, and older adults. The Cochrane Library, 0, , .	2.8	8
24	Pharmacy-based management for depression in adults. The Cochrane Library, 0, , .	2.8	3