## Jorge A Cervilla

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/905025/publications.pdf Version: 2024-02-01

		147801	144013
111	4,068	31	57
papers	citations	h-index	g-index
113	113	113	4385
all docs	docs citations	times ranked	citing authors

LODGE A CEDVILLA

#	Article	IF	CITATIONS
1	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
2	Infectious agents associated with schizophrenia: A meta-analysis. Schizophrenia Research, 2012, 136, 128-136.	2.0	196
3	Prevalence and correlates of major depressive disorder: a systematic review. Revista Brasileira De Psiquiatria, 2020, 42, 657-672.	1.7	180
4	Smoking, drinking, and incident cognitive impairment: a cohort community based study included in the Gospel Oak project. Journal of Neurology, Neurosurgery and Psychiatry, 2000, 68, 622-626.	1.9	130
5	Do patient and ward-related characteristics influence the use of coercive measures? Results from the EUNOMIA international study. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1619-1629.	3.1	122
6	The risk for depression conferred by stressful life events is modified by variation at the serotonin transporter 5HTTLPR genotype: evidence from the Spanish PREDICT-Gene cohort. Molecular Psychiatry, 2007, 12, 748-755.	7.9	118
7	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biological Psychiatry, 2022, 91, 313-327.	1.3	114
8	Pain as a symptom of depression: Prevalence and clinical correlates in patients attending psychiatric clinics. Journal of Affective Disorders, 2011, 130, 106-112.	4.1	104
9	A systematic review of the international published literature relating to quality of institutional care for people with longer term mental health problems. BMC Psychiatry, 2009, 9, 55.	2.6	100
10	Long-term predictors of cognitive outcome in a cohort of older people with hypertension. British Journal of Psychiatry, 2000, 177, 66-71.	2.8	94
11	The 5â€HTTLPR s/s genotype at the serotonin transporter gene (SLC6A4) increases the risk for depression in a large cohort of primary care attendees: The PREDICTâ€gene study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 912-917.	1.7	83
12	Neurocognitive performance and negative symptoms: Are they equal in explaining disability in schizophrenia outpatients?. Schizophrenia Research, 2006, 87, 246-253.	2.0	75
13	Contribution of sleep deprivation to suicidal behaviour: A systematic review. Sleep Medicine Reviews, 2019, 44, 37-47.	8.5	67
14	The association between <i>APOE and dementia does not seem to be mediated by vascular factors</i> . Neurology, 2000, 54, 397-397.	1.1	58
15	Does depression predict cognitive outcome 9 to 12 years later? Evidence from a prospective study of elderly hypertensives. Psychological Medicine, 2000, 30, 1017-1023.	4.5	54
16	A descriptive case-register study of delusional disorder. European Psychiatry, 2008, 23, 125-133.	0.2	54
17	The development of the Quality Indicator for Rehabilitative Care (QuIRC): a measure of best practice for facilities for people with longer term mental health problems. BMC Psychiatry, 2011, 11, 35.	2.6	50

Validaci $\tilde{A}^3$ n de la versi $\tilde{A}^3$ n en espa $\tilde{A}$ ±ol de la Columbia-Suicide Severity Rating Scale (Escala Columbia para) Tj ETQq0.0 0 rgBT<sub>5</sub>Overlock

#	Article	IF	CITATIONS
19	Polymorphic variation at the serotonin 1-A receptor gene is associated with comorbid depression and generalized anxiety. Psychiatric Genetics, 2011, 21, 195-201.	1.1	48
20	Medically unexplained pain complaints are associated with underlying unrecognized mood disorders in primary care. BMC Family Practice, 2010, 11, 17.	2.9	45
21	Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain. Psychological Medicine, 2011, 41, 2075-2088.	4.5	45
22	Highâ€activity variants of the uMAOA polymorphism increase the risk for depression in a large primary care sample. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 395-402.	1.7	44
23	The risk for major depression conferred by childhood maltreatment is multiplied by <i>BDNF</i> and <i>SERT</i> genetic vulnerability: a replication study. Journal of Psychiatry and Neuroscience, 2015, 40, 187-196.	2.4	41
24	Fewer neurological soft signs among first episode psychosis patients with heavy cannabis use. Schizophrenia Research, 2009, 107, 158-164.	2.0	38
25	Temporal relationship of first-episode non-affective psychosis with cannabis use: A clinical verification of an epidemiological hypothesis. Journal of Psychiatric Research, 2010, 44, 413-420.	3.1	37
26	Quality of Longer Term Mental Health Facilities in Europe: Validation of the Quality Indicator for Rehabilitative Care against Service Users' Views. PLoS ONE, 2012, 7, e38070.	2.5	37
27	Undiagnosed Mood Disorders and Sleep Disturbances in Primary Care Patients with Chronic Musculoskeletal Pain. Pain Medicine, 2013, 14, 1416-1425.	1.9	36
28	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case–control sample from Spain. Schizophrenia Research, 2014, 159, 107-113.	2.0	36
29	Genome-wide assessment of Parkinson's disease in a Southern Spanish population. Neurobiology of Aging, 2016, 45, 213.e3-213.e9.	3.1	35
30	Neuropsychological Research in Delusional Disorder: A Comprehensive Review. Psychopathology, 2012, 45, 78-95.	1.5	34
31	Empirical redefinition of delusional disorder and its phenomenology: the DELIREMP study. Comprehensive Psychiatry, 2013, 54, 243-255.	3.1	34
32	Long COVID 12 months after discharge: persistent symptoms in patients hospitalised due to COVID-19 and patients hospitalised due to other causes—a multicentre cohort study. BMC Medicine, 2022, 20, 92.	5.5	34
33	Gender differences in delusional disorder: Evidence from an outpatient sample. Psychiatry Research, 2010, 177, 235-239.	3.3	32
34	Clinical and Cognitive Correlates of Psychiatric Comorbidity in Delusional Disorder Outpatients. Australian and New Zealand Journal of Psychiatry, 2011, 45, 416-425.	2.3	30
35	Dose–response effect between cannabis use and psychosis liability in a non-clinical population: Evidence from a snowball sample. Journal of Psychiatric Research, 2013, 47, 1036-1043.	3.1	30
36	Cognitive impairment and social distress as different pathways to depression in the elderly: a cross-sectional study. , 1997, 12, 995-1000.		29

#	Article	IF	CITATIONS
37	Premorbid cognitive testing predicts the onset of dementia and Alzheimer's disease better than and independently of APOE genotype. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 1100-1106.	1.9	29
38	Cognitive correlates of verbal memory and verbal fluency in schizophrenia, and differential effects of various clinical symptoms between male and female patients. Schizophrenia Research, 2013, 147, 81-85.	2.0	28
39	A Systematic Review on the Pharmacological Treatment of Delusional Disorder. Journal of Clinical Psychopharmacology, 2016, 36, 684-690.	1.4	28
40	A pharmacogenetic intervention for the improvement of the safety profile of antipsychotic treatments. Translational Psychiatry, 2019, 9, 177.	4.8	28
41	A dimensional comparison between delusional disorder, schizophrenia and schizoaffective disorder. Schizophrenia Research, 2015, 169, 248-254.	2.0	27
42	Deficits in Executive and Memory Processes in Delusional Disorder: A Case-Control Study. PLoS ONE, 2013, 8, e67341.	2.5	26
43	Study protocol for the development of a European measure of best practice for people with long term mental health problems in institutional care (DEMoBinc). BMC Psychiatry, 2009, 9, 36.	2.6	25
44	Vascular disease risk factors as determinants of incident depressive symptoms: a prospective community-based study. Psychological Medicine, 2004, 34, 635-641.	4.5	23
45	Predicting the onset and persistence of episodes of depression in primary health care. The predictD-Spain study: Methodology. BMC Public Health, 2008, 8, 256.	2.9	23
46	Factors associated with chronic pain in patients with bipolar depression: a cross-sectional study. BMC Psychiatry, 2013, 13, 112.	2.6	23
47	Epidemiological support for genetic variability at hypothalamic–pituitary–adrenal axis and serotonergic system as risk factors for major depression. Neuropsychiatric Disease and Treatment, 2015, 11, 2743.	2.2	21
48	Genes Related to Vascular Disease (APOE, VLDL-R, DCP-1) and Other Vascular Factors in Late-Life Depression. American Journal of Geriatric Psychiatry, 2004, 12, 202-210.	1.2	20
49	Neurodevelopmental markers in different psychopathological dimensions of first episode psychosis: The ESPIGAS Study. European Psychiatry, 2008, 23, 533-540.	0.2	20
50	Childhood trauma as a risk factor for psychosis: A sib-pair study. Journal of Psychiatric Research, 2015, 70, 130-136.	3.1	20
51	A Psychopathological Comparison between Delusional Disorder and Schizophrenia. Canadian Journal of Psychiatry, 2018, 63, 12-19.	1.9	20
52	CYP2D6 polymorphisms in Alzheimer's disease, with and without extrapyramidal signs, showing no apolipoprotein E ε4 effect modification. Biological Psychiatry, 1999, 45, 426-429.	1.3	19
53	Intimate partner violence and mental disorders: Co-occurrence and gender differences in a large cross-sectional population based study in Spain. Journal of Affective Disorders, 2018, 229, 69-78.	4.1	19
54	Associations of major depressive disorder with chronic physical conditions, obesity and medication use: Results from the PISMA-ep study. European Psychiatry, 2019, 60, 20-27.	0.2	19

#	Article	IF	CITATIONS
55	Three-factor model of premorbid adjustment in a sample with chronic schizophrenia and first-episode psychosis. Schizophrenia Research, 2013, 151, 252-258.	2.0	17
56	Different presence of Chlamydia pneumoniae, herpes simplex virus type 1, human herpes virus 6, and Toxoplasma gondii in schizophrenia: meta-analysis and analytical study. Neuropsychiatric Disease and Treatment, 2015, 11, 843.	2.2	17
57	Protocolo y metodologÃa del estudio epidemiológico de la salud mental en AndalucÃa: PISMA-ep. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 185-194.	1.8	17
58	Quality of care and its determinants in longer term mental health facilities across Europe; a cross-sectional analysis. BMC Psychiatry, 2016, 16, 31.	2.6	17
59	Consenso español de salud fÃsica del paciente con depresión. Revista De PsiquiatrÃa Y Salud Mental, 2014, 7, 195-207.	1.8	16
60	Prevalence and correlates of major depression in Granada, Spain: Results from the GranadΣp study. International Journal of Social Psychiatry, 2018, 64, 450-458.	3.1	16
61	Acute psychopathology as a predictor of global functioning in patients with ICD-10 non-affective psychosis: A prospective study in 11 European countries. Schizophrenia Research, 2011, 131, 105-111.	2.0	15
62	A systematic review of studies with clinician-rated scales on the pharmacological treatment of delusional disorder. International Clinical Psychopharmacology, 2020, 35, 129-136.	1.7	15
63	Physical exercise and body mass index as correlates of major depressive disorder in community-dwelling adults: Results from the PISMA-ep study. Journal of Affective Disorders, 2019, 251, 263-269.	4.1	14
64	Cognition and functionality in delusional disorder. European Psychiatry, 2019, 55, 52-60.	0.2	14
65	Spanish adaptation of the Green Paranoid Thought Scales. Psicothema, 2015, 27, 74-81.	0.9	14
66	Un estudio empÃrico de los correlatos psicosociales y clÃnicos del trastorno delirante: el estudio DELIREMP. Revista De PsiquiatrÃa Y Salud Mental, 2009, 2, 72-82.	1.8	12
67	Intimate partner violence in Europe: design and methods of a multinational study. Gaceta Sanitaria, 2013, 27, 558-561.	1.5	12
68	The duration of untreated psychosis is associated with social support and temperament. Psychiatry Research, 2012, 200, 687-692.	3.3	11
69	Unexplained pain complaints and depression in older people in primary care. Journal of Nutrition, Health and Aging, 2013, 17, 574-577.	3.3	11
70	Spanish validation of the Premorbid Adjustment Scale (PAS-S). Comprehensive Psychiatry, 2013, 54, 187-194.	3.1	11
71	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. Journal of Affective Disorders, 2019, 249, 199-207.	4.1	11
72	Prevalence and correlates of suicidality in Andalusia (Spain): Results of the epidemiological study PISMA-ep. Journal of Affective Disorders, 2020, 266, 503-511.	4.1	11

#	Article	IF	CITATIONS
73	Paranoia and risk of personality disorder in the general population. Personality and Mental Health, 2019, 13, 107-116.	1.2	10
74	Social predictors of out-patient mental health contact in schizophrenia patients. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 452-456.	3.1	9
75	Negative symptoms across psychotic spectrum disorders. European Journal of Psychiatry, 2017, 31, 37-41.	1.3	9
76	Interaction Effect between Physical Activity and the BDNF Val66Met Polymorphism on Depression in Women from the PISMA-ep Study. International Journal of Environmental Research and Public Health, 2022, 19, 2068.	2.6	9
77	Pattern of Care for Schizophrenia Patients in Granada (Spain): A Case Register Study. International Journal of Social Psychiatry, 2007, 53, 5-11.	3.1	8
78	Variabilidad en el gen COMT y modificación del riesgo de esquizofrenia conferido por consumo de cannabis. Revista De PsiquiatrÃa Y Salud Mental, 2009, 2, 89-94.	1.8	8
79	A Cross-Sectional Study on the Prevalence and Risk Correlates of Mental Disorders: The GRANADΣP Study. Journal of Nervous and Mental Disease, 2018, 206, 716-725.	1.0	8
80	A cross-sectional survey of psychotic symptoms in the community: The GRANADâ ´P psychosis study. European Journal of Psychiatry, 2018, 32, 87-96.	1.3	6
81	Current Evidences on Psychopharmacology of Schizoaffective Disorder. Actas Espanolas De Psiquiatria, 2019, 47, 190-201.	0.1	6
82	Comorbilidad depresiva en los trastornos de la personalidad. Revista De PsiquiatrÃa Y Salud Mental, 2010, 3, 4-12.	1.8	5
83	Prevalence of premorbid personality disorder and its clinical correlates in patients with delusional disorder. Psychiatry Research, 2013, 210, 986-993.	3.3	5
84	Genes related to vascular disease (APOE, VLDL-R, DCP-1) and other vascular factors in late-life depression. American Journal of Geriatric Psychiatry, 2004, 12, 202-10.	1.2	5
85	An empirical study of psychosocial and clinical correlates of delusional disorder: the DELIREMP study. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2009, 2, 72-82.	0.3	4
86	Validity and reliability of a Spanish version of the Standardised Assessment of Personality-Abbreviated Scale (SAPAS) for personality disorder screening in community mental health settings. European Journal of Psychiatry, 2020, 34, 189-194.	1.3	4
87	Psychotic symptoms associate inversely with social support, social autonomy and psychosocial functioning: A community-based study. International Journal of Social Psychiatry, 2021, , 002076402110111.	3.1	4
88	Psychiatric training in Spain: is there a need for change?. Psychiatric Bulletin, 1996, 20, 738-739.	0.3	4
89	Body mass index interacts with a genetic-risk score for depression increasing the risk of the disease in high-susceptibility individuals. Translational Psychiatry, 2022, 12, 30.	4.8	4

90 Depressive comorbidity in personality disorders. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 62

#	Article	IF	CITATIONS
91	El tratamiento integral del trastorno delirante. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 221-223.	1.8	3
92	Paranoia and Suicidality: A Cross-Sectional Study in the General Population. Archives of Suicide Research, 2022, 26, 1587-1599.	2.3	3
93	Toxoplasma gondii Seropositivity Interacts with Catechol-O-methyltransferase Val105/158Met Variation Increasing the Risk of Schizophrenia. Genes, 2022, 13, 1088.	2.4	3
94	The VAL66MET Bdnf Genetic Polymorphism Does Not Modify The Association Between Major Depression And Body Mass Index (BMI). European Neuropsychopharmacology, 2017, 27, S447.	0.7	2
95	A population-based cross-sectional study of cognitive deficits in paranoia. Psychiatry Research, 2021, 299, 113820.	3.3	2
96	Genes Related to Vascular Disease (APOE, VLDL-R, DCP-1) and Other Vascular Factors in Late-Life Depression. American Journal of Geriatric Psychiatry, 2004, 12, 202-210.	1.2	2
97	LETTER TO THE EDITOR. Social Support Deficits and Cognitive Impairment. International Journal of Geriatric Psychiatry, 1996, 11, 1119-1120.	2.7	1
98	Genetics of early-onset depression. British Journal of Psychiatry, 2003, 182, 364-364.	2.8	1
99	Comorbid Medical Conditions In Individuals With Major Psychiatric Disorders. European Neuropsychopharmacology, 2017, 27, S396-S397.	0.7	1
100	Cognitive impairment and social distress as different pathways to depression in the elderly: a crossâ $\in$ sectional study. International Journal of Geriatric Psychiatry, 1997, 12, 995-1000.	2.7	1
101	Prevalence and Risk Factors Associated with Tumors and Other Structural Anomalies in Brain MRI Performed to Rule out Secondary Headache: A Multicenter Observational Study. International Journal of Environmental Research and Public Health, 2022, 19, 3521.	2.6	1
102	The Affective Core of Delusional Disorder. Psychopathology, 2022, 55, 244-250.	1.5	1
103	DRUG USE AND AGE AT ONSET OF PSYCHOSIS. Schizophrenia Research, 2008, 102, 248.	2.0	0
104	Developing Research and Clinical Practice Using Health Records Data – a Spanish Perspective. European Psychiatry, 2015, 30, 149.	0.2	0
105	Protocol and methodology of the epidemiological mental health study in Andalusia: PISMA-ep. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2016, 9, 185-194.	0.3	0
106	The comprehensive treatment of delusional disorder. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQqO	0 0 rggT /C	Overlock 10 Tf
107	EpidemiologÃa de la fobia social en AndalucÃa. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	0

108 Estudio descriptivo de un registro de casos de trastorno delirante. European Psychiatry (Ed) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td

#	Article	IF	CITATIONS
109	Psychometric instruments for the assessment of depressive symptoms in patients with delusional disorder: A systematic review. Psychiatry Research, 2022, 310, 114435.	3.3	0
110	Clinics. , 0, , 881-894.		0
111	HEPATITIS C VIRUS SCREENING AND LINKAGE TO CARE IN MENTAL HEALTH UNITS: AN OPPORTUNITY FOR HCV ELIMINATION Actas Espanolas De Psiquiatria, 2022, 50, 120-121.	0.1	0