

David Falck

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9052142/publications.pdf>

Version: 2024-02-01

46
papers

1,802
citations

331670

21
h-index

289244

40
g-index

49
all docs

49
docs citations

49
times ranked

2325
citing authors

#	ARTICLE	IF	CITATIONS
1	Developments and perspectives in high-throughput protein glycomics: enabling the analysis of thousands of samples. <i>Glycobiology</i> , 2022, 32, 651-663.	2.5	24
2	Editorial: Immunoglobulin Glycosylation Analysis: State-of-the-Art Methods and Applications in Immunology. <i>Frontiers in Immunology</i> , 2022, 13, .	4.8	2
3	Serum and Plasma Immunoglobulin G Fc N-Glycosylation Is Stable during Storage. <i>Journal of Proteome Research</i> , 2021, 20, 2935-2941.	3.7	6
4	Glycoform-resolved pharmacokinetic studies in a rat model employing glycoengineered variants of a therapeutic monoclonal antibody. <i>MABs</i> , 2021, 13, 1865596.	5.2	23
5	Fc gamma receptor IIIb binding of individual antibody proteoforms resolved by affinity chromatography–mass spectrometry. <i>MABs</i> , 2021, 13, 1982847.	5.2	11
6	A functional spleen contributes to afucosylated IgG in humans. <i>Scientific Reports</i> , 2021, 11, 24045.	3.3	4
7	NIST Interlaboratory Study on Glycosylation Analysis of Monoclonal Antibodies: Comparison of Results from Diverse Analytical Methods. <i>Molecular and Cellular Proteomics</i> , 2020, 19, 11-30.	3.8	87
8	Monitoring of immunoglobulin N- and O-glycosylation in health and disease. <i>Glycobiology</i> , 2020, 30, 226-240.	2.5	75
9	IgA subclasses have different effector functions associated with distinct glycosylation profiles. <i>Nature Communications</i> , 2020, 11, 120.	12.8	141
10	A novel glycosidase plate-based assay for the quantification of galactosylation and sialylation on human IgG. <i>Glycoconjugate Journal</i> , 2020, 37, 691-702.	2.7	4
11	MS-Based Allotype-Specific Analysis of Polyclonal IgG-Fc N-Glycosylation. <i>Frontiers in Immunology</i> , 2020, 11, 2049.	4.8	17
12	Site-Specific Glycosylation Mapping of Fc Gamma Receptor IIIb from Neutrophils of Individual Healthy Donors. <i>Analytical Chemistry</i> , 2020, 92, 13172-13181.	6.5	12
13	Immunoglobulin G Glycoprofiles are Unaffected by Common Bottom-Up Sample Processing. <i>Journal of Proteome Research</i> , 2020, 19, 4158-4162.	3.7	5
14	A Matrix-Assisted Laser Desorption/Ionization–Mass Spectrometry Assay for the Relative Quantitation of Antennary Fucosylated N-Glycans in Human Plasma. <i>Frontiers in Chemistry</i> , 2020, 8, 138.	3.6	14
15	Simultaneous Immunoglobulin A and G Glycopeptide Profiling for High-Throughput Applications. <i>Analytical Chemistry</i> , 2020, 92, 4518-4526.	6.5	28
16	Fc γ 3R Binding and ADCC Activity of Human IgG Allotypes. <i>Frontiers in Immunology</i> , 2020, 11, 740.	4.8	101
17	Glycoform-resolved Fc γ 3RIIIa affinity chromatography–mass spectrometry. <i>MABs</i> , 2019, 11, 1191-1196.	5.2	42
18	Highly sensitive CE-ESI-MS analysis of N-glycans from complex biological samples. <i>Nature Communications</i> , 2019, 10, 2137.	12.8	90

#	ARTICLE	IF	CITATIONS
19	Proteoform-Resolved Fc ϵ RIIIa Binding Assay for Fab Glycosylated Monoclonal Antibodies Achieved by Affinity Chromatography Mass Spectrometry of Fc Moieties. <i>Frontiers in Chemistry</i> , 2019, 7, 698.	3.6	17
20	ACPA IgG galactosylation associates with disease activity in pregnant patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2018-212946.	0.9	31
21	Glycosylation of Immunoglobulin G Associates With Clinical Features of Inflammatory Bowel Diseases. <i>Gastroenterology</i> , 2018, 154, 1320-1333.e10.	1.3	116
22	Affinity purification of erythropoietin from cell culture supernatant combined with MALDI-TOF-MS analysis of erythropoietin N-glycosylation. <i>Scientific Reports</i> , 2017, 7, 5324.	3.3	20
23	High-Throughput Analysis of IgG Fc Glycopeptides by LC-MS. <i>Methods in Molecular Biology</i> , 2017, 1503, 31-47.	0.9	73
24	FR10083â€¦Reduced increase of ACPA IGG-FC galactosylation during pregnancy in comparison to total IGG: an explanation why autoantibody positive RA-patients improve less during pregnancy?. , 2017, , .		0
25	Pregnancy-associated serum N-glycome changes studied by high-throughput MALDI-TOF-MS. <i>Scientific Reports</i> , 2016, 6, 23296.	3.3	54
26	Dopant Enriched Nitrogen Gas Combined with Sheathless Capillary Electrophoresisâ€“Electrospray Ionization-Mass Spectrometry for Improved Sensitivity and Repeatability in Glycopeptide Analysis. <i>Analytical Chemistry</i> , 2016, 88, 5849-5856.	6.5	60
27	LaCyTools: A Targeted Liquid Chromatographyâ€“Mass Spectrometry Data Processing Package for Relative Quantitation of Glycopeptides. <i>Journal of Proteome Research</i> , 2016, 15, 2198-2210.	3.7	114
28	MassyTools: A High-Throughput Targeted Data Processing Tool for Relative Quantitation and Quality Control Developed for Glycomic and Glycoproteomic MALDI-MS. <i>Journal of Proteome Research</i> , 2015, 14, 5088-5098.	3.7	107
29	Solution-phase electrochemistry-nuclear magnetic resonance of small organic molecules. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 70, 31-39.	11.4	16
30	Mass spectrometry for glycosylation analysis of biopharmaceuticals. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 73, 1-9.	11.4	67
31	Linkage-Specific Sialic Acid Derivatization for MALDI-TOF-MS Profiling of IgG Glycopeptides. <i>Analytical Chemistry</i> , 2015, 87, 8284-8291.	6.5	112
32	Comparison of methods for the analysis of therapeutic immunoglobulin G Fc-glycosylation profilesâ€“Part 2: Mass spectrometric methods. <i>MAbs</i> , 2015, 7, 732-742.	5.2	114
33	Metabolic profiling of ligands for the chemokine receptor CXCR3 by liquid chromatography-mass spectrometry coupled to bioaffinity assessment. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 7067-7081.	3.7	6
34	Glycoforms of Immunoglobulin G Based Biopharmaceuticals Are Differentially Cleaved by Trypsin Due to the Glycoform Influence on Higher-Order Structure. <i>Journal of Proteome Research</i> , 2015, 14, 4019-4028.	3.7	35
35	Comparison of Fc N-Glycosylation of Pharmaceutical Products of Intravenous Immunoglobulin G. <i>PLoS ONE</i> , 2015, 10, e0139828.	2.5	14
36	Comparison of (bio-)transformation methods for the generation of metabolite-like compound libraries of p38 β MAP kinase inhibitors using high-resolution screening. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 88, 235-244.	2.8	5

#	ARTICLE	IF	CITATIONS
37	ECâ€“SPEâ€“stripline-NMR analysis of reactive products: a feasibility study. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 6711-6720.	3.7	11
38	Tandem mass spectrometry study of p38Î± kinase inhibitors and related substances. <i>Journal of Mass Spectrometry</i> , 2013, 48, 718-731.	1.6	7
39	Combination of biotransformation by P450 BM3 mutants with on-line post-column bioaffinity and mass spectrometric profiling as a novel strategy to diversify and characterize p38Î± kinase inhibitors. <i>MedChemComm</i> , 2013, 4, 371-377.	3.4	13
40	Development of On-line Liquid Chromatography-Biochemical Detection for Soluble Epoxide Hydrolase Inhibitors in Mixtures. <i>Chromatographia</i> , 2013, 76, 13-21.	1.3	3
41	Development of a Profiling Strategy for Metabolic Mixtures by Combining Chromatography and Mass Spectrometry with Cell-Based GPCR Signaling. <i>Journal of Biomolecular Screening</i> , 2012, 17, 1329-1338.	2.6	11
42	High-resolution metabolic profiling towards G protein-coupled receptors: Rapid and comprehensive screening of histamine H4 receptor ligands. <i>Journal of Chromatography A</i> , 2012, 1259, 213-220.	3.7	11
43	On-line electrochemistryâ€“bioaffinity screening with parallel HR-LC-MS for the generation and characterization of modified p38Î± kinase inhibitors. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 367-375.	3.7	17
44	High temperature liquid chromatography hyphenated with ESI-MS and ICP-MS detection for the structural characterization and quantification of halogen containing drug metabolites. <i>Analytica Chimica Acta</i> , 2011, 698, 69-76.	5.4	26
45	Development of an online p38Î± mitogen-activated protein kinase binding assay and integration of LCâ€“HR-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1771-1780.	3.7	32
46	Fast method for monitoring phospholipase A2 activity by liquid chromatographyâ€“electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 5249-5255.	3.7	11