

Victoria C Manning

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9052324/publications.pdf>

Version: 2024-02-01

103
papers

2,436
citations

186265

28
h-index

254184

43
g-index

108
all docs

108
docs citations

108
times ranked

2703
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictors of cognitive functioning in presentations to a community-based specialist addiction neuropsychology service. <i>Brain Impairment</i> , 2023, 24, 54-68.	0.7	1
2	Client Experiences of a Telephone-Delivered Intervention for Alcohol Use: a Qualitative Study. <i>International Journal of Mental Health and Addiction</i> , 2022, 20, 522-540.	7.4	8
3	Maybe It's Not the Meth: Considering Biopsychosocial Contributors to Cognitive Impairment in Methamphetamine Polydrug Use. <i>Frontiers in Psychiatry</i> , 2022, 13, 795400.	2.6	1
4	Alcohol use in the year following approach bias modification during inpatient withdrawal: secondary outcomes from a double-blind, multi-site randomized controlled trial. <i>Addiction</i> , 2022, 117, 2837-2846.	3.3	14
5	Enacting "more-than-human" care: Clients' and counsellors' views on the multiple affordances of chatbots in alcohol and other drug counselling. <i>International Journal of Drug Policy</i> , 2021, 94, 102910.	3.3	23
6	Clinical and demographic characteristics of people who smoke versus inject crystalline methamphetamine in Australia: Findings from a pharmacotherapy trial. <i>Drug and Alcohol Review</i> , 2021, 40, 1249-1255.	2.1	8
7	QuitNic: A Pilot Randomized Controlled Trial Comparing Nicotine Vaping Products With Nicotine Replacement Therapy for Smoking Cessation Following Residential Detoxification. <i>Nicotine and Tobacco Research</i> , 2021, 23, 462-470.	2.6	13
8	Characterisation of presentations to a community-based specialist addiction neuropsychology service: Cognitive profiles, diagnoses and comorbidities. <i>Drug and Alcohol Review</i> , 2021, 40, 83-92.	2.1	9
9	Improved rates of treatment success following alcohol and other drug treatment among clients who quit or reduce their tobacco smoking. <i>Drug and Alcohol Review</i> , 2021, 40, 78-82.	2.1	3
10	Protocol for the methamphetamine approach-avoidance training (MAAT) trial, a randomised controlled trial of personalised approach bias modification for methamphetamine use disorder. <i>Trials</i> , 2021, 22, 21.	1.6	7
11	Effect of Cognitive Bias Modification on Early Relapse Among Adults Undergoing Inpatient Alcohol Withdrawal Treatment. <i>JAMA Psychiatry</i> , 2021, 78, 133.	11.0	65
12	Pushing or Pulling Your "Poison": Clinical Correlates of Alcohol Approach and Avoidance Bias Among Inpatients Undergoing Alcohol Withdrawal Treatment. <i>Frontiers in Psychology</i> , 2021, 12, 663087.	2.1	6
13	Developing a mHealth Routine Outcome Monitoring and Feedback App ("SMART Track") to Support Self-Management of Addictive Behaviours. <i>Frontiers in Psychiatry</i> , 2021, 12, 677637.	2.6	10
14	A Web-Based Cognitive Bias Modification Intervention (Re-train Your Brain) for Emerging Adults With Co-occurring Social Anxiety and Hazardous Alcohol Use: Protocol for a Multiarm Randomized Controlled Pilot Trial. <i>JMIR Research Protocols</i> , 2021, 10, e28667.	1.0	3
15	The use of Australian SMART Recovery groups by people who use methamphetamine: Analysis of routinely-collected nationwide data. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108814.	3.2	4
16	N-acetylcysteine (NAC) for methamphetamine dependence: A randomised controlled trial. <i>EClinicalMedicine</i> , 2021, 38, 101005.	7.1	12
17	Ready2Change : Preliminary effectiveness of a telephone-delivered intervention program for alcohol, methamphetamine and cannabis use problems. <i>Drug and Alcohol Review</i> , 2021, , .	2.1	6
18	A Personalized Approach Bias Modification Smartphone App ("SWiPE") to Reduce Alcohol Use: Open-Label Feasibility, Acceptability, and Preliminary Effectiveness Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e31353.	3.7	14

#	ARTICLE	IF	CITATIONS
19	Feasibility of a Mobile Health App for Routine Outcome Monitoring and Feedback in SMART Recovery Mutual Support Groups: Stage 1 Mixed Methods Pilot Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25217.	4.3	8
20	New Australian guidelines for the treatment of alcohol problems: an overview of recommendations. <i>Medical Journal of Australia</i> , 2021, 215, S3-S32.	1.7	34
21	“Holding on” and “letting go”: a thematic analysis of Australian parents’ styles of coping with their adult child’s methamphetamine use. <i>Addiction Research and Theory</i> , 2020, 28, 345-353.	1.9	8
22	A qualitative exploration of SMART Recovery meetings in Australia and the role of a digital platform to support routine outcome monitoring. <i>Addictive Behaviors</i> , 2020, 101, 106144.	3.0	14
23	An Exploratory RCT to Support Gamblers’ Intentions to Stick to Monetary Limits: A Brief Intervention Using Action and Coping Planning. <i>Journal of Gambling Studies</i> , 2020, 36, 387-404.	1.6	10
24	Enhancing the utility of the problem gambling severity index in clinical settings: Identifying refined categories within the problem gambling category. <i>Addictive Behaviors</i> , 2020, 103, 106257.	3.0	8
25	Does the effectiveness of mutual aid depend on compatibility with treatment philosophies offered at residential rehabilitation services?. <i>Addictive Behaviors</i> , 2020, 103, 106221.	3.0	6
26	Exploring Stigmatizing Attitudes Among Community Mental Health Clinicians Working with Clients Who Have a Dual Diagnosis. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 1437-1445.	7.4	3
27	An Examination of Clinician Responses to Problem Gambling in Community Mental Health Services. <i>Journal of Clinical Medicine</i> , 2020, 9, 2075.	2.4	9
28	A six-step brief intervention to reduce distress and increase treatment readiness in problem gamblers. <i>Australasian Psychiatry</i> , 2020, 28, 418-422.	0.7	1
29	The role of peer support and mutual aid in reducing harm from alcohol, drugs and tobacco in 2020. <i>Addictive Behaviors</i> , 2020, 109, 106480.	3.0	10
30	The Drug and Alcohol Clinical Advisory Service: A model of telephone-delivered addiction specialist support. <i>Drug and Alcohol Review</i> , 2020, 39, 238-245.	2.1	4
31	The impact of legislation on acute synthetic cannabinoid harms resulting in ambulance attendance. <i>International Journal of Drug Policy</i> , 2020, 79, 102720.	3.3	9
32	Feasibility of a Mobile Health App for Routine Outcome Monitoring and Feedback in Mutual Support Groups Coordinated by SMART Recovery Australia: Protocol for a Pilot Study. <i>JMIR Research Protocols</i> , 2020, 9, e15113.	1.0	8
33	Personalized Approach Bias Modification Smartphone App (“SWIPE”) to Reduce Alcohol Use Among People Drinking at Hazardous or Harmful Levels: Protocol for an Open-Label Feasibility Study. <i>JMIR Research Protocols</i> , 2020, 9, e21278.	1.0	11
34	“Only take the money you want to lose” strategies for sticking to limits in electronic gaming machine venues. <i>International Gambling Studies</i> , 2019, 19, 489-507.	2.1	12
35	Combining approach bias modification with working memory training during inpatient alcohol withdrawal: an open-label pilot trial of feasibility and acceptability. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 24.	2.2	11
36	Feasibility and acceptability of approach bias modification during methamphetamine withdrawal and related methamphetamine use outcomes. <i>Journal of Substance Abuse Treatment</i> , 2019, 106, 12-18.	2.8	17

#	ARTICLE	IF	CITATIONS
37	A structured telephone-delivered intervention to reduce problem alcohol use (Ready2Change): study protocol for a parallel group randomised controlled trial. <i>Trials</i> , 2019, 20, 515.	1.6	6
38	Improved Quality of Life Following Addiction Treatment Is Associated with Reductions in Substance Use. <i>Journal of Clinical Medicine</i> , 2019, 8, 1407.	2.4	20
39	Synthetic cannabinoid use disorder: an update for general psychiatrists. <i>Australasian Psychiatry</i> , 2019, 27, 279-283.	0.7	19
40	A study protocol for the N-ICE trial: A randomised double-blind placebo-controlled study of the safety and efficacy of N-acetyl-cysteine (NAC) as a pharmacotherapy for methamphetamine (amphetamine) dependence. <i>Trials</i> , 2019, 20, 325.	1.6	14
41	It was terrible. I didn't set a limit. Proximal and Distal Prevention Strategies for Reducing the Risk of a Bust in Gambling Venues. <i>Journal of Gambling Studies</i> , 2019, 35, 1407-1421.	1.6	15
42	The diagnostic accuracy of brief screening instruments for problem gambling: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2019, 74, 101784.	11.4	32
43	A Roadmap for Integrating Neuroscience Into Addiction Treatment: A Consensus of the Neuroscience Interest Group of the International Society of Addiction Medicine. <i>Frontiers in Psychiatry</i> , 2019, 10, 877.	2.6	64
44	The impact of problematic substance use on partners' interpersonal relationships: qualitative analysis of counselling transcripts from a national online service. <i>Drugs: Education, Prevention and Policy</i> , 2019, 26, 429-436.	1.3	11
45	Teasing Apart the Impact of Illness and IQ on Functional Neuroimaging Findings in Schizophrenia. <i>European Scientific Journal</i> , 2019, 15, .	0.1	0
46	Making multiple "online counsellings" through policy and practice: an evidence-making intervention approach. <i>International Journal of Drug Policy</i> , 2018, 53, 73-82.	3.3	16
47	The personal impacts of having a partner with problematic alcohol or other drug use: descriptions from online counselling sessions. <i>Addiction Research and Theory</i> , 2018, 26, 315-322.	1.9	11
48	General Practitioners' recommendations of self-directed-exercises for musculoskeletal problems and perceived barriers and facilitators to doing so: a mixed methods study. <i>BMC Health Services Research</i> , 2018, 18, 998.	2.2	4
49	Multiple Pathways to Recovery, Multiple Roads to Well-Being: An Analysis of Recovery Pathways in the Australian Life in Recovery Survey. <i>Alcoholism Treatment Quarterly</i> , 2018, 36, 482-498.	0.8	14
50	Wellbeing and coping strategies of alcohol and other drug therapeutic community workers: a qualitative study. <i>Therapeutic Communities</i> , 2018, 39, 118-128.	0.2	7
51	Protocol for a randomised controlled trial of cognitive bias modification training during inpatient withdrawal from alcohol use disorder. <i>Trials</i> , 2018, 19, 598.	1.6	5
52	Prescribed sedative and other psychotropic medication use among clients attending alcohol and other drug treatment. <i>Drug and Alcohol Review</i> , 2018, 37, 738-742.	2.1	8
53	Lofexidine versus diazepam for the treatment of opioid withdrawal syndrome: A double-blind randomized clinical trial in Singapore. <i>Journal of Substance Abuse Treatment</i> , 2018, 91, 1-11.	2.8	14
54	Substance use outcomes following treatment: Findings from the Australian Patient Pathways Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 177-189.	2.3	50

#	ARTICLE	IF	CITATIONS
55	Money well spent: Further evidence of improved outcomes for methamphetamine users following treatment. <i>Drug and Alcohol Review</i> , 2017, 36, E1-E3.	2.1	2
56	Meta-analysis of the relationship between impulsivity and substance-related cognitive biases. <i>Drug and Alcohol Dependence</i> , 2017, 172, 21-33.	3.2	29
57	How online counselling can support partners of individuals with problem alcohol or other drug use. <i>Journal of Substance Abuse Treatment</i> , 2017, 78, 56-62.	2.8	15
58	Characteristics of clients currently accessing a national online alcohol and drug counselling service. <i>Australasian Psychiatry</i> , 2017, 25, 250-253.	0.7	18
59	What constitutes a "problem"? Producing "alcohol problems" through online counselling encounters. <i>International Journal of Drug Policy</i> , 2017, 46, 79-89.	3.3	13
60	Strategies to facilitate integrated care for people with alcohol and other drug problems: a systematic review. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 19.	2.2	74
61	Neurocognitive impairment in addiction and opportunities for intervention. <i>Current Opinion in Behavioral Sciences</i> , 2017, 13, 40-45.	3.9	34
62	Alcohol, drug and related health and wellbeing issues among young people completing an online screen. <i>Australasian Psychiatry</i> , 2017, 25, 130-134.	0.7	5
63	Problem gambling and substance use in patients attending community mental health services. <i>Journal of Behavioral Addictions</i> , 2017, 6, 678-688.	3.7	22
64	#WaysToRelax: developing an online alcohol-related health promotion animation for people aged 55 and older. <i>Public Health Research and Practice</i> , 2017, 27, .	1.5	6
65	Cognitive Bias Modification Training During Inpatient Alcohol Detoxification Reduces Early Relapse: A Randomized Controlled Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 2011-2019.	2.4	99
66	Engaging with 12-Step and Other Mutual Aid Groups During and After Treatment: Addressing Workers' Negative Beliefs and Attitudes through Training. <i>Alcoholism Treatment Quarterly</i> , 2016, 34, 303-314.	0.8	10
67	Characteristics of individuals presenting to treatment for primary alcohol problems versus other drug problems in the Australian patient pathways study. <i>BMC Psychiatry</i> , 2016, 16, 250.	2.6	42
68	Neurocognitive Functioning and Treatment Outcome Following Detoxification Among Asian Alcohol-Dependent Inpatients. <i>Substance Use and Misuse</i> , 2016, 51, 193-205.	1.4	11
69	Screening for Cognitive Impairment in Asian Substance-Dependent Patients: MMSE versus MoCA. <i>International Archives of Addiction Research and Medicine</i> , 2016, 2, .	0.2	4
70	Executive Functioning in Gambling Disorder: Cognitive Profiles and Associations with Clinical Outcomes. <i>Current Addiction Reports</i> , 2015, 2, 214-219.	3.4	11
71	Suicidal ideation and lifetime attempts in substance and gambling disorders. <i>Psychiatry Research</i> , 2015, 225, 706-709.	3.3	32
72	Pathological Gamblers in Singapore. <i>Journal of Addiction Medicine</i> , 2014, 8, 462-469.	2.6	11

#	ARTICLE	IF	CITATIONS
73	Predictors of Treatment Outcome Among Asian Pathological Gamblers (PGs): Clinical, Behavioural, Demographic, and Treatment Process Factors. <i>Journal of Gambling Studies</i> , 2014, 30, 89-103.	1.6	20
74	Executive functioning in Asian pathological gamblers. <i>International Gambling Studies</i> , 2013, 13, 403-416.	2.1	13
75	Treatment outcome and its predictors among Asian problem drinkers. <i>Drug and Alcohol Review</i> , 2013, 32, 178-186.	2.1	5
76	Does active referral by a doctor or 12-Step peer improve 12-Step meeting attendance? Results from a pilot randomised control trial. <i>Drug and Alcohol Dependence</i> , 2012, 126, 131-137.	3.2	60
77	An Exploration of Quality of Life and its Predictors in Patients with Addictive Disorders: Gambling, Alcohol and Drugs. <i>International Journal of Mental Health and Addiction</i> , 2012, 10, 551-562.	7.4	25
78	Stress-coping morbidity among family members of addiction patients in Singapore. <i>Drug and Alcohol Review</i> , 2011, 30, 441-447.	2.1	36
79	Impact of training for healthcare professionals on how to manage an opioid overdose with naloxone: Effective, but dissemination is challenging. <i>International Journal of Drug Policy</i> , 2011, 22, 9-15.	3.3	22
80	The virtual disappearance of injectable opioids for heroin addiction under the "British System". <i>Drugs: Education, Prevention and Policy</i> , 2010, 17, 496-506.	1.3	3
81	Can we prevent drug related deaths by training opioid users to recognise and manage overdoses?. <i>Harm Reduction Journal</i> , 2009, 6, 26.	3.2	52
82	Cognitive impairment in dual diagnosis inpatients with schizophrenia and alcohol use disorder. <i>Schizophrenia Research</i> , 2009, 114, 98-104.	2.0	52
83	Overdose training and take-home naloxone for opiate users: prospective cohort study of impact on knowledge and attitudes and subsequent management of overdoses. <i>Addiction</i> , 2008, 103, 1648-1657.	3.3	152
84	Differences in mental health, substance use, and other problems among dual diagnosis patients attending psychiatric or substance misuse treatment services. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2008, 1, 54-63.	0.5	9
85	Family carers and the prevention of heroin overdose deaths: Unmet training need and overlooked intervention opportunity of resuscitation training and supply of naloxone. <i>Drugs: Education, Prevention and Policy</i> , 2008, 15, 211-218.	1.3	34
86	Retrospective recall of heroin initiation and the impact on peer networks. <i>Addiction Research and Theory</i> , 2007, 15, 397-410.	1.9	28
87	Screening for cognitive functioning in psychiatric outpatients with schizophrenia, alcohol dependence, and dual diagnosis. <i>Schizophrenia Research</i> , 2007, 91, 151-158.	2.0	34
88	Does prescribing for opiate addiction change after national guidelines? Methadone and buprenorphine prescribing to opiate addicts by general practitioners and hospital doctors in England, 1995-2005. <i>Addiction</i> , 2007, 102, 761-770.	3.3	82
89	Community pharmacies and the provision of opioid substitution services for drug misusers: changes in activity and attitudes of community pharmacists across England 1995-2005. <i>Addiction</i> , 2007, 102, 1824-1830.	3.3	31
90	Excessive drinking and other problem behaviours among 14-16 year old schoolchildren. <i>Addictive Behaviors</i> , 2006, 31, 1424-1435.	3.0	77

#	ARTICLE	IF	CITATIONS
91	Concurrent use and order of use of cocaine and alcohol: behavioural differences between users of crack cocaine and cocaine powder. <i>Addiction</i> , 2006, 101, 1292-1298.	3.3	57
92	Emergency naloxone for heroin overdose. <i>BMJ: British Medical Journal</i> , 2006, 333, 614-615.	2.3	35
93	CONCURRENT USE OF ALCOHOL AND COCAINE: DIFFERENCES IN PATTERNS OF USE AND PROBLEMS AMONG USERS OF CRACK COCAINE AND COCAINE POWDER. <i>Alcohol and Alcoholism</i> , 2006, 41, 121-125.	1.6	73
94	Cannabis use in adolescents: the impact of risk and protective factors and social functioning. <i>Drug and Alcohol Review</i> , 2005, 24, 483-488.	2.1	34
95	Cocaine Use in Europe – A Multi-Centre Study: Patterns of Use in Different Groups. <i>European Addiction Research</i> , 2004, 10, 147-155.	2.4	70
96	Does Anyone Care about Names? How Attendees at Substance Misuse Services Like to Be Addressed by Health Professionals. <i>European Addiction Research</i> , 2004, 10, 75-79.	2.4	13
97	Cocaine Use in Europe – A Multi-Centre Study. <i>European Addiction Research</i> , 2004, 10, 139-146.	2.4	50
98	Adolescent psychological health problems and delinquency among volatile substance users in a school sample in South London. <i>Drugs: Education, Prevention and Policy</i> , 2004, 11, 473-482.	1.3	9
99	IS ATTENDANCE AT ALCOHOLICS ANONYMOUS MEETINGS AFTER INPATIENT TREATMENT RELATED TO IMPROVED OUTCOMES? A 6-MONTH FOLLOW-UP STUDY. <i>Alcohol and Alcoholism</i> , 2003, 38, 421-426.	1.6	83
100	Prior Alcoholics Anonymous (AA) affiliation and the acceptability of the Twelve Steps to patients entering UK statutory addiction treatment.. <i>Journal of Studies on Alcohol and Drugs</i> , 2003, 64, 257-261.	2.3	36
101	Ethnic and Gender Differences in Drinking and Smoking among London Adolescents. <i>Ethnicity and Health</i> , 2001, 6, 51-57.	2.5	44
102	Drinking and smoking as concurrent predictors of illicit drug use and positive drug attitudes in adolescents. <i>Drug and Alcohol Dependence</i> , 2000, 60, 319-321.	3.2	59
103	The current evidence for substance use disorder apps. <i>Current Opinion in Psychiatry</i> , 0, Publish Ahead of Print, .	6.3	0