

Beata PepÅ, oÅ,,ska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9055525/publications.pdf>

Version: 2024-02-01

112
papers

9,533
citations

71102

41
h-index

37204

96
g-index

120
all docs

120
docs citations

120
times ranked

12349
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The association of age at menarche and adult height with mammographic density in the International Consortium of Mammographic Density. <i>Breast Cancer Research</i> , 2022, 24, . | 5.0 | 6 |
| 2 | Cigarette smoking and mammographic breast density among Polish women. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2021, 34, 805-815. | 1.3 | 4 |
| 3 | Cadmium and volumetric mammographic density: A cross-sectional study in Polish women. <i>PLoS ONE</i> , 2020, 15, e0233369. | 2.5 | 9 |
| 4 | Night shift work and osteoporosis among female blue-collar workers in Poland - a pilot study. <i>Chronobiology International</i> , 2020, 37, 910-920. | 2.0 | 6 |
| 5 | Cadmium and volumetric mammographic density: A cross-sectional study in Polish women. , 2020, 15, e0233369. | | 0 |
| 6 | Cadmium and volumetric mammographic density: A cross-sectional study in Polish women. , 2020, 15, e0233369. | | 0 |
| 7 | Cadmium and volumetric mammographic density: A cross-sectional study in Polish women. , 2020, 15, e0233369. | | 0 |
| 8 | Cadmium and volumetric mammographic density: A cross-sectional study in Polish women. , 2020, 15, e0233369. | | 0 |
| 9 | Antibodies Against <i>Chlamydia trachomatis</i> and Ovarian Cancer Risk in Two Independent Populations. <i>Journal of the National Cancer Institute</i> , 2019, 111, 129-136. | 6.3 | 56 |
| 10 | Rotating night shift work and nutrition of nurses and midwives. <i>Chronobiology International</i> , 2019, 36, 945-954. | 2.0 | 26 |
| 11 | Circadian Gene Polymorphisms Associated with Breast Cancer Susceptibility. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5704. | 4.1 | 17 |
| 12 | Night shift work and osteoporosis: evidence and hypothesis. <i>Chronobiology International</i> , 2019, 36, 171-180. | 2.0 | 18 |
| 13 | The association between night shift work and nutrition patterns among nurses: a literature review. <i>Medycyna Pracy</i> , 2019, 70, 363-376. | 0.8 | 36 |
| 14 | Sleep quality and methylation status of selected tumor suppressor genes among nurses and midwives. <i>Chronobiology International</i> , 2018, 35, 122-131. | 2.0 | 6 |
| 15 | Circadian gene methylation in rotating-shift nurses: a cross-sectional study. <i>Chronobiology International</i> , 2018, 35, 111-121. | 2.0 | 21 |
| 16 | Abstract 4942: Serologic markers of infectious agents and ovarian cancer: Markers of prior <i>Chlamydia trachomatis</i> infection associated with increased ovarian cancer risk in two independent populations. , 2018, , . | | 6 |
| 17 | Circadian gene variants and breast cancer. <i>Cancer Letters</i> , 2017, 390, 137-145. | 7.2 | 42 |
| 18 | Mechanisms of breast cancer risk in shift workers: association of telomere shortening with the duration and intensity of night work. <i>Cancer Medicine</i> , 2017, 6, 1988-1997. | 2.8 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Sleep quality and methylation status of core circadian rhythm genes among nurses and midwives. <i>Chronobiology International</i> , 2017, 34, 1211-1223. | 2.0 | 14 |
| 20 | 0295â€...Urinary cadmium concentration and mammographic volumetric density â€“ preliminary results. , 2017, , . | | 0 |
| 21 | Rotating night work, lifestyle factors, obesity and promoter methylation in BRCA1 and BRCA2 genes among nurses and midwives. <i>PLoS ONE</i> , 2017, 12, e0178792. | 2.5 | 15 |
| 22 | Mechanisms of Breast Cancer in Shift Workers: DNA Methylation in Five Core Circadian Genes in Nurses Working Night Shifts. <i>Journal of Cancer</i> , 2017, 8, 2876-2884. | 2.5 | 25 |
| 23 | Mammographic density and ageing: A collaborative pooled analysis of cross-sectional data from 22 countries worldwide. <i>PLoS Medicine</i> , 2017, 14, e1002335. | 8.4 | 108 |
| 24 | Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843. | 12.8 | 86 |
| 25 | P302â€...Association between rotating night shift work and methylation status of cell cycle regulatory genes among nurses and midwives â€“ preliminary results. , 2016, , . | | 0 |
| 26 | P311â€...Association between lifestyle factors and global DNA methylation among nurses and midwives working rotating nights. , 2016, , . | | 0 |
| 27 | Mammographic density assessed on paired raw and processed digital images and on paired screen-film and digital images across three mammography systems. <i>Breast Cancer Research</i> , 2016, 18, 130. | 5.0 | 17 |
| 28 | International Consortium on Mammographic Density: Methodology and population diversity captured across 22 countries. <i>Cancer Epidemiology</i> , 2016, 40, 141-151. | 1.9 | 19 |
| 29 | Night shift work and other determinants of estradiol, testosterone, and dehydroepiandrosterone sulfate among middle-aged nurses and midwives. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 435-446. | 3.4 | 20 |
| 30 | Association of Rotating Night Shift Work with BMI and Abdominal Obesity among Nurses and Midwives. <i>PLoS ONE</i> , 2015, 10, e0133761. | 2.5 | 132 |
| 31 | Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497. | 6.2 | 101 |
| 32 | Lipid peroxidation and glutathione peroxidase activity relationship in breast cancer depends on functional polymorphism of GPX1. <i>BMC Cancer</i> , 2015, 15, 657. | 2.6 | 64 |
| 33 | Rotating night shift work, sleep quality, selected lifestyle factors and prolactin concentration in nurses and midwives. <i>Chronobiology International</i> , 2015, 32, 318-326. | 2.0 | 9 |
| 34 | Fine-Scale Mapping of the 4q24 Locus Identifies Two Independent Loci Associated with Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1680-1691. | 2.5 | 24 |
| 35 | 0062â€...Rotating night shift work in nurses and midwives and lifestyle. <i>Occupational and Environmental Medicine</i> , 2014, 71, A66.3-A67. | 2.8 | 0 |
| 36 | Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633. | 2.9 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Rotating night shift work and physical activity of nurses and midwives in the cross-sectional study in Łódź, Poland. <i>Chronobiology International</i> , 2014, 31, 1152-1159. | 2.0 | 38 |
| 38 | Prolactin Receptor Expression and Breast Cancer: Relationships with Tumor Characteristics among Pre- and Post-menopausal Women in a Population-Based Case-Control Study from Poland. <i>Hormones and Cancer</i> , 2014, 5, 42-50. | 4.9 | 29 |
| 39 | Night shift work and modifiable lifestyle factors. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2014, 27, 693-706. | 1.3 | 30 |
| 40 | Urinary bisphenol A-glucuronide and postmenopausal breast cancer in Poland. <i>Cancer Causes and Control</i> , 2014, 25, 1587-1593. | 1.8 | 37 |
| 41 | Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014, 23, 6034-6046. | 2.9 | 12 |
| 42 | Relationship between intensity of night shift work and antioxidant status in blood of nurses. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 923-930. | 2.3 | 15 |
| 43 | Estrogen receptor and progesterone receptor expression in normal terminal duct lobular units surrounding invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 837-847. | 2.5 | 21 |
| 44 | Night shift work characteristics and occupational co-exposures in industrial plants in Łódź, Poland. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2013, 26, 522-34. | 1.3 | 7 |
| 45 | Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 927-936. | 2.5 | 15 |
| 46 | Rotating night shift work and polymorphism of genes important for the regulation of circadian rhythm. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 178-186. | 3.4 | 21 |
| 47 | Circadian gene expression in peripheral blood leukocytes of rotating night shift nurses. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 187-194. | 3.4 | 22 |
| 48 | NIGHT SHIFT WORK AND PROLACTIN AS A BREAST CANCER RISK FAC. <i>Medycyna Pracy</i> , 2013, , . | 0.8 | 2 |
| 49 | NIGHT WORK AND HEALTH OF NURSES AND MIDVIWES - A REVIEW. <i>Medycyna Pracy</i> , 2013, , . | 0.8 | 4 |
| 50 | Common Breast Cancer Susceptibility Variants in <i>LSP1</i> and <i>RAD51L1</i> Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1156-1166. | 2.5 | 101 |
| 51 | Rotating Night Shift Work and Mammographic Density. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1028-1037. | 2.5 | 20 |
| 52 | Night shift work characteristics and 6-sulfatoxymelatonin (MT6s) in rotating night shift nurses and midwives. <i>Occupational and Environmental Medicine</i> , 2012, 69, 339-346. | 2.8 | 39 |
| 53 | Analysis of Serum Metabolic Profiles in Women with Endometrial Cancer and Controls in a Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3216-3223. | 3.6 | 46 |
| 54 | Analysis of terminal duct lobular unit involution in luminal A and basal breast cancers. <i>Breast Cancer Research</i> , 2012, 14, R64. | 5.0 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Accelerometer-based measures of active and sedentary behavior in relation to breast cancer risk. Breast Cancer Research and Treatment, 2012, 134, 1279-1290. | 2.5 | 40 |
| 56 | Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658. | 21.4 | 519 |
| 57 | Fine mapping of 14q24.1 breast cancer susceptibility locus. Human Genetics, 2012, 131, 479-490. | 3.8 | 5 |
| 58 | Night work and health status of nurses and midwives. cross-sectional study. Medycyna Pracy, 2012, 63, 517-29. | 0.8 | 22 |
| 59 | Associations of Breast Cancer Risk Factors With Tumor Subtypes: A Pooled Analysis From the Breast Cancer Association Consortium Studies. Journal of the National Cancer Institute, 2011, 103, 250-263. | 6.3 | 596 |
| 60 | Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. Human Molecular Genetics, 2011, 20, 3289-3303. | 2.9 | 152 |
| 61 | Genetic variation in PRL and PRLR, and relationships with serum prolactin levels and breast cancer risk: results from a population-based case-control study in Poland. Breast Cancer Research, 2011, 13, R42. | 5.0 | 18 |
| 62 | Endometrial cancer and genetic variation in PTEN, PIK3CA, AKT1, MLH1, and MSH2 within a population-based case-control study. Gynecologic Oncology, 2011, 120, 167-173. | 1.4 | 27 |
| 63 | Considerations of circadian impact for defining 'shift work' in cancer studies: IARC Working Group Report. Occupational and Environmental Medicine, 2011, 68, 154-162. | 2.8 | 319 |
| 64 | Abstract LB-454: Serum metabolic profiles and endometrial cancer. , 2011, , . | | 0 |
| 65 | Expression of TGF- β 2 signaling factors in invasive breast cancers: relationships with age at diagnosis and tumor characteristics. Breast Cancer Research and Treatment, 2010, 121, 727-735. | 2.5 | 51 |
| 66 | Leukocyte telomere length in a population-based case-control study of ovarian cancer: a pilot study. Cancer Causes and Control, 2010, 21, 77-82. | 1.8 | 59 |
| 67 | Prolactin serum levels and breast cancer: relationships with risk factors and tumour characteristics among pre- and postmenopausal women in a population-based case-control study from Poland. British Journal of Cancer, 2010, 103, 1097-1102. | 6.4 | 29 |
| 68 | No Association between <i>FTO</i> or <i>HHEX</i> and Endometrial Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2106-2109. | 2.5 | 24 |
| 69 | Occupational exposure to organic solvents and breast cancer in women. Occupational and Environmental Medicine, 2010, 67, 722-729. | 2.8 | 38 |
| 70 | Common genetic variation in the sex hormone metabolic pathway and endometrial cancer risk: pathway-based evaluation of candidate genes. Carcinogenesis, 2010, 31, 827-833. | 2.8 | 42 |
| 71 | Active and passive cigarette smoking and the risk of endometrial cancer in Poland. European Journal of Cancer, 2010, 46, 690-696. | 2.8 | 23 |
| 72 | DNA Hypermethylation of <i>ESR1</i> and <i>PGR</i> in Breast Cancer: Pathologic and Epidemiologic Associations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3036-3043. | 2.5 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Single Nucleotide Polymorphisms in the <i>TP53</i> Region and Susceptibility to Invasive Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2009, 69, 2349-2357. | 0.9 | 63 |
| 74 | Genetic variation in SIPA1 in relation to breast cancer risk and survival after breast cancer diagnosis. <i>International Journal of Cancer</i> , 2009, 124, 1716-1720. | 5.1 | 22 |
| 75 | Cancer mortality and occupational exposure to aromatic amines and inhalable aerosols in rubber tire manufacturing in Poland. <i>Cancer Epidemiology</i> , 2009, 33, 94-102. | 1.9 | 45 |
| 76 | A multistage genome-wide association study in breast cancer identifies two new risk alleles at 1p11.2 and 14q24.1 (RAD51L1). <i>Nature Genetics</i> , 2009, 41, 579-584. | 21.4 | 487 |
| 77 | Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009, 41, 585-590. | 21.4 | 434 |
| 78 | Five Polymorphisms and Breast Cancer Risk: Results from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1610-1616. | 2.5 | 57 |
| 79 | Genetic Variation in the Androgen Receptor Gene and Endometrial Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 585-589. | 2.5 | 13 |
| 80 | Historical exposure levels of inhalable dust in the Polish rubber industry compared to levels in Western Europe. <i>Journal of Physics: Conference Series</i> , 2009, 151, 012053. | 0.4 | 0 |
| 81 | Genetic variation in CYP17 and endometrial cancer risk. <i>Human Genetics</i> , 2008, 123, 155-162. | 3.8 | 23 |
| 82 | Elaboration of a quantitative job-exposure matrix for historical exposure to airborne exposures in the Polish rubber industry. <i>American Journal of Industrial Medicine</i> , 2008, 51, 852-860. | 2.1 | 11 |
| 83 | Adulthood Lifetime Physical Activity and Breast Cancer. <i>Epidemiology</i> , 2008, 19, 226-236. | 2.7 | 56 |
| 84 | Heterogeneity of Breast Cancer Associations with Five Susceptibility Loci by Clinical and Pathological Characteristics. <i>PLoS Genetics</i> , 2008, 4, e1000054. | 3.5 | 315 |
| 85 | <i>HSD17B1</i> Genetic Variants and Hormone Receptor-Defined Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2766-2772. | 2.5 | 11 |
| 86 | Genetic variation in five genes important in telomere biology and risk for breast cancer. <i>British Journal of Cancer</i> , 2007, 97, 832-836. | 6.4 | 70 |
| 87 | Reproductive risk factors for endometrial cancer among Polish women. <i>British Journal of Cancer</i> , 2007, 96, 1450-1456. | 6.4 | 43 |
| 88 | Hormonal Markers in Breast Cancer: Coexpression, Relationship with Pathologic Characteristics, and Risk Factor Associations in a Population-Based Study. <i>Cancer Research</i> , 2007, 67, 10608-10617. | 0.9 | 50 |
| 89 | Differences in Risk Factors for Breast Cancer Molecular Subtypes in a Population-Based Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 439-443. | 2.5 | 394 |
| 90 | Common Genetic Variation in GATA-Binding Protein 3 and Differential Susceptibility to Breast Cancer by Estrogen Receptor-Positive Tumor Status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2269-2275. | 2.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Tagging Single Nucleotide Polymorphisms in Cell Cycle Control Genes and Susceptibility to Invasive Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2007, 67, 3027-3035. | 0.9 | 78 |
| 92 | Ovarian cancer risk and common variation in the sex hormone-binding globulin gene: a population-based case-control study. <i>BMC Cancer</i> , 2007, 7, 60. | 2.6 | 37 |
| 93 | Occupational exposure to NDMA and NMor in the European rubber industry. <i>Journal of Environmental Monitoring</i> , 2007, 9, 253. | 2.1 | 45 |
| 94 | Occupation and breast cancer risk in Polish women: A population-based case-control study. <i>American Journal of Industrial Medicine</i> , 2007, 50, 97-111. | 2.1 | 17 |
| 95 | Genetic polymorphisms in the one-carbon metabolism pathway and breast cancer risk: A population-based case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2007, 120, 2696-2703. | 5.1 | 107 |
| 96 | Variation in breast cancer hormone receptor and HER2 levels by etiologic factors: A population-based analysis. <i>International Journal of Cancer</i> , 2007, 121, 1079-1085. | 5.1 | 44 |
| 97 | Common genetic variation in TP53 and its flanking genes, WDR79 and ATP1B2, and susceptibility to breast cancer. <i>International Journal of Cancer</i> , 2007, 121, 2532-2538. | 5.1 | 49 |
| 98 | A common coding variant in CASP8 is associated with breast cancer risk. <i>Nature Genetics</i> , 2007, 39, 352-358. | 21.4 | 591 |
| 99 | Genome-wide association study identifies novel breast cancer susceptibility loci. <i>Nature</i> , 2007, 447, 1087-1093. | 27.8 | 2,165 |
| 100 | Intake of fruits, and vegetables in relation to breast cancer risk by hormone receptor status. <i>Breast Cancer Research and Treatment</i> , 2007, 107, 113-117. | 2.5 | 20 |
| 101 | Estimating age-specific breast cancer risks: a descriptive tool to identify age interactions. <i>Cancer Causes and Control</i> , 2007, 18, 439-447. | 1.8 | 48 |
| 102 | Genetic variation in tumor necrosis factor and lymphotoxin-alpha (TNF-LTA) and breast cancer risk. <i>Human Genetics</i> , 2007, 121, 483-490. | 3.8 | 62 |
| 103 | Genetic Polymorphisms in Base-Excision Repair Pathway Genes and Risk of Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 353-358. | 2.5 | 132 |
| 104 | Genetic variation of Cytochrome P450 1B1 (CYP1B1) and risk of breast cancer among Polish women. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 547-553. | 1.5 | 23 |
| 105 | Established breast cancer risk factors by clinically important tumour characteristics. <i>British Journal of Cancer</i> , 2006, 95, 123-129. | 6.4 | 127 |
| 106 | Comprehensive Assessment of Genetic Variation of Catechol-O-Methyltransferase and Breast Cancer Risk. <i>Cancer Research</i> , 2006, 66, 9781-9785. | 0.9 | 21 |
| 107 | Field comparison of inhalable aerosol samplers applied in the European rubber manufacturing industry. <i>International Archives of Occupational and Environmental Health</i> , 2006, 79, 621-629. | 2.3 | 21 |
| 108 | Polymorphisms in DNA double-strand break repair genes and risk of breast cancer: two population-based studies in USA and Poland, and meta-analyses. <i>Human Genetics</i> , 2006, 119, 376-388. | 3.8 | 144 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The ATM missense mutation p.Ser49Cys (c.146C>G) and the risk of breast cancer. <i>Human Mutation</i> , 2006, 27, 538-544. | 2.5 | 56 |
| 110 | Tobacco smoking, NAT2 acetylation genotype and breast cancer risk. <i>International Journal of Cancer</i> , 2006, 119, 1961-1969. | 5.1 | 43 |
| 111 | Skewed X chromosome inactivation and early-onset breast cancer. <i>Journal of Medical Genetics</i> , 2005, 43, 48-53. | 3.2 | 15 |
| 112 | Occupational diseases in Poland, 2001. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2002, 15, 337-45. | 1.3 | 3 |