

Xiang-Sheng Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9061129/publications.pdf>

Version: 2024-02-01

109
papers

3,515
citations

186265

28
h-index

155660

55
g-index

112
all docs

112
docs citations

112
times ranked

3244
citing authors

#	ARTICLE	IF	CITATIONS
1	High Prevalence of Rectal <i>Chlamydia trachomatis</i> Infection With the Same Genotype as Urogenital Infection in Female Outpatients in Sexually Transmitted Disease Clinics in China. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofab569.	0.9	2
2	Prevalence of anatomically specific infections with <i>Chlamydia trachomatis</i> among men who have sex with men in China: protocol for a nationwide cross-sectional study as part of Disease Burden Surveillance of Infections with <i>Chlamydia</i> (DBSIC). <i>BMJ Open</i> , 2022, 12, e059176.	1.9	0
3	Chlamydia-related knowledge, opinion to opportunistic testing, and practices of providers among different sexually transmitted infections related departments in hospitals in Shenzhen city, China. <i>BMC Health Services Research</i> , 2022, 22, 601.	2.2	0
4	The challenge of diagnosis and treatment of neurosyphilis in China: results from a nationwide survey. <i>Sexual Health</i> , 2021, 18, 333-339.	0.9	5
5	Research news in clinical context. <i>Sexually Transmitted Infections</i> , 2021, 97, 79-80.	1.9	0
6	Rectal <i>Mycoplasma genitalium</i> in Patients Attending Sexually Transmitted Disease Clinics in China: An Infection That Cannot Be Ignored. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 2509-2515.	2.7	0
7	Performance of point-of-care tests for the detection of chlamydia trachomatis infections: A systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2021, 37, 100961.	7.1	5
8	Antimicrobial Susceptibility of Ertapenem in <i>Neisseria gonorrhoeae</i> Isolates Collected Within the China Gonococcal Resistance Surveillance Programme (China-GRSP) 2018. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 4183-4189.	2.7	5
9	Estimating burden of syphilis among men who have sex with men. <i>The Lancet Global Health</i> , 2021, 9, e1648.	6.3	2
10	Evaluation of the Accuracy of Various Disks and Strips for Rapid Culture-Based Gonococcal Antimicrobial Susceptibility Screening Tests in China. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 5131-5136.	2.7	2
11	Widespread Use of High-dose Ceftriaxone Therapy for Uncomplicated Gonorrhoea Without Reported Ceftriaxone Treatment Failure: Results From 5 Years of Multicenter Surveillance Data in China. <i>Clinical Infectious Diseases</i> , 2020, 70, 99-105.	5.8	24
12	National Guidelines on Diagnosis and Treatment of Gonorrhoea in China (2020)#. <i>International Journal of Dermatology and Venereology</i> , 2020, 3, 129-134.	0.3	6
13	Novel education-based intervention to reduce inappropriate antibiotic prescribing for treatment of gonorrhoea in China: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e037549.	1.9	3
14	<p>Disk-Diffusion Testing Is an Inappropriate Screening Tool for Cephalosporin-Resistant Gonorrhoea Strains in Clinical Practice in China<p>. <i>Infection and Drug Resistance</i> , 2020, Volume 13, 2417-2423.	2.7	3
15	Genomic content of chemosensory receptors in two sister blister beetles facilitates characterization of chemosensory evolution. <i>BMC Genomics</i> , 2020, 21, 589.	2.8	6
16	Surveillance and molecular epidemiology of <i>Neisseria gonorrhoeae</i> isolates in Shenzhen, China, 2010–2017. <i>Journal of Global Antimicrobial Resistance</i> , 2020, 23, 269-274.	2.2	10
17	Associations of sexually transmitted infections and bacterial vaginosis with abnormal cervical cytology: A cross-sectional survey with 9090 community women in China. <i>PLoS ONE</i> , 2020, 15, e0230712.	2.5	8
18	Outcome Impacts Due to Pathogen-Specific Antimicrobial Resistance: A Narrative Review of Published Literature. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1395.	2.6	11

#	ARTICLE	IF	CITATIONS
19	High Willingness to Participate in Partner Notification among Women Attending Reproductive Health and STI Clinics in Shenzhen, China: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 386.	2.6	0
20	Characterization of the Complete Mitochondrial Genome of <i>Epicauta impressicornis</i> (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Science, 2020, 20, .	1.5	8
21	<p>Evaluation of Drugs with Therapeutic Potential for Susceptibility of <i>Neisseria Gonorrhoeae</i> Isolates from 8 Provinces in China from 2018</p>. <i>Infection and Drug Resistance</i> , 2020, Volume 13, 4475-4486.	2.7	1
22	The Past 70 Years in Control of Syphilis in China: Elimination and Responses to Resurgence. <i>International Journal of Dermatology and Venereology</i> , 2020, 3, 193-197.	0.3	3
23	Towards a Leprosy-Free Country - China, 2011-2018. <i>China CDC Weekly</i> , 2020, 2, 50-53.	2.3	0
24	Research news in clinical context. <i>Sexually Transmitted Infections</i> , 2020, 96, 553-554.	1.9	0
25	Evaluation of the accuracy of molecular assays targeting the mutation A2059G for detecting high-level azithromycin resistance in <i>Neisseria gonorrhoeae</i> ; a systematic review and meta-analysis. <i>Infection and Drug Resistance</i> , 2019, Volume 12, 95-104.	2.7	7
26	A ROADMAP Plan to Address Research Needs for Gonococcal Antimicrobial Resistance in China. <i>Clinical Infectious Diseases</i> , 2019, 68, 505-510.	5.8	9
27	Prevalence of psoriasis and associated risk factors in China: protocol of a nationwide, population-based, cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027685.	1.9	5
28	Turning off the tap: sustaining elimination of congenital syphilis through the programme targeting high-risk groups. <i>Journal of Global Health</i> , 2019, 9, 020312.	2.7	4
29	<p>Gentamicin susceptibility of <i>Neisseria gonorrhoeae</i> isolates from 7 provinces in China</p>. <i>Infection and Drug Resistance</i> , 2019, Volume 12, 2471-2476.	2.7	9
30	A Whole-genome Sequencing Analysis of <i>Neisseria gonorrhoeae</i> Isolates in China: An Observational Study. <i>EclinicalMedicine</i> , 2019, 7, 47-54.	7.1	45
31	Suboptimal <i>Chlamydia trachomatis</i> Detection Method Is Still Widely Used in China: Results of External Quality Assessments from 2013 to 2018. <i>International Journal of Dermatology and Venereology</i> , 2019, 2, 138-144.	0.3	3
32	Anatomical site prevalence and genotypes of <i>Chlamydia trachomatis</i> infections among men who have sex with men: a multi-site study in China. <i>BMC Infectious Diseases</i> , 2019, 19, 1041.	2.9	17
33	REASSURED diagnostics to inform disease control strategies, strengthen health systems and improve patient outcomes. <i>Nature Microbiology</i> , 2019, 4, 46-54.	13.3	437
34	Nonadherence to National Guidelines for Antibiotic Treatment of Uncomplicated Gonorrhoea in China: Results From a Nationwide Survey. <i>Sexually Transmitted Diseases</i> , 2018, 45, 600-606.	1.7	10
35	Draft genomes of two blister beetles <i>Hyleus cichorii</i> and <i>Hyleus phaleratus</i> . <i>GigaScience</i> , 2018, 7, 1-7.	6.4	30
36	The complete mitochondrial genomes of <i>hyleus cichorii</i> and <i>hyleus phaleratus</i> (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 T	0.4	5

#	ARTICLE	IF	CITATIONS
37	Adverse pregnancy outcomes due to Chlamydia trachomatis. Lancet Infectious Diseases, The, 2018, 18, 499.	9.1	3
38	New treatment recommendations for trichomoniasis in women. Lancet Infectious Diseases, The, 2018, 18, 1307-1308.	9.1	2
39	Acceptability and feasibility of dual HIV and syphilis point-of-care testing for early detection of infection among pregnant women in China: a prospective study. BMJ Open, 2018, 8, e020717.	1.9	3
40	Concerns regarding bias in estimates of recurrent vulvovaginal candidiasis. Lancet Infectious Diseases, The, 2018, 18, 1180.	9.1	2
41	Population-based study of chlamydial and gonococcal infections among women in Shenzhen, China: Implications for programme planning. PLoS ONE, 2018, 13, e0196516.	2.5	22
42	Cephalosporin-Resistant <i>Neisseria gonorrhoeae</i> Clone, China. Emerging Infectious Diseases, 2018, 24, 804-806.	4.3	16
43	Susceptibility of <i>Neisseria gonorrhoeae</i> to azithromycin and ceftriaxone in China: A retrospective study of national surveillance data from 2013 to 2016. PLoS Medicine, 2018, 15, e1002499.	8.4	84
44	Risk behaviours and prevalences of HIV and sexually transmitted infections among female sex workers in various venues in Changzhou, China. International Journal of STD and AIDS, 2017, 28, 1135-1142.	1.1	8
45	Risk of Congenital Syphilis (CS) Following Treatment of Maternal Syphilis: Results of a CS Control Program in China. Clinical Infectious Diseases, 2017, 65, 588-594.	5.8	31
46	Syphilis. Nature Reviews Disease Primers, 2017, 3, 17073.	30.5	354
47	Challenges in responses to syphilis epidemic. Lancet Infectious Diseases, The, 2017, 17, 793-794.	9.1	18
48	Syphilis trends in China: biased by screening and reporting?. Lancet Infectious Diseases, The, 2017, 17, 804.	9.1	7
49	Monetary incentives for provision of syphilis screening, Yunnan, China. Bulletin of the World Health Organization, 2017, 95, 657-662.	3.3	12
50	Consensus by Chinese Expert Panel on Chlamydia trachomatis-Resistant and Chlamydia trachomatis-Persistent Infection. Chinese Medical Journal, 2017, 130, 2852-2856.	2.3	5
51	Classification of facial wrinkles among Chinese women. Journal of Biomedical Research, 2017, 31, 108.	1.6	17
52	Comparison of efficacy of treatments for early syphilis: A systematic review and network meta-analysis of randomized controlled trials and observational studies. PLoS ONE, 2017, 12, e0180001.	2.5	22
53	Metaanalysis of the Performance of a Combined Treponemal and Nontreponemal Rapid Diagnostic Test for Syphilis and Yaws. Clinical Infectious Diseases, 2016, 63, 627-633.	5.8	47
54	First nationwide study regarding ceftriaxone resistance and molecular epidemiology of <i>Neisseria gonorrhoeae</i> in China. Journal of Antimicrobial Chemotherapy, 2016, 71, 92-99.	3.0	47

#	ARTICLE	IF	CITATIONS
55	Optimizing Partner Notification Programs for Men Who Have Sex with Men: Factorial Survey Results from South China. <i>PLoS ONE</i> , 2016, 11, e0157749.	2.5	8
56	Laboratory evaluation of three dual rapid diagnostic tests for HIV and syphilis in China and Nigeria. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, S22-6.	2.3	24
57	Estimating disease burden of maternal syphilis and associated adverse pregnancy outcomes in India, Nigeria, and Zambia in 2012. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, S4-9.	2.3	17
58	Challenges to recruiting population representative samples of female sex workers in China using Respondent Driven Sampling. <i>Social Science and Medicine</i> , 2015, 125, 79-93.	3.8	24
59	Higher Prevalence of Sexual Transmitted Diseases and Correlates of Genital Warts among Heterosexual Males Attending Sexually Transmitted Infection Clinics (MSCs) in Jiangmen, China: Implication for the Up-Taking of STD Related Service. <i>PLoS ONE</i> , 2015, 10, e0121814.	2.5	9
60	Worldwide Susceptibility Rates of <i>Neisseria gonorrhoeae</i> Isolates to Cefixime and Cefpodoxime: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e87849.	2.5	17
61	Exploring Venue-Associated Risk: A Comparison of Multiple Partnerships and Syphilis Infection Among Women Working at Entertainment and Service Venues. <i>AIDS and Behavior</i> , 2014, 18, 153-160.	2.7	15
62	Advancing the Prevention Agenda for HIV and Other Sexually Transmitted Infections in South China: Social Science Research to Inform Effective Public Health Interventions. <i>AIDS and Behavior</i> , 2014, 18, 222-231.	2.7	3
63	Brief Non-Commercial Sexual Encounters Among Patrons of Entertainment Venues in Liuzhou, China. <i>AIDS and Behavior</i> , 2014, 18, 135-141.	2.7	23
64	Antimicrobial resistance, genetic resistance determinants for ceftriaxone and molecular epidemiology of <i>Neisseria gonorrhoeae</i> isolates in Nanjing, China. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2959-2965.	3.0	35
65	The prevalence of urethral and rectal <i>Mycoplasma genitalium</i> among men who have sex with men in China, a cross-sectional study. <i>BMC Public Health</i> , 2014, 14, 195.	2.9	29
66	HIV prevalence, incidence and risk behaviours among men who have sex with men in Yangzhou and Guangzhou, China: a cohort study. <i>Journal of the International AIDS Society</i> , 2014, 17, 18849.	3.0	31
67	Correlates of Chlamydia and Gonorrhea Infection among Female Sex Workers: The Untold Story of Jiangsu, China. <i>PLoS ONE</i> , 2014, 9, e85985.	2.5	15
68	Evaluation of Abbott RealTime CT/NG Assay for Detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in Cervical Swabs from Female Sex Workers in China. <i>PLoS ONE</i> , 2014, 9, e89658.	2.5	6
69	HPV Infections among MSM in Shenzhen, China. <i>PLoS ONE</i> , 2014, 9, e96364.	2.5	23
70	The prevalences of <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> infections among female sex workers in China. <i>BMC Public Health</i> , 2013, 13, 121.	2.9	31
71	Was the HIV infection burden in female sex workers in China overestimated?. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 13.	9.1	3
72	Rapid diagnostic tests for neurosyphilis. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 918-919.	9.1	5

#	ARTICLE	IF	CITATIONS
73	Association between HLA-B*1301 and Dapsone-Induced Hypersensitivity Reactions among Leprosy Patients in China. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2642-2644.	0.7	46
74	A Dual Point-of-Care Test Shows Good Performance in Simultaneously Detecting Nontreponemal and Treponemal Antibodies in Patients With Syphilis: A Multisite Evaluation Study in China. <i>Clinical Infectious Diseases</i> , 2013, 56, 659-665.	5.8	73
75	Association of Sexually Transmitted Infections With High-Risk Human Papillomavirus Types. <i>Sexually Transmitted Diseases</i> , 2013, 40, 493-495.	1.7	12
76	Outreach Syphilis Testing Services by Different Health Providers to Female Sex Workers in Southern China. <i>PLoS ONE</i> , 2013, 8, e60626.	2.5	5
77	Historical perspective of syphilis in the past 60 years in China: eliminated, forgotten, on the return. <i>Chinese Medical Journal</i> , 2013, 126, 2774-9.	2.3	18
78	Point-of-Care Tests to Strengthen Health Systems and Save Newborn Lives: The Case of Syphilis. <i>PLoS Medicine</i> , 2012, 9, e1001233.	8.4	161
79	The Effect of a Structural Intervention for Syphilis Control Among 3597 Female Sex Workers: A Demonstration Study in South China. <i>Journal of Infectious Diseases</i> , 2012, 206, 907-914.	4.0	18
80	Partner notification uptake for sexually transmitted infections in China: a systematic literature review. <i>Sexually Transmitted Infections</i> , 2012, 88, 386-393.	1.9	28
81	Systematic Differences in Risk Behaviors and Syphilis Prevalence Across Types of Female Sex Workers. <i>Sexually Transmitted Diseases</i> , 2012, 39, 195-200.	1.7	31
82	HIV Prevalence Varies Between Female Sex Workers From Different Types of Venues in Southern China. <i>Sexually Transmitted Diseases</i> , 2012, 39, 868-870.	1.7	45
83	Prevalence and Risk Factors of HSV-2 Infection and HSV-2/HIV Coinfection in Men Who Have Sex With Men in China. <i>Sexually Transmitted Diseases</i> , 2012, 39, 354-358.	1.7	13
84	Setting Typologies and HIV Prevalence Among Men Who Have Sex With Men in China. <i>Sexually Transmitted Diseases</i> , 2012, 39, 226-228.	1.7	11
85	Prevalence of syphilis infection in different tiers of female sex workers in China: implications for surveillance and interventions. <i>BMC Infectious Diseases</i> , 2012, 12, 84.	2.9	50
86	Rapid Syphilis Testing Uptake for Female Sex Workers at Sex Venues in Southern China: Implications for Expanding Syphilis Screening. <i>PLoS ONE</i> , 2012, 7, e52579.	2.5	12
87	Prevalence and genotype distribution of human papillomavirus infection among female sex workers in Guangxi, China: Implications for interventions. <i>Journal of Medical Virology</i> , 2012, 84, 798-803.	5.0	13
88	Epidemiology of sexually transmitted infections, HIV, and related high-risk behaviors among female sex workers in Guangxi Autonomous Region, China. <i>Japanese Journal of Infectious Diseases</i> , 2012, 65, 75-8.	1.2	10
89	Epidemiology of Sexually Transmitted Infections, HIV, and Related High-Risk Behaviors among Female Sex Workers in Guangxi Autonomous Region, China. <i>Japanese Journal of Infectious Diseases</i> , 2012, 65, 75-78.	1.2	22
90	A Twin Response to Twin Epidemics: Integrated HIV/Syphilis Testing at STI Clinics in South China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, e106-e111.	2.1	29

#	ARTICLE	IF	CITATIONS
91	HIV Incidence among Men Who Have Sex with Men in China: A Meta-Analysis of Published Studies. PLoS ONE, 2011, 6, e23431.	2.5	74
92	The epidemic of sexually transmitted infections in China: implications for control and future perspectives. BMC Medicine, 2011, 9, 111.	5.5	91
93	Molecular Typing of Treponema pallidum: A Systematic Review and Meta-Analysis. PLoS Neglected Tropical Diseases, 2011, 5, e1273.	3.0	59
94	Improving antenatal care to prevent adverse pregnancy outcomes caused by syphilis. Future Microbiology, 2011, 6, 1131-1134.	2.0	5
95	An expanding syphilis epidemic in China: epidemiology, behavioural risk and control strategies with a focus on low-tier female sex workers and men who have sex with men. Sexually Transmitted Infections, 2011, 87, ii16-ii18.	1.9	47
96	Prevalence of anorectal Chlamydia trachomatis infection and its genotype distribution among men who have sex with men in Shenzhen, China. Japanese Journal of Infectious Diseases, 2011, 64, 143-6.	1.2	12
97	Prevalence of Anorectal &i>Chlamydia trachomatis&/i> Infection and Its Genotype Distribution among Men Who Have Sex with Men in Shenzhen, China. Japanese Journal of Infectious Diseases, 2011, 64, 143-146.	1.2	25
98	Sexually Transmitted Infections Among Individuals Over Fifty Years of Age in China. AIDS Patient Care and STDs, 2010, 24, 345-347.	2.5	35
99	Accelerating worldwide syphilis screening through rapid testing: a systematic review. Lancet Infectious Diseases, The, 2010, 10, 381-386.	9.1	120
100	Scaling up syphilis testing in China: implementation beyond the clinic. Bulletin of the World Health Organization, 2010, 88, 452-457.	3.3	38
101	Herpes simplex virus 2 infection in women attending an antenatal clinic in Fuzhou, China. Sexually Transmitted Infections, 2007, 83, 369-370.	1.9	14
102	Syphilis in China: results of a national surveillance programme. Lancet, The, 2007, 369, 132-138.	13.7	269
103	Lymphogranuloma venereum caused by Chlamydia trachomatis serovar L3: a case report. Chinese Medical Journal, 2007, 120, 601-604.	2.3	7
104	Lymphogranuloma venereum caused by Chlamydia trachomatis serovar L3: a case report. Chinese Medical Journal, 2007, 120, 601-4.	2.3	2
105	China's Syphilis Epidemic: A Systematic Review of Seroprevalence Studies. Sexually Transmitted Diseases, 2006, 33, 726-736.	1.7	80
106	Sexually Transmitted Infections Among Pregnant Women Attending an Antenatal Clinic in Fuzhou, China. Sexually Transmitted Diseases, 2006, 33, 296-301.	1.7	37
107	Prevalence of sexually transmitted infections among long-distance truck drivers in Tongling, China. International Journal of STD and AIDS, 2006, 17, 304-308.	1.1	28
108	Sexually Transmitted Infections Among Female Sex Workers in Yunnan, China. AIDS Patient Care and STDs, 2005, 19, 853-860.	2.5	101

#	ARTICLE	IF	CITATIONS
109	Epidemiologic Trends of Sexually Transmitted Diseases in China. Sexually Transmitted Diseases, 2000, 27, 138-142.	1.7	164