

# Ana Luisa Sosa Ortiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9062692/publications.pdf>

Version: 2024-02-01

86  
papers

5,340  
citations

101543

36  
h-index

88630

70  
g-index

92  
all docs

92  
docs citations

92  
times ranked

6604  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology of Dementias and Alzheimer's Disease. Archives of Medical Research, 2012, 43, 600-608.	3.3	389
2	Contribution of chronic diseases to disability in elderly people in countries with low and middle incomes: a 10/66 Dementia Research Group population-based survey. Lancet, The, 2009, 374, 1821-1830.	13.7	370
3	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. Lancet, The, 2008, 372, 464-474.	13.7	358
4	The protocols for the 10/66 dementia research group population-based research programme. BMC Public Health, 2007, 7, 165.	2.9	298
5	Worldwide FINGERS Network: A global approach to risk reduction and prevention of dementia. Alzheimer's and Dementia, 2020, 16, 1078-1094.	0.8	257
6	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. Lancet, The, 2012, 380, 50-58.	13.7	254
7	Care arrangements for people with dementia in developing countries. International Journal of Geriatric Psychiatry, 2004, 19, 170-177.	2.7	226
8	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. PLoS Medicine, 2012, 9, e1001170.	8.4	143
9	Prevalence of stroke and related burden among older people living in Latin America, India and China. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1074-1082.	1.9	137
10	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. BMC Public Health, 2008, 8, 219.	2.9	108
11	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. BMC Medicine, 2015, 13, 138.	5.5	101
12	A comparative cross-cultural study of the prevalence of late life depression in low and middle income countries. Journal of Affective Disorders, 2016, 190, 362-368.	4.1	96
13	"The contribution of chronic diseases to the prevalence of dependence among older people in Latin America, China and India: a 10/66 Dementia Research Group population-based survey". BMC Geriatrics, 2010, 10, 53.	2.7	94
14	Measuring disability across cultures – the psychometric properties of the WHODAS II in older people from seven low- and middle-income countries. The 10/66 Dementia Research Group population-based survey. International Journal of Methods in Psychiatric Research, 2010, 19, 1-17.	2.1	88
15	Autonomic Dysfunction in $\alpha$ -Synucleinopathies. Frontiers in Neurology, 2019, 10, 363.	2.4	87
16	Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. BMC Neurology, 2009, 9, 48.	1.8	85
17	A brief dementia screener suitable for use by non-specialists in resource poor settings – the cross-cultural derivation and validation of the brief Community Screening Instrument for Dementia. International Journal of Geriatric Psychiatry, 2011, 26, 899-907.	2.7	85
18	Dietary fish and meat intake and dementia in Latin America, China, and India: a 10/66 Dementia Research Group population-based study. American Journal of Clinical Nutrition, 2009, 90, 392-400.	4.7	84

#	ARTICLE	IF	CITATIONS
19	Hypertension prevalence, awareness, treatment and control among older people in Latin America, India and China. <i>Journal of Hypertension</i> , 2012, 30, 177-187.	0.5	83
20	Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. <i>BMC Health Services Research</i> , 2011, 11, 153.	2.2	80
21	Strain and its correlates among carers of people with dementia in low-income and middle-income countries. A 10/66 Dementia Research Group population-based survey. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 670-682.	2.7	80
22	Late-life depression in Peru, Mexico and Venezuela: the 10/66 population-based study. <i>British Journal of Psychiatry</i> , 2009, 195, 510-515.	2.8	79
23	Prevalence and correlates for sleep complaints in older adults in low and middle income countries: A 10/66 Dementia Research Group study. <i>Sleep Medicine</i> , 2012, 13, 697-702.	1.6	73
24	Dementia in Latin America: Paving the way toward a regional action plan. <i>Alzheimer's and Dementia</i> , 2021, 17, 295-313.	0.8	68
25	Unawareness of memory impairment in dementia: a population-based study. <i>International Psychogeriatrics</i> , 2012, 24, 931-939.	1.0	66
26	Ageing and dementia in low and middle income countries—Using research to engage with public and policy makers. <i>International Review of Psychiatry</i> , 2008, 20, 332-343.	2.8	62
27	Cohort Profile: The 10/66 study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw056.	1.9	53
28	Socioeconomic Factors and All Cause and Cause-Specific Mortality among Older People in Latin America, India, and China: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001179.	8.4	52
29	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0192889.	2.5	51
30	The Multi-Partner Consortium to Expand Dementia Research in Latin America (ReDLat): Driving Multicentric Research and Implementation Science. <i>Frontiers in Neurology</i> , 2021, 12, 631722.	2.4	51
31	Is dementia reversible in patients with neurocysticercosis?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1164-1166.	1.9	49
32	The Prevalence and Correlates of Frailty in Urban and Rural Populations in Latin America, China, and India: A 10/66 Population-Based Survey. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 287-295.e4.	2.5	47
33	Prediction of dementia risk in low-income and middle-income countries (the 10/66 Study): an independent external validation of existing models. <i>The Lancet Global Health</i> , 2020, 8, e524-e535.	6.3	45
34	The association between social support and cognitive function in Mexican adults aged 50 and older. <i>Archives of Gerontology and Geriatrics</i> , 2017, 68, 113-118.	3.0	42
35	Similar clinical improvement and maintenance after rTMS at 5 Hz using a simple vs. complex protocol in Alzheimer's disease. <i>Brain Stimulation</i> , 2018, 11, 625-627.	1.6	42
36	Exposure to ambient PM2.5 concentrations and cognitive function among older Mexican adults. <i>Environment International</i> , 2018, 117, 1-9.	10.0	41

#	ARTICLE	IF	CITATIONS
37	Condiciones de salud y estado funcional de los adultos mayores en Mxico. Salud Publica De Mexico, 2013, 55, 323.	0.4	40
38	Vascular Cognitive Disorders and Depression After First-Ever Stroke: The Fogarty-Mexico Stroke Cohort. Cerebrovascular Diseases, 2014, 38, 284-289.	1.7	39
39	Intrinsic capacity and its associations with incident dependence and mortality in 10/66 Dementia Research Group studies in Latin America, India, and China: A population-based cohort study. PLoS Medicine, 2021, 18, e1003097.	8.4	39
40	Work status, retirement, and depression in older adults: An analysis of six countries based on the Study on Global Ageing and Adult Health (SAGE). SSM - Population Health, 2018, 6, 1-8.	2.7	38
41	Aryl Hydrocarbon Receptor in Post-Mortem Hippocampus and in Serum from Young, Elder, and Alzheimer's Patients. International Journal of Molecular Sciences, 2020, 21, 1983.	4.1	37
42	A journey without mapsUnderstanding the costs of caring for dependent older people in Nigeria, China, Mexico and Peru. PLoS ONE, 2017, 12, e0182360.	2.5	37
43	Factors associated with cognitive function in older adults in Mexico. Global Health Action, 2016, 9, 30747.	1.9	36
44	Clinical and genetic characteristics of Mexican Huntington's disease patients. Movement Disorders, 2009, 24, 2012-2015.	3.9	35
45	Uptake of genetic testing and long-term tumor surveillance in von Hippel-Lindau disease. BMC Medical Genetics, 2010, 11, 4.	2.1	35
46	Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. Alzheimer's and Dementia, 2018, 14, 271-279.	0.8	35
47	Clinical presentation of anxiety among patients with epilepsy. Neuropsychiatric Disease and Treatment, 2008, 4, 1235.	2.2	34
48	Primidone is associated with interictal depression in patients with epilepsy. Epilepsy and Behavior, 2005, 6, 413-416.	1.7	33
49	The association between common physical impairments and dementia in low and middle income countries, and, among people with dementia, their association with cognitive function and disability. A 10/66 Dementia Research Group population-based study. International Journal of Geriatric Psychiatry, 2011, 26, 511-519.	2.7	33
50	Dementia caregiving across Latin America and the Caribbean and brain health diplomacy. The Lancet Healthy Longevity, 2021, 2, e222-e231.	4.6	33
51	The Prevalence, Correlates, Detection and Control of Diabetes among Older People in Low and Middle Income Countries. A 10/66 Dementia Research Group Population-Based Survey. PLoS ONE, 2016, 11, e0149616.	2.5	27
52	Brain activity during source memory retrieval in young, middle-aged and old adults. Brain Research, 2015, 1618, 168-180.	2.2	26
53	The association between, depression, anxiety, and mortality in older people across eight low- and middle-income countries: Results from the 10/66 cohort study. International Journal of Geriatric Psychiatry, 2020, 35, 29-36.	2.7	26
54	fMRI subsequent source memory effects in young, middle-aged and old adults. Behavioural Brain Research, 2015, 280, 24-35.	2.2	25

#	ARTICLE	IF	CITATIONS
55	Neighbourhood environment and dementia in older people from high-, middle- and low-income countries: results from two population-based cohort studies. <i>BMC Public Health</i> , 2020, 20, 1330.	2.9	25
56	Loneliness Among Older Adults in Latin America, China, and India: Prevalence, Correlates and Association With Mortality. <i>International Journal of Public Health</i> , 2021, 66, 604449.	2.3	25
57	Exploring the economic and social effects of care dependence in later life: protocol for the 10/66 research group INDEP study. <i>SpringerPlus</i> , 2014, 3, 379.	1.2	24
58	Dependence- and Disability-Free Life Expectancy Across Eight Low- and Middle-Income Countries: A 10/66 Study. <i>Journal of Aging and Health</i> , 2020, 32, 401-409.	1.7	23
59	Validación de un punto de corte para la Escala de Depresión del Centro de Estudios Epidemiológicos, versión abreviada (CESD-7). <i>Salud Publica De Mexico</i> , 2013, 55, 267.	0.4	23
60	No Association between Fish Intake and Depression in over 15,000 Older Adults from Seven Low and Middle Income Countriesâ€”The 10/66 Study. <i>PLoS ONE</i> , 2012, 7, e38879.	2.5	21
61	Presymptomatic Diagnosis in Huntington's Disease: The Mexican Experience. <i>Genetic Testing and Molecular Biomarkers</i> , 2009, 13, 717-720.	0.7	19
62	Chronic diseases among older people and co-resident psychological morbidity: a 10/66 Dementia Research Group population-based survey. <i>International Psychogeriatrics</i> , 2011, 23, 1489-1501.	1.0	19
63	Allocating Family Responsibilities for Dependent Older People in Mexico and Peru. <i>Journal of Development Studies</i> , 2018, 54, 682-701.	2.1	18
64	Effects of the novel antidepressant S-adenosyl-methionine on $\alpha$ 1- and $\alpha$ 2-adrenoceptors in rat brain. <i>European Journal of Pharmacology</i> , 1989, 170, 201-207.	3.5	17
65	Suicide ideation, dementia and mental disorders among a community sample of older people in Mexico. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 247-255.	2.7	17
66	Tobacco use and dementia: evidence from the 1066 dementia population-based surveys in Latin America, China and India. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1177-1185.	2.7	16
67	A cohort study of the effects of older adult care dependence upon household economic functioning, in Peru, Mexico and China. <i>PLoS ONE</i> , 2018, 13, e0195567.	2.5	16
68	The Mexican Cognitive Aging Ancillary Study (Mex-Cog): Study Design and Methods. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104210.	3.0	15
69	Dominantly inherited Alzheimer's disease in Latin America: Genetic heterogeneity and clinical phenotypes. <i>Alzheimer's and Dementia</i> , 2021, 17, 653-664.	0.8	14
70	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011, 23, 202-213.	1.0	12
71	Fluidez verbal-semántica en adultos mayores mexicanos: valores normativos. <i>Neurología</i> , 2015, 30, 189-194.	0.7	12
72	Type 2 diabetes mellitus as a risk factor for dementia in a Mexican population. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1234-1239.	2.3	12

#	ARTICLE	IF	CITATIONS
73	Neuropsychological and Behavioral Disturbance Correlates of Unawareness of Memory Impairment in Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 3-11.	2.3	11
74	Depression increases in patients with Parkinson's disease according to the increasing severity of the cognitive impairment. <i>Arquivos De Neuro-Psiquiatria</i> , 2014, 72, 426-429.	0.8	9
75	The economic status of older people's households in urban and rural settings in Peru, Mexico and China: a 10/66 INDEP study cross-sectional survey. <i>SpringerPlus</i> , 2016, 5, 258.	1.2	9
76	Fenotipos de linfocitos periféricos en las enfermedades de Alzheimer y Parkinson. <i>Neurología</i> , 2022, 37, 110-121.	0.7	8
77	Effective connectivity during successful and unsuccessful recollection in young and old adults. <i>Neuropsychologia</i> , 2017, 103, 168-182.	1.6	7
78	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0195133.	2.5	6
79	Positive impact of speech therapy in progressive non-fluent aphasia.. <i>Acta Colombiana De Psicología</i> , 2015, 18, 101-114.	0.4	6
80	Prevalence of parkinsonism and Parkinson disease in urban and rural populations from Latin America: A community based study. <i>The Lancet Regional Health Americas</i> , 2022, 7, 100136.	2.6	6
81	The prevalence, correlates and impact of anaemia among older people in Cuba, Dominican Republic, Mexico, Puerto Rico and Venezuela. <i>British Journal of Haematology</i> , 2013, 160, 387-398.	2.5	5
82	Apolipoprotein E Genotypes in a Group of Elderly Subjects of Spanish Descent Living in Mexico City. <i>International Psychogeriatrics</i> , 2002, 14, 291-300.	1.0	4
83	Serum Repressor Element-1 Silencing Transcription Factor Levels in Alzheimer's Patients from a National Institute of Health in Mexico City, Elderly and Young Controls. <i>Revista De Investigacion Clinica</i> , 2021, 73, 017-022.	0.4	1
84	Health and economic correlates of autonomy among older people in Peru, Mexico and China: The 10/66 INDEP study. <i>Wellcome Open Research</i> , 0, 3, 57.	1.8	1
85	The painter from Sinaloa: artistic analysis of a case of spatial agnosia and neglect of visual shapes. <i>Neurocase</i> , 2017, 23, 304-313.	0.6	0
86	Social isolation and incident dementia in Mexican elders. <i>Alzheimer's and Dementia</i> , 2020, 16, e044380.	0.8	0