

Ana Luisa Sosa Ortiz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9062692/publications.pdf>

Version: 2024-02-01

86
papers

5,340
citations

101543

36
h-index

88630

70
g-index

92
all docs

92
docs citations

92
times ranked

6604
citing authors

#	ARTICLE	IF	CITATIONS
1	Fenotipos de linfocitos periféricos en las enfermedades de Alzheimer y Parkinson. <i>Neurología</i> , 2022, 37, 110-121.	0.7	8
2	Prevalence of parkinsonism and Parkinson disease in urban and rural populations from Latin America: A community based study. <i>The Lancet Regional Health Americas</i> , 2022, 7, 100136.	2.6	6
3	Dominantly inherited Alzheimer's disease in Latin America: Genetic heterogeneity and clinical phenotypes. <i>Alzheimer's and Dementia</i> , 2021, 17, 653-664.	0.8	14
4	Dementia in Latin America: Paving the way toward a regional action plan. <i>Alzheimer's and Dementia</i> , 2021, 17, 295-313.	0.8	68
5	Serum Repressor Element-1 Silencing Transcription Factor Levels in Alzheimer's Patients from a National Institute of Health in Mexico City, Elderly and Young Controls. <i>Revista De Investigacion Clinica</i> , 2021, 73, 017-022.	0.4	1
6	The Multi-Partner Consortium to Expand Dementia Research in Latin America (ReDLat): Driving Multicentric Research and Implementation Science. <i>Frontiers in Neurology</i> , 2021, 12, 631722.	2.4	51
7	Loneliness Among Older Adults in Latin America, China, and India: Prevalence, Correlates and Association With Mortality. <i>International Journal of Public Health</i> , 2021, 66, 604449.	2.3	25
8	Dementia caregiving across Latin America and the Caribbean and brain health diplomacy. <i>The Lancet Healthy Longevity</i> , 2021, 2, e222-e231.	4.6	33
9	Intrinsic capacity and its associations with incident dependence and mortality in 10/66 Dementia Research Group studies in Latin America, India, and China: A population-based cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003097.	8.4	39
10	Dependence- and Disability-Free Life Expectancy Across Eight Low- and Middle-Income Countries: A 10/66 Study. <i>Journal of Aging and Health</i> , 2020, 32, 401-409.	1.7	23
11	The association between, depression, anxiety, and mortality in older people across eight low- and middle-income countries: Results from the 10/66 cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 29-36.	2.7	26
12	The Mexican Cognitive Aging Ancillary Study (Mex-Cog): Study Design and Methods. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104210.	3.0	15
13	Neighbourhood environment and dementia in older people from high-, middle- and low-income countries: results from two population-based cohort studies. <i>BMC Public Health</i> , 2020, 20, 1330.	2.9	25
14	Social isolation and incident dementia in Mexican elders. <i>Alzheimer's and Dementia</i> , 2020, 16, e044380.	0.8	0
15	Aryl Hydrocarbon Receptor in Post-Mortem Hippocampus and in Serum from Young, Elder, and Alzheimer's Patients. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1983.	4.1	37
16	Prediction of dementia risk in low-income and middle-income countries (the 10/66 Study): an independent external validation of existing models. <i>The Lancet Global Health</i> , 2020, 8, e524-e535.	6.3	45
17	Worldwide FINGERS Network: A global approach to risk reduction and prevention of dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, 1078-1094.	0.8	257
18	Autonomic Dysfunction in α -Synucleinopathies. <i>Frontiers in Neurology</i> , 2019, 10, 363.	2.4	87

#	ARTICLE	IF	CITATIONS
19	Similar clinical improvement and maintenance after rTMS at 5 Hz using simple vs. complex protocol in Alzheimer's disease. <i>Brain Stimulation</i> , 2018, 11, 625-627.	1.6	42
20	The Prevalence and Correlates of Frailty in Urban and Rural Populations in Latin America, China, and India: A 10/66 Population-Based Survey. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 287-295.e4.	2.5	47
21	Exposure to ambient PM2.5 concentrations and cognitive function among older Mexican adults. <i>Environment International</i> , 2018, 117, 1-9.	10.0	41
22	Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. <i>Alzheimer's and Dementia</i> , 2018, 14, 271-279.	0.8	35
23	Allocating Family Responsibilities for Dependent Older People in Mexico and Peru. <i>Journal of Development Studies</i> , 2018, 54, 682-701.	2.1	18
24	A cohort study of the effects of older adult care dependence upon household economic functioning, in Peru, Mexico and China. <i>PLoS ONE</i> , 2018, 13, e0195567.	2.5	16
25	Leg length, skull circumference, and the incidence of dementia in Latin America and China: A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0195133.	2.5	6
26	Work status, retirement, and depression in older adults: An analysis of six countries based on the Study on Global Ageing and Adult Health (SAGE). <i>SSM - Population Health</i> , 2018, 6, 1-8.	2.7	38
27	Reproductive period, endogenous estrogen exposure and dementia incidence among women in Latin America and China; A 10/66 population-based cohort study. <i>PLoS ONE</i> , 2018, 13, e0192889.	2.5	51
28	Cohort Profile: The 10/66 study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw056.	1.9	53
29	Effective connectivity during successful and unsuccessful recollection in young and old adults. <i>Neuropsychologia</i> , 2017, 103, 168-182.	1.6	7
30	The painter from Sinaloa: artistic analysis of a case of spatial agnosia and neglect of visual shapes. <i>Neurocase</i> , 2017, 23, 304-313.	0.6	0
31	The association between social support and cognitive function in Mexican adults aged 50 and older. <i>Archives of Gerontology and Geriatrics</i> , 2017, 68, 113-118.	3.0	42
32	A journey without maps – Understanding the costs of caring for dependent older people in Nigeria, China, Mexico and Peru. <i>PLoS ONE</i> , 2017, 12, e0182360.	2.5	37
33	The Prevalence, Correlates, Detection and Control of Diabetes among Older People in Low and Middle Income Countries. A 10/66 Dementia Research Group Population-Based Survey. <i>PLoS ONE</i> , 2016, 11, e0149616.	2.5	27
34	Factors associated with cognitive function in older adults in Mexico. <i>Global Health Action</i> , 2016, 9, 30747.	1.9	36
35	The economic status of older people's households in urban and rural settings in Peru, Mexico and China: a 10/66 INDEP study cross-sectional survey. <i>SpringerPlus</i> , 2016, 5, 258.	1.2	9
36	Type 2 diabetes mellitus as a risk factor for dementia in a Mexican population. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1234-1239.	2.3	12

#	ARTICLE	IF	CITATIONS
37	A comparative cross-cultural study of the prevalence of late life depression in low and middle income countries. <i>Journal of Affective Disorders</i> , 2016, 190, 362-368.	4.1	96
38	Suicide ideation, dementia and mental disorders among a community sample of older people in Mexico. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 247-255.	2.7	17
39	Fluidez verbal-semántica en adultos mayores mexicanos: valores normativos. <i>Neurología</i> , 2015, 30, 189-194.	0.7	12
40	Brain activity during source memory retrieval in young, middle-aged and old adults. <i>Brain Research</i> , 2015, 1618, 168-180.	2.2	26
41	Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. <i>BMC Medicine</i> , 2015, 13, 138.	5.5	101
42	fMRI subsequent source memory effects in young, middle-aged and old adults. <i>Behavioural Brain Research</i> , 2015, 280, 24-35.	2.2	25
43	Neuropsychological and Behavioral Disturbance Correlates of Unawareness of Memory Impairment in Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 3-11.	2.3	11
44	Positive impact of speech therapy in progressive non-fluent aphasia.. <i>Acta Colombiana De Psicología</i> , 2015, 18, 101-114.	0.4	6
45	Depression increases in patients with Parkinson's disease according to the increasing severity of the cognitive impairment. <i>Arquivos De Neuro-Psiquiatria</i> , 2014, 72, 426-429.	0.8	9
46	Vascular Cognitive Disorders and Depression After First-Ever Stroke: The Fogarty-Mexico Stroke Cohort. <i>Cerebrovascular Diseases</i> , 2014, 38, 284-289.	1.7	39
47	Exploring the economic and social effects of care dependence in later life: protocol for the 10/66 research group INDEP study. <i>SpringerPlus</i> , 2014, 3, 379.	1.2	24
48	The prevalence, correlates and impact of anaemia among older people in Cuba, Dominican Republic, Mexico, Puerto Rico and Venezuela. <i>British Journal of Haematology</i> , 2013, 160, 387-398.	2.5	5
49	Validación de un punto de corte para la Escala de Depresión del Centro de Estudios Epidemiológicos, versión abreviada (CESD-7). <i>Salud Publica De Mexico</i> , 2013, 55, 267.	0.4	23
50	Condiciones de salud y estado funcional de los adultos mayores en México. <i>Salud Publica De Mexico</i> , 2013, 55, 323.	0.4	40
51	Hypertension prevalence, awareness, treatment and control among older people in Latin America, India and China. <i>Journal of Hypertension</i> , 2012, 30, 177-187.	0.5	83
52	Unawareness of memory impairment in dementia: a population-based study. <i>International Psychogeriatrics</i> , 2012, 24, 931-939.	1.0	66
53	Dementia incidence and mortality in middle-income countries, and associations with indicators of cognitive reserve: a 10/66 Dementia Research Group population-based cohort study. <i>Lancet</i> , 2012, 380, 50-58.	13.7	254
54	Epidemiology of Dementias and Alzheimer's Disease. <i>Archives of Medical Research</i> , 2012, 43, 600-608.	3.3	389

#	ARTICLE	IF	CITATIONS
55	Prevalence and correlates for sleep complaints in older adults in low and middle income countries: A 10/66 Dementia Research Group study. <i>Sleep Medicine</i> , 2012, 13, 697-702.	1.6	73
56	Socioeconomic Factors and All Cause and Cause-Specific Mortality among Older People in Latin America, India, and China: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001179.	8.4	52
57	No Association between Fish Intake and Depression in over 15,000 Older Adults from Seven Low and Middle Income Countriesâ€”The 10/66 Study. <i>PLoS ONE</i> , 2012, 7, e38879.	2.5	21
58	Strain and its correlates among carers of people with dementia in lowâ€”income and middleâ€”income countries. A 10/66 Dementia Research Group populationâ€”based survey. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 670-682.	2.7	80
59	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. <i>PLoS Medicine</i> , 2012, 9, e1001170.	8.4	143
60	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011, 23, 202-213.	1.0	12
61	Chronic diseases among older people and co-resident psychological morbidity: a 10/66 Dementia Research Group population-based survey. <i>International Psychogeriatrics</i> , 2011, 23, 1489-1501.	1.0	19
62	Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. <i>BMC Health Services Research</i> , 2011, 11, 153.	2.2	80
63	The association between common physical impairments and dementia in low and middle income countries, and, among people with dementia, their association with cognitive function and disability. A 10/66 Dementia Research Group population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 511-519.	2.7	33
64	A brief dementia screener suitable for use by nonâ€”specialists in resource poor settingsâ€”the crossâ€”cultural derivation and validation of the brief Community Screening Instrument for Dementia. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 899-907.	2.7	85
65	Tobacco use and dementia: evidence from the 1066 dementia populationâ€”based surveys in Latin America, China and India. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1177-1185.	2.7	16
66	Prevalence of stroke and related burden among older people living in Latin America, India and China. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1074-1082.	1.9	137
67	Measuring disability across cultures â€” the psychometric properties of the WHODAS II in older people from seven lowâ€”and middleâ€”income countries. The 10/66 Dementia Research Group populationâ€”based survey. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 1-17.	2.1	88
68	"The contribution of chronic diseases to the prevalence of dependence among older people in Latin America, China and India: a 10/66 Dementia Research Group population-based survey". <i>BMC Geriatrics</i> , 2010, 10, 53.	2.7	94
69	Uptake of genetic testing and long-term tumor surveillance in von Hippel-Lindau disease. <i>BMC Medical Genetics</i> , 2010, 11, 4.	2.1	35
70	Presymptomatic Diagnosis in Huntington's Disease: The Mexican Experience. <i>Genetic Testing and Molecular Biomarkers</i> , 2009, 13, 717-720.	0.7	19
71	Late-life depression in Peru, Mexico and Venezuela: the 10/66 population-based study. <i>British Journal of Psychiatry</i> , 2009, 195, 510-515.	2.8	79
72	Dietary fish and meat intake and dementia in Latin America, China, and India: a 10/66 Dementia Research Group population-based study. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 392-400.	4.7	84

#	ARTICLE	IF	CITATIONS
73	Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. <i>BMC Neurology</i> , 2009, 9, 48.	1.8	85
74	Clinical and genetic characteristics of Mexican Huntington's disease patients. <i>Movement Disorders</i> , 2009, 24, 2012-2015.	3.9	35
75	Contribution of chronic diseases to disability in elderly people in countries with low and middle incomes: a 10/66 Dementia Research Group population-based survey. <i>Lancet, The</i> , 2009, 374, 1821-1830.	13.7	370
76	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. <i>BMC Public Health</i> , 2008, 8, 219.	2.9	108
77	Prevalence of dementia in Latin America, India, and China: a population-based cross-sectional survey. <i>Lancet, The</i> , 2008, 372, 464-474.	13.7	358
78	Ageing and dementia in low and middle income countriesâ€œUsing research to engage with public and policy makers. <i>International Review of Psychiatry</i> , 2008, 20, 332-343.	2.8	62
79	Clinical presentation of anxiety among patients with epilepsy. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 1235.	2.2	34
80	The protocols for the 10/66 dementia research group population-based research programme. <i>BMC Public Health</i> , 2007, 7, 165.	2.9	298
81	Is dementia reversible in patients with neurocysticercosis?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1164-1166.	1.9	49
82	Primidone is associated with interictal depression in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2005, 6, 413-416.	1.7	33
83	Care arrangements for people with dementia in developing countries. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 170-177.	2.7	226
84	Apolipoprotein E Genotypes in a Group of Elderly Subjects of Spanish Descent Living in Mexico City. <i>International Psychogeriatrics</i> , 2002, 14, 291-300.	1.0	4
85	Effects of the novel antidepressant S-adenosyl-methionine on $\hat{1}$ - and $\hat{2}$ -adrenoceptors in rat brain. <i>European Journal of Pharmacology</i> , 1989, 170, 201-207.	3.5	17
86	Health and economic correlates of autonomy among older people in Peru, Mexico and China: The 10/66 INDEP study. <i>Wellcome Open Research</i> , 0, 3, 57.	1.8	1