
Ralph P Maguire

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9066254/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Regional brain mGlu5 receptor occupancy following single oral doses of mavoglurant as measured by [11C]-ABP688 PET imaging in healthy volunteers. NeuroImage, 2021, 230, 117785.	4.2	6
2	Validation of Parametric Methods for [11C]UCB-J PET Imaging Using Subcortical White Matter as Reference Tissue. Molecular Imaging and Biology, 2020, 22, 444-452.	2.6	28
3	Assessment of a white matter reference region for ¹¹ C-UCB-J PET quantification. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 1890-1901.	4.3	77
4	A Comparative Study of inâ€vitro Assays for Predicting the Nonspecific Binding of PET Imaging Agents inâ€vivo. ChemMedChem, 2020, 15, 585-592.	3.2	8
5	A singleâ€center, openâ€label positron emission tomography study to evaluate brivaracetam and levetiracetam synaptic vesicle glycoprotein 2A binding in healthy volunteers. Epilepsia, 2019, 60, 958-967.	5.1	45
6	Active Aβ immunotherapy CAD106 in Alzheimer's disease: A phase 2b study. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 10-22.	3.7	102
7	Task-related fMRI responses to a nicotinic acetylcholine receptor partial agonist in schizophrenia: A randomized trial. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 71, 66-75.	4.8	8
8	Activity of secukinumab, an anti-IL-17A antibody, on brain lesions in RRMS: results from a randomized, proof-of-concept study. Journal of Neurology, 2016, 263, 1287-1295.	3.6	158
9	Decrease of mGluR5 receptor density goes parallel with changes in enkephalin and substance P immunoreactivity in Huntington's disease: a preliminary investigation in the postmortem human brain. Brain Structure and Function, 2015, 220, 3043-3051.	2.3	14
10	Safety, tolerability, and antibody response of active Aβ immunotherapy with CAD106 in patients with Alzheimer's disease: randomised, double-blind, placebo-controlled, first-in-human study. Lancet Neurology, The, 2012, 11, 597-604.	10.2	261
11	Dissociable effects of methylphenidate, atomoxetine and placebo on regional cerebral blood flow in healthy volunteers at rest: A multi-class pattern recognition approach. NeuroImage, 2012, 60, 1015-1024.	4.2	67
12	Molecular Imaging Biomarkers as a Tool in Development of Novel Medicines. , 2012, , 33-48.		0
13	Evaluation of [11C]MRB for assessment of occupancy of norepinephrine transporters: Studies with atomoxetine in non-human primates. NeuroImage, 2011, 56, 268-279.	4.2	50
14	Arterial transit time effects in pulsed arterial spin labeling CBF mapping: Insight from a PET and MR study in normal human subjects. Magnetic Resonance in Medicine, 2010, 63, 374-384.	3.0	58
15	Kinetic Modeling of the Serotonin 5-HT _{1B} Receptor Radioligand [¹¹ C]P943 in Humans. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 196-210.	4.3	83
16	Changes in cortical grey matter density associated with long-standing retinal visual field defects. Brain, 2009, 132, 1898-1906.	7.6	173
17	Saturated norepinephrine transporter occupancy by atomoxetine relevant to clinical doses: a rhesus monkey study with (S,S)-[18F]FMeNER-D2. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 1308-1314.	6.4	23
18	Despite irreversible binding, PET tracer [11C]-SA5845 is suitable for imaging of drug competition at sigma receptors—The cases of ketamine and haloperidol. Neurochemistry International, 2008, 53, 45-50.	3.8	18

RALPH P MAGUIRE

#	Article	IF	CITATIONS
19	Striatal FDOPA uptake and cognition in advanced non-demented Parkinson's disease: A clinical and FDOPA-PET study. Parkinsonism and Related Disorders, 2008, 14, 224-228.	2.2	25
20	Methylphenidate-induced activation of the anterior cingulate but not the striatum: A [150]H2O PET study in healthy volunteers. Human Brain Mapping, 2007, 28, 625-635.	3.6	34
21	Effects of intravenous glucose on dopaminergic function in the human brain in vivo. Synapse, 2007, 61, 748-756.	1.2	122
22	Consensus Nomenclature for in vivo Imaging of Reversibly Binding Radioligands. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1533-1539.	4.3	1,840
23	An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest. NeuroImage, 2006, 31, 968-980.	4.2	10,125
24	Cerebral Metabolic Effects of Intravenous Glycine in Healthy Human Subjects. Journal of Clinical Psychopharmacology, 2006, 26, 595-599.	1.4	12
25	Effect of fenfluramine-induced increases in serotonin release on [18F]MPPF binding: A continuous infusion PET study in conscious monkeys. Synapse, 2006, 59, 18-26.	1.2	40
26	Striatal dopa and glucose metabolism in PD patients with freezing of gait. Movement Disorders, 2006, 21, 1326-1332.	3.9	107
27	Functional magnetic resonance imaging of brightness induction in the human visual cortex. NeuroReport, 2005, 16, 1335-1338.	1.2	19
28	TCH346 prevents motor symptoms and loss of striatal FDOPA uptake in bilaterally MPTP-treated primates. Neurobiology of Disease, 2003, 14, 205-217.	4.4	35
29	Effects of high amphetamine dose on mood and cerebral glucose metabolism in normal volunteers using positron emission tomography (PET). Psychiatry Research - Neuroimaging, 1998, 83, 149-162.	1.8	68
30	Activation of the human brain by monetary reward. NeuroReport, 1997, 8, 1225-1228.	1.2	246
31	Cerebral glucose metabolism in patients with spasmodic torticollis. Movement Disorders, 1997, 12, 704-708.	3.9	78
32	An Investigation of Multiple Time/Graphical Analysis Applied to Projection Data: Theory and Validation. Journal of Computer Assisted Tomography, 1997, 21, 327-331.	0.9	15