
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9072400/publications.pdf Version: 2024-02-01



IOAOUIM FEDDEIDA

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Phenotype, genotype, and worldwide genetic penetrance of LRRK2-associated Parkinson's disease: a case-control study. Lancet Neurology, The, 2008, 7, 583-590. | 10.2 | 1,340 |
| 2 | How common is the most common adult movement disorder? Update on the worldwide prevalence of essential tremor. Movement Disorders, 2010, 25, 534-541. | 3.9 | 728 |
| 3 | A frequent LRRK2 gene mutation associated with autosomal dominant Parkinson's disease. Lancet, The, 2005, 365, 412-415. | 13.7 | 449 |
| 4 | ATP13A2 missense mutations in juvenile parkinsonism and young onset Parkinson disease. Neurology, 2007, 68, 1557-1562. | 1.1 | 312 |
| 5 | Summary of the recommendations of the <scp>EFNS</scp> / <scp>MDS</scp> â€ <scp>ES</scp> review on therapeutic management of <scp>P</scp> arkinson's disease. European Journal of Neurology, 2013, 20, 5-15. | 3.3 | 290 |
| 6 | Quantitative wearable sensors for objective assessment of Parkinson's disease. Movement Disorders, 2013, 28, 1628-1637. | 3.9 | 287 |
| 7 | Limitations of current Parkinson's disease therapy. Annals of Neurology, 2003, 53, S3-S15. | 5.3 | 250 |
| 8 | Convergence of miRNA Expression Profiling, α-Synuclein Interacton and GWAS in Parkinson's Disease. PLoS ONE, 2011, 6, e25443. | 2.5 | 235 |
| 9 | DYSBOT: A single-blind, randomized parallel study to determine whether any differences can be detected in the efficacy and tolerability of two formulations of botulinum toxin type A—Dysport and Botox—assuming a ratio of 4:1. Movement Disorders, 1997, 12, 1013-1018. | 3.9 | 220 |
| 10 | Sleep attacks and Parkinson's disease treatment. Lancet, The, 2000, 355, 1333-1334. | 13.7 | 220 |
| 11 | Opicapone as an adjunct to levodopa in patients with Parkinson's disease and end-of-dose motor fluctuations: a randomised, double-blind, controlled trial. Lancet Neurology, The, 2016, 15, 154-165. | 10.2 | 219 |
| 12 | Scales to assess sleep impairment in Parkinson's disease: Critique and recommendations. Movement Disorders, 2010, 25, 2704-2716. | 3.9 | 214 |
| 13 | Late-stage Parkinson disease. Nature Reviews Neurology, 2012, 8, 435-442. | 10.1 | 183 |
| 14 | Endovascular treatment versus medical care alone for ischaemic stroke: systematic review and meta-analysis. BMJ, The, 2016, 353, i1754. | 6.0 | 157 |
| 15 | A systematic review of the characteristics and validity of monitoring technologies to assess Parkinson's disease. Journal of NeuroEngineering and Rehabilitation, 2016, 13, 24. | 4.6 | 155 |
| 16 | Comprehensive analysis of the LRRK2 gene in sixty families with Parkinson's disease. European Journal of Human Genetics, 2006, 14, 322-331. | 2.8 | 152 |
| 17 | Worldwide frequency of G2019S LRRK2 mutation in Parkinson's disease: A systematic review. Parkinsonism and Related Disorders, 2010, 16, 237-242. | 2.2 | 150 |
| 18 | Opicapone as Adjunct to Levodopa Therapy in Patients With Parkinson Disease and Motor Fluctuations. JAMA Neurology, 2017, 74, 197. | 9.0 | 146 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Dopamine agonist therapy in early Parkinson's disease. The Cochrane Library, 2008, , CD006564. | 2.8 | 120 |
| 20 | New methods for the assessment of Parkinson's disease (2005 to 2015): A systematic review. Movement Disorders, 2016, 31, 1283-1292. | 3.9 | 119 |
| 21 | Efficacy and safety of sirolimus in the treatment of vascular anomalies: A systematic review. Journal of Vascular Surgery, 2020, 71, 318-327. | 1.1 | 117 |
| 22 | Clinical comparability of marketed formulations of botulinum toxin. Movement Disorders, 2004, 19, S129-S136. | 3.9 | 111 |
| 23 | MDS evidenceâ€based review of treatments for essential tremor. Movement Disorders, 2019, 34, 950-958. | 3.9 | 108 |
| 24 | Late-stage Parkinson's disease: the Barcelona and Lisbon cohort. Journal of Neurology, 2010, 257, 1524-1532. | 3.6 | 106 |
| 25 | Non-vitamin K antagonist oral anticoagulants and major bleeding-related fatality in patients with atrial fibrillation and venous thromboembolism: a systematic review and meta-analysis. Heart, 2015, 101, 1204-1211. | 2.9 | 106 |
| 26 | Safety of Chiropractic Interventions. Spine, 2009, 34, E405-E413. | 2.0 | 103 |
| 27 | LRP10 genetic variants in familial Parkinson's disease and dementia with Lewy bodies: a genome-wide linkage and sequencing study. Lancet Neurology, The, 2018, 17, 597-608. | 10.2 | 101 |
| 28 | Safety and efficacy of incobotulinumtoxinA doses up to 800 U in limb spasticity. Neurology, 2017, 88, 1321-1328. | 1.1 | 99 |
| 29 | International Guidelines for the Treatment of Huntington's Disease. Frontiers in Neurology, 2019, 10, 710. | 2.4 | 98 |
| 30 | New treatments for levodopaâ€induced motor complications. Movement Disorders, 2015, 30, 1451-1460. | 3.9 | 95 |
| 31 | Therapeutic interventions for symptomatic treatment in Huntington's disease. The Cochrane Library, 2009, , CD006456. | 2.8 | 91 |
| 32 | Risk of drug-induced liver injury with the new oral anticoagulants: systematic review and meta-analysis. Heart, 2014, 100, 550-556. | 2.9 | 91 |
| 33 | Substantia nigra neuromelanin magnetic resonance imaging in <i>de novo</i> Parkinson's disease patients. European Journal of Neurology, 2015, 22, 540-546. | 3.3 | 90 |
| 34 | Sleep Attacks and Antiparkinsonian Drugs: A Pilot Prospective Pharmacoepidemiologic Study. Clinical Neuropharmacology, 2001, 24, 181-183. | 0.7 | 85 |
| 35 | Hyposmia in G2019S LRRK2-related parkinsonism. Neurology, 2008, 71, 1021-1026. | 1.1 | 82 |
| 36 | Sleep disruption, daytime somnolence and 'sleep attacks' in Parkinson's disease: a clinical survey in PD patients and age-matched healthy volunteers. European Journal of Neurology, 2006, 13, 209-214. | 3.3 | 80 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Neutralizing Antibody and Botulinum Toxin Therapy: A Systematic Review and Meta-analysis. Neurotoxicity Research, 2016, 29, 105-117. | 2.7 | 79 |
| 38 | Posttranslational modifications of blood-derived alpha-synuclein as biochemical markers for Parkinson's disease. Scientific Reports, 2017, 7, 13713. | 3.3 | 79 |
| 39 | Validation of a Step Detection Algorithm during Straight Walking and Turning in Patients with Parkinson's Disease and Older Adults Using an Inertial Measurement Unit at the Lower Back. Frontiers in Neurology, 2017, 8, 457. | 2.4 | 79 |
| 40 | High prevalence ofLRRK2 mutations in familial and sporadic Parkinson's disease in Portugal. Movement Disorders, 2007, 22, 1194-1201. | 3.9 | 76 |
| 41 | Caffeine does not increase the risk of atrial fibrillation: a systematic review and meta-analysis of observational studies. Heart, 2013, 99, 1383-1389. | 2.9 | 75 |
| 42 | Pharmacological interventions for daytime sleepiness and sleep disorders in Parkinson's disease: Systematic review and meta-analysis. Parkinsonism and Related Disorders, 2016, 27, 25-34. | 2.2 | 74 |
| 43 | Serum lipid alterations in GBA-associated Parkinson's disease. Parkinsonism and Related Disorders, 2017, 44, 58-65. | 2.2 | 73 |
| 44 | Opicapone for the treatment of Parkinson's disease: A review of a new licensed medicine. Movement Disorders, 2018, 33, 1528-1539. | 3.9 | 73 |
| 45 | A critique of the second consensus criteria for multiple system atrophy. Movement Disorders, 2019, 34, 975-984. | 3.9 | 73 |
| 46 | Effect of ropinirole on sleep onset: A randomized, placebo-controlled study in healthy volunteers. Neurology, 2002, 58, 460-462. | 1.1 | 71 |
| 47 | Quantitative home-based assessment of Parkinson's symptoms: The SENSE-PARK feasibility and usability study. BMC Neurology, 2015, 15, 89. | 1.8 | 71 |
| 48 | <i>Substantia nigra</i> neuromelaninâ€MR imaging differentiates essential tremor from Parkinson's disease. Movement Disorders, 2015, 30, 953-959. | 3.9 | 69 |
| 49 | Survival, Mortality, Causes and Places of Death in a European Huntington's Disease Prospective Cohort. Movement Disorders Clinical Practice, 2017, 4, 737-742. | 1.5 | 65 |
| 50 | Clinical Practice: Evidence-Based Recommendations for the Treatment of Cervical Dystonia with Botulinum Toxin. Frontiers in Neurology, 2017, 8, 35. | 2.4 | 63 |
| 51 | Magnetic resonance correlation of iron content with neuromelanin in the substantia nigra of earlyâ€stage Parkinson's disease. European Journal of Neurology, 2016, 23, 368-374. | 3.3 | 62 |
| 52 | Do patients with late-stage Parkinson's disease still respond to levodopa?. Parkinsonism and Related Disorders, 2016, 26, 10-16. | 2.2 | 60 |
| 53 | Effect of opicapone on levodopa pharmacokinetics, catecholâ€ <i>O</i> â€methyltransferase activity and motor fluctuations inÂpatients with Parkinson's disease. European Journal of Neurology, 2015, 22, 815. | 3.3 | 58 |
| 54 | Clinical trials in palliative care: a systematic review of their methodological characteristics and of the quality of their reporting. BMC Palliative Care, 2017, 16, 10. | 1.8 | 56 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Botulinum toxin type A therapy for blepharospasm. The Cochrane Library, 2004, , CD004900. | 2.8 | 52 |
| 56 | The Placebo Response in Studies of Acute Migraine. Journal of Pediatrics, 2008, 152, 527-533.e1. | 1.8 | 52 |
| 57 | Therapeutic interventions for disease progression in Huntington's disease. The Cochrane Library, 2009, , CD006455. | 2.8 | 52 |
| 58 | Botulinum toxin type-B improves sialorrhea and quality of life in bulbaronset amyotrophic lateral sclerosis. Journal of Neurology, 2008, 255, 545-550. | 3.6 | 51 |
| 59 | Systematic review with metaâ€analysis: the risk of major gastrointestinal bleeding with nonâ€vitamin K antagonist oral anticoagulants. Alimentary Pharmacology and Therapeutics, 2015, 42, 1239-1249. | 3.7 | 51 |
| 60 | An evidence-based approach in the treatment of Huntington's disease. Parkinsonism and Related Disorders, 2012, 18, 316-320. | 2.2 | 50 |
| 61 | Fifteen Years of Clinical Trials inÂHuntington's Disease: A Very Low ClinicalÂDrug Development Success Rate. Journal of Huntington's Disease, 2017, 6, 157-163. | 1.9 | 50 |
| 62 | Speech and Voice Response to a Levodopa Challenge in Late-Stage Parkinson's Disease. Frontiers in Neurology, 2017, 8, 432. | 2.4 | 50 |
| 63 | European Academy of Neurology/Movement Disorder Societyâ€European Section Guideline on the Treatment of Parkinson's Disease: I. Invasive Therapies. Movement Disorders, 2022, 37, 1360-1374. | 3.9 | 49 |
| 64 | Tetrabenazine Versus Deutetrabenazine for Huntington's Disease: Twins or Distant Cousins?. Movement Disorders Clinical Practice, 2017, 4, 582-585. | 1.5 | 48 |
| 65 | Botulinum toxin type A therapy for hemifacial spasm. The Cochrane Library, 2005, , CD004899. | 2.8 | 47 |
| 66 | Physical Activity, Exercise, and Physiotherapy in Parkinson's Disease: Defining the Concepts. Movement Disorders Clinical Practice, 2020, 7, 7-15. | 1.5 | 47 |
| 67 | Putaminal petechial haemorrhage as the cause of non-ketotic hyperglycaemic chorea: a neuropathological case correlated with MRI findings. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 78, 549-550. | 1.9 | 46 |
| 68 | Associated movement disorders in orthostatic tremor. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 725-729. | 1.9 | 46 |
| 69 | Placebo and nocebo responses in restless legs syndrome. Neurology, 2017, 88, 2216-2224. | 1.1 | 46 |
| 70 | Recommendations for the Organization of Multidisciplinary Clinical Care Teams in Parkinson's Disease. Journal of Parkinson's Disease, 2020, 10, 1087-1098. | 2.8 | 46 |
| 71 | Clinical pharmacology review of safinamide for the treatment of Parkinson's disease. Neurodegenerative Disease Management, 2015, 5, 481-496. | 2.2 | 45 |
| 72 | Levodopa monotherapy can induce "sleep attacks" in Parkinson's disease patients. Journal of Neurology, 2001, 248, 426-427. | 3.6 | 44 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Rating scales for behavioral symptoms in Huntington's disease: Critique and recommendations. Movement Disorders, 2016, 31, 1466-1478. | 3.9 | 44 |
| 74 | Response of non-motor symptoms to levodopa in late-stage Parkinson's disease: Results of a levodopa challenge test. Parkinsonism and Related Disorders, 2017, 39, 37-43. | 2.2 | 44 |
| 75 | Substantia Nigra Neuromelanin as an Imaging Biomarker of Disease Progression in Parkinson's Disease. Journal of Parkinson's Disease, 2017, 7, 491-501. | 2.8 | 44 |
| 76 | Deep brain stimulation for dystonia. The Cochrane Library, 2020, 2020, CD012405. | 2.8 | 44 |
| 77 | Skin cancer and Parkinson's disease. Movement Disorders, 2010, 25, 139-148. | 3.9 | 43 |
| 78 | Risk of Developing Parkinson Disease in Bipolar Disorder. JAMA Neurology, 2020, 77, 192. | 9.0 | 42 |
| 79 | Paralytic shellfish poisoning due to ingestion of Gymnodinium catenatum contaminated cockles – Application of the AOAC HPLC Official Method. Toxicon, 2012, 59, 558-566. | 1.6 | 41 |
| 80 | Longâ€ŧerm efficacy of opicapone in fluctuating Parkinson's disease patients: a pooled analysis of data from two phase 3 clinical trials and their openâ€ŀabel extensions. European Journal of Neurology, 2019, 26, 953-960. | 3.3 | 41 |
| 81 | Effectiveness of opicapone and switching from entacapone in fluctuating Parkinson disease. Neurology, 2018, 90, e1849-e1857. | 1.1 | 40 |
| 82 | What is Functional Mobility Applied to Parkinson's Disease?. Journal of Parkinson's Disease, 2018, 8, 121-130. | 2.8 | 39 |
| 83 | Influenza vaccination in patients with heart failure: a systematic review and meta-analysis of observational studies. Heart, 2020, 106, 350-357. | 2.9 | 39 |
| 84 | Dementia and severity of parkinsonism determines the handicap of patients in lateâ€stage Parkinson's disease: the Barcelonaâ^'Lisbon cohort. European Journal of Neurology, 2015, 22, 305-312. | 3.3 | 38 |
| 85 | Gene Expression Differences in Peripheral Blood of Parkinson's Disease Patients with Distinct Progression Profiles. PLoS ONE, 2016, 11, e0157852. | 2.5 | 36 |
| 86 | Botulinum toxin type B for cervical dystonia. The Cochrane Library, 2016, 2016, CD004315. | 2.8 | 36 |
| 87 | Continuous leg dyskinesia assessment in Parkinson's disease –clinical validity and ecological effect. Parkinsonism and Related Disorders, 2016, 26, 41-46. | 2.2 | 36 |
| 88 | Efficacy and safety of abobotulinumtoxinA liquid formulation in cervical dystonia: A randomizedâ€controlled trial. Movement Disorders, 2016, 31, 1649-1657. | 3.9 | 35 |
| 89 | Ethyl-eicosapentaenoic acid treatment in Huntington's disease: A placebo-controlled clinical trial. Movement Disorders, 2015, 30, 1426-1429. | 3.9 | 33 |
| 90 | Does Parkinson's disease increase the risk of cardiovascular events? A systematic review and metaâ€analysis. European Journal of Neurology, 2020, 27, 288-296. | 3.3 | 32 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|-----------|
| 91 | Haplotype analysis of Lrrk2 R1441H carriers with parkinsonism. Parkinsonism and Related Disorders, 2009, 15, 466-467. | 2.2 | 31 |
| 92 | Botulinum toxin type A versus botulinum toxin type B for cervical dystonia. The Cochrane Library, 2016, 2016, CD004314. | 2.8 | 31 |
| 93 | Effects of Nebicapone on Levodopa Pharmacokinetics, Catechol-O-methyltransferase Activity, and Motor Fluctuations in Patients with Parkinson Disease. Clinical Neuropharmacology, 2008, 31, 2-18. | 0.7 | 30 |
| 94 | Huntington's Disease Clinical Trials Corner: June 2019. Journal of Huntington's Disease, 2019, 8, 363-371. | 1.9 | 30 |
| 95 | Risk of Substantial Intraocular Bleeding With Novel Oral Anticoagulants. JAMA Ophthalmology, 2015, 133, 834. | 2.5 | 29 |
| 96 | Effect of 3 Singleâ€Dose Regimens of Opicapone on Levodopa Pharmacokinetics, Catecholâ€ <i>O</i> â€Methyltransferase Activity and Motor Response in Patients With Parkinson Disease. Clinical Pharmacology in Drug Development, 2016, 5, 232-240. | 1.6 | 29 |
| 97 | Circulating Inflammatory miRNAs Associated with Parkinson's Disease Pathophysiology. Biomolecules, 2020, 10, 945. | 4.0 | 29 |
| 98 | Oral Anticoagulation for Pulmonary Arterial Hypertension: Systematic Review and Meta-analysis. Canadian Journal of Cardiology, 2014, 30, 879-887. | 1.7 | 28 |
| 99 | A Perspective on Wearable Sensor Measurements and Data Science for Parkinson's Disease. Frontiers in Neurology, 2017, 8, 677. | 2.4 | 28 |
| 100 | Adjunctive Therapies in Parkinson's Disease: How to Choose the Best Treatment Strategy Approach. Drugs and Aging, 2018, 35, 1041-1054. | 2.7 | 28 |
| 101 | Validation of a Lower Back "Wearable―Based Sit-to-Stand and Stand-to-Sit Algorithm for Patients With Parkinson's Disease and Older Adults in a Home-Like Environment. Frontiers in Neurology, 2018, 9, 652. | 2.4 | 28 |
| 102 | Are genetic and idiopathic forms of Parkinson's disease the same disease?. Journal of Neurochemistry, 2020, 152, 515-522. | 3.9 | 28 |
| 103 | Measurement Instruments to Assess Functional Mobility in Parkinson's Disease: A Systematic Review. Movement Disorders Clinical Practice, 2020, 7, 129-139. | 1.5 | 28 |
| 104 | A proofâ€ofâ€concept, randomized, placeboâ€controlled, multiple crossâ€overs (nâ€ofâ€1) study of naftazone ir Parkinson's disease. Fundamental and Clinical Pharmacology, 2012, 26, 557-564. | ¹ 1.9 | 27 |
| 105 | Participatory Design in Parkinson's Research with Focus on the Symptomatic Domains to be Measured. Journal of Parkinson's Disease, 2015, 5, 187-196. | 2.8 | 27 |
| 106 | Rating Scales for Motor Symptoms and Signs in Huntington's Disease: Critique and Recommendations. Movement Disorders Clinical Practice, 2018, 5, 111-117. | 1.5 | 27 |
| 107 | Study protocol: Care of Late-Stage Parkinsonism (CLaSP): a longitudinal cohort study. BMC Neurology, 2018, 18, 185. | 1.8 | 27 |
| 108 | The association of influenza infection and vaccine with myocardial infarction: systematic review and meta-analysis of self-controlled case series. Expert Review of Vaccines, 2019, 18, 1211-1217. | 4.4 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Moving towards home-based community-centred integrated care in Parkinson's disease. Parkinsonism and Related Disorders, 2020, 78, 21-26. | 2.2 | 27 |
| 110 | The impact of SSRIs on mortality and cardiovascular events in patients with coronary artery disease and depression: systematic review and meta-analysis. Clinical Research in Cardiology, 2021, 110, 183-193. | 3.3 | 27 |
| 111 | The European Physiotherapy Guideline for Parkinson's Disease: Implications for Neurologists. Journal of Parkinson's Disease, 2018, 8, 499-502. | 2.8 | 27 |
| 112 | What motivates Parkinson's disease patients to enter clinical trials?. Parkinsonism and Related Disorders, 2011, 17, 667-671. | 2.2 | 26 |
| 113 | Factors influencing secondary non-response to botulinum toxin type A injections in cervical dystonia. Parkinsonism and Related Disorders, 2015, 21, 111-115. | 2.2 | 26 |
| 114 | Algorithm for Turning Detection and Analysis Validated under Home-Like Conditions in Patients with Parkinson's Disease and Older Adults using a 6 Degree-of-Freedom Inertial Measurement Unit at the Lower Back. Frontiers in Neurology, 2017, 8, 135. | 2.4 | 26 |
| 115 | Dysphagia predicts poor outcome in late-stage Parkinson's disease. Parkinsonism and Related Disorders, 2019, 64, 73-81. | 2.2 | 26 |
| 116 | Eslicarbazepine acetate: a new option for the treatment of focal epilepsy. Expert Opinion on Investigational Drugs, 2009, 18, 221-229. | 4.1 | 25 |
| 117 | Immunogenicity and Long-Term Efficacy of Botulinum Toxin Type B in the Treatment of Cervical Dystonia. Clinical Neuropharmacology, 2012, 35, 215-223. | 0.7 | 25 |
| 118 | Safety Profile of Opicapone in the Management of Parkinson's Disease. Journal of Parkinson's Disease, 2019, 9, 733-740. | 2.8 | 25 |
| 119 | Levodopa/carbidopa intestinal gel infusion and weight loss in Parkinson's disease. European Journal of Neurology, 2019, 26, 490-496. | 3.3 | 25 |
| 120 | The late stage of Parkinson's –results of a large multinational study on motor and non-motor complications. Parkinsonism and Related Disorders, 2020, 75, 91-96. | 2.2 | 25 |
| 121 | Prescribing patterns of antiparkinsonian agents in Europe. Movement Disorders, 2010, 25, 1053-1060. | 3.9 | 24 |
| 122 | Cognitive performance in aphasia due to stroke: a systematic review. International Journal on Disability and Human Development, 2017, 16, . | 0.2 | 24 |
| 123 | Lack of evidence for a role of genetic variation in TMEM230 in the risk for Parkinson's disease in the Caucasian population. Neurobiology of Aging, 2017, 50, 167.e11-167.e13. | 3.1 | 24 |
| 124 | The Prevalence and Determinants of Neuropsychiatric Symptoms in <scp>Lateâ€Stage</scp> Parkinsonism. Movement Disorders Clinical Practice, 2020, 7, 531-542. | 1.5 | 24 |
| 125 | The management of cervical dystonia. Expert Opinion on Pharmacotherapy, 2007, 8, 129-140. | 1.8 | 23 |
| 126 | The Psychometric Properties of the Voice Handicap Index in People With Parkinson's Disease. Journal of Voice, 2017, 31, 258.e13-258.e18. | 1.5 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Morphine in acute coronary syndrome: systematic review and meta-analysis. BMJ Open, 2019, 9, e025232. | 1.9 | 23 |
| 128 | Long-term evaluation of open-label pimavanserin safety and tolerability in Parkinson's disease psychosis. Parkinsonism and Related Disorders, 2020, 77, 100-106. | 2.2 | 23 |
| 129 | Botulinum toxin type A therapy for cervical dystonia. The Cochrane Library, 2020, 2020, CD003633. | 2.8 | 23 |
| 130 | Pneumococcal vaccination in adults at very high risk or with established cardiovascular disease: systematic review and meta-analysis. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 97-106. | 4.0 | 23 |
| 131 | GICYF2 mutations are not a frequent cause of familial Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, 703-705. | 2.2 | 22 |
| 132 | STN-DBS does not change emotion recognition in advanced Parkinson's disease. Parkinsonism and Related Disorders, 2014, 20, 166-169. | 2.2 | 22 |
| 133 | Risk of renal failure with the non-vitamin K antagonist oral anticoagulants: systematic review and meta-analysis. Pharmacoepidemiology and Drug Safety, 2015, 24, 757-764. | 1.9 | 22 |
| 134 | The launch of opicapone for Parkinson's disease: negatives versus positives. Expert Opinion on Drug Safety, 2018, 17, 331-337. | 2.4 | 22 |
| 135 | European Academy of Neurology/Movement Disorder Society ―European Section guideline on the treatment of Parkinson's disease: I. Invasive therapies. European Journal of Neurology, 2022, 29, 2580-2595. | 3.3 | 22 |
| 136 | A Doubleâ€Blind, Randomized, Placebo and Activeâ€Controlled Study of Nebicapone for the Treatment of Motor Fluctuations in Parkinson's Disease. CNS Neuroscience and Therapeutics, 2010, 16, 337-347. | 3.9 | 21 |
| 137 | Placebo and nocebo responses in other movement disorders besides Parkinson's disease: How much do we know?. Movement Disorders, 2018, 33, 1228-1235. | 3.9 | 21 |
| 138 | Temporal stability of the Unified Dyskinesia Rating Scale. Movement Disorders, 2011, 26, 2556-2559. | 3.9 | 20 |
| 139 | An exome study of Parkinson's disease in Sardinia, a Mediterranean genetic isolate. Neurogenetics, 2015, 16, 55-64. | 1.4 | 20 |
| 140 | Twelve-week sensor assessment in Parkinson's disease: Impact on quality of life. Movement Disorders, 2016, 31, 1337-1338. | 3.9 | 20 |
| 141 | Chiropractic manipulation: Reasons for concern?. Clinical Neurology and Neurosurgery, 2007, 109, 922-925. | 1.4 | 19 |
| 142 | Branded Versus Generic Clopidogrel in Cardiovascular Diseases. Journal of Cardiovascular Pharmacology, 2013, 61, 277-282. | 1.9 | 19 |
| 143 | Espresso Coffee for the Treatment of Somnolence in Parkinson's Disease: Results of n-of-1 Trials. Frontiers in Neurology, 2016, 7, 27. | 2.4 | 19 |
| 144 | Motor, cognitive and mobility deficits in 1000 geriatric patients: protocol of a quantitative observational study before and after routine clinical geriatric treatment – the ComOn-study. BMC Geriatrics, 2020, 20, 45. | 2.7 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | An <scp>MDS</scp> Evidenceâ€Based Review on Treatments for Huntington's Disease. Movement Disorders, 2022, 37, 25-35. | 3.9 | 19 |
| 146 | Frequency of dementia in Parkinson's disease: A systematic review and meta-analysis. Journal of the Neurological Sciences, 2022, 432, 120077. | 0.6 | 19 |
| 147 | Skin cancers and precancerous lesions in Parkinson's disease patients. Movement Disorders, 2007, 22, 1471-1475. | 3.9 | 18 |
| 148 | Treatment options for non-motor symptoms in late-stage Parkinson's disease. Expert Opinion on Pharmacotherapy, 2008, 9, 523-535. | 1.8 | 18 |
| 149 | Acute response of non-motor symptoms to subthalamic deep brain stimulation in Parkinson's disease. Parkinsonism and Related Disorders, 2017, 41, 113-117. | 2.2 | 18 |
| 150 | Nocebo response in Parkinson's disease: A systematic review and meta-analysis. Parkinsonism and Related Disorders, 2019, 65, 13-19. | 2.2 | 18 |
| 151 | Caregiver Burden in Late-Stage Parkinsonism and Its Associations. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 110-120. | 2.3 | 18 |
| 152 | miR-335 Targets LRRK2 and Mitigates Inflammation in Parkinson's Disease. Frontiers in Cell and Developmental Biology, 2021, 9, 661461. | 3.7 | 18 |
| 153 | Moving towards Integrated and Personalized Care in Parkinson's Disease: A Framework Proposal for Training Parkinson Nurses. Journal of Personalized Medicine, 2021, 11, 623. | 2.5 | 18 |
| 154 | COMT Inhibitors in the Management of Parkinson's Disease. CNS Drugs, 2022, 36, 261-282. | 5.9 | 18 |
| 155 | Clinical pharmacology review of opicapone for the treatment of Parkinson's disease. Neurodegenerative Disease Management, 2016, 6, 349-362. | 2.2 | 17 |
| 156 | Are there effective interventions to prevent hospital-acquired Legionnaires' disease or to reduce environmental reservoirs of Legionella in hospitals? A systematic review. American Journal of Infection Control, 2016, 44, e183-e188. | 2.3 | 17 |
| 157 | Advanced Parkinson disease patients have impairment in prosody processing. Journal of Clinical and Experimental Neuropsychology, 2016, 38, 208-216. | 1.3 | 17 |
| 158 | Redefining the strategy for the use of COMT inhibitors in Parkinson's disease: the role of opicapone. Expert Review of Neurotherapeutics, 2021, 21, 1019-1033. | 2.8 | 17 |
| 159 | Prevalência da anticoagulação oral em doentes com fibrilhação auricular em Portugal: revisão sistemática e metaâ€análise de estudos observacionais. Revista Portuguesa De Cardiologia, 2014, 33, 555-560. | 0.5 | 16 |
| 160 | Subthalamic deep brain stimulation effects on odor identification in Parkinson's disease. European Journal of Neurology, 2015, 22, 207-210. | 3.3 | 16 |
| 161 | Dysarthria in individuals with Parkinson's disease: a protocol for a binational, cross-sectional, case-controlled study in French and European Portuguese (FraLusoPark). BMJ Open, 2016, 6, e012885. | 1.9 | 16 |
| 162 | Implementation of a Community-Based Exercise Program for Parkinson Patients: Using Boxing as an Example. Journal of Parkinson's Disease, 2019, 9, 615-623. | 2.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Factors Associated with Healthâ€Related Quality of Life in Lateâ€Stage Parkinson's Disease. Movement Disorders Clinical Practice, 2021, 8, 563-570. | 1.5 | 16 |
| 164 | Frenchay dysarthria assessment (FDA-2) in Parkinson's disease: cross-cultural adaptation and psychometric properties of the European Portuguese version. Journal of Neurology, 2017, 264, 21-31. | 3.6 | 15 |
| 165 | A distinct neuromelanin magnetic resonance imaging pattern in parkinsonian multiple system atrophy. BMC Neurology, 2020, 20, 432. | 1.8 | 15 |
| 166 | Clinical Parameters and Tools for Home-Based Assessment of Parkinson's Disease: Results from a Delphi study. Journal of Parkinson's Disease, 2015, 5, 281-290. | 2.8 | 14 |
| 167 | "Gunslinger's gaitâ€a a new cause of unilaterally reduced arm swing. BMJ, The, 2015, 351, h6141. | 6.0 | 14 |
| 168 | How safe is acetaminophen use in patients treated with vitamin K antagonists? A systematic review and meta-analysis. Thrombosis Research, 2015, 135, 58-61. | 1.7 | 14 |
| 169 | Mutations inTMEM230are not a common cause of Parkinson's disease. Movement Disorders, 2017, 32, 302-304. | 3.9 | 14 |
| 170 | Parkinson's Disease and Fabry Disease: Clinical, Biochemical and Neuroimaging Analysis of Three Pedigrees. Journal of Parkinson's Disease, 2020, 10, 141-152. | 2.8 | 14 |
| 171 | Safety of coffee consumption after myocardial infarction: A systematic review and meta-analysis. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2146-2158. | 2.6 | 14 |
| 172 | Challenges and Perspectives in the Management of Late-Stage Parkinson's Disease. Journal of Parkinson's Disease, 2020, 10, S75-S83. | 2.8 | 14 |
| 173 | Satisfaction of Patients with Nonvitamin K Anticoagulants Compared to Vitamin K Antagonists: a Systematic Review and Meta-analysis. Thrombosis and Haemostasis, 2021, 121, 366-382. | 3.4 | 14 |
| 174 | Survey of practices employed by neurologists for the definition and management of secondary non-response to botulinum toxin in cervical dystonia. Functional Neurology, 2012, 27, 225-30. | 1.3 | 14 |
| 175 | Prevention and therapeutic strategies for levodopa-induced dyskinesias in Parkinson's disease. Current Opinion in Neurology, 2000, 13, 431-436. | 3.6 | 13 |
| 176 | Quantitative Analysis Versus Visual Assessment of Neuromelanin MR Imaging for the Diagnosis of Parkinson's disease. Journal of Parkinson's Disease, 2015, 5, 561-567. | 2.8 | 13 |
| 177 | Palliative Care for Patients and Families With Parkinson's Disease. International Review of Neurobiology, 2017, 132, 475-509. | 2.0 | 13 |
| 178 | Meta-research metrics matter: letter regarding article "indirect tolerability comparison of Deutetrabenazine and Tetrabenazine for Huntington disease― Journal of Clinical Movement Disorders, 2017, 4, 19. | 2.2 | 13 |
| 179 | Risk of drowning in people with Parkinson's disease. Movement Disorders, 2018, 33, 1507-1508. | 3.9 | 13 |
| 180 | Botulinum toxin type A therapy for blepharospasm. The Cochrane Library, 2020, 2020, CD004900. | 2.8 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|---------------------|-----------------------|
| 181 | A Modified Progressive Supranuclear Palsy Rating Scale. Movement Disorders, 2021, 36, 1203-1215. | 3.9 | 13 |
| 182 | Recovery after copper-deficiency myeloneuropathy in Wilson's disease. Journal of Neurology, 2013, 260, 1917-1918. | 3.6 | 12 |
| 183 | Thromboembolic risk in the initiation, switch and interruption/re-initiation of oral anticoagulants: Do newcomers improve outcomes? Insights from a meta-analysis of RCTs. International Journal of Cardiology, 2014, 177, 117-119. | 1.7 | 12 |
| 184 | Management of dystonia in Europe: a survey of the European network for the study of the dystonia syndromes. European Journal of Neurology, 2016, 23, 772-779. | 3.3 | 12 |
| 185 | Opicapone for the treatment of Parkinson's disease. Expert Opinion on Pharmacotherapy, 2017, 18, 445-453. | 1.8 | 12 |
| 186 | New perspectives on study designs for evaluating neuroprotection in Parkinson's disease. Movement Disorders, 2017, 32, 1365-1370. | 3.9 | 12 |
| 187 | Why Palliative Care Applies to Parkinson's Disease. Movement Disorders, 2018, 33, 750-753. | 3.9 | 12 |
| 188 | Aspirin in the primary prevention of cardiovascular disease on diabetic patients: Systematic review and meta-analysis. Primary Care Diabetes, 2020, 14, 213-221. | 1.8 | 12 |
| 189 | Drooling rating scales in Parkinson's disease: A systematic review. Parkinsonism and Related Disorders, 2021, 91, 173-180. | 2.2 | 12 |
| 190 | Current and Future Therapeutic Strategies for Parkinsons Disease. Current Pharmaceutical Design, 2009, 15, 3968-3976. | 1.9 | 11 |
| 191 | ADAGIO trial hints that rasagiline slows disease progression. Nature Reviews Neurology, 2010, 6, 126-128. | 10.1 | 11 |
| 192 | The prevalence of oral anticoagulation in patients with atrial fibrillation in Portugal: Systematic review and meta-analysis of observational studies. Revista Portuguesa De Cardiologia (English) Tj ETQq0 0 0 rgB | T / @v ærloc | k 1 û Tf 50 29 |
| 193 | The risk of infection with new oral anticoagulants: A meta-analysis. International Journal of Cardiology, 2014, 172, 267-268. | 1.7 | 11 |
| 194 | Prevalence of Parkinson's disease: a population-based study in Portugal. European Journal of Neurology, 2017, 24, 748-750. | 3.3 | 11 |
| 195 | Opicapone for the management of end-of-dose motor fluctuations in patients with Parkinson's disease treated with L-DOPA. Expert Review of Neurotherapeutics, 2017, 17, 649-659. | 2.8 | 11 |
| 196 | Critical appraisal of clinical trials in multiple system atrophy: Toward better quality. Movement Disorders, 2017, 32, 1356-1364. | 3.9 | 11 |
| 197 | Adverse events with botulinum toxin treatment in cervical dystonia: How much should we blame placebo?. Parkinsonism and Related Disorders, 2018, 56, 16-19. | 2.2 | 11 |
| 198 | The incidence of thrombotic events with idarucizumab and andexanet alfa: A systematic review and meta-analysis. Thrombosis Research, 2020, 196, 291-296. | 1.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|-----------|
| 199 | Contingent negative variation: a biomarker of abnormal attention in functional movement disorders. European Journal of Neurology, 2020, 27, 985-994. | 3.3 | 11 |
| 200 | Validation of quantitative gait analysis systems for Parkinson's disease for use in supervised and unsupervised environments. BMC Neurology, 2021, 21, 331. | 1.8 | 11 |
| 201 | Automatic Detection of Parkinson's Disease: An Experimental Analysis of Common Speech Production Tasks Used for Diagnosis. Lecture Notes in Computer Science, 2017, , 411-419. | 1.3 | 11 |
| 202 | Pimavanserin for the treatment of Parkinson's disease psychosis. Expert Opinion on Pharmacotherapy, 2016, 17, 2115-2124. | 1.8 | 10 |
| 203 | Efficacy results of pimavanserin from a multi-center, open-label extension study in Parkinson's disease psychosis patients. Parkinsonism and Related Disorders, 2021, 87, 25-31. | 2.2 | 10 |
| 204 | Has "levodopaâ€induced neuropathy†been reported in Parkinson's disease clinical trials?. Movement Disorders, 2011, 26, 1966-1967. | 3.9 | 9 |
| 205 | Referral to rehabilitation in Parkinson's disease: who, when and to what end?. Arquivos De Neuro-Psiquiatria, 2013, 71, 967-972. | 0.8 | 9 |
| 206 | Delayed Parkinsonism after acute chorea due to non-ketotic hyperglycemia. Journal of the Neurological Sciences, 2015, 354, 116-117. | 0.6 | 9 |
| 207 | Resting and Reemergent Tongue Tremor as Presenting Symptoms of Parkinson's Disease. Movement Disorders Clinical Practice, 2017, 4, 273-274. | 1.5 | 9 |
| 208 | Quality and reporting of guidelines on the diagnosis and management of dystonia. European Journal of Neurology, 2018, 25, 275-283. | 3.3 | 9 |
| 209 | Is lowering stimulation frequency a feasible option for subthalamic deep brain stimulation in Parkinson's disease patients with dysarthria?. Parkinsonism and Related Disorders, 2019, 64, 242-248. | 2.2 | 9 |
| 210 | Swimming is Compromised in Parkinson's Disease Patients. Movement Disorders, 2020, 35, 365-369. | 3.9 | 9 |
| 211 | Feasibility of a Mobile-Based System for Unsupervised Monitoring in Parkinson's Disease. Sensors, 2021, 21, 4972. | 3.8 | 9 |
| 212 | Sneeze as a precipitating factor of cerebral venous thrombosis. European Journal of Neurology, 2007, 14, e7-e8. | 3.3 | 8 |
| 213 | Comprehensive LRRK2 and GBA screening in Portuguese patients with Parkinson's disease: Identification of a new family with the LRRK2 p.Arg1441His mutation and novel missense variants. Parkinsonism and Related Disorders, 2013, 19, 897-900. | 2.2 | 8 |
| 214 | Tolerability and Acceptability of Non-Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation: Systematic Review and Meta-Analysis. American Journal of Cardiovascular Drugs, 2015, 15, 259-265. | 2.2 | 8 |
| 215 | The era of the novel oral anticoagulants in Portugal. Revista Portuguesa De Cardiologia (English) Tj ETQq1 1 0.7 | 84314 rgBT 0.2 | Qverlock |
| 216 | Comparison of Huntington's Disease in Europe and North America. Movement Disorders Clinical | 1.5 | 8 |

Practice, 2017, 4, 358-367.

| # | Article | IF | CITATIONS |
|-----|---|--------------------|-------------|
| 217 | A critique of the fragility index. Lancet Oncology, The, 2019, 20, e553. | 10.7 | 8 |
| 218 | Cardiovascular events reported in randomized controlled trials in restless legs syndrome. Sleep Medicine, 2020, 65, 13-17. | 1.6 | 8 |
| 219 | Patients and Health Professional's Perspective of Functional Mobility in Parkinson's Disease. Frontiers in Neurology, 2020, 11, 575811. | 2.4 | 8 |
| 220 | Analysis of clinical and methodological characteristics of early COVID-19 treatment clinical trials: so much work, so many lost opportunities. BMC Medical Research Methodology, 2021, 21, 42. | 3.1 | 8 |
| 221 | The Parkinson's Real-World Impact Assessment (PRISM) Study: A European Survey of the Burden of Parkinson's Disease in Patients and their Carers. Journal of Parkinson's Disease, 2021, 11, 1309-1323. | 2.8 | 8 |
| 222 | Opicapone versus placebo in the treatment of Parkinson's disease patients with end-of-dose motor fluctuation-associated pain: rationale and design of the randomised, double-blind OCEAN (OpiCapone) Tj ETQq0 | 0 0.8 gBT / | Oværlock 10 |
| 223 | Strong nocebo effect in amyotrophic lateral sclerosis trials might mask conclusions. Lancet Neurology, The, 2018, 17, 842. | 10.2 | 7 |
| 224 | Recommendations and levels of evidence in the guidelines of the European Society of Cardiology: current scenario and time trends. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 122-124. | 3.0 | 7 |
| 225 | A Standardized <scp>MR</scp> Imaging Protocol for Parkinsonism. Movement Disorders, 2020, 35, 1745-1750. | 3.9 | 7 |
| 226 | Outcome Measures for Evaluating the Effect of a Multidisciplinary Intervention on Axial Symptoms of Parkinson's Disease. Frontiers in Neurology, 2020, 11, 328. | 2.4 | 7 |
| 227 | Cardiovascular Adverse Events Reported in Placebo Arm of Randomized Controlled Trials in Parkinson's Disease. Journal of Parkinson's Disease, 2020, 10, 641-651. | 2.8 | 7 |
| 228 | Parkinson's Disease Drug Development Since 1999: A Story of Repurposing and Relative Success. Journal of Parkinson's Disease, 2021, 11, 421-429. | 2.8 | 7 |
| 229 | Risk of SARSâ€CoVâ€2 Infection and COVIDâ€19 Severity Associated With Exposure to Nonsteroidal Antiâ€Inflammatory Drugs: Systematic Review and Metaâ€Analysis. Journal of Clinical Pharmacology, 2021, 61, 1521-1533. | 2.0 | 7 |
| 230 | The Added Benefit of Opicapone When Used Early in Parkinson's Disease Patients With Levodopa-Induced Motor Fluctuations: A Post-hoc Analysis of BIPARK-I and -II. Frontiers in Neurology, 2021, 12, 754016. | 2.4 | 7 |
| 231 | Postural abnormalities in Asian and Caucasian Parkinson's disease patients: A multicenter study. Parkinsonism and Related Disorders, 2022, 97, 91-98. | 2.2 | 7 |
| 232 | Usefulness of OSLER test in Parkinson's disease. Sleep Medicine, 2013, 14, 297-298. | 1.6 | 6 |
| 233 | Pericardial bleeding risk with non-vitamin K oral anticoagulants: A meta-analysis. International Journal of Cardiology, 2015, 182, 187-188. | 1.7 | 6 |
| 234 | A peripheral pathway to restless legs syndrome? Clues from familial amyloid polyneuropathy. Parkinsonism and Related Disorders, 2015, 21, 1465-1468. | 2.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | The "Long and Winding Road―of the Diseaseâ€Modifying Effects of Levodopa Has Not Ended Yet. Movement Disorders, 2020, 35, 397-399. | 3.9 | 6 |
| 236 | Botulinum toxin type A therapy for hemifacial spasm. The Cochrane Library, 2020, 2020, CD004899. | 2.8 | 6 |
| 237 | Optimizing Treatment in Undertreated Late-Stage Parkinsonism: A Pragmatic Randomized Trial. Journal of Parkinson's Disease, 2020, 10, 1171-1184. | 2.8 | 6 |
| 238 | Feasibility and Safety of Telerehabilitation for Physiotherapy Interventions in Movement Disorders Patients. Movement Disorders Clinical Practice, 2021, 8, 1144-1147. | 1.5 | 6 |
| 239 | Adjunctive entacapone therapy increases risk of dyskinesia. Nature Reviews Neurology, 2010, 6, 590-591. | 10.1 | 5 |
| 240 | Pharmacotherapy in Parkinson's disease: case studies. Therapeutic Advances in Neurological Disorders, 2010, 3, 117-126. | 3.5 | 5 |
| 241 | Reluctance to start medication for Parkinson's disease: A mutual misunderstanding by patients and physicians. Parkinsonism and Related Disorders, 2014, 20, 608-612. | 2.2 | 5 |
| 242 | Safety of non-vitamin K antagonist oral anticoagulants - coronary risks. Expert Opinion on Drug Safety, 2016, 15, 731-740. | 2.4 | 5 |
| 243 | Neuromelanin magnetic resonance imaging of the substantia nigra in <i>LRRK2</i> â€related Parkinson's disease. Movement Disorders, 2017, 32, 1331-1333. | 3.9 | 5 |
| 244 | Suspected adverse drug reaction reports with oral anticoagulants in Portugal: a pharmacovigilance study. Expert Opinion on Drug Safety, 2018, 17, 339-345. | 2.4 | 5 |
| 245 | Psychosocial impact of Parkinson's diseaseâ€associated dysarthria: Crossâ€cultural adaptation and validation of the Dysarthria Impact Profile into European Portuguese. Geriatrics and Gerontology International, 2018, 18, 767-774. | 1.5 | 5 |
| 246 | Reporting and methodological quality of clinical trials on exercise therapy for Parkinson's disease. Parkinsonism and Related Disorders, 2019, 69, 150-156. | 2.2 | 5 |
| 247 | The Role of Architecture and Design in the Management of Parkinson's Disease: A Systematic Review. Journal of Parkinson's Disease, 2020, 10, 1301-1314. | 2.8 | 5 |
| 248 | Cross-cultural adaptation and validation of the Swallowing Disturbance Questionnaire and the Sialorrhea Clinical Scale in Portuguese patients with Parkinson's disease. Logopedics Phoniatrics Vocology, 2021, 46, 163-170. | 1.0 | 5 |
| 249 | Strategies to minimize placebo effects in research investigations. International Review of Neurobiology, 2020, 153, 49-70. | 2.0 | 5 |
| 250 | Speech intelligibility of Parkinson's disease patients evaluated by different groups of healthcare professionals and naÃ⁻ve listeners. Logopedics Phoniatrics Vocology, 2021, 46, 141-147. | 1.0 | 5 |
| 251 | Safety and tolerability of sacubitril-valsartan: a systematic review and meta-analysis. Expert Opinion on Drug Safety, 2021, 20, 577-588. | 2.4 | 5 |
| 252 | Does Parkinson's Disease Increase the Risk of Atrial Fibrillation? Insights From Electrocardiogram and Risk Scores From a Case-Control Study. Frontiers in Neurology, 2021, 12, 633900. | 2.4 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Profile of cognitive impairment in lateâ€stage Parkinson's disease. Brain and Behavior, 2022, 12, e32537. | 2.2 | 5 |
| 254 | Evidence-based medicine (EBM) applied to Parkinson's disease treatment. Parkinsonism and Related Disorders, 2002, 9, 7-13. | 2.2 | 4 |
| 255 | Net clinical benefit outcome should be standardized in trials evaluating antithrombotic drugs: The example of NOACs in atrial fibrillation. International Journal of Cardiology, 2014, 174, 405-406. | 1.7 | 4 |
| 256 | Reply to letter: Does Parkinson's disease increase the risk of cardiovascular events? A systematic review and metaâ€analysis. European Journal of Neurology, 2020, 27, e12. | 3.3 | 4 |
| 257 | Should the Energy Contribution of Commercial Thickeners Be Considered in the Nutrition Plan of Patients With Dysphagia?. Nutrition in Clinical Practice, 2020, 35, 649-654. | 2.4 | 4 |
| 258 | Inhaled levodopa for intermittent treatment of OFF episodes in patients with Parkinson's disease. Expert Review of Clinical Pharmacology, 2020, 13, 85-101. | 3.1 | 4 |
| 259 | Unsupervised Walking Activity Assessment Reveals <scp>COVID</scp> â€19 Impact on Parkinson's Disease Patients. Movement Disorders, 2021, 36, 531-532. | 3.9 | 4 |
| 260 | Kinematic and Clinical Outcomes to Evaluate the Efficacy of a Multidisciplinary Intervention on Functional Mobility in Parkinson's Disease. Frontiers in Neurology, 2021, 12, 637620. | 2.4 | 4 |
| 261 | Expectations of Benefit in a Trial of a Candidate Diseaseâ€Modifying Treatment for Parkinson Disease. Movement Disorders, 2021, 36, 1964-1967. | 3.9 | 4 |
| 262 | Cardiovascular and cerebrovascular risk markers in Parkinson's disease: Results from a caseâ^'control study. European Journal of Neurology, 2021, 28, 2669-2679. | 3.3 | 4 |
| 263 | (Dys)Prosody in Parkinson's Disease: Effects of Medication and Disease Duration on Intonation and Prosodic Phrasing. Brain Sciences, 2021, 11, 1100. | 2.3 | 4 |
| 264 | High frequency of psychosis in late-stage Parkinsońs disease. Clinical Parkinsonism & Related Disorders, 2021, 5, 100119. | 0.9 | 4 |
| 265 | The Interaction between <scp> <i>HLAâ€DRB1 </i> </scp> and Smoking in Parkinson's Disease Revisited. Movement Disorders, 2022, 37, 1929-1937. | 3.9 | 4 |
| 266 | Wearingâ€off phenomena and levodopaâ€induced dyskinesias in posttraumatic hemiparkinsonism. Movement Disorders, 2013, 28, 1212-1214. | 3.9 | 3 |
| 267 | Levodopa response in later stages of Parkinson's disease: A case-control study. Parkinsonism and Related Disorders, 2020, 77, 160-162. | 2.2 | 3 |
| 268 | Potential drugâ€drug interactions in acute poisonings managed in the intensive care unit: Occurrence, risk factors and relationship to patient severity on admission. Basic and Clinical Pharmacology and Toxicology, 2022, 130, 337-345. | 2.5 | 3 |
| 269 | Adverse Events of Physiotherapy Interventions in Parkinsonian Patients. Movement Disorders Clinical Practice, 2022, 9, 744-750. | 1.5 | 3 |
| 270 | End of OSLER Test Sessions in Parkinson's Disease do not Correspond to True Sleep Onset: Results from an Exploratory Study. Frontiers in Neurology, 2015, 6, 200. | 2.4 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Suicidal behaviors are very rare in antiparkinsonian drug trials. Parkinsonism and Related Disorders, 2015, 21, 1008-1009. | 2.2 | 2 |
| 272 | One-year follow-up of opicapone's efficacy and safety in patients with Parkinson's disease and motor fluctuations (BIPARK I). Parkinsonism and Related Disorders, 2016, 22, e100. | 2.2 | 2 |
| 273 | Comments on: â€~Pyridostigmine bromide versus fludrocortisone in the treatment of orthostatic hypotension in Parkinson's disease – a randomized controlled trial'. European Journal of Neurology, 2018, 25, e4. | 3.3 | 2 |
| 274 | The placebo response in Parkinson's disease and other movement disorders. Movement Disorders, 2018, 33, 1193-1194. | 3.9 | 2 |
| 275 | Tapentadol Prevents Motor Impairments in a Mouse Model of Dyskinesia. Neuroscience, 2020, 424, 58-71. | 2.3 | 2 |
| 276 | Nâ€Terminal Proâ€Bâ€Type Natriuretic Peptide Levels in Parkinson's Disease. Movement Disorders, 2020, 35, 1886-1887. | 3.9 | 2 |
| 277 | Neuromelanin Magnetic Resonance Imaging of the Substantia Nigra in Huntington's Disease. Journal of Huntington's Disease, 2020, 9, 143-148. | 1.9 | 2 |
| 278 | Clinical Diagnostic Criteria Have a High Impact on the Frequency of Dementia in Late-Stage Parkinson's Disease. Frontiers in Neurology, 2021, 12, 652424. | 2.4 | 2 |
| 279 | Anticoagulation therapy in patients with post-operative atrial fibrillation: Systematic review with meta-analysis. Vascular Pharmacology, 2022, 142, 106929. | 2.1 | 2 |
| 280 | Frequency and Characteristics of Psychosis in Parkinson's Disease: A Systematic Review and Meta-Analysis. Journal of Parkinson's Disease, 2022, 12, 85-94. | 2.8 | 2 |
| 281 | Low risk of haematomas with intramuscular vaccines in anticoagulated patients: a systematic review with meta-analysis. Thrombosis Journal, 2022, 20, 9. | 2.1 | 2 |
| 282 | The sham effect of invasive interventions in chronic coronary syndromes: a systematic review and meta-analysis. BMC Cardiovascular Disorders, 2022, 22, 223. | 1.7 | 2 |
| 283 | Assessment Tools to Evaluate Motor Function in People with Dementia: A Systematic Review. Journal of Alzheimer's Disease, 2022, 89, 13-24. | 2.6 | 2 |
| 284 | Movement disorders in renal diseases. , 2014, , 172-188. | | 1 |
| 285 | Glaucoma Surgery and Anticoagulant Therapy—Reply. JAMA Ophthalmology, 2015, 133, 1365. | 2.5 | 1 |
| 286 | Caffeine and Neuroprotection in Parkinson's Disease. Current Topics in Neurotoxicity, 2015, , 233-272. | 0.4 | 1 |
| 287 | Musician's Dystonia as the Initial Presentation of Parkinson's Disease. Movement Disorders Clinical Practice, 2016, 3, 624-625. | 1.5 | 1 |
| 288 | Association Between Body Mass Index and Parkinson Disease. JAMA Neurology, 2016, 73, 891. | 9.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | A rare cause of orofacial dyskinesias. Parkinsonism and Related Disorders, 2018, 50, 122-123. | 2.2 | 1 |
| 290 | Information Sources and Decision-Making in Neurosurgery: Results of a Survey of Members of the Brazilian Neurosurgery Society. Brazilian Neurosurgery, 2018, 37, 081-087. | 0.1 | 1 |
| 291 | Feasibility of using risk prompts to prevent falls, dehydration and pulmonary aspiration in nursing homes: a clinical study protocol. Pilot and Feasibility Studies, 2018, 4, 39. | 1.2 | 1 |
| 292 | Aspirin for Primary Cardiovascular Prevention in Patients with Family History of Cardiovascular Disease: Meta-analysis. Cardiovascular Drugs and Therapy, 2021, 35, 871-873. | 2.6 | 1 |
| 293 | Botulinum toxin type A versus anticholinergics for cervical dystonia. The Cochrane Library, 2021, 2021, CD004312. | 2.8 | 1 |
| 294 | Antithrombotic Therapy Recommendations in the European Society of Cardiology Guidelines: How Robust Are the Randomized Controlled Trials Underpinning Them?. TH Open, 2021, 05, e125-e133. | 1.4 | 1 |
| 295 | Clinical Utility of Opicapone in the Management of Parkinson's Disease: A Short Review on Emerging Data and Place in Therapy. Degenerative Neurological and Neuromuscular Disease, 2021, Volume 11, 29-40. | 1.3 | 1 |
| 296 | Epidemiology of Levodopa-Induced Dyskinesia. , 2014, , 33-50. | | 1 |
| 297 | The Natural History of Parkinson's Disease. , 2017, , 129-137. | | 1 |
| 298 | Clinical Trials for in Parkinson's. Neuromethods, 2021, , 109-135. | 0.3 | 1 |
| 299 | Essential tremor. Clinical Evidence, 2004, , 1674-86. | 0.2 | 1 |
| 300 | Neuroimaging cerebrovascular biomarkers in Parkinson's disease. Neuroradiology Journal, 2022, 35, 490-496. | 1.2 | 1 |
| 301 | Systematic reviews and meta-analysis published in indexed Portuguese medical journals: time trends and critical appraisal. BMC Medical Research Methodology, 2022, 22, 105. | 3.1 | 1 |
| 302 | Smartphone-Based Body Location-Independent Functional Mobility Analysis in Patients with Parkinson's Disease: A Step towards Precise Medicine. Journal of Personalized Medicine, 2022, 12, 826. | 2.5 | 1 |
| 303 | Therapeutic interventions for sleep disorders in Parkinson's disease. The Cochrane Library, 0, , . | 2.8 | 0 |
| 304 | Piribedil versus levodopa in early Parkinson's disease. The Cochrane Library, 2007, , . | 2.8 | 0 |
| 305 | Therapeutic interventions for daytime somnolence in Parkinson's disease. The Cochrane Library, 2007, , | 2.8 | 0 |
| 306 | A multimodal approach to physical therapy in Parkinson's disease: Optimizing strategies. Movement Disorders, 2009, 24, 946-946. | 3.9 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Warfarin, acetylsalicylic acid and risk of incident atrial fibrillation in patients with heart failure and sinus rhythm: A meta-analysis. International Journal of Cardiology, 2013, 168, 4842-4843. | 1.7 | 0 |
| 308 | Spinal Cord Lesion by Minor Trauma as an Early Sign of Multiple System Atrophy. Frontiers in Neurology, 2016, 7, 33. | 2.4 | 0 |
| 309 | Reply to letter: Exogenous melatonin for Parkinson's disease: â€~Waking up' to the need for further trials. Parkinsonism and Related Disorders, 2016, 29, 123-124. | 2.2 | 0 |
| 310 | I29â€Comparison of huntington's disease in europe and North America. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, A68.4-A69. | 1.9 | 0 |
| 311 | H01â€Upcoming international guidelines in huntington's disease. , 2018, , . | | 0 |
| 312 | Erratum - Information Sources and Decision-Making in Neurosurgery: Results of a Survey of Members of the Brazilian Neurosurgery Society. Brazilian Neurosurgery, 2018, 37, 162-162. | 0.1 | 0 |
| 313 | Physician perception versus true efficacy of tetrabenazine for Huntington's disease. Current Medical Research and Opinion, 2018, 34, 1537-1538. | 1.9 | 0 |
| 314 | The risks of converting post-hoc findings into primary outcomes in subsequent trials. Annals of Translational Medicine, 2019, 7, S337-S337. | 1.7 | 0 |
| 315 | Are Happiness and Well-being the Same Outcome?. Journal of Parkinson's Disease, 2020, 10, 1787-1788. | 2.8 | 0 |
| 316 | Reply to the letter â€We never speak about sudden unexpected death in Parkinson's disease'. European Journal of Neurology, 2020, 27, e29. | 3.3 | 0 |
| 317 | E09â€Magnetic resonance imaging visual analysis of neuromelanin and nigrosome-1 for the assessment of striatonigral disfunction in huntington's disease. , 2021, , . | | 0 |
| 318 | Piribedil for symptomatic management of Parkinson's disease. The Cochrane Library, 0, , . | 2.8 | 0 |
| 319 | Piribedil for levodopa-induced complications in Parkinson's disease. The Cochrane Library, 0, , . | 2.8 | 0 |
| 320 | Medical Treatment of Parkinson's Disease. , 2017, , 139-156. | | 0 |
| 321 | Rationale on the decision-making process for opicapone's bedtime regimen in Parkinson's disease. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-14-36. | 0.0 | 0 |
| 322 | Reader response: Beware of deep water after subthalamic deep brain stimulation. Neurology, 2020, 95, 758-759. | 1.1 | 0 |
| 323 | Effect of oxygen supply on mortality in acute ST-elevation myocardial infarction: systematic review and meta-analysis. European Journal of Emergency Medicine, 2021, 28, 11-18. | 1.1 | Ο |
| | | | |

324 Essential tremor. Clinical Evidence, 2003, , 1421-31.

0.2 0