Shirley Y Hill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9075224/publications.pdf

Version: 2024-02-01

80 papers

3,201 citations

34 h-index 54 g-index

81 all docs 81 docs citations

81 times ranked 2205 citing authors

#	Article	IF	CITATIONS
1	Right amygdala volume in adolescent and young adult offspring from families at high risk for developing alcoholism. Biological Psychiatry, 2001, 49, 894-905.	1.3	183
2	Factors predicting the onset of adolescent drinking in families at high risk for developing alcoholism. Biological Psychiatry, 2000, 48, 265-275.	1.3	159
3	Developmental delay in P300 production in children at high risk for developing alcohol-related disorders. Biological Psychiatry, 1999, 46, 970-981.	1.3	119
4	Event-Related Potential Characteristics in Children of Alcoholics from High Density Families. Alcoholism: Clinical and Experimental Research, 1990, 14, 6-16.	2.4	115
5	Association and linkage studies of the TAQI A1 allele at the dopamine D2 receptor gene in samples of female and male alcoholics. American Journal of Medical Genetics Part A, 1995, 60, 267-271.	2.4	107
6	Event-related potentials in alcoholics and their first-degree relatives. Alcohol, 1987, 4, 307-314.	1.7	105
7	Genetic Association between Reduced P300 Amplitude and the DRD2 Dopamine Receptor A1 Allele in Children at High Risk for Alcoholism. Biological Psychiatry, 1998, 43, 40-51.	1.3	100
8	A genome wide search for alcoholism susceptibility genes. American Journal of Medical Genetics Part A, 2004, 128B, 102-113.	2.4	96
9	Disruption of Orbitofrontal Cortex Laterality in Offspring from Multiplex Alcohol Dependence Families. Biological Psychiatry, 2009, 65, 129-136.	1.3	91
10	Eight-year longitudinal follow-up of P300 and clinical outcome in children from high-risk for alcoholism families. Biological Psychiatry, 1995, 37, 823-827.	1.3	90
11	Cerebellar Volume in Offspring From Multiplex Alcohol Dependence Families. Biological Psychiatry, 2007, 61, 41-47.	1.3	76
12	Computerized Transaxial Tomographic and Neuropsychological Evaluations in Chronic Alcoholics and Heroin Abusers. American Journal of Psychiatry, 1979, 136, 598-602.	7.2	70
13	Childhood Psychopathology in Children from Families of Alcoholic Female Probands. Journal of the American Academy of Child and Adolescent Psychiatry, 1996, 35, 725-733.	0.5	68
14	Psychopathology in offspring from families of alcohol dependent female probands: A prospective study. Journal of Psychiatric Research, 2011, 45, 285-294.	3.1	67
15	Event-related Potentials as Markers for Alcoholism Risk in High Density Families. Alcoholism: Clinical and Experimental Research, 1988, 12, 545-554.	2.4	64
16	P300 amplitude decrements in children from families of alcoholic female probands. Biological Psychiatry, 1995, 38, 622-632.	1.3	62
17	Neural Circuitry Associated with Risk for Alcohol Use Disorders. Neuropsychology Review, 2010, 20, 1-20.	4.9	62
18	Neurodevelopmental patterns of visual P3b in association with familial risk for alcohol dependence and childhood diagnosis. Biological Psychiatry, 2002, 51, 621-631.	1.3	58

#	Article	IF	CITATIONS
19	Psychopathology in offspring from multiplex alcohol dependence families with and without parental alcohol dependence: A prospective study during childhood and adolescence. Psychiatry Research, 2008, 160, 155-166.	3.3	58
20	Independent Familial Transmission of Alcoholism and Opiate Abuse. Alcoholism: Clinical and Experimental Research, 1977, 1, 335-342.	2.4	58
21	fMRI BOLD Response to the Eyes Task in Offspring From Multiplex Alcohol Dependence Families. Alcoholism: Clinical and Experimental Research, 2007, 31, 2028-2035.	2.4	56
22	Absence of visual and auditory P300 reduction in nondepressed male and female alcoholics. Biological Psychiatry, 1999, 46, 982-989.	1.3	52
23	Psychopathology and Achievement in Children at High Risk for Developing Alcoholism. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 883-891.	0.5	52
24	Cerebellum volume in high-risk offspring from multiplex alcohol dependence families: Association with allelic variation in GABRA2 and BDNF. Psychiatry Research - Neuroimaging, 2011, 194, 304-313.	1.8	48
25	Event-Related Potentials in Alcoholic Men, Their High-Risk Male Relatives, and Low-Risk Male Controls. Alcoholism: Clinical and Experimental Research, 1995, 19, 567-576.	2.4	46
26	Personality traits and dopamine receptors (D2 and D4): Linkage studies in families of alcoholics., 1999, 88, 634-641.		44
27	Childhood Risk Factors for Young Adult Substance Dependence Outcome in Offspring from Multiplex Alcohol Dependence Families: A Prospective Study. Biological Psychiatry, 2009, 66, 750-757.	1.3	44
28	State-dependent Effects of Marihuana on Human Memory. Nature, 1973, 243, 241-242.	27.8	43
28	State-dependent Effects of Marihuana on Human Memory. Nature, 1973, 243, 241-242. Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582.	27.8	42
	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984,		
29	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582. The Role of the GABRA2 Polymorphism in Multiplex Alcohol Dependence Families With Minimal Comorbidity: Within-Family Association and Linkage Analyses. Journal of Studies on Alcohol and	2.4	42
30	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582. The Role of the GABRA2 Polymorphism in Multiplex Alcohol Dependence Families With Minimal Comorbidity: Within-Family Association and Linkage Analyses. Journal of Studies on Alcohol and Drugs, 2007, 68, 625-633. Dopaminergic mutations: Withinâ€family association and linkage in multiplex alcohol dependence	2.4	42
29 30 31	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582. The Role of the GABRA2 Polymorphism in Multiplex Alcohol Dependence Families With Minimal Comorbidity: Within-Family Association and Linkage Analyses. Journal of Studies on Alcohol and Drugs, 2007, 68, 625-633. Dopaminergic mutations: Withinâ€family association and linkage in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 517-526. Behavioral Inhibition in Children From Families at High Risk for Developing Alcoholism. Journal of the	2.4 1.0 1.7	42 42 42
29 30 31 32	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582. The Role of the GABRA2 Polymorphism in Multiplex Alcohol Dependence Families With Minimal Comorbidity: Within-Family Association and Linkage Analyses. Journal of Studies on Alcohol and Drugs, 2007, 68, 625-633. Dopaminergic mutations: Withinâ€family association and linkage in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 517-526. Behavioral Inhibition in Children From Families at High Risk for Developing Alcoholism. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 410-417.	2.4 1.0 1.7	42 42 42 40
29 30 31 32 33	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582. The Role of the GABRA2 Polymorphism in Multiplex Alcohol Dependence Families With Minimal Comorbidity: Within-Family Association and Linkage Analyses. Journal of Studies on Alcohol and Drugs, 2007, 68, 625-633. Dopaminergic mutations: Withinâ€family association and linkage in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 1478, 517-526. Behavioral Inhibition in Children From Families at High Risk for Developing Alcoholism. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 410-417. Linkage studies of D2 and D4 receptor genes and alcoholism. , 1999, 88, 676-685. Path analysis of P300 amplitude of individuals from families at high and low risk for developing	2.4 1.0 1.7 0.5	42 42 42 40

#	Article	IF	CITATIONS
37	What can the DRD2/alcoholism story teach us about association studies in psychiatric genetics?. American Journal of Medical Genetics Part A, 1995, 60, 272-275.	2.4	33
38	Developmental changes in postural sway in children at high and low risk for developing alcohol-related disorders. Biological Psychiatry, 2000, 47, 501-511.	1.3	33
39	Temperament at 5years of age predicts amygdala and orbitofrontal volume in the right hemisphere in adolescence. Psychiatry Research - Neuroimaging, 2010, 182, 14-21.	1.8	33
40	Effects of Prenatal Alcohol and Cigarette Exposure on Offspring Substance Use in Multiplex, Alcoholâ€Dependent Families. Alcoholism: Clinical and Experimental Research, 2014, 38, 2952-2961.	2.4	33
41	Offspring from families at high risk for alcohol dependence: Increased body mass index in association with prenatal exposure to cigarettes but not alcohol. Psychiatry Research, 2005, 135, 203-216.	3.3	30
42	Personality resemblance in relatives of male alcoholics: A comparison with families of male control cases. Biological Psychiatry, 1990, 27, 1305-1322.	1.3	29
43	Segregation analysis of alcoholism in high density families: A replication. , 1996, 67, 71-76.		28
44	Static Ataxia as a Psychobiological Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1987, 11, 345-348.	2.4	26
45	Effects of acute doses of zimelidine on REM sleep in rats. Psychopharmacology, 1983, 80, 214-216.	3.1	25
46	Neural Plasticity, Human Genetics, and Risk for Alcohol Dependence. International Review of Neurobiology, 2010, 91, 53-94.	2.0	25
47	Amygdala Volume in Offspring from Multiplex for Alcohol Dependence Families: The Moderating Influence of Childhood Environment and 5-HTTLPR Variation. Journal of Alcoholism and Drug Dependence, 2013, s1, .	0.2	24
48	Lifetime use of cannabis from longitudinal assessments, cannabinoid receptor (CNR1) variation, and reduced volume of the right anterior cingulate. Psychiatry Research - Neuroimaging, 2016, 255, 24-34.	1.8	24
49	Postural sway in children from pedigrees exhibiting a high density of alcoholism. Biological Psychiatry, 1993, 33, 313-325.	1.3	22
50	Suicidal ideation and aggression in childhood, genetic variation and young adult depression. Journal of Affective Disorders, 2020, 276, 954-962.	4.1	21
51	Caudate Volume in Offspring at Ultra High Risk for Alcohol Dependence: COMT Val158Met, DRD2, Externalizing Disorders, and Working Memory*. Advances in Molecular Imaging, 2013, 03, 43-54.	0.3	20
52	Effect of Alcohol on Short Term Memory in Alcoholics. British Journal of Psychiatry, 1973, 122, 93-94.	2.8	19
53	ASTN1 and alcohol dependence: Familyâ€based association analysis in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 445-455.	1.7	18
54	Cross-generational effects of alcohol dependence in humans on <i>HRAS</i> and <i>TP53</i> methylation in offspring. Epigenomics, 2017, 9, 1189-1203.	2.1	18

#	Article	IF	Citations
55	White matter microstructure, alcohol exposure, and familial risk for alcohol dependence. Psychiatry Research - Neuroimaging, 2013, 212, 43-53.	1.8	17
56	Psychological and Neurobiological Precursors of Alcohol Use Disorders in High-Risk Youth. Current Addiction Reports, 2015, 2, 104-113.	3.4	17
57	Differentiating the Effects of Familial Risk for Alcohol Dependence and Prenatal Exposure to Alcohol on Offspring Brain Morphology. Alcoholism: Clinical and Experimental Research, 2017, 41, 312-322.	2.4	17
58	Mental and Physical Health Consequences of Alcohol Use in Women., 2002, 12, 181-197.		16
59	Neural predictors of substance use disorders in Young adulthood. Psychiatry Research - Neuroimaging, 2017, 268, 22-26.	1.8	16
60	FamilialÂrisk for alcohol dependence and developmental changes in BMI: the moderating influence of addiction and obesity genes. Pharmacogenomics, 2014, 15, 1311-1321.	1.3	15
61	Cholinergic receptor gene (CHRM2) variation and familial loading for alcohol dependence predict childhood developmental trajectories of P300. Psychiatry Research, 2013, 209, 504-511.	3.3	13
62	Effect of p-Chlorophenylalanine and Stress on Alcohol Consumption by Rats. Quarterly Journal of Studies on Alcohol, 1974, 35, 34-41.	0.2	12
63	Exclusion of linkage between alcoholism and the MNS blood group region on chromosome 4q in multiplex families. American Journal of Medical Genetics Part A, 1995, 60, 72-79.	2.4	11
64	Volumetric Differences in Cerebellar Lobes in Individuals from Multiplex Alcohol Dependence Families and Controls: Their Relationship to Externalizing and Internalizing Disorders and Working Memory. Cerebellum, 2016, 15, 744-754.	2.5	11
65	Personality Characteristics of Sisters and Spouses of Male Alcoholics. Alcoholism: Clinical and Experimental Research, 1993, 17, 733-739.	2.4	10
66	Maladaptive Decision Making and Substance Use Outcomes in High-Risk Individuals: Preliminary Evidence for the Role of 5-HTTLPR Variation. Journal of Studies on Alcohol and Drugs, 2014, 75, 643-652.	1.0	10
67	Longitudinal predictors of cannabis use and dependence in offspring from families at ultra high risk for alcohol dependence and in control families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 383-395.	1.7	9
68	Effects of repeated zimelidine administration on sleep parameters in the rat. Psychopharmacology, 1986, 88, 54-57.	3.1	8
69	DRD2 methylation and regional grey matter volumes in young adult offspring from families at ultra-high risk for alcohol dependence. Psychiatry Research - Neuroimaging, 2019, 286, 31-38.	1.8	8
70	Accuracy of selfâ€reported hypertension: Effect of age, gender, and history of alcohol dependence. Journal of Clinical Hypertension, 2020, 22, 842-849.	2.0	7
71	Family-based association analysis of alcohol dependence implicates KIAA0040 on Chromosome 1q in multiplex alcohol dependence families. Open Journal of Genetics, 2013, 03, 243-252.	0.1	7
72	The canter background interference procedure (BIP): Effects of demographic variables on diagnosis. Journal of Clinical Psychology, 1977, 33, 765-771.	1.9	6

#	Article	IF	CITATIONS
73	Biological phenotypes associated with individuals at high risk for developing alcohol-related disorders: Part 1. Addiction Biology, 2000, 5, 5-22.	2.6	6
74	Familial Risk for Alcohol Dependence and Brain Morphology: The Role of Cortical Thickness Across the Lifespan. Alcoholism: Clinical and Experimental Research, 2018, 42, 841-844.	2.4	5
75	ACN9 and alcohol dependence: Familyâ€based association analysis in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 179-187.	1.7	4
76	Neurobiological and Clinical Markers for a Severe Form of Alcoholism in Women. Alcohol Health and Research World, 1995, 19, 249-256.	0.2	4
77	Abnormalities of Cerebellar Structure and Function in Alcoholism and Other Substance Use Disorders., 2016,, 575-586.		1
78	Data sharing: guard the privacy of donors. Nature, 2017, 548, 281-281.	27.8	1
79	Commentary on McCutcheon <i>et al.</i> (2017): Familial transmission of abstinent remission and social cognition. Addiction, 2017, 112, 1918-1919.	3.3	0
80	Event-Related Potentials. Alcohol Health and Research World, 1995, 19, 54-55.	0.2	0