

Andrea Bencini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9075932/publications.pdf>

Version: 2024-02-01

249
papers

7,691
citations

47006

47
h-index

91884

69
g-index

279
all docs

279
docs citations

279
times ranked

5473
citing authors

#	ARTICLE	IF	CITATIONS
1	1,10-Phenanthroline: A versatile building block for the construction of ligands for various purposes. <i>Coordination Chemistry Reviews</i> , 2010, 254, 2096-2180.	18.8	439
2	Proton coordination by polyamine compounds in aqueous solution. <i>Coordination Chemistry Reviews</i> , 1999, 188, 97-156.	18.8	246
3	Carboxy and Phosphate Esters Cleavage with Mono- and Dinuclear Zinc(II) Macrocyclic Complexes in Aqueous Solution. Crystal Structure of $[Zn_2L_1(L_1-PP)_2(MeOH)_2](ClO_4)_2$ ($L_1 = [30]aneN_6O_4$, $PP =$ Diphenyl) <i>Tj ETQ1 1 0.7843 14 rg</i>	13.7	143
4	Thermodynamics of Phosphate and Pyrophosphate Anions Binding by Polyammonium Receptors. <i>Journal of the American Chemical Society</i> , 1999, 121, 6807-6815.	13.7	133
5	Carboxy and Diphosphate Ester Hydrolysis by a Dizinc Complex with a New Alcohol-Pendant Macrocycle. <i>Inorganic Chemistry</i> , 1999, 38, 4115-4122.	4.0	118
6	Use of Hydrophobic Ligands for the Stabilization of Low-Valent Transition Metal Complexes. 1. The Effect of N-Methylation of Linear Tetraazaalkane Ligands on the Properties of Their Copper Complexes. <i>Journal of the American Chemical Society</i> , 1995, 117, 8353-8361.	13.7	108
7	CO ₂ Fixation by Novel Copper(II) and Zinc(II) Macrocyclic Complexes. A Solution and Solid State Study. <i>Inorganic Chemistry</i> , 1996, 35, 5540-5548.	4.0	100
8	Tailoring cyclic polyamines for inorganic/organic phosphate binding. <i>Chemical Society Reviews</i> , 2010, 39, 3709.	38.1	98
9	pH Modulation of the luminescence emission of a new europium cryptate complex. <i>Chemical Communications</i> , 2000, , 561-562.	4.1	85
10	Coordination properties of polyamine-macrocycles containing terpyridine units. <i>Coordination Chemistry Reviews</i> , 2008, 252, 1052-1068.	18.8	82
11	Interaction of hexaazaalkanes with phosphate type anions. Thermodynamic, kinetic, and electrochemical considerations. <i>Inorganic Chemistry</i> , 1993, 32, 3418-3424.	4.0	78
12	Oxalato and squarato ligands in nickel(II) complexes of tetraazacycloalkanes. Solution and solid-state studies. Crystal and molecular structures of $(\mu\text{-oxalato})\text{bis}[(1,7\text{-dimethyl-}1,4,7,10\text{-tetraazacyclododecane})\text{nickel(II)}]$ perchlorate dihydrate and of $\text{bis}[\text{diaquo}(1,4,7,10\text{-tetraazacyclododecane})\text{nickel(II)}]$ squarate diperchlorate. <i>Inorganic Chemistry</i> , 1990, 29, 963-970.	4.0	74
13	Probing biologically and environmentally important metal ions with fluorescent chemosensors: Thermodynamic versus optical response selectivity in some study cases. <i>Coordination Chemistry Reviews</i> , 2012, 256, 149-169.	18.8	74
14	A BINOL-based chiral polyammonium receptor for highly enantioselective recognition and fluorescence sensing of (S,S)-tartaric acid in aqueous solution. <i>Chemical Communications</i> , 2012, 48, 10428.	4.1	73
15	An efficient synthesis of polyaza[n]paracyclophanes. <i>Journal of Organic Chemistry</i> , 1993, 58, 4749-4753.	3.2	72
16	Affinity and nuclease activity of macrocyclic polyamines and their Cu(I) complexes. <i>Chemistry - A European Journal</i> , 2000, 6, 4001-4008.	3.3	72
17	Synthesis and Coordination Properties of Quinoline Pendant Arm Derivatives of $[9]aneN_3$ and $[9]aneN_2S$ as Fluorescent Zinc Sensors. <i>Inorganic Chemistry</i> , 2009, 48, 9236-9249.	4.0	70
18	Potential ATPase mimics by polyammonium macrocycles: Criteria for catalytic activity. <i>Bioorganic Chemistry</i> , 1992, 20, 8-29.	4.1	69

#	ARTICLE	IF	CITATIONS
19	Anion coordination chemistry. 2. Electrochemical, thermodynamic, and structural studies on supercomplex formation between large polyammonium cycloalkanes and the two complex anions hexacyanoferrate(II) and hexacyanocobaltate(III). <i>Inorganic Chemistry</i> , 1987, 26, 3902-3907.	4.0	66
20	Effect of Protonation and Zn(II) Coordination on the Fluorescence Emission of a Phenanthroline-Containing Macrocycle. An Unusual Case of a Nonemissive Zn(II) Complex. <i>Inorganic Chemistry</i> , 1999, 38, 3806-3813.	4.0	66
21	Coordination Properties of New Bis(1,4,7-triazacyclononane) Ligands: A Highly Active Dizinc Complex in Phosphate Diester Hydrolysis. <i>Inorganic Chemistry</i> , 2003, 42, 6929-6939.	4.0	66
22	ATP Recognition and sensing with a phenanthroline-containing polyammonium receptor. <i>Chemical Communications</i> , 2006, , 4087.	4.1	65
23	Polyamine Macrocycles Incorporating a Phenanthroline Unit: Their Synthesis, Basicity, and Cu(II) Coordination. <i>Inorganic Chemistry</i> , 1998, 37, 941-948.	4.0	64
24	Proton and Cu(II) binding to tren-based tris-macrocycles. Affinity towards nucleic acids and nuclease activity. <i>Dalton Transactions</i> , 2003, , 793-800.	3.3	64
25	Polynuclear zinc(II) complexes with large polyazacycloalkanes. 2. Equilibrium studies and crystal structure of the binuclear complex $[Zn_2LCl_2](Cl)ClO_4 \cdot nH_2O$ (L = 1,4,7,10,13,16,19,22,25,28-decaazacyclotriacontane). <i>Inorganic Chemistry</i> , 1989, 28, 347-351.	4.0	60
26	Thermodynamic study of the formation in aqueous solution of cadmium(II) complexes with polyazacycloalkanes. Synthesis and crystal structure of the dicadmium(II) complex $Na[Cd_2(L)Cl_2](ClO_4)_3$ (L = 1,4,7,10,13,16,19,22,25,28-decaazacyclotriacontane). <i>Inorganic Chemistry</i> , 1989, 28, 347-351.	4.0	60
27	Thermodynamic and structural aspects of transition metal compounds. Polynuclear complexes of aza-macrocycles. <i>Coordination Chemistry Reviews</i> , 1992, 120, 51-85.	18.8	59
28	Zn(II) Coordination to Polyamine Macrocycles Containing Dipyridine Units. New Insights into the Activity of Dinuclear Zn(II) Complexes in Phosphate Ester Hydrolysis. <i>Inorganic Chemistry</i> , 2004, 43, 6255-6265.	4.0	59
29	A remarkable shape selectivity in the molecular recognition of carboxylate anions in aqueous solution. <i>Journal of the American Chemical Society</i> , 1992, 114, 1919-1920.	13.7	55
30	Effect of Nitrogen Methylation on Cation and Anion Coordination by Hexa- and Heptaazamacrocycles. Catalytic Properties of These Ligands in ATP Dephosphorylation. <i>Inorganic Chemistry</i> , 1996, 35, 1114-1120.	4.0	55
31	Carboxy and Diphosphate Ester Hydrolysis Promoted by Dinuclear Zinc(II) Macrocylic Complexes. Role of Zn(II)-Bound Hydroxide as the Nucleophilic Function. <i>Inorganic Chemistry</i> , 1999, 38, 6323-6325.	4.0	55
32	Molecular Recognition of Long Dicarboxylate/Dicarboxylic Species via Supramolecular/Coordination Interactions with Ditopic Receptors. Crystal Structure of $\{[Cu_2L(H_2O)_2]Pimelate\}(ClO_4)_2$. <i>Inorganic Chemistry</i> , 1999, 38, 620-621.	4.0	55
33	Protonation and Zn(II) Coordination by Dipyridine-Containing Macrocycles with Different Molecular Architecture. A Case of pH-Controlled Metal Jumping Outside/Inside the Macrocylic Cavity. <i>Inorganic Chemistry</i> , 2001, 40, 2968-2975.	4.0	55
34	Redox chemosensors: coordination chemistry towards Cu(I), Zn(II), Cd(II), Hg(II), and Pb(II) of 1-aza-4,10-dithia-7-oxacyclododecane ([12]aneNS2O) and its N-ferrocenylmethyl derivative. Electronic supplementary information (ESI) available: synthetic details including analytical and spectroscopic data for the isolated complexes. Ortep views of the coordination sphere around the metal centres in 1, 2 and 5. See http://www.rsc.org/suppdata/DT/B2/B210806M/ . <i>Dalton Transactions</i> , 2003, , 901-909.	3.3	55
35	Anion Binding by Protonated Forms of the Tripodal Ligand Tren. <i>Inorganic Chemistry</i> , 2009, 48, 2391-2398.	4.0	54
36	Thermodynamics of sulfate anion binding by macrocylic polyammonium receptors. <i>Perkin Transactions II RSC</i> , 2001, , 1765-1770.	1.1	53

#	ARTICLE	IF	CITATIONS
37	Tuning the Selectivity/Specificity of Fluorescent Metal Ion Sensors Based on N2S2Pyridine-Containing Macrocyclic Ligands by Changing the Fluorogenic Subunit: A Spectrofluorimetric and Metal Ion Binding Studies. <i>Inorganic Chemistry</i> , 2007, 46, 4548-4559.	4.0	52
38	Tuning the Activity of Zn(II) Complexes in DNA Cleavage: Clues for Design of New Efficient Metallo-Hydrolases. <i>Inorganic Chemistry</i> , 2008, 47, 5473-5484.	4.0	52
39	Zn ²⁺ /Cd ²⁺ optical discrimination by fluorescent chemosensors based on 8-hydroxyquinoline derivatives and sulfur-containing macrocyclic units. <i>Dalton Transactions</i> , 2013, 42, 14516.	3.3	52
40	Synthesis and Ligational Properties of Two New Binucleating Oxa-Aza Macrocyclic Receptors. <i>Inorganic Chemistry</i> , 1995, 34, 5622-5631.	4.0	50
41	Design of Ligands That Stabilize Cu(I) and Shift the Reduction Potential of the Cu(I)/Cu(0) Couple Cathodically in Aqueous Solutions. <i>Inorganic Chemistry</i> , 1999, 38, 3484-3488.	4.0	50
42	Exploring the Binding Ability of Phenanthroline-Based Polyammonium Receptors for Anions: Hints for Design of Selective Chemosensors for Nucleotides. <i>Journal of Organic Chemistry</i> , 2009, 74, 7349-7363.	3.2	50
43	Synthesis and ligational properties of the two very large polyazacycloalkanes [33]aneN11 and [36]aneN12 forming trinuclear copper(II) complexes. <i>Inorganic Chemistry</i> , 1988, 27, 176-180.	4.0	49
44	Selective recognition of carboxylate anions by polyammonium receptors in aqueous solution. Criteria for selectivity in molecular recognition. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 569-577.	0.9	49
45	Therapeutic Effects of the Superoxide Dismutase Mimetic Compound Me ₂ DO2A on Experimental Articular Pain in Rats. <i>Mediators of Inflammation</i> , 2013, 2013, 1-11.	3.0	49
46	Synthesis and complexing properties of the large polyazacycloalkane 1,4,7,10,13,16,19,22,25,28-decaazacyclotriacontane (L). Crystal structure of the monoprotonated dicopper(II) complex [Cu ₂ (L)HCl ₂](ClO ₄) ₃ ·4H ₂ O. <i>Inorganic Chemistry</i> , 1987, 26, 1243-1247.	4.0	48
47	A novel fluorescent chemosensor exhibiting exciplex emission. An example of an elementary molecular machine driven by pH and by light. <i>Chemical Communications</i> , 2000, , 1639-1640.	4.1	48
48	EPR spectra of and exchange interactions in trinuclear complexes. 3. Synthesis, crystal structure and magnetic properties of the oxovanadium(IV) adduct of a tetradentate Schiff base copper(II) complex. <i>Inorganic Chemistry</i> , 1985, 24, 695-699.	4.0	47
49	Synthesis and characterization of the new macrocyclic cage 5,12,17-trimethyl-1,5,9,12,17-pentaazabicyclo[7.5.5]nonadecane (L), which can selectively encapsulate lithium ion. Thermodynamic studies on protonation and complex formation. Crystal structures of the salt [HL][Cl]·3H ₂ O and of the lithium complex [LiL][BPh ₄]. <i>Inorganic Chemistry</i> , 1989, 28, 4279-4284.	4.0	47
50	Interaction of "long" open-chain polyazaalkanes with hydrogen and copper(II) ions. <i>Inorganic Chemistry</i> , 1991, 30, 1843-1849.	4.0	47
51	Lead complexation by novel phenanthroline-containing macrocycles. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 393-400.	1.1	47
52	Methylene blue-containing liposomes as new photodynamic anti-bacterial agents. <i>Journal of Materials Chemistry B</i> , 2017, 5, 2788-2797.	5.8	47
53	A fluorescent chemosensor for Zn(II). Exciplex formation in solution and the solid state. Electronic supplementary information (ESI) available: Theoretical basis for the temperature dependence of fluorescence. See http://www.rsc.org/suppdata/dt/b4/b403743j/ . <i>Dalton Transactions</i> , 2004, , 2180.	3.3	46
54	A zinc(II)-based receptor for ATP binding and hydrolysis. <i>Chemical Communications</i> , 2005, , 2630.	4.1	46

#	ARTICLE	IF	CITATIONS
55	Thermodynamic and structural aspects of the interaction between macrocyclic polyammonium cations and complexed anions. <i>Inorganic Chemistry</i> , 1992, 31, 1902-1908.	4.0	45
56	A new pyridine-based 12-membered macrocycle functionalised with different fluorescent subunits; coordination chemistry towards CuII, ZnII, CdII, HgII, and PbII. <i>Dalton Transactions</i> , 2004, , 2771-2779.	3.3	45
57	Coordination chemistry of N-aminopropyl pendant arm derivatives of mixed N/S-, and N/S/O-donor macrocycles, and construction of selective fluorimetric chemosensors for heavy metal ions. <i>Dalton Transactions</i> , 2005, , 2994.	3.3	44
58	The effect of N-methylation of tetra-aza-alkane copper complexes on the axial binding of anions. <i>Inorganica Chimica Acta</i> , 1997, 255, 111-115.	2.4	43
59	Solution chemistry of macrocycles. 5. Synthesis and ligational behavior toward hydrogen and copper(II) ions of the large polyazacycloalkane 1,4,7,10,13,16,19,22,25-nonaazacycloheptacosane ([27]aneN9). <i>Inorganic Chemistry</i> , 1987, 26, 681-684.	4.0	42
60	Interaction of lead(II) with highly-dentate linear and cyclic polyamines. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 3507-3513.	1.1	42
61	A Novel Manganese Complex Effective as Superoxide Anion Scavenger and Therapeutic Agent against Cell and Tissue Oxidative Injury. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 7273-7283.	6.4	41
62	Colorimetric response to anions by a robust copper(ii) complex of a [9]aneN3 pendant arm derivative: CN ³⁻ and I ⁻ selective sensing. <i>Chemical Communications</i> , 2011, 47, 3805.	4.1	40
63	Polynuclear zinc (II) complexes with large polyazacycloalkanes. Equilibrium studies and crystal structure of the binuclear [Zn2([30]aneN10)(NCS)](ClO4)3 complex.. <i>Inorganic Chemistry</i> , 1988, 27, 1104-1107.	4.0	39
64	Co-ordination tendency of [3k]aneNk polyazacycloalkanes. Thermodynamic study of solution equilibria. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 1171-1174.	1.1	39
65	Synthesis of Polyamine Macrocycles and Cryptands Incorporating Bipyridine and Phenanthroline Moieties. <i>Journal of Organic Chemistry</i> , 2000, 65, 7686-7689.	3.2	39
66	Highly Charged Ruthenium(II) Polypyridyl Complexes as Effective Photosensitizer in Photodynamic Therapy. <i>Chemistry - A European Journal</i> , 2019, 25, 10606-10615.	3.3	39
67	Macrocyclic Polyamines Containing Phenanthroline Moieties as Fluorescent Chemosensors for H ⁺ and Zn ²⁺ Ions. <i>European Journal of Inorganic Chemistry</i> , 1999, 1999, 1911-1918.	2.0	38
68	Exploring the Binding Ability of Polyammonium Hosts for Anionic Substrates: Selective Size-Dependent Recognition of Different Phosphate Anions by Bis-macrocyclic Receptors. <i>Inorganic Chemistry</i> , 2011, 50, 7202-7216.	4.0	38
69	4,7,10,23-Tetramethyl-17-oxa-1,4,7,10,13,23-hexaazabicyclo[11.7.5]pentacosane (L), a Two-Binding-Site Ligand for the Assembly of the [Zn2(μ-OH)2]2+ Cluster. <i>Inorganic Chemistry</i> , 1995, 34, 3003-3010.	4.0	37
70	New Terpyridine-Containing Macrocycle for the Assembly of Dimeric Zn(II) and Cu(II) Complexes Coupled by Bridging Hydroxide Anions and π-Stacking Interactions. <i>Inorganic Chemistry</i> , 2004, 43, 5134-5146.	4.0	36
71	Interaction of Mixed-Donor Macrocycles Containing the 1,10-Phenanthroline Subunit with Selected Transition and Post-Transition Metal Ions: Metal Ion Recognition in Competitive Liquid-Liquid Solvent Extraction of CuII, ZnII, PbII, CdII, AgI, and HgII. <i>Inorganic Chemistry</i> , 2008, 47, 8391-8404.	4.0	36
72	Nickel(II) complexes of [3k]aneNk polyazacycloalkanes (k = 7-12). Solution and solid-state studies. <i>Inorganic Chemistry</i> , 1989, 28, 3175-3181.	4.0	35

#	ARTICLE	IF	CITATIONS
73	Di- and tri-palladium(II) polyazacycloalkane complexes. A case of deprotonated secondary nitrogen in solution and in solid state. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 1382-1384.	2.0	35
74	A Fluorescent Silver(I) Carbene Complex with Anticancer Properties: Synthesis, Characterization, and Biological Studies. <i>ChemMedChem</i> , 2018, 14, 182-188.	3.2	35
75	Probing Vibrational Symmetry Effects and Nuclear Spin Economy Principles in Molecular Spin Qubits. <i>Inorganic Chemistry</i> , 2021, 60, 140-151.	4.0	35
76	Basicity properties of two paracyclophane receptors. Their ability in ATP and ADP recognition in aqueous solution. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 775-782.	0.9	34
77	Fluoride binding by an anionic receptor: tuning the acidity of amide NH groups for basic anion hydrogen bonding and recognition. <i>Chemical Communications</i> , 2019, 55, 2745-2748.	4.1	34
78	ZnII Complex with a Phenanthroline-Containing Macrocycle as Receptor for Amino Acids and Dipeptides $\hat{\sim}$ Hydrolysis of an Activated Peptide Bond. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 1974-1983.	2.0	33
79	Novel fluorimetric bulk optode membrane based on 5,8-bis((5- $\hat{\sim}$ -chloro-8- $\hat{\sim}$ -hydroxy-7- $\hat{\sim}$ -quinolinyl)methyl)-2,11-dithia-5,8-diaza-2,6-pyridinophane for selective detection of lead(II) ions. <i>Talanta</i> , 2010, 80, 2023-2033.	5.5	33
80	Selective binding and fluorescence sensing of diphosphate in $H_{2}O$ via Zn^{2+} -induced allosteric regulation of the receptor structure. <i>Chemical Communications</i> , 2012, 48, 139-141.	4.1	33
81	Effect of the SOD mimetic MnL4 on in vitro and in vivo oxaliplatin toxicity: Possible aid in chemotherapy induced neuropathy. <i>Free Radical Biology and Medicine</i> , 2016, 93, 67-76.	2.9	33
82	Synthesis of New Tren-Based Tris-Macrocycles. Anion Cluster Assembling Inside the Cavity Generated by a Bowl-Shaped Receptor. <i>Journal of Organic Chemistry</i> , 2002, 67, 9107-9110.	3.2	32
83	Tren-Based Tris-macrocycles as Anion Hosts. Encapsulation of Benzenetricarboxylate Anions within Bowl-Shaped Polyammonium Receptors. <i>Journal of Organic Chemistry</i> , 2005, 70, 4257-4266.	3.2	32
84	Heptacoordination of manganese(II) by the polyazacycloalkane 1,4,7,10,13,16,19-heptaazacycloheptacosane, [21]aneN7. Crystal structure of the $[Mn([21]aneN7)](ClO_4)_2$ solid compound and thermodynamics of complexation in water solution. <i>Inorganic Chemistry</i> , 1990, 29, 1716-1718.	4.0	31
85	Thermodynamic, kinetic, and structural study of the ligational properties of the macrobicyclic aza-ligand 4,7,10,17,23-pentamethyl-1,4,7,10,13,17,23-heptaazabicyclo[11.7.5]pentacosane (L1) and of its macrocyclic precursor 1,4,7,13-tetramethyl-1,4,7,10,13,16-hexaazacyclooctadecane (L2). Crystal structure of $[Zn(L1)(H_2O)](BPh_4)_2$. <i>Inorganic Chemistry</i> , 1993, 32, 2753-2760.	4.0	31
86	Basicity and coordination properties of a new phenanthroline-based bis-macrocyclic receptor. <i>Dalton Transactions</i> , 2006, , 4000.	3.3	31
87	Synthesis, crystal structure, magnetic properties, and solution study of the complex μ -oxalato-bis[aqua(1,4,7-triazacyclononane)nickel(II)] nitrate dihydrate. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 2213-2217.	1.1	30
88	Lithium binder in aqueous solution. Synthesis and characterization of the new cage 4,10,15-trimethyl-1,4,7,10,15-pentaazabicyclo[5.5.5]heptadecane (L). Protonation and lithium complex formation. Crystal structures of $[HL][BPh_4]$ and $[LiL][BPh_4]$. <i>Inorganic Chemistry</i> , 1991, 30, 3687-3691.	4.0	30
89	Polyfunctional Binding of Thymidine 5- $\hat{\sim}$ -Triphosphate with a Synthetic Polyammonium Receptor Containing Aromatic Groups. Crystal Structure of the Nucleotide $\hat{\sim}$ Receptor Adduct. <i>Journal of the American Chemical Society</i> , 2008, 130, 2440-2441.	13.7	30
90	Protonation and coordination properties towards Zn(ii), Cd(ii) and Hg(ii) of a phenanthroline-containing macrocycle with an ethylamino pendant arm. <i>Dalton Transactions</i> , 2004, , 591.	3.3	29

#	ARTICLE	IF	CITATIONS
91	Voltammetry of chromium(VI) at the liquid liquid interface. <i>Electrochemistry Communications</i> , 2005, 7, 976-982.	4.7	29
92	Kinetic and equilibrium studies on the polyazamacrocycle neotetren: metal ²⁺ complex formation and DNA interaction. <i>Dalton Transactions</i> , 2006, , 1524-1533.	3.3	29
93	New Fluorescent Chemosensors for Heavy Metal Ions Based on Functionalized Pendant Arm Derivatives of 7-Anthracenylmethyl-1,4,10-trioxo-7,13-diazacyclopentadecane. <i>Inorganic Chemistry</i> , 2007, 46, 8088-8097.	4.0	29
94	Low Molecular Weight Compounds with Transition Metals as Free Radical Scavengers and Novel Therapeutic Agents. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2010, 8, 128-146.	1.0	29
95	Synthesis and Selectivity in Metal Ion Coordination of the New Ligands 1,4,7-Trimethyl-1,7-bis(4-carboxybenzyl)-1,4,7-triazaheptane (L) and 1,4,7,16,19,22-Hexamethyl-1,4,7,16,19,22-hexaaza[9.9]paracyclophane (L1). Crystal Structures of [PdLH ₂ Cl]NO ₃ .cndot.3H ₂ O and [Cu ₂ LCl ₂](BPh ₄)(ClO ₄).cndot.CH ₃ CN. <i>Inorganic Chemistry</i> , 1995, 34, 552-559.	4.0	28
96	New Bis-Cresol-Bridged (1,4,7-Triazacyclononane) Ligand As Receptor for Metal Cations and Phosphate Anions. <i>Inorganic Chemistry</i> , 2008, 47, 6551-6563.	4.0	28
97	1,10-Dimethyl-1,4,7,10,13,16-hexaazacyclooctadecane L and 1,4,7-trimethyl-1,4,7,10,13,16,19-heptaazacyclohencicosane L1: two new macrocyclic receptors for ATP binding. Synthesis, solution equilibria and the crystal structure of (H4L)(ClO ₄) ₄ . <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 2367-2373.	0.9	27
98	DNA Binding by a New Metallointercalator that Contains a Proflavine Group Bearing a Hanging Chelating Unit. <i>Chemistry - A European Journal</i> , 2008, 14, 184-196.	3.3	27
99	Polyamine Receptors Containing Dipyridine or Phenanthroline Units: Clues for the Design of Fluorescent Chemosensors for Metal Ions. <i>Chemistry - A European Journal</i> , 2009, 15, 8049-8063.	3.3	27
100	Selective lithium encapsulation in aqueous solution by the new cage 4,10-dimethyl-1,4,7,10,15-pentaazabicyclo[5.5.5]heptadecane (L). Synthesis, characterization, and structural aspects. Crystal structures of [LiL](ClO ₄) and [CuL]Br ₂ .cndot.3H ₂ O. <i>Inorganic Chemistry</i> , 1990, 29, 3282-3286.	4.0	26
101	Affinity and Nuclease Activity of Macrocyclic Polyamines and Their Cu ^{II} Complexes. <i>Chemistry - A European Journal</i> , 2000, 6, 4001-4008.	3.3	26
102	Exploring the Photocatalytic Properties and the Long-Lifetime Chemosensor Ability of Cl ₂ [Ru(Bpy) ₂ L]	4.0	26
103	Proton inclusion properties of a new azamacrocycle. Synthesis, characterization and crystal structure of [H ₃ L][Cl] ₃ ·2H ₂ O (L =) Tj ETQq1 1 0.784314 rgBT /Overlock 102ff 50 253 Td (4,		
104	Copper(I) and -(II) complexes with tertiary linear polyamines of the type Me ₂ NCH ₂ (CH ₂ NMeCH ₂) _n CH ₂ NMe ₂ (n= 1-4). <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 2055-2060.	1.1	25
105	Complexation Properties of Heteroditopic Cryptands towards Cu ²⁺ , Zn ²⁺ , Cd ²⁺ , and Pb ²⁺ in Aqueous Solution: Crystal Structures of [(H5L1)(ClO ₄) ₅ ·4H ₂ O] and [(NiL ₂ Cl)Cl]·5.5H ₂ O·CH ₃ OH. <i>European Journal of Inorganic Chemistry</i> , 2000, 2000, 2111-2116.	2.0	25
106	Intercalation of Zn(II) and Cu(II) complexes of the cyclic polyamine Neotrien into DNA: equilibria and kinetics. <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 1531-1538.	3.5	25
107	Combined Charge and Spin Density Experimental Study of the Yttrium(III) Semiquinonato Complex Y(HBPz ₃) ₂ (DTBSQ) and DFT Calculations. <i>Journal of Physical Chemistry B</i> , 2005, 109, 2723-2732.	2.6	25
108	Developing ROS Scavenging Agents for Pharmacological Purposes: Recent Advances in Design of Manganese-Based Complexes with Anti-Inflammatory and Anti- Nociceptive Activity. <i>Current Medicinal Chemistry</i> , 2012, 19, 4431-4444.	2.4	25

#	ARTICLE	IF	CITATIONS
109	Selective binding and fluorescence sensing of ZnII with acridine-based macrocycles. <i>Inorganica Chimica Acta</i> , 2012, 381, 162-169.	2.4	25
110	Zinc(II)-based fluorescent dyes: Luminescence modulation by phosphate anion binding. <i>Dyes and Pigments</i> , 2014, 110, 169-192.	3.7	25
111	Anaerobic complexation of cobalt(II) by [3k]aneNk (k = 7-12) polyazacycloalkanes. <i>Inorganic Chemistry</i> , 1989, 28, 2480-2482.	4.0	24
112	(PdCl ₄) ²⁻ inclusion into the deca-charged polyammonium receptor (H ₁₀ [30]aneN ₁₀) ¹⁰⁺ ([30]aneN ₁₀) ¹⁰⁺ . <i>Journal of Chemical Communications</i> , 1990, , 753-755.	2.0	24
113	Synthesis and characterization of an aza-cage behaving as a π -proton sponge TM . Crystal structures of its mono- and tri-protonated species. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1993, , 115-120.	0.9	24
114	Cleft-like hexamine ligands containing large heteroaromatic moieties as receptors for both anions and metal cations. <i>Journal of Physical Organic Chemistry</i> , 2001, 14, 432-443.	1.9	24
115	Structural aspects of the protonation of small cages. Preparation of the new aza-cage 12,17-dimethyl-1,9,12,17-tetra-azabicyclo[7.5.5]nonadecane (L). Thermodynamic studies on solution equilibria. Crystal structures of [H ₂ L][CoCl ₄] and [H ₂ L ₁][CoCl ₄] salts. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1990, , 209-214.	0.9	23
116	Synthesis, characterization and basicity properties of two new oxa-aza macrobicyclic receptors. Crystal structure of a π -water cryptate TM . <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 815-820.	0.9	23
117	Phenanthroline-containing macrocycles as multifunctional receptors for nucleotide anions. A thermodynamic and NMR study. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1999, , 1675-1682.	0.9	23
118	Cd(II) and Pb(II) Complexation by Dipyridine-Containing Macrocyclus with Different Molecular Architecture. Effect of Complex Protonation on Metal Coordination Environment. <i>Inorganic Chemistry</i> , 2001, 40, 6383-6389.	4.0	23
119	Cu(II) and Ni(II) complexes with dipyridine-containing macrocyclic polyamines with different binding units. Electronic supplementary information (ESI) available: selected bond lengths [Å] and angles [°] for [CuL ₁](ClO ₄) ₂ (Table S1) and for [NiL ₁](ClO ₄) ₂ (Table S2); absorption spectra of L ₂ in the presence of Cu(II) (1 : 1 molar ratio) at different pH values (Fig. S1). See http://www.rsc.org/suppdata/DT/B2/B211904H/ . <i>Dalton Transactions</i> , 2003, , 1299-1307.	3.3	23
120	Encapsulation of metal cations and anions within the cavity of bis(1,4,7-triazacyclononane) receptors. <i>Dalton Transactions</i> , 2006, , 1409-1418.	3.3	23
121	[Zn ₂ (μ -OH) ₂] ²⁺ Cluster assembly inside a new macrobicyclic ditopic receptor. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 881-882.	2.0	22
122	Copper(II) and zinc(II) macrocyclic complexes with high efficiency in fixing CO ₂ . Crystal structures of <i>Chemical Communications</i> , 1995, , 1555-1556.	2.0	22
123	Solid state to solution: crystal structure and molecular dynamics simulations of a polyammonium nitrate host. <i>New Journal of Chemistry</i> , 1999, 23, 1007-1013.	2.8	22
124	Binding of nucleobases to a dizinc macrocyclic complex. Supramolecular assembling of dinuclear clusters through N-H \cdots O and C-H \cdots O hydrogen bonding. <i>Inorganica Chimica Acta</i> , 2001, 317, 259-267.	2.4	22
125	Cation and anion coordination chemistry of palladium(II) with polyazacycloalkanes. Thermodynamic and structural studies. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1992, 12, 291-304.	1.6	21
126	Encapsulation of cations and anions by azacrowns: Thermodynamic and structural aspects. <i>Pure and Applied Chemistry</i> , 1993, 65, 381-386.	1.9	21

#	ARTICLE	IF	CITATIONS
127	Modulation of the ligational properties of a new cylindrical macrotricyclic by coupling of photochemical- and pH-switching properties. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 413-418.	0.9	21
128	A Tris- ϵ -Macrocycle with Proton Sponge Characteristics as Efficient Receptor for Inorganic Phosphate and Nucleotide Anions. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 5610-5621.	2.4	21
129	Synthesis and protonation behaviour of the macrocyclic ligand 1,4,7,13-tetramethyl-1,4,7,10,13,16-hexaazacyclooctadecane and of its bicyclic derivative 4,7,10,17,23-pentamethyl-1,4,7,10,13,17,23-heptaazabicyclo[11.7.5]-pentacosane. A potentiometric and ^1H and ^{13}C NMR study. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1992, , 1059-1065.	0.9	20
130	Synthesis and ligational behavior toward hydrogen and copper(II) ions of the two new oxa-aza macrocyclic receptors 10,13,16-trimethyl-1,4-dioxo-7,10,13,16,19-pentaazacyclohenicosane ($\text{Me}_3[21]\text{aneN}_5\text{O}_2$) and 13,16,19-trimethyl-1,4,7-trioxa-10,13,16,19,22-pentaazacyclotetracosane ($\text{Me}_3[24]\text{aneN}_5\text{O}_3$). <i>Inorganic Chemistry</i> , 1993, 32, 4900-4908.	4.0	20
131	Pd(II) complexes of aliphatic polyamine ligands in aqueous solution: thermodynamic and structural features. <i>Coordination Chemistry Reviews</i> , 1999, 184, 243-270.	18.8	20
132	Protonated macrocyclic Zn(ii) complexes as polyfunctional receptors for ATP. <i>Dalton Transactions</i> , 2003, , 2564-2572.	3.3	20
133	Aza-macrocycles bearing lipophilic functions. Their synthesis and selective lithium complexation. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996, , 2297.	0.9	19
134	A thermodynamic, electrochemical and molecular dynamics study on NAD and NADP recognition by 1,4,7,10,13,16,19-heptaazacyclohenicosane ($[21]\text{aneN}_7$). <i>Journal of the Chemical Society Perkin Transactions II</i> , 1999, , 23-32.	0.9	19
135	Copper-(II) and -(I) co-ordination by hexa-amine ligands of different rigidities. A thermodynamic, structural and electrochemical investigation. <i>Dalton Transactions RSC</i> , 2000, , 2383-2391.	2.3	19
136	Mono- and Dinuclear Cu and ZnII Complexes of Cyclen-Based Bis(macrocycle) Containing Two Aminoalkyl Pendant Arms of Different Lengths. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2044-2053.	2.0	19
137	Synthesis and characterization of an aza-cage, basicity behaviour and crystal structure of its diprotonated species. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1993, , 715.	0.9	18
138	Basicity properties of a novel azaparacyclophane receptor and its acyclic precursor: a thermodynamic and structural approach. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 275.	0.9	18
139	Synthesis, solution studies and structural characterisation of complexes of a mixed oxa-aza macrocycle bearing pendant amino arms. <i>Dalton Transactions RSC</i> , 2000, , 4122-4129.	2.3	18
140	Coordination Properties of a Polyamine Cryptand with Two Different Binding Moieties. A Case of a pH-Modulated Antenna Device Based on a New Eu(III) Cryptate Complex. <i>Inorganic Chemistry</i> , 2001, 40, 6172-6179.	4.0	18
141	Supramolecular Assembling of Dizinc Macrocyclic Complexes with Thymine and Uracil - The Role of Intra- and Intermolecular Hydrogen Bonding. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 629-632.	2.0	18
142	Interaction of polyamine macrocycles with Zn(II) and ATP in aqueous solution. Binary and ternary systems. A potentiometric, NMR and fluorescence emission study. <i>Inorganica Chimica Acta</i> , 2008, 361, 3410-3419.	2.4	18
143	Cu(ii) complexation with an acridine-containing macrocycle. Assembly of water cluster chains within the cavity of tetranuclear metallomacrocycles. <i>Dalton Transactions</i> , 2009, , 1223.	3.3	18
144	Suppression of allergen-induced respiratory dysfunction and airway inflammation in sensitized guinea pigs by MnII($\text{Me}_2\text{DO}_2\text{A}$), a novel superoxide scavenger compound. <i>Free Radical Biology and Medicine</i> , 2010, 48, 1525-1534.	2.9	18

#	ARTICLE	IF	CITATIONS
145	Highly stable ionic liquid-in-water emulsions as a new class of fluorescent sensors for metal ions: the case study of Fe ³⁺ sensing. RSC Advances, 2015, 5, 37385-37391.	3.6	18
146	Synthetic Route To Produce Giant-Size Azamacrocycles. Journal of Organic Chemistry, 1994, 59, 7508-7510.	3.2	17
147	Cd(II) complexation in aqueous solution with dipyrindine- and phenanthroline-containing polyamine macrocycles. Polyhedron, 2002, 21, 1329-1335.	2.2	17
148	Synthesis, solution studies and structural characterisation of complexes of a mixed oxazamacrocycle bearing nitrile pendant arms. Inorganica Chimica Acta, 2002, 337, 59-69.	2.4	17
149	Co-ordination chemistry of amino pendant arm derivatives of 1,4,7-triazacyclononane. Dalton Transactions, 2004, , 1934-1944.	3.3	17
150	A new low molecular weight, Mn ^{II} -containing scavenger of superoxide anion protects cardiac muscle cells from hypoxia/reoxygenation injury. Free Radical Research, 2015, 49, 67-77.	3.3	17
151	Selective encapsulation of lithium ion by the new azacage 5,12,17-trimethyl-1,5,9,12,17-penta-azabicyclo[7.5.5]nonadecane (L). Thermodynamic studies and crystal structures of the lithium complex [Li][BPH4] and of the monoprotonated salt [HL][Cl]·(H ₂ O) ₃ . Journal of the Chemical Society Chemical Communications, 1989, , 701-703.	2.0	16
152	Macrocyclic effect on anion binding. A potentiometric and electrochemical study of the interaction of 21- and 24- membered polyazaalkanes with [Fe(CN) ₆] ⁴⁻ and [Co(CN) ₆] ³⁻ . Journal of the Chemical Society Dalton Transactions, 1992, , 319-324.	1.1	16
153	A giant-size azamacrocycle: synthesis and crystal structure of its dinuclear cadmium complex. Journal of the Chemical Society Chemical Communications, 1994, , 1119.	2.0	16
154	Photochemical- and pH-switching Properties of a New Photoelastic Ligand Based Upon Azobenzene. Basicity and Anion Binding. Supramolecular Chemistry, 2001, 13, 277-285.	1.2	16
155	Coordination Chemistry of a New Cofacial Binucleating Macropolycycle Derived from 1,4,7-Triazacyclononane. Inorganic Chemistry, 2003, 42, 8690-8701.	4.0	16
156	Coordination features of a terpyridine-containing polyamine receptor. Effect of protonation on the photophysical properties of the complexes. Dalton Transactions, 2006, , 5743.	3.3	16
157	An OFF-ON chemosensor for biological and environmental applications: sensing Cd ²⁺ in water using cationic vesicles and in living cells. Organic and Biomolecular Chemistry, 2013, 11, 7751.	2.8	16
158	DNA and Triphosphate Recognition and Sensing with Mono- and Dinuclear Fluorescent Zinc(II) Complexes: Clues for the Design of Selective Chemosensors for Anions in Aqueous Media. Chemistry - A European Journal, 2016, 22, 14890-14901.	3.3	16
159	The design of TACN-based molecular systems for different supramolecular functions. Coordination Chemistry Reviews, 2020, 407, 213151.	18.8	16
160	N,N,N',N'-((2-Aminoethyl)-1,4,8,11-tetraazacyclotetradecane (TAEC) as a polyammonium receptor for anions. Journal of the Chemical Society Perkin Transactions II, 1991, , 1445-1451.	0.9	15
161	Oxa-aza macrocyclic molecules as receptors for metal cations. Inorganic Chemistry, 1994, 33, 617-620.	4.0	15
162	A new functionalized hexaazamacrocycle. Effect of pyridine pendants on cation and anion binding. Journal of the Chemical Society Dalton Transactions, 1999, , 1101-1108.	1.1	15

#	ARTICLE	IF	CITATIONS
163	Design of Ligands Which Improve Cu(I) Catalysis. <i>Industrial & Engineering Chemistry Research</i> , 2000, 39, 3536-3540.	3.7	15
164	A thermodynamic and spectrophotometric study of anion binding with a multifunctional dipyridine-based macrobicyclic receptor. <i>Inorganica Chimica Acta</i> , 2003, 356, 167-178.	2.4	15
165	Phosphate binding by a novel Zn(II) complex featuring a trans-1,2-diaminocyclohexane ligand. Effective anion recognition in water. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 1860-1868.	2.8	15
166	Zn ²⁺ /Cd ²⁺ optical discrimination by fluorescent acridine-based bis-macrocyclic receptors. <i>Supramolecular Chemistry</i> , 2017, 29, 912-921.	1.2	15
167	Li+(TMPAND)Na?: The first alkali prepared from an azacage complexant. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1992, 12, 263-274.	1.6	14
168	Thermodynamic study of the interaction of long open-chain polyazaalkanes with cobalt(II) and nickel(II) ions. <i>Inorganica Chimica Acta</i> , 1993, 204, 221-225.	2.4	14
169	Thermodynamic and structural properties of palladium(II) polynuclear complexes of azamacrocycles. Crystal structure of the [Pd2([24]aneN8)] (ClO4)4 complex. <i>Inorganic Chemistry</i> , 1993, 32, 1204-1208.	4.0	14
170	Zn(II) coordination to tren-based tris-macrocycles. Activity of their trinuclear Zn(II) complexes in carboxy- and phosphate-ester hydrolysis. <i>Dalton Transactions</i> , 2003, , 3574-3580.	3.3	14
171	Dinuclear ZnII Complexes of Polydentate Polyamines as Minimalist Models of Hydrolytic Reactions. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4061-4071.	2.0	14
172	A highly pH-sensitive Zn(II) chemosensor. <i>Dalton Transactions</i> , 2010, 39, 7080.	3.3	14
173	Anion recognition properties of pyridine-2,6-dicarboxamide and isophthalamide derivatives containing l-tryptophan moieties. <i>Supramolecular Chemistry</i> , 2012, 24, 95-100.	1.2	14
174	Tuning the Emission Properties of Fluorescent Ligands by Changing pH: The Unusual Case of an Acridine-Containing Polyamine Macrocyclic. <i>Journal of Physical Chemistry A</i> , 2013, 117, 3798-3808.	2.5	14
175	Catching anions with coloured assemblies: binding of pH indicators by a giant-size polyammonium macrocycle for anion naked-eye recognition. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 8309-8321.	2.8	14
176	Spectroscopic and photoacoustic characterization of encapsulated iron oxide super-paramagnetic nanoparticles as a new multiplatform contrast agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 199, 248-253.	3.9	14
177	Different Antioxidant Efficacy of Two MnII-Containing Superoxide Anion Scavengers on Hypoxia/Reoxygenation-Exposed Cardiac Muscle Cells. <i>Scientific Reports</i> , 2019, 9, 10320.	3.3	14
178	[9]aneN3-based fluorescent receptors for metal ion sensing, featuring urea and amide functional groups. <i>Dalton Transactions</i> , 2019, 48, 4949-4960.	3.3	14
179	Synthesis of a small azacage which can selectively encapsulate a lithium ion in aqueous solution. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 174.	2.0	13
180	Interaction of long polyazaalkanes with zinc(II) and cadmium(II) ions. A thermodynamic and ¹³ C nuclear magnetic resonance study. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 3077-3083.	1.1	13

#	ARTICLE	IF	CITATIONS
181	Polyfunctional Recognition of Pyridinedicarboxylate Anions with Macrocyclic Polyamine Receptors Containing Heteroaromatic Groups. <i>Journal of Organic Chemistry</i> , 2008, 73, 8286-8295.	3.2	13
182	Metal-based optical chemosensors for CN ⁻ detection. <i>Environmental Science and Pollution Research</i> , 2016, 23, 24451-24475.	5.3	13
183	Optical and Electrochemical Study of Acridine-Based Polyaza Ligands for Anion Sensing. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 2675-2679.	2.0	13
184	A new dipyrindine-containing cryptand for both proton and Cu(II) encapsulation. A solution and solid state study. <i>Dalton Transactions RSC</i> , 2002, , 2151-2157.	2.3	12
185	Modeling and Biological Investigations of an Unusual Behavior of Novel Synthesized Acridine-Based Polyamine Ligands in the Binding of Double Helix and G-Quadruplex DNA. <i>ChemMedChem</i> , 2010, 5, 1995-2005.	3.2	12
186	Proton and metal binding by cyclen-based highly rigid cryptands. <i>Dalton Transactions</i> , 2010, 39, 11643.	3.3	12
187	Myelin-specific T cells carry and release magnetite PGLA-PEG COOH nanoparticles in the mouse central nervous system. <i>RSC Advances</i> , 2018, 8, 904-913.	3.6	12
188	Metroprolol Fumarate: Crystal Structure from Powder X-ray Diffraction Data and Comparison with the Tartrate and Succinate Salts. <i>Crystal Growth and Design</i> , 2018, 18, 7015-7026.	3.0	12
189	The solid-state structure of the β -blocker metoprolol: a combined experimental and <i>in silico</i> investigation. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 87-96.	0.5	12
190	Dioxygen addition to cobalt(II) complexes with a binucleating macrocyclic ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 695-702.	1.1	11
191	Effect of lithium encapsulation by a macrocyclic aza cage in micellar solutions of lithium dodecyl sulfate. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1994, 88, 59-66.	4.7	11
192	ApA Cleavage Promoted by Oxa-aza Macrocycles and Their Zn(II) Complexes. The Role of pH and Metal Coordination in the Hydrolytic Mechanism. <i>Supramolecular Chemistry</i> , 2001, 13, 489-497.	1.2	11
193	A dizinc complex for selective fluorescence sensing of uridine and uridine-containing dinucleotides. <i>Chemical Communications</i> , 2007, , 1230.	4.1	11
194	Polyamine-Polycarboxylate Metal Complexes with Different Biological Effectiveness as Nitric Oxide Scavengers. Clues for Drug Design. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 3250-3260.	6.4	11
195	Sensing and activation of anionic species by polyamine-based metal complexes. <i>Inorganica Chimica Acta</i> , 2014, 417, 38-58.	2.4	11
196	A fluorescent receptor for halide recognition: clues for the design of anion chemosensors. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 10813-10822.	2.8	11
197	Synthesis and characterization of the aza-cage 4-benzyl-10,15-dimethyl-1,4,7,10,15-pentaazabicyclo[5.5.5]heptadecane (L). Its proton transfer properties and lithium complex. The crystal structure of the monoprotonated salt [HL][BPh ₄]. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1992, , 181.	0.9	10
198	Palladium(II) co-ordination by linear N-methylated polyamines: a solution and solid-state study. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 1625-1632.	1.1	10

#	ARTICLE	IF	CITATIONS
199	Cobalt(II) dioxygen carriers based on dinucleating ligands.. Polyhedron, 2000, 19, 2441-2445.	2.2	10
200	Coordination features of ditopic oxa-azamacrocycles toward Ni(ii) and Co(ii). Dioxygen uptake by their dinuclear Co(ii) complexes. Dalton Transactions, 2004, , 463-469.	3.3	10
201	Inclusive coordination of F ⁻ , Cl ⁻ and Br ⁻ anions into macrobicyclic polyammonium receptors. New Journal of Chemistry, 2006, 30, 959-965.	2.8	10
202	Exploring New Molecular Architectures for Anion Recognition: Synthesis and ATP Binding Properties of New Cyclam-Based Ditopic Polyammonium Receptors.. Chemistry - an Asian Journal, 2011, 6, 1582-1594.	3.3	10
203	Glyphosate and ATP binding by mononuclear Zn(ii) complexes with non-symmetric ditopic polyamine ligands. Dalton Transactions, 2012, 41, 10521.	3.3	10
204	Cascade complex formation by phosphate in the cobalt(II)/[30]aneN10 anaerobic system. Inorganica Chimica Acta, 1993, 204, 227-230.	2.4	9
205	Structure and aggregation of lithium dodecyl sulphate micellar solutions in the presence of a macrocyclic cage. Journal of Physics Condensed Matter, 1994, 6, A369-A373.	1.8	9
206	Coloured aza-cages for lithium encapsulation. Supramolecular Chemistry, 1996, 7, 61-66.	1.2	9
207	Coordination Features of Polyaza-Bipyridine-Macrocyclic Ligand toward Co(II) and Cd(II) in Water and Dimethylsulfoxide. Journal of Solution Chemistry, 2008, 37, 503-517.	1.2	9
208	Two macrocycles of different molecular topology obtained by the same synthetic procedure. Their crystal structures and ligational properties. Supramolecular Chemistry, 1994, 3, 279-290.	1.2	8
209	A novel synthetic pathway for paracyclophane receptors. Tetrahedron Letters, 1994, 35, 8469-8472.	1.4	8
210	Co-ordination tendencies of two novel compartmental oxa-aza macrobicycles. Crystal structure of a Cu II (H ₂ O) inclusion complex. Journal of the Chemical Society Dalton Transactions, 1994, , 3581.	1.1	8
211	Mono- and poly-nuclear cryptate complexes of cage-like azamacrocyclic compounds: a thermodynamic and electrochemical approach. Journal of the Chemical Society Dalton Transactions, 1995, , 2377.	1.1	8
212	Synthesis and characterisation of two new catechol-based iron(III) ion-sequestering agents. Journal of the Chemical Society Dalton Transactions, 1998, , 359-368.	1.1	8
213	Coordination properties of a new hexaazamacrocyclic containing thiophene units as pendant arms. Inorganica Chimica Acta, 2000, 300-302, 653-660.	2.4	8
214	Reaction pathways for Zn(II)-catalyzed carboxylic acid esters hydrolysis. Inorganica Chimica Acta, 2005, 358, 77-92.	2.4	8
215	Co(ii) and Cd(ii) complexation with two dipyridine-containing macrocyclic polyamines in water and dimethyl sulfoxide. New Journal of Chemistry, 2005, 29, 805.	2.8	8
216	Protection of coronary endothelial cells from cigarette smoke-induced oxidative stress by a new Mn(II)-containing polyamine-polycarboxylate scavenger of superoxide anion. Vascular Pharmacology, 2015, 75, 19-28.	2.1	8

#	ARTICLE	IF	CITATIONS
217	Switching on the Fluorescence Emission of Polypyridine Ligands by Simultaneous Zinc(II) Binding and Protonation. <i>ChemPlusChem</i> , 2020, 85, 659-671.	2.8	8
218	Glyphosate sensing in aqueous solutions by fluorescent zinc(II) complexes of [9]aneN ₃ -based receptors. <i>Dalton Transactions</i> , 2022, 51, 8733-8742.	3.3	8
219	Mono- and bi-nuclear copper(II) complexes with polyazacyclophane receptors containing two different binding sites. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 3535-3541.	1.1	7
220	A large cavity reinforced cryptand for the binding of metal cations and anions. <i>Inorganica Chimica Acta</i> , 1998, 273, 326-333.	2.4	7
221	pH-Controlled metal translocation outside/inside the cavity of a polyamine macrocycle. <i>Journal of Coordination Chemistry</i> , 2009, 62, 82-91.	2.2	7
222	Enhanced intra-cutaneous delivery of a Mn-containing antioxidant drug by high-frequency ultrasounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 106, 197-203.	2.8	7
223	Binuclear metal assemblies inside an oxa-aza macrocyclic receptor. <i>Inorganica Chimica Acta</i> , 1996, 246, 125-131.	2.4	6
224	A large cavity cryptand for recognition of dianionic substrates in aqueous solution. <i>Tetrahedron Letters</i> , 1997, 38, 5327-5330.	1.4	6
225	Palladium(II) Complexation by Cyclophane Receptors. A Solution and Solid State Study. <i>Inorganic Chemistry</i> , 1999, 38, 2064-2070.	4.0	6
226	Exploring the Ability of Luminescent Metal Assemblies to Bind and Sense Anionic or Ionizable Analytes A Ru(phen) ₂ bipy-Based Dizinc Complex for Bisphenol A (BPA) Recognition. <i>Molecules</i> , 2021, 26, 527.	3.8	6
227	Calculating EPR Spin Hamiltonian Parameters of Transition Metal Complexes. <i>Comments on Inorganic Chemistry</i> , 1985, 4, 99-111.	5.2	5
228	Synthesis, crystal structure and ligational properties of a new macrotricyclic ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 2049.	1.1	5
229	Fluorescent Chemosensors Based upon Macrocyclic Polyamines Containing Aromatic Sectors. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2001, 41, 87-93.	1.6	5
230	Basicity and coordination ability of linear hexa-amines in relation to N-(CH ₂) _n -N chain-link lengths. A solution study. <i>Polyhedron</i> , 2002, 21, 1459-1467.	2.2	5
231	New Macrocyclic Amines Showing Activity as HIV Entry Inhibitors Against Wild Type and Multi-Drug Resistant Viruses. <i>Molecules</i> , 2009, 14, 1927-1937.	3.8	5
232	And Mixed Thia/Aza-Macrocyclic Receptors with Quinoline-Bearing Pendant Arms for Optical Discrimination of Zinc(II) or Cadmium(II) Ions. <i>ChemPlusChem</i> , 2020, 85, 1789-1799.	2.8	5
233	Interaction of Zn(II) and Cd(II) with large polyazacycloalkanes in dmsO/H ₂ O (80:20 vol./vol.). A potentiometric study. <i>Inorganica Chimica Acta</i> , 1990, 172, 203-209.	2.4	4
234	Unusual complexation behavior of 1,3-diaminopropane. <i>Inorganica Chimica Acta</i> , 1996, 244, 255-258.	2.4	4

#	ARTICLE	IF	CITATIONS
235	Equilibria and kinetics of complex formation between nickel(II) and the polyamine Me ₂ octaen. <i>Polyhedron</i> , 2000, 19, 2507-2513.	2.2	4
236	Synthesis and coordination properties of highly preorganised polyamine macrocycles. <i>Journal of Heterocyclic Chemistry</i> , 2001, 38, 1273-1279.	2.6	4
237	Reinforced piperazine rings containing polyamines: metal complex equilibria and structural studies. <i>Inorganica Chimica Acta</i> , 1998, 268, 63-68.	2.4	3
238	Ni(II) and Co(II) complexes with a phenanthroline-containing macrocycle. Thermodynamic, structural and kinetic considerations. <i>Physical Chemistry Chemical Physics</i> , 2000, 2, 4864-4869.	2.8	3
239	Selective Binding of Glyphosate by a Ditopic Cyclic "Open" Chain Polyazaligand in Aqueous Solution. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 6965-6973.	2.4	3
240	Polyamine receptors containing anthracene as fluorescent probes for ketoprofen in H ₂ O/EtOH solution.. <i>Chemical Communications</i> , 0, , .	4.1	3
241	Charge effects on the photochemistry of the Co(EDTA) " " system in the presence of polyammonium macrocyclic receptors. <i>Inorganica Chimica Acta</i> , 1992, 195, 139-143.	2.4	2
242	Conformational investigation of some macrobicyclic compounds and of their monoprotinated cations through a comparison between X-ray crystal structures and molecular dynamics simulations. <i>Supramolecular Chemistry</i> , 1996, 7, 195-200.	1.2	2
243	Synthesis and characterization of a macrocycle containing different functional groups and its non-cyclic counterpart. <i>Inorganica Chimica Acta</i> , 2001, 318, 152-158.	2.4	2
244	On the use of mixed thia/aza macrocycles in the development of fluorescent chemosensors for toxic heavy metals and fluorescent materials. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2019, 194, 682-688.	1.6	2
245	Li+(TMPAND)Na-: The First Alkalide Prepared from an Azacage Complexant. , 1992, , 263-274.		2
246	Complexation of Ni(II) and Co(II) with 1,4-Dioxo-7,10,13-triazacyclopentadecane (L). Crystal Structure of [NiLCl][NiL(H ₂ O)](ClO ₄) ₃ and Macrocycle-Induced Dioxygen Binding. <i>Industrial & Engineering Chemistry Research</i> , 2000, 39, 3484-3488.	3.7	1
247	Anion binding by a binuclear Cu(II) polyamine macrocyclic complex. <i>Journal of Supramolecular Chemistry</i> , 2002, 2, 49-52.	0.4	1
248	Protonation of cyclen-based chelating agents containing fluorescent moieties. <i>New Journal of Chemistry</i> , 2021, 45, 16926-16938.	2.8	1
249	The Role of Macrocyclic Receptors in Organization of Metal Centers. , 1994, , 309-328.		0