

Miguel Trefaut Rodrigues

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9076499/publications.pdf>

Version: 2024-02-01

283
papers

8,671
citations

53660

45
h-index

71532

76
g-index

285
all docs

285
docs citations

285
times ranked

5887
citing authors

#	ARTICLE	IF	CITATIONS
1	Stability Predicts Genetic Diversity in the Brazilian Atlantic Forest Hotspot. <i>Science</i> , 2009, 323, 785-789.	6.0	922
2	Phylogeography and species limits in the <i>Gymnodactylus darwini</i> complex (Gekkonidae, Squamata): genetic structure coincides with river systems in the Brazilian Atlantic Forest. <i>Biological Journal of the Linnean Society</i> , 2005, 85, 13-26.	0.7	215
3	Prediction of phylogeographic endemism in an environmentally complex biome. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20141461.	1.2	210
4	Phylogenetics of the Lizard Genus <i>Tropidurus</i> (Squamata: Tropiduridae: Tropidurinae): Direct Optimization, Descriptive Efficiency, and Sensitivity Analysis of Congruence Between Molecular Data and Morphology. <i>Molecular Phylogenetics and Evolution</i> , 2001, 21, 352-371.	1.2	176
5	Specimen collection: An essential tool. <i>Science</i> , 2014, 344, 814-815.	6.0	169
6	Sistemática, ecologia e zoogeografia dos <i>Tropidurus</i> do grupo <i>Torquatus</i> ao sul do Rio Amazonas (Sauria, Iguanidae). <i>Arquivos De Zoologia</i> , 1987, 31, 105.	0.1	164
7	DEEP DIVERSIFICATION AND LONG-TERM PERSISTENCE IN THE SOUTH AMERICAN "DRY DIAGONAL": INTEGRATING CONTINENT-WIDE PHYLOGEOGRAPHY AND DISTRIBUTION MODELING OF GECKOS. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 3014-3034.	1.1	162
8	The taxonomic impediment: a shortage of taxonomists, not the lack of technical approaches. <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 381-387.	1.0	135
9	Lizards, Snakes, and Amphisbaenians from the Quaternary Sand Dunes of the Middle Rio Sao Francisco, Bahia, Brazil. <i>Journal of Herpetology</i> , 1996, 30, 513.	0.2	131
10	From Amazonia to the Atlantic forest: Molecular phylogeny of <i>Phyzelaphryninae</i> frogs reveals unexpected diversity and a striking biogeographic pattern emphasizing conservation challenges. <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 547-561.	1.2	124
11	Seasonal patterns of breeding activity of Atlantic Rainforest anurans at Boracéia, Southeastern Brazil. <i>Amphibia - Reptilia</i> , 2002, 23, 161-167.	0.1	114
12	Multiple Quaternary Refugia in the Eastern Guiana Shield Revealed by Comparative Phylogeography of 12 Frog Species. <i>Systematic Biology</i> , 2012, 61, 461.	2.7	113
13	High Levels of Diversity Uncovered in a Widespread Nominal Taxon: Continental Phylogeography of the Neotropical Tree Frog <i>Dendropsophus minutus</i> . <i>PLoS ONE</i> , 2014, 9, e103958.	1.1	110
14	Species delimitation, patterns of diversification and historical biogeography of the neotropical frog genus <i>Acanthixalus</i> (Anura, Tj ETQq0 0 0 rgBT /Overlack 10 Tf 10217 Td (
15	Inferring responses to climate dynamics from historical demography in neotropical forest lizards. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7978-7985.	3.3	91
16	The impact of anchored phylogenomics and taxon sampling on phylogenetic inference in narrow-mouthed frogs (Anura, Microhylidae). <i>Cladistics</i> , 2016, 32, 113-140.	1.5	90
17	Demographic processes in the montane Atlantic rainforest: Molecular and cytogenetic evidence from the endemic frog <i>Proceratophrys boiei</i> . <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 880-888.	1.2	86
18	Biogeographic history and cryptic diversity of saxicolous <i>Tropiduridae</i> lizards endemic to the semiarid Caatinga. <i>BMC Evolutionary Biology</i> , 2015, 15, 94.	3.2	83

#	ARTICLE	IF	CITATIONS
19	Parotoid macroglands in toad (<i>Rhinella jimi</i>): Their structure and functioning in passive defence. <i>Toxicon</i> , 2009, 54, 197-207.	0.8	79
20	Molecular phylogeny and morphometric analyses reveal deep divergence between Amazonia and Atlantic Forest species of <i>Dendrophryniscus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 826-838.	1.2	79
21	A molecular perspective on the evolution of microteiid lizards (Squamata, Gymnophthalmidae), and a new classification for the family. <i>Biological Journal of the Linnean Society</i> , 2001, 74, 315-338.	0.7	76
22	Systematics of spiny-backed treefrogs (<i>Hyalinobatrachium</i>): an Amazonian puzzle. <i>Zoologica Scripta</i> , 2013, 42, 351-380.	0.7	75
23	A molecular perspective on the evolution of microteiid lizards (Squamata, Gymnophthalmidae), and a new classification for the family. <i>Biological Journal of the Linnean Society</i> , 2001, 74, 315-338.	0.7	73
24	The Conservation of Brazilian Reptiles: Challenges for a Megadiverse Country. <i>Conservation Biology</i> , 2005, 19, 659-664.	2.4	72
25	Cryptic species in <i>Iphisa elegans</i> Gray, 1851 (Squamata: Gymnophthalmidae) revealed by hemipenial morphology and molecular data. <i>Zoological Journal of the Linnean Society</i> , 2012, 166, 361-376.	1.0	70
26	A mid-Pleistocene rainforest corridor enabled synchronous invasions of the Atlantic forest by Amazonian anole lizards. <i>Molecular Ecology</i> , 2016, 25, 5174-5186.	2.0	70
27	Molecular systematics of teiid lizards (Teioidea/Gymnophthalmoidea: Squamata) based on the analysis of 48 loci under tree alignment and similarity alignment. <i>Cladistics</i> , 2016, 32, 624-671.	1.5	70
28	Unexpected phylogenetic positions of the genera <i>Rupirana</i> and <i>Crossodactylodes</i> reveal insights into the biogeography and reproductive evolution of leptodactylid frogs. <i>Molecular Phylogenetics and Evolution</i> , 2013, 67, 445-457.	1.2	69
29	Amphibian Chytrid Fungus Broadly Distributed in the Brazilian Atlantic Rain Forest. <i>EcoHealth</i> , 2006, 3, 41-48.	0.9	67
30	Molecular phylogeny, biogeography and insights into the origin of parthenogenesis in the Neotropical genus <i>Leposoma</i> (Squamata: Gymnophthalmidae): Ancient links between the Atlantic Forest and Amazonia. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 446-459.	1.2	67
31	Recurrent connections between Amazon and Atlantic forests shaped diversity in Caatinga four-eyed frogs. <i>Journal of Biogeography</i> , 2016, 43, 1045-1056.	1.4	64
32	Comparing alignment methods for inferring the history of the new world lizard genus <i>Mabuya</i> (Squamata: Scincidae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 719-730.	1.2	63
33	Photography-based taxonomy is inadequate, unnecessary, and potentially harmful for biological sciences. <i>Zootaxa</i> , 2016, 4196, zootaxa.4196.3.9.	0.2	63
34	Cryptic lineages and diversification of an endemic anole lizard (Squamata, Dactyloidae) of the Cerrado hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 279-289.	1.2	63
35	Utilização de habitats reprodutivos e micro-habitats de vocalização em uma taxocenose de anuros (Amphibia) da Mata Atlântica do sudeste do Brasil. <i>Papeis Avulsos De Zoologia</i> , 2002, 42, 287.	0.4	60
36	Large-scale DNA-based survey of frogs in Amazonia suggests a vast underestimation of species richness and endemism. <i>Journal of Biogeography</i> , 2020, 47, 1781-1791.	1.4	60

#	ARTICLE	IF	CITATIONS
37	Phylogeny, species limits, and biogeography of the Brazilian lizards of the genus <i>Eurolophosaurus</i> (Squamata: Tropicuridae) as inferred from mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 403-414.	1.2	59
38	Genetic structure, phylogeny, and biogeography of Brazilian eyelid-less lizards of genera <i>Calyptommatus</i> and <i>Nothobachia</i> (Squamata, Gymnophthalmidae) as inferred from mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 622-630.	1.2	59
39	Taxonomic revision of <i>Rhinella granulosa</i> species group (Amphibia, Anura, Bufonidae), with a description of a new species. <i>Arquivos De Zoologia</i> , 2009, 40, 1.	0.1	58
40	Chromosomal Evolution in the Brazilian Lizards of Genus <i>Leposoma</i> (Squamata, Gymnophthalmidae) from Amazon and Atlantic Rain Forests: Banding Patterns and FISH of Telomeric Sequences. <i>Hereditas</i> , 2004, 131, 15-21.	0.5	57
41	A phylogenetic analysis of <i>Pleurodema</i> (Anura: Leptodactylidae: Leiuperinae) based on mitochondrial and nuclear gene sequences, with comments on the evolution of anuran foam nests. <i>Cladistics</i> , 2012, 28, 460-482.	1.5	57
42	Out of the deep: Cryptic speciation in a Neotropical gecko (Squamata, Phyllodactylidae) revealed by species delimitation methods. <i>Molecular Phylogenetics and Evolution</i> , 2014, 80, 113-124.	1.2	57
43	Does counting species count as taxonomy? On misrepresenting systematics, yet again. <i>Cladistics</i> , 2014, 30, 322-329.	1.5	56
44	Phylogeny and cryptic diversity in geckos (<i>Phyllopezus</i> ; Phyllodactylidae; Gekkota) from South America's open biomes. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 943-953.	1.2	55
45	The trans-riverine genetic structure of 28 Amazonian frog species is dependent on life history. <i>Journal of Tropical Ecology</i> , 2015, 31, 361-373.	0.5	55
46	Cryptic diversity in Amazonian frogs: Integrative taxonomy of the genus <i>Anomaloglossus</i> (Amphibia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 1 <i>Phylogenetics and Evolution</i> , 2017, 112, 158-173.	1.2	55
47	The inguinal macroglands of the frog <i>Physalaemus nattereri</i> (Leptodactylidae): structure, toxic secretion and relationship with deimatic behaviour. <i>Journal of Zoology</i> , 2005, 266, 385-394.	0.8	51
48	Phenotype loss is associated with widespread divergence of the gene regulatory landscape in evolution. <i>Nature Communications</i> , 2018, 9, 4737.	5.8	51
49	Revisão taxonômica do complexo <i>Bothrops neuwiedi</i> (Serpentes, Viperidae) com descrição de uma nova espécie. <i>Phyllomedusa</i> , 2008, 7, 45.	0.2	50
50	Venomous Frogs Use Heads as Weapons. <i>Current Biology</i> , 2015, 25, 2166-2170.	1.8	49
51	Passive and active defense in toads: The parotoid macroglands in <i>Rhinella marina</i> and <i>Rhaebo guttatus</i> . <i>Journal of Experimental Zoology</i> , 2014, 321, 65-77.	1.2	48
52	The hidden diversity of <i>Coleodactylus amazonicus</i> (Sphaerodactylinae, Gekkota) revealed by molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 583-593.	1.2	47
53	Measuring behavioral thermal tolerance to address hot topics in ecology, evolution, and conservation. <i>Journal of Thermal Biology</i> , 2018, 73, 71-79.	1.1	47
54	Geographic variation and systematic review of the lizard genus <i>Vanzosaura</i> (Squamata,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 1 2014, 171, 206-225.	1.0	46

#	ARTICLE	IF	CITATIONS
55	Speciation with gene flow in whiptail lizards from a Neotropical xeric biome. <i>Molecular Ecology</i> , 2015, 24, 5957-5975.	2.0	44
56	Head co-ossification, phragmosis and defence in the casque-headed tree frog <i>Corythomantis greeningi</i> . <i>Journal of Zoology</i> , 2005, 265, 1-8.	0.8	43
57	Phylogenetic relationships of a new genus and species of microteiid lizard from the Atlantic forest of north-eastern Brazil (Squamata, Gymnophthalmidae). <i>Zoological Journal of the Linnean Society</i> , 2005, 144, 543-557.	1.0	42
58	Molecular phylogeny, species limits, and biogeography of the Brazilian endemic lizard genus <i>Enyalius</i> (Squamata: Leiosauridae): An example of the historical relationship between Atlantic Forests and Amazonia. <i>Molecular Phylogenetics and Evolution</i> , 2014, 81, 137-146.	1.2	42
59	Biogeographic links between southern Atlantic Forest and western South America: Rediscovery, re-description, and phylogenetic relationships of two rare montane anole lizards from Brazil. <i>Molecular Phylogenetics and Evolution</i> , 2017, 113, 49-58.	1.2	41
60	A new species of lizard genus <i>Enyalius</i> (Squamata, Leiosauridae) from the highlands of Chapada Diamantina, state of Bahia, Brazil, with a key to species. <i>Phyllomedusa</i> , 2006, 5, 11.	0.2	40
61	Comparative cranial osteology of fossorial lizards from the tribe gymnophthalmi (Squamata, Tj ETQq1 1 0.784314 rgBT /Overlock 10, If 50 302	0.6	40
62	Phylogenetic relationships of Amazonian anole lizards (<i>Dactyloa</i>): Taxonomic implications, new insights about phenotypic evolution and the timing of diversification. <i>Molecular Phylogenetics and Evolution</i> , 2015, 82, 258-268.	1.2	40
63	A New Genus of Microteiid Lizard from the Capara�3 Mountains, Southeastern Brazil, with a Discussion of Relationships among Gymnophthalminae (Squamata). <i>American Museum Novitates</i> , 2009, 3673, 1-27.	0.2	39
64	Isolation by instability: Historical climate change shapes population structure and genomic divergence of treefrogs in the Neotropical Cerrado savanna. <i>Molecular Ecology</i> , 2019, 28, 1748-1764.	2.0	38
65	Revisiting the vanishing refuge model of diversification. <i>Frontiers in Genetics</i> , 2014, 5, 353.	1.1	37
66	On the generic identity of <i>Odontophrynus moratoi</i> Jim & amp; Caramaschi, 1980 (Anura, Tj ETQq0 0 0 rgBT /Overlock 10, If 50 302	0.2	35
67	Phylogeography and historical demography of the arboreal pit viper <i>Bothrops bilineatus</i> (Serpentes, Crotalinae) reveal multiple connections between Amazonian and Atlantic rain forests. <i>Journal of Biogeography</i> , 2018, 45, 2415-2426.	1.4	35
68	Embryonic development of the fossorial gymnophthalmid lizards <i>Nothobachia ablephara</i> and <i>Calyptommatus sinebrachiatus</i> . <i>Zoology</i> , 2012, 115, 302-318.	0.6	34
69	Cryptic diversity in the <i>Hypsiboas semilineatus</i> species group (Amphibia, Anura) with the description of a new species from the eastern Guiana Shield. <i>Zootaxa</i> , 2016, 4084, 79-104.	0.2	34
70	A new genus and species of eyelid-less and limb reduced gymnophthalmid lizard from northeastern Brazil (Squamata, Gymnophthalmidae). <i>Zootaxa</i> , 2008, 1873, 50.	0.2	34
71	Chromosome banding patterns in the unisexual microteiid <i>Gymnophthalmus underwoodi</i> and in two related sibling species (Gymnophthalmidae, Sauria). <i>Cytogenetic and Genome Research</i> , 1995, 70, 29-34.	0.6	33
72	Herpetofauna of the quaternary sand dunes of the middle Rio S�o Francisco: Bahia: Brazil. VII.: <i>Typhlops amoipira</i> sp. nov., a possible relative of <i>Typhlops yonenagae</i> (Serpentes, Typhlopidae). <i>Papeis Avulsos De Zoologia</i> , 2002, 42, 325-333.	0.4	33

#	ARTICLE	IF	CITATIONS
73	A New Genus of Microteiid Lizard from the Atlantic Forests of State of Bahia, Brazil, with a New Generic Name for <i>Colobosaura mentalis</i> , and a Discussion of Relationships Among the Heterodactylini (Squamata, Gymnophthalmidae). <i>American Museum Novitates</i> , 2007, 3565, 1.	0.2	33
74	A new species of the lizard genus <i>Bachia</i> (Squamata: Gymnophthalmidae) from the Cerrados of Central Brazil. <i>Zootaxa</i> , 2008, 1875, 39.	0.2	33
75	Morphology of the parotoid macroglans in <i>Phyllomedusa</i> leaf frogs. <i>Journal of Zoology</i> , 2013, 291, 42-50.	0.8	32
76	Visual communication, reproductive behavior, and home range of <i>Hylodes dactylocinus</i> (Anura, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	0.2	31
77	THE GENUS <i>STENOCERCUS</i> (SQUAMATA: TROPIDURIDAE) IN EXTRA-AMAZONIAN BRAZIL, WITH THE DESCRIPTION OF TWO NEW SPECIES. <i>South American Journal of Herpetology</i> , 2006, 1, 149-165.	0.5	31
78	Extreme operative temperatures are better descriptors of the thermal environment than mean temperatures. <i>Journal of Thermal Biology</i> , 2015, 49-50, 106-111.	1.1	31
79	Brazil's government attacks biodiversity. <i>Science</i> , 2018, 360, 865-865.	6.0	31
80	Historical biogeography identifies a possible role of Miocene wetlands in the diversification of the Amazonian rocket frogs (Aromobatidae: <i>Allobates</i>). <i>Journal of Biogeography</i> , 2020, 47, 2472-2482.	1.4	31
81	Two new species of <i>Proceratophrys</i> ; Miranda-Ribeiro, 1920 (Anura; Odontophrynidae) from the Atlantic forest, with taxonomic remarks on the genus. <i>Zootaxa</i> , 2013, 3682, 277-304.	0.2	30
82	Testing main Amazonian rivers as barriers across time and space within widespread taxa. <i>Journal of Biogeography</i> , 2019, 46, 2444-2456.	1.4	30
83	Local adaptation in mainland anole lizards: Integrating population history and genome-environment associations. <i>Ecology and Evolution</i> , 2018, 8, 11932-11944.	0.8	29
84	Triploid Karyotype of <i>Leposoma percarinatum</i> (Squamata, Gymnophthalmidae). <i>Journal of Herpetology</i> , 2003, 37, 197-199.	0.2	28
85	A new dwarf species of <i>Proceratophrys</i> Miranda-Ribeiro, 1920 (Anura, Cycloramphidae) from the highlands of Chapada Diamantina, Bahia, Brazil. <i>Zootaxa</i> , 2012, 3551, 25.	0.2	27
86	Phylogeny of <i>Riama</i> (Squamata: Gymnophthalmidae), impact of phenotypic evidence on molecular datasets, and the origin of the Sierra Nevada de Santa Marta endemic fauna. <i>Cladistics</i> , 2018, 34, 260-291.	1.5	27
87	Two New Species of Lizards of The Genus <i>Bachia</i> (Squamata, Gymnophthalmidae) from Central Brazil. <i>Journal of Herpetology</i> , 2007, 41, 545-553.	0.2	26
88	Seeing the forest through many trees: Multi-taxon patterns of phylogenetic diversity in the Atlantic Forest hotspot. <i>Diversity and Distributions</i> , 2020, 26, 1160-1176.	1.9	26
89	The phylogeny of the Casque-headed Treefrogs (Hylidae: Hylinae: Lophohylini). <i>Cladistics</i> , 2021, 37, 36-72.	1.5	24
90	Composição, uso de habitat e estações reprodutivas das espécies de anuros da floresta de restinga da Estação Ecológica Juruti-Itatins, sudeste do Brasil. <i>Biota Neotropica</i> , 2009, 9, 117-123.	1.0	24

#	ARTICLE	IF	CITATIONS
91	AnfÃbios da EstaÃo EcolÃgica Serra Geral do Tocantins, regiÃo do JalapÃo, Estados do Tocantins e Bahia. <i>Biota Neotropica</i> , 2011, 11, 251-261.	1.0	23
92	Origin and hidden diversity within the poorly known GalÃpagos snake radiation (Serpentes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 T	0.5	23
93	The combined role of dispersal and niche evolution in the diversification of Neotropical lizards. <i>Ecology and Evolution</i> , 2020, 10, 2608-2625.	0.8	23
94	Species diversity and biogeography of an ancient frog clade from the Guiana Shield (Anura: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 T phenotypic diversification. <i>Biological Journal of the Linnean Society</i> , 2021, 132, 233-256.	0.7	23
95	The genus <i>Coleodactylus</i> (Sphaerodactylinae, Gekkota) revisited: A molecular phylogenetic perspective. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 92-101.	1.2	22
96	Phylogeography of Muller's termite frog suggests the vicariant role of the Central Brazilian Plateau. <i>Journal of Biogeography</i> , 2018, 45, 2508-2519.	1.4	22
97	The evolutionary history of <i>Lygodactylus</i> lizards in the South American open diagonal. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 638-645.	1.2	22
98	High-resolution RBC-banding pattern in the genus &Tropidurus (Sauria, Iguanidae). <i>Cytogenetic and Genome Research</i> , 1988, 48, 68-71.	0.6	21
99	<![CDATA[Electivities and resource use by an assemblage of lizards endemic to the dunes of the Si;1/2o Francisco River, northeastern Brazil]]>. <i>Papeis Avulsos De Zoologia</i> , 2005, 45, 261.	0.4	21
100	A New Two-Pored<i>Amphisbaena</i>Linnaeus, 1758, from Western Amazonia, Brazil (Amphisbaenia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 21	0.5	21
101	Molecular data reveal spatial and temporal patterns of diversification and a cryptic new species of lowland <i>Stenocercus</i> DumÃril & Bibron, 1837 (Squamata: Tropiduridae). <i>Molecular Phylogenetics and Evolution</i> , 2016, 94, 410-423.	1.2	21
102	Phylogeography of Atlantic Forest glassfrogs (<i>Vitreorana</i>): when geography, climate dynamics and rivers matter. <i>Heredity</i> , 2019, 122, 545-557.	1.2	21
103	Diversification history of clown tree frogs in Neotropical rainforests (Anura, Hylidae.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 26	1.2	21
104	Comparative cytogenetics and supernumerary chromosomes in the Brazilian lizard genus <i>Enyalius</i> (Squamata, Polychrotidae). <i>Hereditas</i> , 2002, 136, 51-57.	0.5	20
105	Two new species of <i>Cnemidophorus</i> (Squamata: Teiidae) from the Caatinga, Northwest Brazil. <i>Zootaxa</i> , 2011, 2787, 37.	0.2	20
106	The Amazonian toad <i>Rhaebo guttatus</i> is able to voluntarily squirt poison from the paratoid macroglands. <i>Amphibia - Reptilia</i> , 2011, 32, 546-549.	0.1	20
107	Skeletal development in the fossorial gymnophthalmids <i>Calyptommatus sinebrachiatus</i> and <i>Nothobachia ablephara</i> . <i>Zoology</i> , 2012, 115, 289-301.	0.6	20
108	Interaction of morphology, thermal physiology and burrowing performance during the evolution of fossoriality in <i>Gymnophthalmini</i> lizards. <i>Functional Ecology</i> , 2015, 29, 515-521.	1.7	20

#	ARTICLE	IF	CITATIONS
109	Systematics and biogeography of the <i>Boana albopunctata</i> species group (Anura, Hylidae), with the description of two new species from Amazonia. <i>Systematics and Biodiversity</i> , 2021, 19, 375-399.	0.5	20
110	Morphology of the femoral glands in the lizard <i>Ameiva ameiva</i> (teiidae) and their possible role in semiochemical dispersion. <i>Journal of Morphology</i> , 2007, 268, 636-648.	0.6	19
111	Two new species of <i>Cnemidophorus</i> (Squamata: Teiidae) of the <i>C. ocellifer</i> group, from Bahia, Brazil. <i>Zootaxa</i> , 2011, 3022, .	0.2	19
112	Functional assessment of toad parotoid macroglands: A study based on poison replacement after mechanical compression. <i>Toxicon</i> , 2014, 87, 92-103.	0.8	19
113	Diversification with gene flow and niche divergence in a lizard species along the South American Æœdiagonal of open formationsâ€¢. <i>Journal of Biogeography</i> , 2018, 45, 1688-1700.	1.4	19
114	Chromosomal polymorphisms due to supernumerary chromosomes and pericentric inversions in the eyelidless microteiid lizard <i>Nothobachia ablephara</i> (Squamata, Gymnophthalmidae). <i>Chromosome Research</i> , 1999, 7, 247-254.	1.0	18
115	Banding patterns, multiple sex chromosome system and localization of telomeric (TTAGGG) _n sequences by FISH on two species of <i>Polychrus</i> (Squamata, Polychrotidae). <i>Caryologia</i> , 2001, 54, 217-226.	0.2	18
116	Karyotypes of eight species of <i>Leptodactylus</i> (Anura, Leptodactylidae) with a description of a new karyotype for the genus. <i>Phyllomedusa</i> , 2006, 5, 119.	0.2	18
117	Taxonomic Review of <i>Allobates</i> (Anura, Aromobatidae) from the Atlantic Forest, Brazil. <i>Journal of Herpetology</i> , 2007, 41, 566-580.	0.2	18
118	Advertisement Call, Vocal Activity, and Geographic Distribution of <i>Brachycephalus hermogenesi</i> (Giaretta and Sawaya, 1998) (Anura, Brachycephalidae). <i>Journal of Herpetology</i> , 2008, 42, 542-549.	0.2	18
119	Chromosomal Evolution in the Brazilian Geckos of the Genus <i>Gymnodactylus</i> (Squamata, Phyllodactylidae) from the Biomes of Cerrado, Caatinga and Atlantic Rain Forest: Evidence of Robertsonian Fusion Events and Supernumerary Chromosomes. <i>Cytogenetic and Genome Research</i> , 2009, 127, 191-203.	0.6	18
120	Phylogeographic Structure and Karyotypic Diversity of the Brazilian Shrew Mouse (<i>Blarinomys breviceps</i> , Sigmodontinae) in the Atlantic Forest. <i>Cytogenetic and Genome Research</i> , 2012, 138, 19-30.	0.6	18
121	A new species of <i>Bachia</i> Gray, 1845 (Squamata: Gymnophthalmidae) from the Eastern Brazilian Cerrado, and data on its ecology, physiology and behavior. <i>Zootaxa</i> , 2013, 3616, 173-189.	0.2	18
122	A New <i>Tropidurus</i> (Tropiduridae) from the Semiarid Brazilian Caatinga: Evidence for Conflicting Signal between Mitochondrial and Nuclear Loci Affecting the Phylogenetic Reconstruction of South American Collared Lizards. <i>American Museum Novitates</i> , 2016, 3852, 1-68.	0.2	18
123	Parotoid, radial, and tibial macroglands of the frog <i>Odontophrynus cultripes</i> : Differences and similarities with toads. <i>Toxicon</i> , 2017, 129, 123-133.	0.8	18
124	Phylogeny of Map Tree Frogs, <i>Boana semilineata</i> Species Group, with a New Amazonian Species (Anura: Tj ETQq0 0,0 rgBT /Overlock 10	0.5	18
125	Environmental correlates of taxonomic and phylogenetic diversity in the Atlantic Forest. <i>Journal of Biogeography</i> , 2021, 48, 1377-1391.	1.4	18
126	A new species of <i>Amphisbaena</i> (Squamata, Amphisbaenidae) from state of MaranhÃ£o, Brazil. <i>Phyllomedusa</i> , 2003, 2, 21.	0.2	18

#	ARTICLE	IF	CITATIONS
127	Convergent and lineage-specific genomic differences in limb regulatory elements in limbless reptile lineages. <i>Cell Reports</i> , 2022, 38, 110280.	2.9	18
128	A new species of <i>Leposoma</i> (Squamata, Gymnophthalmidae) from the remnant Atlantic forests of the state of Bahia, Brazil. <i>Papeis Avulsos De Zoologia</i> , 2002, 42, 335.	0.4	17
129	Chromosomal studies in four species of genus <i>Chaunus</i> (Bufonidae, Anura): localization of telomeric and ribosomal sequences after fluorescence in situ hybridization (FISH). <i>Genetica</i> , 2008, 134, 159-168.	0.5	17
130	DATA AND DATA INTERPRETATION IN THE STUDY OF LIMB EVOLUTION: A REPLY TO GALIS ET AL. ON THE REEVOLUTION OF DIGITS IN THE LIZARD GENUS BACHIA. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, no-no.	1.1	17
131	RÃ©pteis do Estado de SÃ£o Paulo: conhecimento atual e perspectivas. <i>Biota Neotropica</i> , 2011, 11, 67-81.	1.0	17
132	Taxonomy of the South American Dwarf Boas of the Genus <i>Tropidophis</i> Bibron, 1840, With the Description of Two New Species from the Atlantic Forest (Serpentes: Tropidophiidae). <i>Herpetological Monographs</i> , 2012, 26, 80-121.	1.1	17
133	Are Amazonia Rivers Biogeographic Barriers for Lizards? A Study on the Geographic Variation of the Spectacled Lizard <i>Leposoma osvaldoi</i> Avila-Pires (Squamata, Gymnophthalmidae). <i>Journal of Herpetology</i> , 2013, 47, 511-519.	0.2	17
134	Description and phylogenetic relationships of a new genus and two new species of lizards from Brazilian Amazonia, with nomenclatural comments on the taxonomy of Gymnophthalmidae (Reptilia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307	0.2	17
135	Not always young: The first vertebrate ancient origin of true parthenogenesis found in an Amazon leaf litter lizard with evidence of mitochondrial haplotypes surfing on the wave of a range expansion. <i>Molecular Phylogenetics and Evolution</i> , 2019, 135, 105-122.	1.2	17
136	Supernumerary chromosome variation, heteromorphic sex chromosomes and banding patterns in microteiid lizards of the genus <i>Micrablepharus</i> (Squamata, Gymnophthalmidae). , 1999, 7, 21-29.		16
137	New Species of <i>Amphisbaena</i> with a Nonautotomic and Dorsally Tuberculate Blunt Tail From State of Bahia, Brazil (Squamata, Amphisbaenidae). <i>Journal of Herpetology</i> , 2008, 42, 172-175.	0.2	16
138	Description and Phylogenetic Relationships of a New Genus and Species of Lizard (Squamata,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 2011, 3713, 1-24.	0.2	16
139	RÃ©pteis da EstaÃ§Ã£o EcolÃ³gica Serra Geral do Tocantins, Brasil Central. <i>Biota Neotropica</i> , 2011, 11, 263-281.	1.0	16
140	Two new species of marsupial tree-frogs genus <i>Gastrotheca</i> Fitzinger, 1843 (Anura, Hemiphractidae) from the Brazilian Atlantic Forest. <i>Zootaxa</i> , 2012, 3437, 1.	0.2	16
141	Two new endangered species of <i>Anomaloglossus</i> (Anura: Aromobatidae) from Roraima State, northern Brazil. <i>Zootaxa</i> , 2015, 3926, 191-210.	0.2	16
142	Integrative taxonomy of the gymnophthalmid lizard <i>Neusticurus rudis</i> Boulenger, 1900 identifies a new species in the eastern Pantepui region, north-eastern South America. <i>Journal of Natural History</i> , 2018, 52, 1029-1066.	0.2	16
143	Dwarf geckos and giant rivers: the role of the SÃ£o Francisco River in the evolution of <i>Lygodactylus klugei</i> (Squamata: Gekkonidae) in the semi-arid Caatinga of north-eastern Brazil. <i>Biological Journal of the Linnean Society</i> , 2020, 129, 88-98.	0.7	16
144	Systematics and historical biogeography of Neotropical foam-nesting frogs of the <i>Adenomera heyeri</i> clade (Leptodactylidae), with the description of six new Amazonian species. <i>Zoological Journal of the Linnean Society</i> , 2021, 191, 395-433.	1.0	16

#	ARTICLE	IF	CITATIONS
145	Geographical Karyotypic Variations and Chromosome Banding Patterns in <i>Tropidurus Hispidus</i> (Sauria, Iguanidae) from Brazil. <i>Caryologia</i> , 1987, 40, 43-57.	0.2	15
146	Chromosomal banding patterns in the eyelid-less microteiid radiation: <i>Procellosaurinus</i> and <i>Vanzosaura</i> (Squamata, Gymnophthalmidae). <i>Cytogenetic and Genome Research</i> , 1996, 74, 203-210.	0.6	15
147	A large sample of <i>Leposoma</i> (Squamata, Gymnophthalmidae) from the atlantic forests of Bahia, the status of <i>Leposoma annectans</i> Ruibal, 1952, and notes on conservation. <i>Papeis Avulsos De Zoologia</i> , 2002, 42, 103-117.	0.4	15
148	A NEW SPECIES OF CYCLORAMPHUS (ANURA, LEPTODACTYLIDAE) FROM THE ATLANTIC FOREST, BRAZIL. <i>Herpetologica</i> , 2003, 59, 513-518.	0.2	15
149	Mitochondrial Restriction-Site Characterization of a Brazilian Group of Eyelid-Less Gymnophthalmid Lizards. <i>Journal of Herpetology</i> , 2003, 37, 161-168.	0.2	15
150	Chromosomal studies after differential staining and fluorescence in situ hybridization using telomeric probe in three <i>Leptodactylus</i> species (Leptodactylidae, Anura). <i>Caryologia</i> , 2004, 57, 53-65.	0.2	15
151	New Lizard of the Genus <i>Leposoma</i> (Squamata, Gymnophthalmidae) from the Lower Rio Negro, Amazonas, Brazil. <i>Journal of Herpetology</i> , 2005, 39, 541-546.	0.2	15
152	Are Hemipenial Spines Related to Limb Reduction? A Spiny Discussion Focused on Gymnophthalmid Lizards (Squamata: Gymnophthalmidae). <i>Anatomical Record</i> , 2014, 297, 482-495.	0.8	15
153	A new Dendropsophus Fitzinger, 1843 (Anura: Hylidae) of the parviceps group from the lowlands of the Guiana Shield. <i>Zootaxa</i> , 2015, 4052, 39.	0.2	15
154	Herpetofauna of the quaternary sand dunes of the middle Rio São Francisco, Bahia, Brazil: VIII. <i>Amphisbaena arda</i> sp. nov., a fuliginosa-like checkered patterned <i>Amphisbaena</i> (Squamata, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 450 377 T	0.2	14
155	A new <i>Amphisbaena</i> with chevron-shaped anterior body annuli from state of Pernambuco: Brazil (Squamata: Amphisbaenidae). <i>Zootaxa</i> , 2009, 2165, 52-58.	0.2	14
156	<p class="HeadingRunIn">A new Crossodactylodes Cochran, 1938 (Anura:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 Brazil</p>. <i>Zootaxa</i> , 2013, 3702, 459.	0.2	14
157	Thermophysiology, microclimates, and species distributions of lizards in the mountains of the Brazilian Atlantic Forest. <i>Ecography</i> , 2019, 42, 354-364.	2.1	14
158	A relict new species of <i>Oreobates</i> (Anura, Strabomantidae) from the Seasonally Dry Tropical Forests of Minas Gerais, Brazil, and its implication to the biogeography of the genus and that of South American Dry Forests. <i>Zootaxa</i> , 2012, 3158, 37.	0.2	14
159	Phylogenomics, introgression, and demographic history of South American true toads (<i>Rhinella</i>). <i>Molecular Ecology</i> , 2022, 31, 978-992.	2.0	14
160	Reproductive Biology of the Six-Tubercled Amazon River Turtle <i>Podocnemis sextuberculata</i> (Testudines: Podocnemididae), in the Biological Reserve of Rio Trombetas, Pará, Brazil. <i>Chelonian Conservation and Biology</i> , 2006, 5, 280-284.	0.1	13
161	The herpetofauna of the Estação Ecológica de Uruçu-Una, state of Piauí, Brazil. <i>Papeis Avulsos De Zoologia</i> , 2013, 53, 225-243.	0.4	13
162	The herpetofauna of Parque Nacional da Serra das Confusões, state of Piauí, Brazil, with a regional species list from an ecotonal area of Cerrado and Caatinga. <i>Biota Neotropica</i> , 2016, 16, .	1.0	13

#	ARTICLE	IF	CITATIONS
163	Molecular phylogeny and hemipenial diversity of South American species of <i>Amerotyphlops</i> (Typhlopidae, Scolecophidia). <i>Zoologica Scripta</i> , 2019, 48, 139-156.	0.7	13
164	Rain forest shifts through time and riverine barriers shaped the diversification of South American terrestrial pit vipers (<i>Bothrops jararacussu</i> species group). <i>Journal of Biogeography</i> , 2020, 47, 516-526.	1.4	13
165	Genomic data from the Brazilian sibilator frog reveal contrasting pleistocene dynamics and regionalism in two South American dry biomes. <i>Journal of Biogeography</i> , 2021, 48, 1112-1123.	1.4	13
166	A new species of <i>Dendrophryniscus</i> (Amphibia, Anura, Bufonidae) from the Atlantic Rainforest of southern Bahia, Brazil. <i>Zootaxa</i> , 2010, 2642, 36.	0.2	13
167	Comparative Cytogenetic Studies of Eleven Species of the <i>Tropidums Torquatus</i> Group (Sauria). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i>	0.5	12
168	Banding patterns and chromosomal evolution in five species of neotropical <i>Teiinae</i> lizards (Squamata:). <i>Tj ETQq0 0 0 rgBT / Overlock 10 T</i>	0.5	12
169	Redescription of <i>Apostolepis longicaudata</i> (Serpentes: Xenodontinae) with Comments on Its Hemipenial Morphology and Natural History. <i>Herpetologica</i> , 2011, 67, 318-331.	0.2	12
170	A new species of <i>Leposoma</i> (Squamata: Gymnophthalmidae) with four fingers from the Atlantic Forest central corridor in Bahia, Brazil. <i>Zootaxa</i> , 2013, 3635, 459-475.	0.2	12
171	Hemipenial morphology and diversity in South American anoles (Squamata: Dactyloidae). <i>Canadian Journal of Zoology</i> , 2016, 94, 251-256.	0.4	12
172	Reconquering the water: Evolution and systematics of South and Central American aquatic lizards (Gymnophthalmidae). <i>Zoologica Scripta</i> , 2018, 47, 255-265.	0.7	12
173	Integrative taxonomy of the lizards <i>Cercosaura ocellata</i> species complex (Reptilia:). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i>	0.4	12
174	A new nurse frog from Southwestern Amazonian highlands, with notes on the phylogenetic affinities of <i>Allobates alessandroi</i> (Aromobatidae). <i>Journal of Natural History</i> , 2020, 54, 43-62.	0.2	12
175	A new species of <i>Atractus</i> (Serpentes: Dipsadidae) from Serra do CipÃ³, EspinhaÃ§o Range, Southeastern Brazil, with proposition of a new species group to the genus. <i>Papeis Avulsos De Zoologia</i> , 0, , .	0.4	12
176	Calcium signaling in lizard red blood cells. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2007, 147, 779-787.	0.8	11
177	Karyotypes of a Cryptic Diploid Form of the Unisexual <i>Leposoma percarinatum</i> (Squamata,). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10 T</i> <i>Journal of Herpetology</i> , 2010, 44, 153-157.	0.2	11
178	Endemic or exotic: the phylogenetic position of the Martinique Volcano Frog <i>Allobates chalcopsis</i> (Anura: Dendrobatidae) sheds light on its origin and challenges current conservation strategies. <i>Systematics and Biodiversity</i> , 2013, 11, 87-101.	0.5	11
179	A new species of <i>Bachia</i> Gray, 1845 (Squamata: Gymnophthalmidae) from the western Brazilian Amazonia. <i>Zootaxa</i> , 2013, 3636, .	0.2	11
180	Rediscovery of the Earless Microteiid Lizard <i>Anotosaura collaris</i> (Squamata: Gymnophthalmidae): A redescription complemented by osteological, hemipenial, molecular, karyological, physiological and ecological data. <i>Zootaxa</i> , 2013, 3731, 345.	0.2	11

#	ARTICLE	IF	CITATIONS
181	A morphological and molecular study of <i>Psilops</i> , a replacement name for the Brazilian microteiid lizard genus <i>Psilophthalmus</i> Rodrigues 1991 (Squamata, Gymnophthalmidae), with the description of two new species. <i>Zootaxa</i> , 2017, 4286, .	0.2	11
182	Discovery of a new species of <i>Anolis</i> lizards from Brazil and its implications for the historical biogeography of montane Atlantic Forest endemics. <i>Amphibia - Reptilia</i> , 2020, 41, 87-103.	0.1	11
183	Diversity, biogeography, and reproductive evolution in the genus <i>Pipa</i> (Amphibia: Anura: Pipidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 170, 107442.	1.2	11
184	Carrying Progeny on the Back: Reproduction in the Brazilian Aquatic Frog <i>Pipa carvalhoi</i> . <i>South American Journal of Herpetology</i> , 2011, 6, 161-176.	0.5	10
185	Taxonomic Status and the Phylogenetic Placement of <i>Amphisbaena leucocephala</i> Peters, 1878 (Squamata, Amphisbaenidae). <i>South American Journal of Herpetology</i> , 2016, 11, 157-175.	0.5	10
186	A new species of lizard <i>Placosoma</i> Tschudi, 1847 (Squamata: Gymnophthalmidae) from the relic forest mountains of the State of Ceará, Brazil. <i>Zootaxa</i> , 2016, 4169, 160-170.	0.2	10
187	On the distinctiveness of <i>Amapasaurus</i> , its relationship with <i>Loxopholis</i> Cope 1869, and description of a new genus for <i>L. guianensis</i> and <i>L. hoogmoedi</i> (Gymnophthalmoidea/Ecpleopodini: Squamata). <i>Zootaxa</i> , 2018, 4441, 332-346.	0.2	10
188	Chromosomal banding patterns in the eyelid-less microteiid lizard radiation: The X1X1X2X2:X1X2Y sex chromosome system in <i>Calyptommatus</i> and the karyotypes of <i>Psilophthalmus</i> and <i>Tretioscincus</i> (Squamata, Gymnophthalmidae). <i>Genetics and Molecular Biology</i> , 2005, 28, 700-709.	0.6	10
189	Chromosomal studies on sphaerodactyl lizards of genera <i>Gonatodes</i> and <i>Coleodactylus</i> (Squamata, Gekkonidae) using differential staining and fragile sites analyses. <i>Cytogenetic and Genome Research</i> , 2003, 103, 128-134.	0.6	9
190	Comparative Cytogenetic Analysis with Differential Staining in Three Species of <i>Liolaemus</i> (Squamata, Tj ETQq0 0 0 rgBT /Overlock 10 T	0.5	9
191	The lowest diploid number in Testudines: Banding patterns, telomeric and 45S rDNA FISH in <i>Peltocephalus dumerilianus</i> , 2n = 26 and FN = 52 (Pleurodira, Podocnemididae). <i>Genetics and Molecular Biology</i> , 2014, 37, 61-63.	0.6	9
192	Digit evolution in gymnophthalmid lizards. <i>International Journal of Developmental Biology</i> , 2014, 58, 895-908.	0.3	9
193	Natural history of <i>Micrablepharus maximiliani</i> (Squamata: Gymnophthalmidae) in a Cerrado region of northeastern Brazil. <i>Zoologia</i> , 2014, 31, 114-118.	0.5	9
194	A new species of spiny-backed treefrog (<i>Osteocephalus</i>) from Central Amazonian Brazil (Amphibia: Anura: Hylidae). <i>Zootaxa</i> , 2016, 4114, 171.	0.2	9
195	Diversity of teiid lizards from Gran Chaco and Western Cerrado (Squamata: Teiidae). <i>Zoologica Scripta</i> , 2018, 47, 144-158.	0.7	9
196	Phenotypic and life-history diversification in Amazonian frogs despite past introgressions. <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 169-180.	1.2	9
197	Male-male competition and repeated evolution of terrestrial breeding in Atlantic Coastal Forest frogs*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 459-475.	1.1	9
198	Comparative osteology of the fossorial frogs of the genus <i>Synapturanus</i> (Anura, Microhylidae) with the description of three new species from the Eastern Guiana Shield. <i>Zoologischer Anzeiger</i> , 2021, 293, 46-73.	0.4	9

#	ARTICLE	IF	CITATIONS
199	Diversification of tiny toads (<i>Bufo</i> : <i>Amazophrynella</i>) sheds light on ancient landscape dynamism in Amazonia. <i>Biological Journal of the Linnean Society</i> , 2022, 136, 75-91.	0.7	9
200	Pericentric Inversion Events in Karyotypic Distinction of Brazilian Lizards of Genus <i>Ptychocheilus</i> (Squamata, Gekkonidae) Detected by Chromosomal Banding Patterns. <i>Hereditas</i> , 2004, 127, 255-262.	0.5	8
201	On the Identity of <i>Cycloramphus jordanensis</i> Heyer, 1983 (Anura: Cycloramphidae). <i>Herpetologica</i> , 2008, 64, 452-457.	0.2	8
202	A comparative analysis of the postcranial skeleton of fossorial and non-fossorial gymnophthalmid lizards. <i>Journal of Morphology</i> , 2013, 274, 845-858.	0.6	8
203	A new Andean species of <i>Philodryas</i> (Dipsadidae). <i>Tj ETQq</i> 1 0.784314 rgBT JOverl	0.2	8
204	A New Species of <i>Ameivula</i> (Squamata, Teiidae) from Southern Espinhaço Mountain Range, Brazil. <i>Copeia</i> , 2014, 2014, 95-105.	1.4	8
205	Thermal Constraints Explain the Distribution of the Climate Relict Lizard <i>Colobosauroides carvalhoi</i> (Gymnophthalmidae) in the Semiarid Caatinga. <i>South American Journal of Herpetology</i> , 2018, 13, 248-259.	0.5	8
206	Chemosensory discrimination of male age by female <i>Psammmodromus algiro</i> lizards based on femoral secretions and feces. <i>Ethology</i> , 2019, 125, 802-809.	0.5	8
207	A dune with a view: the eyes of a neotropical fossorial lizard. <i>Frontiers in Zoology</i> , 2019, 16, 17.	0.9	8
208	Formal recognition of the species of <i>Oreosaurus</i> (Reptilia, Squamata, Gymnophthalmidae) from the Sierra Nevada de Santa Marta, Colombia. <i>ZooKeys</i> , 2017, 691, 149-162.	0.5	8
209	Reassessing the systematics of <i>Leptodeira</i> (Serpentes, Dipsadidae) with emphasis in the South American species. <i>Zoologica Scripta</i> , 2022, 51, 415-433.	0.7	8
210	Banding patterns, heteromorphic sex chromosomes and Agstained NORs after pachytene stage in the meiosis of the Brazilian lizard <i>Urostrophus vautierii</i> (Squamata, Polychrotidae). <i>Caryologia</i> , 1999, 52, 21-26.	0.2	7
211	The reproductive success of <i>Colostethus stepheni</i> (Anura: Dendrobatidae). <i>Studies on Neotropical Fauna and Environment</i> , 2006, 41, 9-17.	0.5	7
212	Karyological study of <i>Amphisbaena ridleyi</i> (Squamata, Amphisbaenidae), an endemic species of the Archipelago of Fernando de Noronha, Pernambuco, Brazil. <i>Genetics and Molecular Biology</i> , 2010, 33, 57-61.	0.6	7
213	<i>Amazonella</i> Fouquet et al., 2012 (Anura:Bufonidae) junior homonym of <i>Amazonella</i> Lundblad, 1931 (Acari:Unionicolidae): proposed replacement by <i>Amazophrynella</i> nom. nov.. <i>Zootaxa</i> , 2012, 3244, 68.	0.2	7
214	Whiptail lizards in South America: a new <i>Ameivula</i> (Squamata, Teiidae) from Planalto dos Gerais, Eastern Brazilian Cerrado. <i>Amphibia - Reptilia</i> , 2014, 35, 227-242.	0.1	7
215	Diagnostic clarification, new morphological data and phylogenetic placement of <i>Amphisbaena arenaria</i> Vanzolini, 1991 (<i>Amphisbaena</i> , <i>Amphisbaenidae</i>). <i>Zootaxa</i> , 2016, 4205, 293.	0.2	7
216	Morphological similarities between <i>Amphisbaena mitchelli</i> Procter, 1923 and <i>A. miringoera</i> Vanzolini, 1971 (Squamata: Amphisbaenidae): phylogenetic relatedness or morphological convergence?. <i>Zootaxa</i> , 2016, 4168, 573-576.	0.2	7

#	ARTICLE	IF	CITATIONS
217	Overcoming phylogenetic and geographic uncertainties to test for correlates of range size evolution in gymnophthalmid lizards. <i>Ecography</i> , 2017, 40, 764-773.	2.1	7
218	Reproductive Biology of Three Sympatric Species of Gymnophthalmid Lizards from the Sand Dunes of the Middle São Francisco River, Bahia, Brazil. <i>South American Journal of Herpetology</i> , 2017, 12, 76-88.	0.5	7
219	A New Collared Lizard (<i>Tropidurus</i> : Tropiduridae) Endemic to the Western Bolivian Andes and Its Implications for Seasonally Dry Tropical Forests. <i>American Museum Novitates</i> , 2018, 3896, 1-56.	0.2	7
220	A new four-pored <i>Amphisbaena</i> (Squamata: Amphisbaenidae) from northeastern Brazil. <i>Zootaxa</i> , 2018, 4514, 553.	0.2	7
221	Rediscovering <i>Cycloramphus bandeirensis</i> (Anura: Cycloramphidae): natural history and breeding biology of a vulnerable species with a variant reproductive mode. <i>Phyllomedusa</i> , 2019, 18, 159-175.	0.2	7
222	Lizards from the Lost World: two new species and evolutionary relationships of the Pantepui highland <i>Riolama</i> (Gymnophthalmidae). <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 271-297.	1.0	7
223	A role of asynchrony of seasons in explaining genetic differentiation in a Neotropical toad. <i>Heredity</i> , 2021, 127, 363-372.	1.2	7
224	New specimens of <i>Anolis phyllorhinus</i> (Squamata, Polychrotidae): the first female of the species and of proboscoid anoles. <i>Papeis Avulsos De Zoologia</i> , 2002, 42, .	0.4	7
225	A large and enigmatic new eleutherodactyline frog (Anura, Strabomantidae) from Serra do Sincora Espinhaco range, Northeastern Brazil. <i>Zootaxa</i> , 2008, 1761, 59.	0.2	7
226	Mitochondrial DNA polymorphism and heteroplasmy in populations of the three species of <i>Tropidurus</i> of the nanuzae group (Squamata, Tropiduridae). <i>Genetics and Molecular Biology</i> , 2000, 23, 351-356.	0.6	6
227	New Species of Earless Lizard Genus <i>Heterodactylus</i> (Squamata: Gymnophthalmidae) from the Highlands of Chapada Diamantina, State of Bahia, Brazil. <i>Journal of Herpetology</i> , 2009, 43, 605-611.	0.2	6
228	Comparative cytogenetics of eight species of <i>Cycloramphus</i> (Anura, Cycloramphidae). <i>Zoologischer Anzeiger</i> , 2011, 250, 205-214.	0.4	6
229	Spatial Variation in Morphometry in <i>Vanzosaura rubricauda</i> (Squamata, Gymnophthalmidae) from Open Habitats of South America and its Environmental Correlates. <i>South American Journal of Herpetology</i> , 2013, 8, 186-197.	0.5	6
230	Through the Looking Glass: The Spectacle in Gymnophthalmid Lizards. <i>Anatomical Record</i> , 2014, 297, 496-504.	0.8	6
231	Rediscovery of the Poorly Known <i>Amphisbaena bahiana</i> Vanzolini, 1964 (Squamata, Amphisbaenidae), with Data on Its Phylogenetic Placement, External Morphology and Natural History. <i>South American Journal of Herpetology</i> , 2018, 13, 238-248.	0.5	6
232	Chance, luck and a fortunate finding: a new species of watersnake of the genus <i>Helicops</i> Wagler, 1828 (Serpentes: Xenodontinae), from the Brazilian Pantanal wetlands. <i>Zootaxa</i> , 2019, 4651, 445-470.	0.2	6
233	Effects of climate and geography on spatial patterns of genetic structure in tropical skinks. <i>Molecular Phylogenetics and Evolution</i> , 2020, 143, 106661.	1.2	6
234	Hidden in the DNA: How multiple historical processes and natural history traits shaped patterns of cryptic diversity in an Amazon leaf-litter lizard (<i>Loxopholis osvaldoi</i>) (Squamata: Tj ETQq0 0 0 rgBT /Overlock410 Tf 50657 Td (Gy	1.0	6

#	ARTICLE	IF	CITATIONS
235	Diversification Processes in Lizards and Snakes from the Middle São Francisco River Dune Region, Brazil. <i>Fascinating Life Sciences</i> , 2020, , 713-740.	0.5	6
236	A molecular phylogeny recovers <i>Strabomantis aramunha</i> ; Cassimiro, Verdade and Rodrigues, 2008 and <i>Haddadus binotatus</i> (Spix, 1824) (Anura: Terrarana) as sister taxa. <i>Zootaxa</i> , 2013, 3741, 569.	0.2	6
237	Amphibia, Anura, Cycloramphidae, <i>Zachaeus carvalhoi</i> Izecksohn, 1983 and <i>Z. parvulus</i> (Girard, 1853): filling gap and geographic distribution map for the genus. <i>Check List</i> , 2009, 5, 755.	0.1	6
238	Phylogenomic analysis of evolutionary relationships in <i>Ranitomeya</i> poison frogs (Family) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (D</i> 107389.	1.2	6
239	The phylogenetic position of ridley's worm lizard reveals the complex biogeographic history of New World insular amphisbaenids. <i>Molecular Phylogenetics and Evolution</i> , 2022, 173, 107518.	1.2	6
240	Morphological changes in the female reproductive organs during mating in <i>Colostethus stepheni</i> and associated behaviour. <i>Amphibia - Reptilia</i> , 2006, 27, 303-308.	0.1	5
241	A new microteiid lizard of the genus <i>Acratosaura</i> (Squamata: Gymnophthalmidae) from Serra do Sincorã, State of Bahia, Brazil. <i>Zootaxa</i> , 2009, 2013, 17-29.	0.2	5
242	Dynamics of chromosomal evolution in the genus <i>Hypsiboas</i> (Anura: Hylidae). <i>Genetics and Molecular Research</i> , 2014, 13, 7826-7838.	0.3	5
243	Taxonomy and Evolution of <i>Tropidurus</i> (Iguania, Tropiduridae) Based on Chromosomal and DNA Barcoding Analysis. <i>Journal of Herpetology</i> , 2016, 50, 316-326.	0.2	5
244	Molecular phylogenetic diversity in the widespread lizard <i>Cercosaura ocellata</i> (Reptilia: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382</i> 0.5	0.5	5
245	Vertebrados da Estação Ecológica Serra Geral do Tocantins: faunística, biodiversidade e conservação no Cerrado brasileiro. <i>Biota Neotropica</i> , 2011, 11, 329-338.	1.0	5
246	A new large canopy-dwelling species of <i>Phyllodytes</i> Wagler, 1930 (Anura, Hylidae) from the Atlantic Forest of the state of Bahia, Northeastern Brazil. <i>PeerJ</i> , 2020, 8, e8642.	0.9	5
247	Anurans of the Caparaó National Park and surroundings, southeast Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.2	5
248	Molecular and phenotypic data reveal a new Amazonian species of pit vipers (Serpentes: Viperidae: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> 0.2	0.2	5
249	Notes on distribution, variation and characterization of <i>Erythrolamprus pseudocorallus</i> Roze, 1959 (Serpentes: Colubridae) with the first records from Colombia. <i>Zootaxa</i> , 2009, 2045, 33-42.	0.2	4
250	<i>Amphisbaena uroxena</i> Mott, Rodrigues, De Freitas and Silva 2008 (Squamata, Amphisbaenidae) shows sexual dimorphism in preloacal pores. <i>Zootaxa</i> , 2011, 3043, 33.	0.2	4
251	A new species of lizard genus <i>Potamites</i> (Squamata, Gymnophthalmidae). <i>Zootaxa</i> , 2013, 3717, 345.	0.2	4
252	A new species of <i>Brasilotyphlus</i> (Gymnophiona: Siphonopidae) and a contribution to the knowledge of the relationship between <i>Microcaecilia</i> and <i>Brasilotyphlus</i> . <i>Zootaxa</i> , 2018, 4527, 186-196.	0.2	4

#	ARTICLE	IF	CITATIONS
253	Two new species of geckos of the genus <i>Phyllopezus</i> Peters, 1878 (Squamata: Gekkota): <i>Tj ETQq1 1 0.784314 rgBT /Overlock 4 10 Tf 50</i>	0.2	4
254	On the Second Specimen of <i>Leptotyphlops brasiliensis</i> Laurent, 1949 (Serpentes, Leptotyphlopidae). <i>Journal of Herpetology</i> , 1994, 28, 393.	0.2	3
255	Differential staining and microchromosomal variation in karyotypes of four Brazilian species of Tupinambinae lizards (Squamata: Teiidae). <i>Genetica</i> , 2008, 134, 261-266.	0.5	3
256	Status of Early 19th-Century Names Authored in Parallel by Wied and Schinz for South American Reptiles and Amphibians, with Designations of Three Nomina Protecta. <i>American Museum Novitates</i> , 2011, 3714, 1-21.	0.2	3
257	The use of singleplex and nested PCR to detect <i>Batrachochytrium dendrobatidis</i> in free-living frogs. <i>Brazilian Journal of Microbiology</i> , 2015, 46, 551-555.	0.8	3
258	Reproductive biology and geographic variation of <i>Zachaenus carvalhoi</i> (Anura: Cycloramphidae), a Brazilian Atlantic Forest frog. <i>Phyllomedusa</i> , 2016, 15, 127.	0.2	3
259	Geographic variation and taxonomy of red-tailed <i>Gymnophthalmus</i> (Squamata: Gymnophthalmidae) from Amazonian Savannas. <i>Zootaxa</i> , 2018, 4497, 61.	0.2	3
260	Phylogeography of the endangered sand dune whiptail lizard <i>Glucomastix aabaetensis</i> (Dias, Rocha) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.2	3
261	Long known, brand new, and possibly threatened: a new species of watersnake of the genus Helicops Wagler, 1828 (Serpentes; Xenodontinae) from the Tocantins-Araguaia River Basin, Brazil. <i>Zootaxa</i> , 2021, 4903, 217-241.	0.2	3
262	Subtle environmental variation affects phenotypic differentiation of shallow divergent treefrog lineages in Amazonia. <i>Biological Journal of the Linnean Society</i> , 2021, 134, 177-197.	0.7	3
263	New species of flea-toad, genus <i>Brachycephalus</i> (Anura: Brachycephalidae) from the Atlantic Forest of Esp�rito Santo, Brazil. <i>Zootaxa</i> , 2021, 5068, 517-532.	0.2	3
264	Corrigendum to the paper: Reassessing the systematics of <i>Leptodeira</i> (Serpentes, Dipsadidae) with emphasis in the South American species. <i>Zoologica Scripta</i> , 2022, 51, 614-615.	0.7	3
265	On the Discovery of Bisexual Populations of the Parthenogenetic Lizard <i>Leposoma percarinatum</i> (Gymnophthalmidae), with Insights into the Origin of Parthenogenesis in <i>Leposoma</i> . <i>South American Journal of Herpetology</i> , 2015, 10, 121-131.	0.5	2
266	Taxonomic Status of <i>Erythrolamprus bizona</i> Jan (1863) (Serpentes, Xenodontinae): Assembling a Puzzle with Many Missing Pieces. <i>Herpetological Monographs</i> , 2015, 29, 40-64.	1.1	2
267	Geographic restriction, genetic divergence, and morphological disparity in the Brazilian Atlantic Forests: Insights from <i>Leposoma</i> lizards (Gymnophthalmidae, Squamata). <i>Molecular Phylogenetics and Evolution</i> , 2021, 154, 106993.	1.2	2
268	Evolutionary drivers of sexual signal variation in Amazon Slender Anoles. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 1361-1376.	1.1	2
269	Whiptail lizard lineage delimitation and population expansion as windows into the history of Amazonian open ecosystems. <i>Systematics and Biodiversity</i> , 2021, 19, 957-975.	0.5	2
270	On the snake <i>Siphlophis worontzowi</i> (Prado, 1940): notes on its distribution, diet and morphological data. <i>Check List</i> , 2015, 11, 1534.	0.1	2

#	ARTICLE	IF	CITATIONS
271	Who is the red-bearded snake, anyway? Clarifying the taxonomic status of <i>Chironius pyrrhopogon</i> (Wied, 1824) (Serpentes: Colubridae). <i>Zootaxa</i> , 2017, 4319, .	0.2	1
272	The complete mitochondrial genome of <i>Iphisa elegans</i> (Reptilia: Squamata: Gymnophthalmidae). <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 3088-3090.	0.2	1
273	The first mitochondrial genome of a South America parthenogenetic lizard (Squamata:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>	0.2	1
274	Effects of the presence of litter on the composition of stream tadpoles' assemblages in an Atlantic Forest remnant of southeastern Brazil. <i>Biota Neotropica</i> , 2021, 21, .	0.2	1
275	Two New Highland Species of <i>Amphisbaena</i> Linnaeus, 1758 (<i>Amphisbaenia</i> , <i>Amphisbaenidae</i>) from Bahia State, Brazil. <i>South American Journal of Herpetology</i> , 2019, 14, 213.	0.5	1
276	Chemical characterization of the lipids in femoral gland secretions of wild male tegu lizards, <i>Salvator merianae</i> (Squamata, Teiidae) in comparison with captive-bred males. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2020, 75, 443-449.	0.6	1
277	Redescription and Geographical Distribution of a Rare Microteiid Lizard: <i>Rhachisaurus brachylepis</i> (Dixon, 1974) (Squamata: Gymnophthalmidae). <i>South American Journal of Herpetology</i> , 2020, 2020, 20.	0.5	1
278	Morphological variation and genealogical discordance in Caatinga sand lizards <i>Calyptommatius Rodrigues</i> 1991 (Squamata: Gymnophthalmidae) with the description of a new species. <i>Zootaxa</i> , 2022, 5129, 374-398.	0.2	1
279	MAURO TEIXEIRA JR, FRANCISCO DAL VECHIO, PEDRO M. SALES NUNES, ANTONIO MOLLO NETO, LUCIANA MOREIRA LOBO, LUIS FERNANDO STORTI, RENATO AUGUSTO JUNQUEIRA GAIGA, PEDRO HENRIQUE FREIRE DIAS, MIGUEL TREFAUT RODRIGUES (2013) A new species of <i>Bachia</i> Gray, 1845 (Squamata:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> <i>Zootaxa</i> , 2013, 3646, .	0.2	1
280	Geographic variation in the morphology of the sand-dwelling lizard <i>Nothobachia ablephara</i> (Squamata: Gymnophthalmidae). <i>Phyllomedusa</i> , 2019, 18, 195-207.	0.2	0
281	<p>On the snake <i>Siphlophis worontzowi</i> (Prado, 1940): notes on its distribution, diet and morphological data</p>. <i>Check List</i> , 2015, 11, 1534.	0.1	0
282	Distribution extension and revised map of <i>Erythrolamprus pygmaeus</i> (Cope, 1868) (Serpentes:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i>	0.1	0
283	Consequences of Evolving Limbless, Burrowing Forms for the Behavior and Population Density of Tropical Lizards. <i>Diversity</i> , 2022, 14, 482.	0.7	0