

Alan Simmons

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9078515/publications.pdf>

Version: 2024-02-01

141
papers

11,623
citations

22153

59
h-index

30087

103
g-index

143
all docs

143
docs citations

143
times ranked

13442
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Amygdala and Insula Activation During Emotion Processing in Anxiety-Prone Subjects. <i>American Journal of Psychiatry</i> , 2007, 164, 318-327.	7.2	698
2	Increased activation in the right insula during risk-taking decision making is related to harm avoidance and neuroticism. <i>NeuroImage</i> , 2003, 19, 1439-1448.	4.2	647
3	Nothing tastes as good as skinny feels: the neurobiology of anorexia nervosa. <i>Trends in Neurosciences</i> , 2013, 36, 110-120.	8.6	414
4	Resting-State Functional Connectivity of Subgenual Anterior Cingulate Cortex in Depressed Adolescents. <i>Biological Psychiatry</i> , 2013, 74, 898-907.	1.3	300
5	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299
6	Dose-Dependent Decrease of Activation in Bilateral Amygdala and Insula by Lorazepam During Emotion Processing. <i>Archives of General Psychiatry</i> , 2005, 62, 282.	12.3	268
7	Anticipation of Aversive Visual Stimuli Is Associated With Increased Insula Activation in Anxiety-Prone Subjects. <i>Biological Psychiatry</i> , 2006, 60, 402-409.	1.3	265
8	Functional subdivisions within anterior cingulate cortex and their relationship to autonomic nervous system function. <i>NeuroImage</i> , 2004, 22, 1151-1156.	4.2	234
9	Association of Major Depressive Disorder With Altered Functional Brain Response During Anticipation and Processing of Heat Pain. <i>Archives of General Psychiatry</i> , 2008, 65, 1275.	12.3	230
10	Sucrose activates human taste pathways differently from artificial sweetener. <i>NeuroImage</i> , 2008, 39, 1559-1569.	4.2	214
11	Exaggerated and Disconnected Insular-Amygdalar Blood Oxygenation Level-Dependent Response to Threat-Related Emotional Faces in Women with Intimate-Partner Violence Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2010, 68, 433-441.	1.3	203
12	Escitalopram effects on insula and amygdala BOLD activation during emotional processing. <i>Psychopharmacology</i> , 2008, 196, 661-672.	3.1	181
13	Modifying Resilience Mechanisms in At-Risk Individuals: A Controlled Study of Mindfulness Training in Marines Preparing for Deployment. <i>American Journal of Psychiatry</i> , 2014, 171, 844-853.	7.2	171
14	Decreased functional coupling of the amygdala and supragenual cingulate is related to increased depression in unmedicated individuals with current major depressive disorder. <i>Journal of Affective Disorders</i> , 2008, 111, 13-20.	4.1	169
15	Anticipation of emotionally aversive visual stimuli activates right insula. <i>NeuroReport</i> , 2004, 15, 2261-2265.	1.2	168
16	Functional Activation and Neural Networks in Women with Posttraumatic Stress Disorder Related to Intimate Partner Violence. <i>Biological Psychiatry</i> , 2008, 64, 681-690.	1.3	163
17	Dorsolateral Prefrontal Cortex Activation During Emotional Anticipation and Neuropsychological Performance in Posttraumatic Stress Disorder. <i>Archives of General Psychiatry</i> , 2012, 69, 360.	12.3	163
18	Accumulation of neural activity in the posterior insula encodes the passage of time. <i>Neuropsychologia</i> , 2010, 48, 3110-3120.	1.6	158

#	ARTICLE	IF	CITATIONS
19	Amygdala response and functional connectivity during emotion regulation: A study of 14 depressed adolescents. <i>Journal of Affective Disorders</i> , 2012, 139, 75-84.	4.1	158
20	Altered Insula Response to Sweet Taste Processing After Recovery From Anorexia and Bulimia Nervosa. <i>American Journal of Psychiatry</i> , 2013, 170, 1143-1151.	7.2	157
21	Emotion-Dependent Functional Connectivity of the Default Mode Network in Adolescent Depression. <i>Biological Psychiatry</i> , 2015, 78, 635-646.	1.3	157
22	A multimodal imaging study in U.S. veterans of Operations Iraqi and Enduring Freedom with and without major depression after blast-related concussion. <i>NeuroImage</i> , 2011, 54, S69-S75.	4.2	148
23	Does a Shared Neurobiology for Foods and Drugs of Abuse Contribute to Extremes of Food Ingestion in Anorexia and Bulimia Nervosa?. <i>Biological Psychiatry</i> , 2013, 73, 836-842.	1.3	146
24	Selective activation of the nucleus accumbens during risk-taking decision making. <i>NeuroReport</i> , 2004, 15, 2123-2127.	1.2	137
25	Anterior insular cortex anticipates impending stimulus significance. <i>NeuroImage</i> , 2009, 45, 976-983.	4.2	133
26	Red Brain, Blue Brain: Evaluative Processes Differ in Democrats and Republicans. <i>PLoS ONE</i> , 2013, 8, e52970.	2.5	133
27	Hunger Does Not Motivate Reward in Women Remitted from Anorexia Nervosa. <i>Biological Psychiatry</i> , 2015, 77, 642-652.	1.3	131
28	Are Extremes of Consumption in Eating Disorders Related to an Altered Balance between Reward and Inhibition?. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 410.	2.0	130
29	Superior temporal gyrus and insula provide response and outcome-dependent information during assessment and action selection in a decision-making situation. <i>NeuroImage</i> , 2005, 25, 607-615.	4.2	127
30	Intolerance of uncertainty correlates with insula activation during affective ambiguity. <i>Neuroscience Letters</i> , 2008, 430, 92-97.	2.1	126
31	Adolescents' fMRI activation to a response inhibition task predicts future substance use. <i>Addictive Behaviors</i> , 2013, 38, 1435-1441.	3.0	124
32	Functioning of neural systems supporting emotion regulation in anxiety-prone individuals. <i>NeuroImage</i> , 2011, 54, 689-696.	4.2	120
33	Altered insula activation during pain anticipation in individuals recovered from anorexia nervosa: Evidence of interoceptive dysregulation. <i>International Journal of Eating Disorders</i> , 2013, 46, 23-33.	4.0	120
34	Functional connectivity of negative emotional processing in adolescent depression. <i>Journal of Affective Disorders</i> , 2014, 155, 65-74.	4.1	120
35	Common and disorder-specific neural responses to emotional faces in generalised anxiety, social anxiety and panic disorders. <i>British Journal of Psychiatry</i> , 2015, 206, 206-215.	2.8	118
36	Resting-state functional connectivity of the amygdala and longitudinal changes in depression severity in adolescent depression. <i>Journal of Affective Disorders</i> , 2017, 207, 86-94.	4.1	118

#	ARTICLE	IF	CITATIONS
37	Neural Correlates of Altered Pain Response in Women with Posttraumatic Stress Disorder from Intimate Partner Violence. <i>Biological Psychiatry</i> , 2010, 68, 442-450.	1.3	102
38	Trauma Exposure, Branch of Service, and Physical Injury in Relation to Mental Health Among U.S. Veterans Returning From Iraq and Afghanistan. <i>Military Medicine</i> , 2009, 174, 733-778.	0.8	101
39	White Matter Correlates of Adolescent Depression: Structural Evidence for Frontolimbic Disconnectivity. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 899-909.e7.	0.5	100
40	Neural circuitry of PTSD with or without mild traumatic brain injury: A meta-analysis. <i>Neuropharmacology</i> , 2012, 62, 598-606.	4.1	97
41	Anxiety positive subjects show altered processing in the anterior insula during anticipation of negative stimuli. <i>Human Brain Mapping</i> , 2011, 32, 1836-1846.	3.6	96
42	Anterior cingulate activation in high trait anxious subjects is related to altered error processing during decision making. <i>Biological Psychiatry</i> , 2004, 55, 1179-1187.	1.3	95
43	Neural substrates of time perception and impulsivity. <i>Brain Research</i> , 2011, 1406, 43-58.	2.2	88
44	Mindfulness-based training attenuates insula response to an aversive interoceptive challenge. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 182-190.	3.0	88
45	Demand-specific alteration of medial prefrontal cortex response during an inhibition task in recovered anorexic women. <i>International Journal of Eating Disorders</i> , 2011, 44, 1-8.	4.0	81
46	Neural basis of egalitarian behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6479-6483.	7.1	81
47	Selective effects of social anxiety, anxiety sensitivity, and negative affectivity on the neural bases of emotional face processing. <i>NeuroImage</i> , 2012, 59, 1879-1887.	4.2	81
48	Dissociation of inhibition from error processing using a parametric inhibitory task during functional magnetic resonance imaging. <i>NeuroReport</i> , 2005, 16, 755-760.	1.2	80
49	Neural responses during emotional processing before and after cognitive trauma therapy for battered women. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 48-55.	1.8	79
50	Subjecting Elite Athletes to Inspiratory Breathing Load Reveals Behavioral and Neural Signatures of Optimal Performers in Extreme Environments. <i>PLoS ONE</i> , 2012, 7, e29394.	2.5	79
51	Increased amygdala activation is related to heart rate during emotion processing in adolescent subjects. <i>Neuroscience Letters</i> , 2007, 428, 109-114.	2.1	76
52	Large-Scale Hypoconnectivity Between Resting-State Functional Networks in Unmedicated Adolescent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2016, 41, 2951-2960.	5.4	75
53	Altered Cerebral Perfusion in Executive, Affective, and Motor Networks During Adolescent Depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 1076-1091.e2.	0.5	72
54	Cortical and subcortical brain regions involved in rule-based category learning. <i>NeuroReport</i> , 2005, 16, 111-115.	1.2	70

#	ARTICLE	IF	CITATIONS
55	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021, 26, 4315-4330.	7.9	69
56	Neural functional and structural correlates of childhood maltreatment in women with intimate-partner violence-related posttraumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2013, 211, 93-103.	1.8	68
57	Greater anterior insula activation during anticipation of food images in women recovered from anorexia nervosa versus controls. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 132-141.	1.8	67
58	Cognitive-behavioral therapy for generalized anxiety disorder is associated with attenuation of limbic activation to threat-related facial emotions. <i>Journal of Affective Disorders</i> , 2014, 169, 76-85.	4.1	66
59	Early life stress and the anxious brain: evidence for a neural mechanism linking childhood emotional maltreatment to anxiety in adulthood. <i>Psychological Medicine</i> , 2016, 46, 1037-1054.	4.5	66
60	Altered interoceptive activation before, during, and after aversive breathing load in women remitted from anorexia nervosa. <i>Psychological Medicine</i> , 2018, 48, 142-154.	4.5	64
61	Subchronic SSRI administration reduces insula response during affective anticipation in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 1009-1020.	2.1	63
62	Dynamical bridge between brain and mind. <i>Trends in Cognitive Sciences</i> , 2015, 19, 453-461.	7.8	60
63	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020, 50, 1020-1031.	4.5	59
64	Inhibition-related activity in subgenual cingulate is associated with symptom severity in major depression. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 1-6.	1.8	58
65	Depressed adolescents demonstrate greater subgenual anterior cingulate activity. <i>NeuroReport</i> , 2009, 20, 440-444.	1.2	57
66	When the brain does not adequately feel the body: Links between low resilience and interoception. <i>Biological Psychology</i> , 2016, 113, 37-45.	2.2	57
67	Affective ambiguity for a group recruits ventromedial prefrontal cortex. <i>NeuroImage</i> , 2006, 29, 655-661.	4.2	56
68	Increased Affective Bias Revealed Using Experimental Graded Heat Stimuli in Young Depressed Adults: Evidence of "Emotional Allodynia". <i>Psychosomatic Medicine</i> , 2008, 70, 338-344.	2.0	56
69	Altered BOLD Response during Inhibitory and Error Processing in Adolescents with Anorexia Nervosa. <i>PLoS ONE</i> , 2014, 9, e92017.	2.5	56
70	Initial Evidence of a Failure to Activate Right Anterior Insula During Affective Set Shifting in Posttraumatic Stress Disorder. <i>Psychosomatic Medicine</i> , 2009, 71, 373-377.	2.0	54
71	Neurosubstrates of Remission following Prolonged Exposure Therapy in Veterans with Posttraumatic Stress Disorder. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 382-389.	8.8	53
72	Neural correlates of a computerized attention modification program in anxious subjects. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1379-1387.	3.0	53

#	ARTICLE	IF	CITATIONS
73	Pregabalin Influences Insula and Amygdala Activation During Anticipation of Emotional Images. <i>Neuropsychopharmacology</i> , 2011, 36, 1466-1477.	5.4	52
74	A pilot study investigating changes in neural processing after mindfulness training in elite athletes. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 229.	2.0	52
75	Altered insular activation and increased insular functional connectivity during sad and happy face processing in adolescent major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 178, 215-223.	4.1	50
76	Decreased frontal regulation during pain anticipation in unmedicated subjects with major depressive disorder. <i>Translational Psychiatry</i> , 2013, 3, e239-e239.	4.8	49
77	Heritability of anterior cingulate response to conflict: An fMRI study in female twins. <i>NeuroImage</i> , 2007, 38, 223-227.	4.2	48
78	Documenting the Prominence of Forensic Neuropsychology at National Meetings and in Relevant Professional Journals from 1990 to 2000. <i>Clinical Neuropsychologist</i> , 2002, 16, 481-494.	2.3	46
79	Nothing to lose: Processing blindness to potential losses drives thrill and adventure seekers. <i>NeuroImage</i> , 2012, 59, 2850-2859.	4.2	45
80	Diffusion tensor imaging evidence of white matter disruption associated with loss versus alteration of consciousness in warfighters exposed to combat in Operations Enduring and Iraqi Freedom. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 149-154.	1.8	44
81	Inflexible Functional Connectivity of the Dorsal Anterior Cingulate Cortex in Adolescent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017, 42, 2434-2445.	5.4	44
82	Anxiety vulnerability is associated with altered anterior cingulate response to an affective appraisal task. <i>NeuroReport</i> , 2008, 19, 1033-1037.	1.2	43
83	fMRI Differences Between Subjects with Low and High Responses to Alcohol During a Stop Signal Task. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 130-140.	2.4	43
84	Peripheral telomere length and hippocampal volume in adolescents with major depressive disorder. <i>Translational Psychiatry</i> , 2015, 5, e676-e676.	4.8	43
85	Evidence for Acute Central Sensitization to Prolonged Experimental Pain in Posttraumatic Stress Disorder. <i>Pain Medicine</i> , 2014, 15, 762-771.	1.9	42
86	Individuals with schizophrenia present hypo- and hyperactivation during implicit cueing in an inhibitory task. <i>NeuroImage</i> , 2006, 32, 704-713.	4.2	41
87	Association between individual differences in self-reported emotional resilience and the affective perception of neutral faces. <i>Journal of Affective Disorders</i> , 2009, 114, 286-293.	4.1	41
88	Combat-Exposed War Veterans at Risk for Suicide Show Hyperactivation of Prefrontal Cortex and Anterior Cingulate During Error Processing. <i>Psychosomatic Medicine</i> , 2012, 74, 471-475.	2.0	38
89	Differential Brain Activation to Angry Faces by Elite Warfighters: Neural Processing Evidence for Enhanced Threat Detection. <i>PLoS ONE</i> , 2010, 5, e10096.	2.5	35
90	Intimate Partner Violence PTSD and Neural Correlates of Inhibition. <i>Journal of Traumatic Stress</i> , 2016, 29, 33-40.	1.8	34

#	ARTICLE	IF	CITATIONS
91	Clusters of Low ¹⁸ F-Fluorodeoxyglucose Uptake Voxels in Combat Veterans with Traumatic Brain Injury and Post-Traumatic Stress Disorder. <i>Journal of Neurotrauma</i> , 2015, 32, 1736-1750.	3.4	33
92	Right Anterior Insula Hypoactivity During Anticipation of Homeostatic Shifts in Major Depressive Disorder. <i>Psychosomatic Medicine</i> , 2010, 72, 316-323.	2.0	32
93	The effects of temporal unpredictability in anticipation of negative events in combat veterans with PTSD. <i>Journal of Affective Disorders</i> , 2013, 146, 426-432.	4.1	32
94	Increased functional brain response during word retrieval in cognitively intact older adults at genetic risk for Alzheimer's disease. <i>NeuroImage</i> , 2010, 51, 1222-1233.	4.2	31
95	Young Adults at Risk for Stimulant Dependence Show Reward Dysfunction During Reinforcement-Based Decision Making. <i>Biological Psychiatry</i> , 2013, 73, 235-241.	1.3	31
96	Adolescent subgenual anterior cingulate activity is related to harm avoidance. <i>NeuroReport</i> , 2009, 20, 19-23.	1.2	30
97	Acute Ethanol Effects on Brain Activation in Low- and High-Level Responders to Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 1162-1170.	2.4	30
98	High Versus Low Level of Response to Alcohol: Evidence of Differential Reactivity to Emotional Stimuli. <i>Biological Psychiatry</i> , 2012, 72, 848-855.	1.3	30
99	Combat veterans with comorbid PTSD and mild TBI exhibit a greater inhibitory processing ERP from the dorsal anterior cingulate cortex. <i>Psychiatry Research - Neuroimaging</i> , 2014, 224, 58-66.	1.8	30
100	Alcohol Attenuates Activation in the Bilateral Anterior Insula during an Emotional Processing Task: A Pilot Study. <i>Alcohol and Alcoholism</i> , 2011, 46, 547-552.	1.6	29
101	Validation of the Modified Fatigue Impact Scale in Mild to Moderate Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, 116-121.	1.7	29
102	An exploratory examination of reappraisal success in depressed adolescents: Preliminary evidence of functional differences in cognitive control brain regions. <i>Journal of Affective Disorders</i> , 2018, 240, 155-164.	4.1	27
103	Escitalopram attenuates posterior cingulate activity during self-evaluation in healthy volunteers. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 81-87.	1.8	26
104	Apolipoprotein E ϵ 4 Allele Affects the Relationship between Stress and Depression in Caregivers of Patients with Alzheimer's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2001, 14, 115-119.	2.3	25
105	Improvement in Depressive Symptoms Among Hispanic/Latinos Receiving a Culturally Tailored IMPACT and Problem-Solving Intervention in a Community Health Center. <i>Community Mental Health Journal</i> , 2015, 51, 385-392.	2.0	25
106	Combat veterans with PTSD after mild TBI exhibit greater ERPs from posterior medial cortical areas while appraising facial features. <i>Journal of Affective Disorders</i> , 2014, 155, 234-240.	4.1	24
107	The Ability of Functional Magnetic Resonance Imaging to Predict Heavy Drinking and Alcohol Problems 5 Years Later. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 206-213.	2.4	24
108	Latent variable analysis of positive and negative valence processing focused on symptom and behavioral units of analysis in mood and anxiety disorders. <i>Journal of Affective Disorders</i> , 2017, 216, 17-29.	4.1	24

#	ARTICLE	IF	CITATIONS
109	Whole Brain Expression of Bipolar Disorder Associated Genes: Structural and Genetic Analyses. PLoS ONE, 2014, 9, e100204.	2.5	24
110	The effects of loss versus alteration of consciousness on inhibition-related brain activity among individuals with a history of blast-related concussion. Psychiatry Research - Neuroimaging, 2011, 191, 76-79.	1.8	23
111	Altered insula activation in anticipation of changing emotional states. NeuroReport, 2012, 23, 234-239.	1.2	22
112	Altered brain response for semantic knowledge in Alzheimer's disease. Neuropsychologia, 2011, 49, 392-404.	1.6	21
113	Temporal profile of brain response to alprazolam in patients with generalized anxiety disorder. Psychiatry Research - Neuroimaging, 2015, 233, 394-401.	1.8	20
114	Pilot Study of Functional Magnetic Resonance Imaging Responses to Somatic Pain Stimuli in Youth With Functional and Inflammatory Gastrointestinal Disease. Journal of Pediatric Gastroenterology and Nutrition, 2016, 63, 500-507.	1.8	20
115	The Relationship between Amygdala Activation and Passive Exposure Time to an Aversive Cue during a Continuous Performance Task. PLoS ONE, 2010, 5, e15093.	2.5	19
116	Effects of anxiolytic treatment on potentiated startle during aversive image anticipation. Human Psychopharmacology, 2012, 27, 419-427.	1.5	18
117	Neural mechanisms of interference control in working memory capacity. Human Brain Mapping, 2018, 39, 772-782.	3.6	18
118	Altered sensitization patterns to sweet food stimuli in patients recovered from anorexia and bulimia nervosa. Psychiatry Research - Neuroimaging, 2015, 234, 305-313.	1.8	16
119	Earlier alcohol use onset prospectively predicts changes in functional connectivity. Psychopharmacology, 2018, 235, 1041-1054.	3.1	16
120	Emerging Approaches to Neurocircuits in PTSD and TBI: Imaging the Interplay of Neural and Emotional Trauma. Current Topics in Behavioral Neurosciences, 2018, 38, 163-192.	1.7	15
121	Multimodal canonical correlation reveals converging neural circuitry across trauma-related disorders of affect and cognition. Neurobiology of Stress, 2018, 9, 241-250.	4.0	15
122	Neural measures associated with configural threat acquisition. Neurobiology of Learning and Memory, 2018, 150, 99-106.	1.9	14
123	Left inferior prefrontal cortex activation during a semantic decision-making task predicts the degree of semantic organization. NeuroImage, 2005, 28, 30-38.	4.2	11
124	The Future of Contextual Fear Learning for PTSD Research: A Methodological Review of Neuroimaging Studies. Current Topics in Behavioral Neurosciences, 2017, 38, 207-228.	1.7	11
125	Neural correlates of malingering in mild traumatic brain injury: A positron emission tomography study. Psychiatry Research - Neuroimaging, 2015, 233, 367-372.	1.8	10
126	Repeated Exposure to Experimental Pain Differentiates Combat Traumatic Brain Injury with and without Post-Traumatic Stress Disorder. Journal of Neurotrauma, 2018, 35, 297-307.	3.4	9

#	ARTICLE	IF	CITATIONS
127	Crisis Visits and Psychiatric Hospitalizations Among Patients Attending a Community Clinic in Rural Southern California. <i>Community Mental Health Journal</i> , 2012, 48, 133-137.	2.0	7
128	Sex Differences in the Neural Processing of Aversive Interoceptive Events: The Benefit of Relief. <i>PLoS ONE</i> , 2013, 8, e84044.	2.5	7
129	Ethnicity and Use of Alternative Products in Psychiatric Patients. <i>Psychosomatics</i> , 2006, 47, 408-413.	2.5	6
130	Accumulation of Neural Activity in the Posterior Insula Encodes the Passage of Time. <i>Nature Precedings</i> , 2008, , .	0.1	6
131	Faking bad: The neural correlates of feigning memory impairment.. <i>Neuropsychology</i> , 2016, 30, 377-384.	1.3	6
132	Neural differences underlying face processing in veterans with TBI and co-occurring TBI and PTSD. <i>Journal of Affective Disorders</i> , 2017, 223, 130-138.	4.1	4
133	The Parametric, Psychological, Neuropsychological, and Neuroanatomical Properties of Self and World Evaluation. <i>PLoS ONE</i> , 2012, 7, e31509.	2.5	3
134	The clinical application of fMRI data in a single-patient diagnostic conundrum: Classifying brain response to experimental pain to distinguish between gastrointestinal, depressive and eating disorder symptoms. <i>Journal of Clinical Neuroscience</i> , 2017, 45, 149-153.	1.5	3
135	930. Altered Neural Anticipation of an Aversive Interoceptive Experience in Women Remitted from Bulimia Nervosa. <i>Biological Psychiatry</i> , 2017, 81, S376-S377.	1.3	1
136	Neural nonpartisans. <i>Journal of Elections, Public Opinion and Parties</i> , 2022, 32, 576-595.	2.0	1
137	A factor analysis of different temperament domains in a border region in rural Southern California. <i>Journal of Affective Disorders</i> , 2010, 126, 46-48.	4.1	0
138	765. The Impact of Fasting and Eating on Control and Reward Responses in Women Remitted from Bulimia Nervosa. <i>Biological Psychiatry</i> , 2017, 81, S311.	1.3	0
139	750. Resting State Differences in PTSD and TBI in the Intrust Sample. <i>Biological Psychiatry</i> , 2017, 81, S304.	1.3	0
140	O37. Altered Aversive Interoceptive Anticipation and Processing in Women Remitted From Bulimia Nervosa: Time-Course and Connectivity Findings. <i>Biological Psychiatry</i> , 2018, 83, S123-S124.	1.3	0
141	Imaging stress. <i>Neurobiology of Stress</i> , 2020, 13, 100228.	4.0	0