

Alan Simmons

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9078515/publications.pdf>

Version: 2024-02-01

141
papers

11,623
citations

22153

59
h-index

30087

103
g-index

143
all docs

143
docs citations

143
times ranked

13442
citing authors

#	ARTICLE	IF	CITATIONS
1	Neural nonpartisans. <i>Journal of Elections, Public Opinion and Parties</i> , 2022, 32, 576-595.	2.0	1
2	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021, 26, 4315-4330.	7.9	69
3	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020, 50, 1020-1031.	4.5	59
4	Imaging stress. <i>Neurobiology of Stress</i> , 2020, 13, 100228.	4.0	0
5	Earlier alcohol use onset prospectively predicts changes in functional connectivity. <i>Psychopharmacology</i> , 2018, 235, 1041-1054.	3.1	16
6	Emerging Approaches to Neurocircuits in PTSD and TBI: Imaging the Interplay of Neural and Emotional Trauma. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 38, 163-192.	1.7	15
7	Neural measures associated with configural threat acquisition. <i>Neurobiology of Learning and Memory</i> , 2018, 150, 99-106.	1.9	14
8	Altered interoceptive activation before, during, and after aversive breathing load in women remitted from anorexia nervosa. <i>Psychological Medicine</i> , 2018, 48, 142-154.	4.5	64
9	Repeated Exposure to Experimental Pain Differentiates Combat Traumatic Brain Injury with and without Post-Traumatic Stress Disorder. <i>Journal of Neurotrauma</i> , 2018, 35, 297-307.	3.4	9
10	Neural mechanisms of interference control in working memory capacity. <i>Human Brain Mapping</i> , 2018, 39, 772-782.	3.6	18
11	O37. Altered Aversive Interoceptive Anticipation and Processing in Women Remitted From Bulimia Nervosa: Time-Course and Connectivity Findings. <i>Biological Psychiatry</i> , 2018, 83, S123-S124.	1.3	0
12	Multimodal canonical correlation reveals converging neural circuitry across trauma-related disorders of affect and cognition. <i>Neurobiology of Stress</i> , 2018, 9, 241-250.	4.0	15
13	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299
14	An exploratory examination of reappraisal success in depressed adolescents: Preliminary evidence of functional differences in cognitive control brain regions. <i>Journal of Affective Disorders</i> , 2018, 240, 155-164.	4.1	27
15	Latent variable analysis of positive and negative valence processing focused on symptom and behavioral units of analysis in mood and anxiety disorders. <i>Journal of Affective Disorders</i> , 2017, 216, 17-29.	4.1	24
16	765. The Impact of Fasting and Eating on Control and Reward Responses in Women Remitted from Bulimia Nervosa. <i>Biological Psychiatry</i> , 2017, 81, S311.	1.3	0
17	Inflexible Functional Connectivity of the Dorsal Anterior Cingulate Cortex in Adolescent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017, 42, 2434-2445.	5.4	44
18	The Future of Contextual Fear Learning for PTSD Research: A Methodological Review of Neuroimaging Studies. <i>Current Topics in Behavioral Neurosciences</i> , 2017, 38, 207-228.	1.7	11

#	ARTICLE	IF	CITATIONS
19	The clinical application of fMRI data in a single-patient diagnostic conundrum: Classifying brain response to experimental pain to distinguish between gastrointestinal, depressive and eating disorder symptoms. <i>Journal of Clinical Neuroscience</i> , 2017, 45, 149-153.	1.5	3
20	750. Resting State Differences in PTSD and TBI in the Intrust Sample. <i>Biological Psychiatry</i> , 2017, 81, S304.	1.3	0
21	Neural differences underlying face processing in veterans with TBI and co-occurring TBI and PTSD. <i>Journal of Affective Disorders</i> , 2017, 223, 130-138.	4.1	4
22	930. Altered Neural Anticipation of an Aversive Interoceptive Experience in Women Remitted from Bulimia Nervosa. <i>Biological Psychiatry</i> , 2017, 81, S376-S377.	1.3	1
23	Resting-state functional connectivity of the amygdala and longitudinal changes in depression severity in adolescent depression. <i>Journal of Affective Disorders</i> , 2017, 207, 86-94.	4.1	118
24	Pilot Study of Functional Magnetic Resonance Imaging Responses to Somatic Pain Stimuli in Youth With Functional and Inflammatory Gastrointestinal Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016, 63, 500-507.	1.8	20
25	Early life stress and the anxious brain: evidence for a neural mechanism linking childhood emotional maltreatment to anxiety in adulthood. <i>Psychological Medicine</i> , 2016, 46, 1037-1054.	4.5	66
26	Faking bad: The neural correlates of feigning memory impairment.. <i>Neuropsychology</i> , 2016, 30, 377-384.	1.3	6
27	The Ability of Functional Magnetic Resonance Imaging to Predict Heavy Drinking and Alcohol Problems 5ÂYears Later. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 206-213.	2.4	24
28	Intimate Partner Violence PTSD and Neural Correlates of Inhibition. <i>Journal of Traumatic Stress</i> , 2016, 29, 33-40.	1.8	34
29	Large-Scale Hypoconnectivity Between Resting-State Functional Networks in Unmedicated Adolescent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2016, 41, 2951-2960.	5.4	75
30	When the brain does not adequately feel the body: Links between low resilience and interoception. <i>Biological Psychology</i> , 2016, 113, 37-45.	2.2	57
31	Mindfulness-based training attenuates insula response to an aversive interoceptive challenge. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 182-190.	3.0	88
32	Altered sensitization patterns to sweet food stimuli in patients recovered from anorexia and bulimia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 305-313.	1.8	16
33	A pilot study investigating changes in neural processing after mindfulness training in elite athletes. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 229.	2.0	52
34	Improvement in Depressive Symptoms Among Hispanic/Latinos Receiving a Culturally Tailored IMPACT and Problem-Solving Intervention in a Community Health Center. <i>Community Mental Health Journal</i> , 2015, 51, 385-392.	2.0	25
35	Temporal profile of brain response to alprazolam in patients with generalized anxiety disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 394-401.	1.8	20
36	Neural correlates of malingering in mild traumatic brain injury: A positron emission tomography study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 367-372.	1.8	10

#	ARTICLE	IF	CITATIONS
37	Dynamical bridge between brain and mind. Trends in Cognitive Sciences, 2015, 19, 453-461.	7.8	60
38	Emotion-Dependent Functional Connectivity of the Default Mode Network in Adolescent Depression. Biological Psychiatry, 2015, 78, 635-646.	1.3	157
39	Clusters of Low ¹⁸ F-Fluorodeoxyglucose Uptake Voxels in Combat Veterans with Traumatic Brain Injury and Post-Traumatic Stress Disorder. Journal of Neurotrauma, 2015, 32, 1736-1750.	3.4	33
40	Altered insular activation and increased insular functional connectivity during sad and happy face processing in adolescent major depressive disorder. Journal of Affective Disorders, 2015, 178, 215-223.	4.1	50
41	Common and disorder-specific neural responses to emotional faces in generalised anxiety, social anxiety and panic disorders. British Journal of Psychiatry, 2015, 206, 206-215.	2.8	118
42	Validation of the Modified Fatigue Impact Scale in Mild to Moderate Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2015, 30, 116-121.	1.7	29
43	Peripheral telomere length and hippocampal volume in adolescents with major depressive disorder. Translational Psychiatry, 2015, 5, e676-e676.	4.8	43
44	Hunger Does Not Motivate Reward in Women Remitted from Anorexia Nervosa. Biological Psychiatry, 2015, 77, 642-652.	1.3	131
45	Altered BOLD Response during Inhibitory and Error Processing in Adolescents with Anorexia Nervosa. PLoS ONE, 2014, 9, e92017.	2.5	56
46	Evidence for Acute Central Sensitization to Prolonged Experimental Pain in Posttraumatic Stress Disorder. Pain Medicine, 2014, 15, 762-771.	1.9	42
47	Modifying Resilience Mechanisms in At-Risk Individuals: A Controlled Study of Mindfulness Training in Marines Preparing for Deployment. American Journal of Psychiatry, 2014, 171, 844-853.	7.2	171
48	Neural correlates of a computerized attention modification program in anxious subjects. Social Cognitive and Affective Neuroscience, 2014, 9, 1379-1387.	3.0	53
49	Combat veterans with comorbid PTSD and mild TBI exhibit a greater inhibitory processing ERP from the dorsal anterior cingulate cortex. Psychiatry Research - Neuroimaging, 2014, 224, 58-66.	1.8	30
50	Cognitive-behavioral therapy for generalized anxiety disorder is associated with attenuation of limbic activation to threat-related facial emotions. Journal of Affective Disorders, 2014, 169, 76-85.	4.1	66
51	Functional connectivity of negative emotional processing in adolescent depression. Journal of Affective Disorders, 2014, 155, 65-74.	4.1	120
52	Combat veterans with PTSD after mild TBI exhibit greater ERPs from posteriorâ€‘medial cortical areas while appraising facial features. Journal of Affective Disorders, 2014, 155, 234-240.	4.1	24
53	White Matter Correlates of Adolescent Depression: Structural Evidence for Frontolimbic Disconnectivity. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 899-909.e7.	0.5	100
54	Are Extremes of Consumption in Eating Disorders Related to an Altered Balance between Reward and Inhibition?. Frontiers in Behavioral Neuroscience, 2014, 8, 410.	2.0	130

#	ARTICLE	IF	CITATIONS
55	Whole Brain Expression of Bipolar Disorder Associated Genes: Structural and Genetic Analyses. PLoS ONE, 2014, 9, e100204.	2.5	24
56	Young Adults at Risk for Stimulant Dependence Show Reward Dysfunction During Reinforcement-Based Decision Making. Biological Psychiatry, 2013, 73, 235-241.	1.3	31
57	Neural functional and structural correlates of childhood maltreatment in women with intimate-partner violence-related posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2013, 211, 93-103.	1.8	68
58	Nothing tastes as good as skinny feels: the neurobiology of anorexia nervosa. Trends in Neurosciences, 2013, 36, 110-120.	8.6	414
59	Neural responses during emotional processing before and after cognitive trauma therapy for battered women. Psychiatry Research - Neuroimaging, 2013, 214, 48-55.	1.8	79
60	Resting-State Functional Connectivity of Subgenual Anterior Cingulate Cortex in Depressed Adolescents. Biological Psychiatry, 2013, 74, 898-907.	1.3	300
61	The effects of temporal unpredictability in anticipation of negative events in combat veterans with PTSD. Journal of Affective Disorders, 2013, 146, 426-432.	4.1	32
62	Adolescents' fMRI activation to a response inhibition task predicts future substance use. Addictive Behaviors, 2013, 38, 1435-1441.	3.0	124
63	Greater anterior insula activation during anticipation of food images in women recovered from anorexia nervosa versus controls. Psychiatry Research - Neuroimaging, 2013, 214, 132-141.	1.8	67
64	Does a Shared Neurobiology for Foods and Drugs of Abuse Contribute to Extremes of Food Ingestion in Anorexia and Bulimia Nervosa?. Biological Psychiatry, 2013, 73, 836-842.	1.3	146
65	Altered Cerebral Perfusion in Executive, Affective, and Motor Networks During Adolescent Depression. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 1076-1091.e2.	0.5	72
66	Altered insula activation during pain anticipation in individuals recovered from anorexia nervosa: Evidence of interoceptive dysregulation. International Journal of Eating Disorders, 2013, 46, 23-33.	4.0	120
67	Altered Insula Response to Sweet Taste Processing After Recovery From Anorexia and Bulimia Nervosa. American Journal of Psychiatry, 2013, 170, 1143-1151.	7.2	157
68	Neurosubstrates of Remission following Prolonged Exposure Therapy in Veterans with Posttraumatic Stress Disorder. Psychotherapy and Psychosomatics, 2013, 82, 382-389.	8.8	53
69	Decreased frontal regulation during pain anticipation in unmedicated subjects with major depressive disorder. Translational Psychiatry, 2013, 3, e239-e239.	4.8	49
70	Sex Differences in the Neural Processing of Aversive Interoceptive Events: The Benefit of Relief. PLoS ONE, 2013, 8, e84044.	2.5	7
71	Red Brain, Blue Brain: Evaluative Processes Differ in Democrats and Republicans. PLoS ONE, 2013, 8, e52970.	2.5	133
72	Neural basis of egalitarian behavior. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 6479-6483.	7.1	81

#	ARTICLE	IF	CITATIONS
73	Dorsolateral Prefrontal Cortex Activation During Emotional Anticipation and Neuropsychological Performance in Posttraumatic Stress Disorder. <i>Archives of General Psychiatry</i> , 2012, 69, 360.	12.3	163
74	Combat-Exposed War Veterans at Risk for Suicide Show Hyperactivation of Prefrontal Cortex and Anterior Cingulate During Error Processing. <i>Psychosomatic Medicine</i> , 2012, 74, 471-475.	2.0	38
75	Altered insula activation in anticipation of changing emotional states. <i>NeuroReport</i> , 2012, 23, 234-239.	1.2	22
76	Diffusion tensor imaging evidence of white matter disruption associated with loss versus alteration of consciousness in warfighters exposed to combat in Operations Enduring and Iraqi Freedom. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 149-154.	1.8	44
77	Neural circuitry of PTSD with or without mild traumatic brain injury: A meta-analysis. <i>Neuropharmacology</i> , 2012, 62, 598-606.	4.1	97
78	High Versus Low Level of Response to Alcohol: Evidence of Differential Reactivity to Emotional Stimuli. <i>Biological Psychiatry</i> , 2012, 72, 848-855.	1.3	30
79	Selective effects of social anxiety, anxiety sensitivity, and negative affectivity on the neural bases of emotional face processing. <i>NeuroImage</i> , 2012, 59, 1879-1887.	4.2	81
80	Nothing to lose: Processing blindness to potential losses drives thrill and adventure seekers. <i>NeuroImage</i> , 2012, 59, 2850-2859.	4.2	45
81	The Parametric, Psychological, Neuropsychological, and Neuroanatomical Properties of Self and World Evaluation. <i>PLoS ONE</i> , 2012, 7, e31509.	2.5	3
82	Effects of anxiolytic treatment on potentiated startle during aversive image anticipation. <i>Human Psychopharmacology</i> , 2012, 27, 419-427.	1.5	18
83	Crisis Visits and Psychiatric Hospitalizations Among Patients Attending a Community Clinic in Rural Southern California. <i>Community Mental Health Journal</i> , 2012, 48, 133-137.	2.0	7
84	fMRI Differences Between Subjects with Low and High Responses to Alcohol During a Stop Signal Task. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 130-140.	2.4	43
85	Amygdala response and functional connectivity during emotion regulation: A study of 14 depressed adolescents. <i>Journal of Affective Disorders</i> , 2012, 139, 75-84.	4.1	158
86	Subjecting Elite Athletes to Inspiratory Breathing Load Reveals Behavioral and Neural Signatures of Optimal Performers in Extreme Environments. <i>PLoS ONE</i> , 2012, 7, e29394.	2.5	79
87	A multimodal imaging study in U.S. veterans of Operations Iraqi and Enduring Freedom with and without major depression after blast-related concussion. <i>NeuroImage</i> , 2011, 54, S69-S75.	4.2	148
88	Functioning of neural systems supporting emotion regulation in anxiety-prone individuals. <i>NeuroImage</i> , 2011, 54, 689-696.	4.2	120
89	Altered brain response for semantic knowledge in Alzheimer's disease. <i>Neuropsychologia</i> , 2011, 49, 392-404.	1.6	21
90	The effects of loss versus alteration of consciousness on inhibition-related brain activity among individuals with a history of blast-related concussion. <i>Psychiatry Research - Neuroimaging</i> , 2011, 191, 76-79.	1.8	23

#	ARTICLE	IF	CITATIONS
91	Neural substrates of time perception and impulsivity. <i>Brain Research</i> , 2011, 1406, 43-58.	2.2	88
92	Anxiety positive subjects show altered processing in the anterior insula during anticipation of negative stimuli. <i>Human Brain Mapping</i> , 2011, 32, 1836-1846.	3.6	96
93	Demand-specific alteration of medial prefrontal cortex response during an inhibition task in recovered anorexic women. <i>International Journal of Eating Disorders</i> , 2011, 44, 1-8.	4.0	81
94	Alcohol Attenuates Activation in the Bilateral Anterior Insula during an Emotional Processing Task: A Pilot Study. <i>Alcohol and Alcoholism</i> , 2011, 46, 547-552.	1.6	29
95	Pregabalin Influences Insula and Amygdala Activation During Anticipation of Emotional Images. <i>Neuropsychopharmacology</i> , 2011, 36, 1466-1477.	5.4	52
96	Right Anterior Insula Hypoactivity During Anticipation of Homeostatic Shifts in Major Depressive Disorder. <i>Psychosomatic Medicine</i> , 2010, 72, 316-323.	2.0	32
97	Accumulation of neural activity in the posterior insula encodes the passage of time. <i>Neuropsychologia</i> , 2010, 48, 3110-3120.	1.6	158
98	Escitalopram attenuates posterior cingulate activity during self-evaluation in healthy volunteers. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 81-87.	1.8	26
99	A factor analysis of different temperament domains in a border region in rural Southern California. <i>Journal of Affective Disorders</i> , 2010, 126, 46-48.	4.1	0
100	Acute Ethanol Effects on Brain Activation in Low- and High-Level Responders to Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 1162-1170.	2.4	30
101	Differential Brain Activation to Angry Faces by Elite Warfighters: Neural Processing Evidence for Enhanced Threat Detection. <i>PLoS ONE</i> , 2010, 5, e10096.	2.5	35
102	Neural Correlates of Altered Pain Response in Women with Posttraumatic Stress Disorder from Intimate Partner Violence. <i>Biological Psychiatry</i> , 2010, 68, 442-450.	1.3	102
103	Exaggerated and Disconnected Insular-Amygdalar Blood Oxygenation Level-Dependent Response to Threat-Related Emotional Faces in Women with Intimate-Partner Violence Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2010, 68, 433-441.	1.3	203
104	Increased functional brain response during word retrieval in cognitively intact older adults at genetic risk for Alzheimer's disease. <i>NeuroImage</i> , 2010, 51, 1222-1233.	4.2	31
105	The Relationship between Amygdala Activation and Passive Exposure Time to an Aversive Cue during a Continuous Performance Task. <i>PLoS ONE</i> , 2010, 5, e15093.	2.5	19
106	Trauma Exposure, Branch of Service, and Physical Injury in Relation to Mental Health Among U.S. Veterans Returning From Iraq and Afghanistan. <i>Military Medicine</i> , 2009, 174, 733-778.	0.8	101
107	Inhibition-related activity in subgenual cingulate is associated with symptom severity in major depression. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 1-6.	1.8	58
108	Association between individual differences in self-reported emotional resilience and the affective perception of neutral faces. <i>Journal of Affective Disorders</i> , 2009, 114, 286-293.	4.1	41

#	ARTICLE	IF	CITATIONS
109	Anterior insular cortex anticipates impending stimulus significance. <i>NeuroImage</i> , 2009, 45, 976-983.	4.2	133
110	Initial Evidence of a Failure to Activate Right Anterior Insula During Affective Set Shifting in Posttraumatic Stress Disorder. <i>Psychosomatic Medicine</i> , 2009, 71, 373-377.	2.0	54
111	Adolescent subgenual anterior cingulate activity is related to harm avoidance. <i>NeuroReport</i> , 2009, 20, 19-23.	1.2	30
112	Depressed adolescents demonstrate greater subgenual anterior cingulate activity. <i>NeuroReport</i> , 2009, 20, 440-444.	1.2	57
113	Subchronic SSRI administration reduces insula response during affective anticipation in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 1009-1020.	2.1	63
114	Escitalopram effects on insula and amygdala BOLD activation during emotional processing. <i>Psychopharmacology</i> , 2008, 196, 661-672.	3.1	181
115	Decreased functional coupling of the amygdala and supragenual cingulate is related to increased depression in unmedicated individuals with current major depressive disorder. <i>Journal of Affective Disorders</i> , 2008, 111, 13-20.	4.1	169
116	Functional Activation and Neural Networks in Women with Posttraumatic Stress Disorder Related to Intimate Partner Violence. <i>Biological Psychiatry</i> , 2008, 64, 681-690.	1.3	163
117	Intolerance of uncertainty correlates with insula activation during affective ambiguity. <i>Neuroscience Letters</i> , 2008, 430, 92-97.	2.1	126
118	Sucrose activates human taste pathways differently from artificial sweetener. <i>NeuroImage</i> , 2008, 39, 1559-1569.	4.2	214
119	Association of Major Depressive Disorder With Altered Functional Brain Response During Anticipation and Processing of Heat Pain. <i>Archives of General Psychiatry</i> , 2008, 65, 1275.	12.3	230
120	Increased Affective Bias Revealed Using Experimental Graded Heat Stimuli in Young Depressed Adults: Evidence of "Emotional Allodynia". <i>Psychosomatic Medicine</i> , 2008, 70, 338-344.	2.0	56
121	Anxiety vulnerability is associated with altered anterior cingulate response to an affective appraisal task. <i>NeuroReport</i> , 2008, 19, 1033-1037.	1.2	43
122	Accumulation of Neural Activity in the Posterior Insula Encodes the Passage of Time. <i>Nature Precedings</i> , 2008, , .	0.1	6
123	Increased Amygdala and Insula Activation During Emotion Processing in Anxiety-Prone Subjects. <i>American Journal of Psychiatry</i> , 2007, 164, 318-327.	7.2	698
124	Increased amygdala activation is related to heart rate during emotion processing in adolescent subjects. <i>Neuroscience Letters</i> , 2007, 428, 109-114.	2.1	76
125	Heritability of anterior cingulate response to conflict: An fMRI study in female twins. <i>NeuroImage</i> , 2007, 38, 223-227.	4.2	48
126	Ethnicity and Use of Alternative Products in Psychiatric Patients. <i>Psychosomatics</i> , 2006, 47, 408-413.	2.5	6

#	ARTICLE	IF	CITATIONS
127	Affective ambiguity for a group recruits ventromedial prefrontal cortex. <i>NeuroImage</i> , 2006, 29, 655-661.	4.2	56
128	Individuals with schizophrenia present hypo- and hyperactivation during implicit cueing in an inhibitory task. <i>NeuroImage</i> , 2006, 32, 704-713.	4.2	41
129	Anticipation of Aversive Visual Stimuli Is Associated With Increased Insula Activation in Anxiety-Prone Subjects. <i>Biological Psychiatry</i> , 2006, 60, 402-409.	1.3	265
130	Dose-Dependent Decrease of Activation in Bilateral Amygdala and Insula by Lorazepam During Emotion Processing. <i>Archives of General Psychiatry</i> , 2005, 62, 282.	12.3	268
131	Dissociation of inhibition from error processing using a parametric inhibitory task during functional magnetic resonance imaging. <i>NeuroReport</i> , 2005, 16, 755-760.	1.2	80
132	Cortical and subcortical brain regions involved in rule-based category learning. <i>NeuroReport</i> , 2005, 16, 111-115.	1.2	70
133	Superior temporal gyrus and insula provide response and outcome-dependent information during assessment and action selection in a decision-making situation. <i>NeuroImage</i> , 2005, 25, 607-615.	4.2	127
134	Left inferior prefrontal cortex activation during a semantic decision-making task predicts the degree of semantic organization. <i>NeuroImage</i> , 2005, 28, 30-38.	4.2	11
135	Anterior cingulate activation in high trait anxious subjects is related to altered error processing during decision making. <i>Biological Psychiatry</i> , 2004, 55, 1179-1187.	1.3	95
136	Functional subdivisions within anterior cingulate cortex and their relationship to autonomic nervous system function. <i>NeuroImage</i> , 2004, 22, 1151-1156.	4.2	234
137	Selective activation of the nucleus accumbens during risk-taking decision making. <i>NeuroReport</i> , 2004, 15, 2123-2127.	1.2	137
138	Anticipation of emotionally aversive visual stimuli activates right insula. <i>NeuroReport</i> , 2004, 15, 2261-2265.	1.2	168
139	Increased activation in the right insula during risk-taking decision making is related to harm avoidance and neuroticism. <i>NeuroImage</i> , 2003, 19, 1439-1448.	4.2	647
140	Documenting the Prominence of Forensic Neuropsychology at National Meetings and in Relevant Professional Journals from 1990 to 2000. <i>Clinical Neuropsychologist</i> , 2002, 16, 481-494.	2.3	46
141	Apolipoprotein E ϵ 4 Allele Affects the Relationship between Stress and Depression in Caregivers of Patients with Alzheimer's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2001, 14, 115-119.	2.3	25