

Catherine Uzan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9083118/publications.pdf>

Version: 2024-02-01

98
papers

3,093
citations

159585

30
h-index

197818

49
g-index

117
all docs

117
docs citations

117
times ranked

2996
citing authors

#	ARTICLE	IF	CITATIONS
1	Robotic Radical Trachelectomy with Primary Vaginal Closure to Spare Fertility in Young Patients with Early-Stage Cervical Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 679-680.	1.5	1
2	Breast Reconstruction by Exclusive Lipofilling after Total Mastectomy for Breast Cancer: Description of the Technique and Evaluation of Quality of Life. <i>Journal of Personalized Medicine</i> , 2022, 12, 153.	2.5	7
3	Laser conization for cervical intraepithelial neoplasia: Effectiveness and obstetric outcomes. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2022, 51, 102341.	1.3	5
4	Clinical Value and Molecular Function of Circulating MicroRNAs in Endometrial Cancer Regulation: A Systematic Review. <i>Cells</i> , 2022, 11, 1836.	4.1	7
5	Borderline ovarian tumors: French guidelines from the CNGOF. Part 2. Surgical management, follow-up, hormone replacement therapy, fertility management and preservation. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101966.	1.3	16
6	Borderline ovarian tumors: French guidelines from the CNGOF. Part 1. Epidemiology, biopathology, imaging and biomarkers. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101965.	1.3	9
7	Minimally invasive surgery for early-stage cervical cancer: Rediscovering the Schautheim robot-assisted procedure. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101980.	1.3	4
8	Prospective Multicenter Study Validate a Prediction Model for Surgery Uptake Among Women with Atypical Breast Lesions. <i>Annals of Surgical Oncology</i> , 2021, 28, 2138-2145.	1.5	5
9	Shall patients's anxiety influence surgical decisions for atypical breast lesions? A substudy of the prospective NOMAT trial. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 597-599.	2.5	0
10	MicroRNA as Epigenetic Modifiers in Endometrial Cancer: A Systematic Review. <i>Cancers</i> , 2021, 13, 1137.	3.7	17
11	Does Time-to-Chemotherapy after Primary Complete Macroscopic Cytoreductive Surgery Influence Prognosis for Patients with Epithelial Ovarian Cancer? A Study of the FRANCOGYN Group. <i>Journal of Clinical Medicine</i> , 2021, 10, 1058.	2.4	7
12	Sentinel lymph node biopsy and morbidity outcomes in early cervical cancer: Results of a multicentre randomised trial (SENTICOL-2). <i>European Journal of Cancer</i> , 2021, 148, 307-315.	2.8	61
13	Multicenter evaluation of breast cancer patients's satisfaction and experience with oncology telemedicine visits during the COVID-19 pandemic. <i>British Journal of Cancer</i> , 2021, 125, 1486-1493.	6.4	37
14	ASO Author Reflection: Fertility-Sparing Surgery for Early-Stage Cervical Cancer—What Perspectives Between Oncological Prognosis and Obstetrical Future?. <i>Annals of Surgical Oncology</i> , 2021, , 1.	1.5	1
15	Fertility-Sparing Surgery for Ovarian Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4235.	2.4	18
16	Microscopic Peritoneal Residual Disease after Complete Macroscopic Cytoreductive Surgery for Advanced High Grade Serous Ovarian Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 41.	2.4	13
17	Which preoperative imaging for nodal status assessment in ovarian cancer?. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101726.	1.3	2
18	Does the Sentinel Lymph Node Sampling Alone Improve Quality of Life in Early Cervical Cancer Management?. <i>Frontiers in Surgery</i> , 2020, 7, 31.	1.4	12

#	ARTICLE	IF	CITATIONS
19	Anti-NMDA receptor encephalitis associated with ovarian tumor: the gynecologist point of view. <i>Archives of Gynecology and Obstetrics</i> , 2020, 302, 315-320.	1.7	12
20	Perceptions, Relationship, and Management of Morbidly Obese Patients and the Role of Robotic Surgery. <i>Obesity Surgery</i> , 2019, 29, 4062-4063.	2.1	1
21	How to perform a laparoscopic pelvic sentinel lymph node dissection using near-infrared fluorescence with indocyanine green in gynecological cancers. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 443-443.	2.5	2
22	Laparoscopic ovarian tissue harvesting and orthotopic ovarian cortex grafting for fertility preservation: less is more. <i>Fertility and Sterility</i> , 2019, 111, 408-410.	1.0	19
23	The Use of microRNAs in the Management of Endometrial Cancer: A Meta-Analysis. <i>Cancers</i> , 2019, 11, 832.	3.7	42
24	Characteristics of patients with cervical cancer during pregnancy: a multicenter matched cohort study. An initiative from the International Network on Cancer, Infertility and Pregnancy. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 676-682.	2.5	35
25	When Gravesâ€™ disease resists to surgery: A rare case of an association with follicular thyroid cancer in struma ovarii. <i>Annales D'Endocrinologie</i> , 2019, 80, 329-331.	1.4	1
26	Impact of vaginal brachytherapy in intermediate and high-intermediate risk endometrial cancer: a multicenter study from the FRANCOGYN group. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e53.	2.2	1
27	Just the tip of the iceberg: difficulties in assessing and managing extreme obesity in routine clinical care. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 452-454.	2.9	2
28	Laparoscopic uterine fixation to spare fertility before pelvic radiation therapy. <i>Fertility and Sterility</i> , 2018, 110, 974-975.	1.0	15
29	Advanced microRNA-based cancer diagnostics using amplified time-gated FRET. <i>Chemical Science</i> , 2018, 9, 8046-8055.	7.4	32
30	Identification of micro-RNA expression profile related to recurrence in women with ESMO low-risk endometrial cancer. <i>Journal of Translational Medicine</i> , 2018, 16, 131.	4.4	16
31	Bevacizumab Does Not Reduce the Lymphocele Rate in Advanced Ovarian Cancer After Complete Cytoreductive Surgery. <i>Anticancer Research</i> , 2018, 38, 2247-2252.	1.1	1
32	Multicenter prospective evaluation of the reliability of the combined use of two models to predict non-sentinel lymph node status in breast cancer patients with metastatic sentinel lymph nodes: the MSKCC nomogram and the Tenon score. Results of the NOTEGS study. <i>British Journal of Cancer</i> , 2017, 116, 1135-1140.	6.4	8
33	Clinical practice guidelines from the French College of Gynecologists and Obstetricians (CNGOF): benign breast tumors â€” short text. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 200, 16-23.	1.1	29
34	The challenge of rapid diagnosis in oncology: Diagnostic accuracy and cost analysis of a large-scale one-stop breast clinic. <i>European Journal of Cancer</i> , 2016, 66, 131-137.	2.8	33
35	Diagnostic Performance of MR-guided Vacuum-Assisted Breast Biopsy: 8 Years of Experience. <i>Breast Journal</i> , 2016, 22, 83-89.	1.0	23
36	Impact of primary para-aortic lymphadenectomy on distant failure in locally advanced cervical cancer patients treated in the era of image-guided adaptive brachytherapy. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 775-785.	3.3	6

#	ARTICLE	IF	CITATIONS
37	Fertility-sparing surgery in epithelial ovarian cancer. <i>Future Oncology</i> , 2016, 12, 389-398.	2.4	21
38	New Pointers for Surgical Staging of Borderline Ovarian Tumors. <i>Annals of Surgical Oncology</i> , 2016, 23, 443-449.	1.5	13
39	Evaluation of the Effects of Pasireotide LAR Administration on Lymphocele Prevention after Axillary Node Dissection for Breast Cancer: Results of a Randomized Non-Comparative Phase 2 Study. <i>PLoS ONE</i> , 2016, 11, e0156096.	2.5	4
40	Feasibility and performance of lymphoscintigraphy in sentinel lymph node biopsy for early cervical cancer: results of the prospective multicenter SENTICOL study. <i>Annals of Nuclear Medicine</i> , 2015, 29, 63-70.	2.2	31
41	Long-term follow-up of patients with an isolated ovarian recurrence after conservative treatment of epithelial ovarian cancer: review of the results of an international multicenter study comprising 545 patients. <i>Fertility and Sterility</i> , 2015, 104, 1319-1324.	1.0	64
42	Contribution of lymphoscintigraphy to intraoperative sentinel lymph node detection in early cervical cancer: Analysis of the prospective multicenter SENTICOL cohort. <i>Gynecologic Oncology</i> , 2015, 137, 264-269.	1.4	42
43	Surgical Outcomes After Debulking Surgery for Intraabdominal Ovarian Growing Teratoma Syndrome: Analysis of 38 Cases. <i>Annals of Surgical Oncology</i> , 2015, 22, 964-970.	1.5	34
44	Plasma miR-200b in ovarian carcinoma patients: distinct pattern of pre/post-treatment variation compared to CA-125 and potential for prediction of progression-free survival. <i>Oncotarget</i> , 2015, 6, 36815-36824.	1.8	29
45	Impact of radical surgery on outcome in locally advanced breast cancer patients without metastasis at the time of diagnosis. <i>Anticancer Research</i> , 2015, 35, 1729-34.	1.1	6
46	Laparoendoscopic Single-site Surgery (LESS) for Prophylactic Salpingo-oophorectomy Improves Cosmetic Satisfaction Compared to Standard Laparoscopy. <i>Anticancer Research</i> , 2015, 35, 6105-10.	1.1	2
47	Adjuvant Chemotherapy in Stage I Ovarian Germ Cell Tumors: Should Indications and Treatment Modalities Be Different in Young Girls and Adults?. <i>Journal of Clinical Oncology</i> , 2014, 32, 2815-2816.	1.6	6
48	Nomogram to predict recurrence in patients with early- and advanced-stage mucinous and serous borderline ovarian tumors. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 637.e1-637.e6.	1.3	35
49	Adjuvant platinum-based chemotherapy for borderline serous ovarian tumors with invasive implants. <i>Gynecologic Oncology</i> , 2014, 132, 23-27.	1.4	27
50	Single-port laparoscopy and extraperitoneal para-aortic lymphadenectomy for locally advanced cervical cancer: assessment after 52 consecutive patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 249-256.	2.4	19
51	Laparoscopic Radical Hysterectomy after Preoperative Brachytherapy for Stage IB1 Cervical Cancer: Feasibility, Results, and Surgical Implications in a Large Bicentric Study of 162 Consecutive Cases. <i>Annals of Surgical Oncology</i> , 2013, 20, 872-880.	1.5	25
52	Une masse vaginale. <i>Imagerie De La Femme</i> , 2013, 23, 244-247.	0.0	0
53	A Model to Predict the Risk of Upgrade to Malignancy at Surgery in Atypical Breast Lesions Discovered on Percutaneous Biopsy Specimens. <i>Annals of Surgical Oncology</i> , 2013, 20, 2850-2857.	1.5	22
54	Sentinel Lymph Node in Endometrial Cancer: A Review. <i>Current Oncology Reports</i> , 2013, 15, 559-565.	4.0	30

#	ARTICLE	IF	CITATIONS
55	Management of cervical cancer detected during pregnancy: role of magnetic resonance imaging. <i>Clinical Imaging</i> , 2013, 37, 70-76.	1.5	30
56	Fertility and borderline ovarian tumor: a systematic review of conservative management, risk of recurrence and alternative options. <i>Human Reproduction Update</i> , 2013, 19, 151-166.	10.8	140
57	Outcome in breast molecular subtypes according to nodal status and surgical procedures. <i>American Journal of Surgery</i> , 2013, 205, 662-667.	1.8	43
58	Fertility sparing treatment of recurrent stage I serous borderline ovarian tumours. <i>Human Reproduction</i> , 2013, 28, 3222-3226.	0.9	24
59	Breast Lesion Excision Sample (BLES Biopsy) Combining Stereotactic Biopsy and Radiofrequency: Is it a Safe and Accurate Procedure in Case of BIRADS 4 and 5 Breast Lesions?. <i>Breast Journal</i> , 2013, 19, 590-594.	1.0	16
60	Analysis of a Continuous Series of 34 Young Patients With Early-Stage Cervical Cancer Selected for a Vaginal Radical Trachelectomy. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 331-336.	2.5	19
61	Lymphocele and Ovarian Cancer: Risk Factors and Impact on Survival. <i>Oncologist</i> , 2012, 17, 1198-1203.	3.7	14
62	Management and Prognosis of Borderline Ovarian Brenner Tumors. <i>International Journal of Gynecological Cancer</i> , 2012, 22, 1332-1336.	2.5	36
63	Malignancies in Pregnancy 1. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 343-344.	0.4	0
64	Management and Prognosis of Clear Cell Borderline Ovarian Tumor. <i>International Journal of Gynecological Cancer</i> , 2012, 22, 993-999.	2.5	19
65	Gynaecological cancers in pregnancy. <i>Lancet, The</i> , 2012, 379, 558-569.	13.7	377
66	Borderline ovarian tumour: pathological diagnostic dilemma and risk factors for invasive or lethal recurrence. <i>Lancet Oncology, The</i> , 2012, 13, e103-e115.	10.7	162
67	Nodal-staging surgery for locally advanced cervical cancer in the era of PET. <i>Lancet Oncology, The</i> , 2012, 13, e212-e220.	10.7	181
68	A New Single-Port Approach to Perform a Transperitoneal Step and an Extraperitoneal Para-Aortic Lymphadenectomy with a Single Incision. <i>Journal of the American College of Surgeons</i> , 2012, 214, e25-e30.	0.5	11
69	Impact of epidural analgesia on survival in patients undergoing complete cytoreductive surgery for ovarian cancer. <i>Anticancer Research</i> , 2012, 32, 1537-42.	1.1	24
70	Single-port laparoscopy and extraperitoneal para-aortic lymphadenectomy: About fourteen consecutive cases. <i>Gynecologic Oncology</i> , 2011, 123, 329-332.	1.4	27
71	Prognostic Factors of a Large Retrospective Series of Mucinous Borderline Tumors of the Ovary (Excluding Peritoneal Pseudomyxoma). <i>Annals of Surgical Oncology</i> , 2011, 18, 40-48.	1.5	69
72	Prognosis and Prognostic Factors of the Micropapillary Pattern in Patients Treated for Stage II and III Serous Borderline Tumors of the Ovary. <i>Oncologist</i> , 2011, 16, 189-196.	3.7	22

#	ARTICLE	IF	CITATIONS
73	Analysis of Morbidity and Clinical Implications of Laparoscopic Para-aortic Lymphadenectomy in a Continuous Series of 98 Patients with Advanced-stage Cervical Cancer and Negative PET-CT Imaging in the Para-aortic Area. <i>Oncologist</i> , 2011, 16, 1021-1027.	3.7	78
74	Factors Associated with Altered Long-Term Well-Being After Prophylactic Salpingo-Oophorectomy Among Women at Increased Hereditary Risk for Breast and Ovarian Cancer. <i>Oncologist</i> , 2011, 16, 1250-1257.	3.7	17
75	Fertility determinants after conservative surgery for mucinous borderline tumours of the ovary (excluding peritoneal pseudomyxoma). <i>Human Reproduction</i> , 2011, 26, 808-814.	0.9	27
76	Outcome of Patients With Incomplete Resection After Surgery for Stage IB2/II Cervical Carcinoma With Chemoradiation Therapy. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 379-384.	2.5	6
77	Correlation Between Macroscopic and Microscopic Diseases on Splenectomies Performed in the Surgical Management of Ovarian Cancer. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 965-970.	2.5	7
78	Pregnancy after breast cancer: A need for global patient care, starting before adjuvant therapy. <i>Surgical Oncology</i> , 2010, 19, e47-e55.	1.6	16
79	Characteristics, Treatment, and Outcome of Breast Cancers Diagnosed in BRCA1 and BRCA2 Gene Mutation Carriers in Intensive Screening Programs Including Magnetic Resonance Imaging. <i>Clinical Breast Cancer</i> , 2010, 10, 113-118.	2.4	22
80	Surgical Procedures and Morbidities of Diaphragmatic Surgery in Patients Undergoing Initial or Interval Debulking Surgery for Advanced-Stage Ovarian Cancer. <i>Journal of the American College of Surgeons</i> , 2010, 210, 509-514.	0.5	24
81	Prognostic Factors and Morbidities After Completion Surgery in Patients Undergoing Initial Chemoradiation Therapy for Locally Advanced Cervical Cancer. <i>Oncologist</i> , 2010, 15, 405-415.	3.7	80
82	Une masse pelvienne brillante. <i>Imagerie De La Femme</i> , 2010, 20, 117-121.	0.0	0
83	Fertility results and outcomes after pure laparoscopic management of advanced-stage serous borderline tumors of the ovary. <i>Fertility and Sterility</i> , 2010, 94, 2891-2894.	1.0	15
84	Breast radiotherapy as part of loco-regional treatments in stage IV breast cancer patients with oligometastatic disease. <i>Radiotherapy and Oncology</i> , 2010, 96, 199-203.	0.6	59
85	Correlation between [18f]fluorodeoxyglucose positron-emission tomography scan and histology of pelvic nodes in early-stage cervical cancer. <i>Anticancer Research</i> , 2010, 30, 1029-32.	1.1	12
86	Prognostic Factors in Patients with Ovarian Serous Low Malignant Potential (Borderline) Tumors with Peritoneal Implants. <i>Oncologist</i> , 2009, 14, 591-600.	3.7	61
87	Exonic expression profiling of breast cancer and benign lesions: a retrospective analysis. <i>Lancet Oncology</i> , 2009, 10, 381-390.	10.7	55
88	Accuracy of magnetic resonance imaging in predicting residual disease in patients treated for stage IB2/II cervical carcinoma with chemoradiation therapy. <i>Cancer</i> , 2008, 113, 2158-2165.	4.1	100
89	Should Pelvic and Para-aortic Lymphadenectomy Be Different Depending on Histological Subtype in Epithelial Ovarian Cancer?. <i>Annals of Surgical Oncology</i> , 2008, 15, 333-338.	1.5	10
90	Prognosis of Patients Who Relapse after Fertility-Sparing Surgery in Epithelial Ovarian Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 478-483.	1.5	30

#	ARTICLE	IF	CITATIONS
91	Results After Conservative Treatment of Serous Borderline Tumors of the Ovary with a Micropapillary Pattern. <i>Annals of Surgical Oncology</i> , 2008, 15, 3561-3566.	1.5	35
92	Prise en charge des m�trorragies post-m�nopausiques. <i>Imagerie De La Femme</i> , 2007, 17, 264-268.	0.0	0
93	Para-Aortic Involvement and Interest of Para-Aortic Lymphadenectomy after Chemoradiation Therapy in Patients with Stage IB2 and II Cervical Carcinoma Radiologically Confined to the Pelvic Cavity. <i>Annals of Surgical Oncology</i> , 2007, 14, 3223-3231.	1.5	39
94	Expression of apoptosis-related proteins in peritoneal, ovarian and colorectal endometriosis. <i>Journal of Reproductive Immunology</i> , 2006, 70, 151-162.	1.9	36
95	Endometrium from women with and without endometriosis, and peritoneal, ovarian and bowel endometriosis, show different c-kit protein expression. <i>Journal of Reproductive Immunology</i> , 2005, 65, 55-63.	1.9	21
96	Outcomes After Combined Therapy Including Surgical Resection in Patients with Epithelial Ovarian Cancer Recurrence(s) Exclusively in Lymph Nodes. <i>Annals of Surgical Oncology</i> , 2004, 11, 658-664.	1.5	59
97	Eutopic endometrium and peritoneal, ovarian and bowel endometriotic tissues express a different profile of matrix metalloproteinases-2, -3 and -11, and of tissue inhibitor metalloproteinases-1 and -2. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 445, 603-609.	2.8	57
98	Relationships between pelvic nerves and levator ani muscle for posterior sacrocolpopexy: an anatomic study. <i>Surgical and Radiologic Anatomy</i> , 0, , .	1.2	1