

Janette E Bradley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9083595/publications.pdf>

Version: 2024-02-01

71
papers

3,001
citations

172457

29
h-index

175258

52
g-index

75
all docs

75
docs citations

75
times ranked

2751
citing authors

#	ARTICLE	IF	CITATIONS
1	Th2 Cytokines Are Associated with Reduced Worm Burdens in a Human Intestinal Helminth Infection. <i>Journal of Infectious Diseases</i> , 2003, 188, 1768-1775.	4.0	175
2	Review series on helminths, immune modulation and the hygiene hypothesis: Immunity against helminths and immunological phenomena in modern human populations: coevolutionary legacies?. <i>Immunology</i> , 2009, 126, 18-27.	4.4	166
3	Immunity To Onchocerciasis: Putative Immune Persons Produce A Th1-Like Response To Onchocerca Volvulus. <i>Journal of Infectious Diseases</i> , 1995, 171, 652-658.	4.0	126
4	Onchocerciasis modulates the immune response to mycobacterial antigens. <i>Clinical and Experimental Immunology</i> , 1999, 117, 517-523.	2.6	116
5	T Helper Cell Type 2 Responsiveness Predicts Future Susceptibility to Gastrointestinal Nematodes in Humans. <i>Journal of Infectious Diseases</i> , 2004, 190, 1804-1811.	4.0	110
6	microRNAs in parasites and parasite infection. <i>RNA Biology</i> , 2013, 10, 371-379.	3.1	108
7	Immunity, immunoregulation and the ecology of trichuriasis and ascariasis. <i>Parasite Immunology</i> , 2004, 26, 429-441.	1.5	104
8	Allergen-specific IgE and IgG4 are markers of resistance and susceptibility in a human intestinal nematode infection. <i>Microbes and Infection</i> , 2005, 7, 990-996.	1.9	104
9	Intensity of Intestinal Infection with Multiple Worm Species Is Related to Regulatory Cytokine Output and Immune Hyporesponsiveness. <i>Journal of Infectious Diseases</i> , 2008, 197, 1204-1212.	4.0	104
10	Regulatory T Cells: A Role in the Control of Helminth-Driven Intestinal Pathology and Worm Survival. <i>Journal of Immunology</i> , 2009, 182, 2340-2348.	0.8	103
11	The Ov20 Protein of the Parasitic Nematode <i>Onchocerca volvulus</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 29442-29448.	3.4	95
12	Age- and Infection Intensity-Dependent Cytokine and Antibody Production in Human Trichuriasis: The Importance of IgE. <i>Journal of Infectious Diseases</i> , 2002, 185, 665-672.	4.0	94
13	An Immunological Marker of Tolerance to Infection in Wild Rodents. <i>PLoS Biology</i> , 2014, 12, e1001901.	5.6	89
14	Measuring immune system variation to help understand host-pathogen community dynamics. <i>Parasitology</i> , 2008, 135, 807-823.	1.5	86
15	Genetic Diversity in Cytokines Associated with Immune Variation and Resistance to Multiple Pathogens in a Natural Rodent Population. <i>PLoS Genetics</i> , 2011, 7, e1002343.	3.5	83
16	Immunity to Onchocerciasis: Identification of a Putatively Immune Population in a Hyperendemic Area of Ecuador. <i>Journal of Infectious Diseases</i> , 1994, 169, 588-594.	4.0	78
17	Immunomodulatory parasites and toll-like receptor-mediated tumour necrosis factor alpha responsiveness in wild mammals. <i>BMC Biology</i> , 2009, 7, 16.	3.8	65
18	The FAR Protein Family of the Nematode <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 8065-8074.	3.4	63

#	ARTICLE	IF	CITATIONS
19	The analysis of immunological profiles in wild animals: a case study on immunodynamics in the field vole, <i>Microtus agrestis</i> . <i>Molecular Ecology</i> , 2011, 20, 893-909.	3.9	57
20	Epilepsy, retarded growth and onchocerciasis, in two areas of different endemicity of onchocerciasis in Burundi. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1997, 91, 525-527.	1.8	55
21	cDNA clones of <i>Onchocerca volvulus</i> low molecular weight antigens provide immunologically specific diagnostic probes. <i>Molecular and Biochemical Parasitology</i> , 1991, 46, 219-227.	1.1	52
22	The FAR proteins of filarial nematodes: secretion, glycosylation and lipid binding characteristics. <i>Molecular and Biochemical Parasitology</i> , 2002, 122, 161-170.	1.1	50
23	Characterisation of an immunodominant glycoprotein antigen of <i>Onchocerca volvulus</i> with homologues in other filarial nematodes and <i>Caenorhabditis elegans</i> . <i>Molecular and Biochemical Parasitology</i> , 1995, 69, 185-195.	1.1	49
24	Cytokine response profiles predict species-specific infection patterns in human GI nematodes. <i>International Journal for Parasitology</i> , 2004, 34, 1237-1244.	3.1	48
25	Heterogenous interspecific interactions in a host-parasite system. <i>International Journal for Parasitology</i> , 2006, 36, 1341-1349.	3.1	42
26	River blindness: a role for parasite retinoid-binding proteins in the generation of pathology?. <i>Trends in Parasitology</i> , 2001, 17, 471-475.	3.3	40
27	Geographical location influences the composition of the gut microbiota in wild house mice (<i>Mus</i>) Tj ETQq1 1 0.784314 rgBT /Overloc 2.5 35		
28	Resistance to <i>Onchocerca volvulus</i> : Differential Cellular and Humoral Responses to a Recombinant Antigen, OvMBP20/11. <i>Journal of Infectious Diseases</i> , 1995, 172, 831-837.	4.0	32
29	Detection of <i>Onchocerca volvulus</i> infection in <i>Simulium ochraceum sensu lato</i> : comparison of a PCR assay and fly dissection in a Mexican hypoendemic community. <i>Parasitology</i> , 1999, 119, 613-619.	1.5	30
30	Gastrointestinal nematode infection is associated with variation in innate immune responsiveness. <i>Microbes and Infection</i> , 2006, 8, 487-492.	1.9	29
31	Macroparasites, innate immunity and immunoregulation: developing natural models. <i>Trends in Parasitology</i> , 2010, 26, 540-549.	3.3	28
32	Measuring the immune system of the three-spined stickleback - investigating natural variation by quantifying immune expression in the laboratory and the wild. <i>Molecular Ecology Resources</i> , 2016, 16, 701-713.	4.8	28
33	Isotype-specific characterization of antibody responses to <i>Onchocerca volvulus</i> in putatively immune individuals. <i>Parasite Immunology</i> , 1995, 17, 371-380.	1.5	27
34	<i>Onchocerca volvulus</i> : Characterization of an Immunodominant Hypodermal Antigen Present in Adult and Larval Parasites. <i>Experimental Parasitology</i> , 1993, 77, 414-424.	1.2	26
35	The role of parasitic infections in atopic diseases in rural schoolchildren. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 996-1001.	5.7	26
36	Differential regulation of antigen-specific IgG4 and IgE antibodies in response to recombinant filarial proteins. <i>International Immunology</i> , 1996, 8, 1841-1848.	4.0	24

#	ARTICLE	IF	CITATIONS
37	Comparison of serological and parasitological assessments of <i>Onchocerca volvulus</i> transmission after 7 years of mass ivermectin treatment in Mexico. <i>Tropical Medicine and International Health</i> , 1999, 4, 98-104.	2.3	24
38	Phyletic Distribution of Fatty Acid-Binding Protein Genes. <i>PLoS ONE</i> , 2013, 8, e77636.	2.5	23
39	Associations between filarial and gastrointestinal nematodes. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2005, 99, 301-312.	1.8	22
40	Discovery of a new focus of human onchocerciasis in central Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1999, 93, 235-239.	1.8	21
41	Isolates of <i>Trichuris muris</i> elicit different adaptive immune responses in their murine host. <i>Parasite Immunology</i> , 2005, 27, 69-78.	1.5	21
42	Effects of laboratory domestication on the rodent gut microbiome. <i>ISME Communications</i> , 2021, 1, .	4.2	21
43	Antibody detection tests for <i>Onchocerca volvulus</i> : comparison of the sensitivity of a cocktail of recombinant antigens used in the indirect enzyme-linked immunosorbent assay with a rapid-format antibody card test. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2003, 97, 539-541.	1.8	19
44	Biochemical and immunochemical characterisation of a 20-kilodalton complex of surface-associated antigens from adult <i>Onchocerca gutturosa</i> filarial nematodes. <i>Molecular and Biochemical Parasitology</i> , 1989, 34, 197-208.	1.1	18
45	<i>Onchocerca volvulus</i> : characterization of a highly immunogenic Gln-rich protein1 Note: Nucleotide sequence data reported in this paper have been submitted to the GenBank® data base with the accession numbers U66459 and U85395.1. <i>Molecular and Biochemical Parasitology</i> , 1997, 90, 55-68.	1.1	17
46	A comparison of cellular and humoral immune responses to trichuroid derived antigens in human trichuriasis. <i>Parasite Immunology</i> , 2002, 24, 83-93.	1.5	17
47	From the animal house to the field: Are there consistent individual differences in immunological profile in wild populations of field voles (<i>Microtus agrestis</i>)?. <i>PLoS ONE</i> , 2017, 12, e0183450.	2.5	17
48	Macroparasites at peripheral sites of infection are major and dynamic modifiers of systemic antimicrobial pattern recognition responses. <i>Molecular Ecology</i> , 2013, 22, 2810-2826.	3.9	16
49	The effect of ivermectin treatment on the antibody response to antigens of <i>Onchocerca volvulus</i> . <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1994, 88, 456-460.	1.8	14
50	Heterogeneity of IgG antibody responses to cloned <i>Onchocerca volvulus</i> antigens in microfilaria positive individuals from Esmeraldas Province, Ecuador. <i>Parasite Immunology</i> , 1994, 16, 201-209.	1.5	13
51	Antibody responses in onchocerciasis as a function of age and infection intensity. <i>Parasite Immunology</i> , 2001, 23, 509-516.	1.5	13
52	Endemic Hantavirus in Field Voles, Northern England. <i>Emerging Infectious Diseases</i> , 2017, 23, 1033-1035.	4.3	13
53	A candidate tolerance gene identified in a natural population of field voles (<i>Microtus agrestis</i>). <i>Molecular Ecology</i> , 2018, 27, 1044-1052.	3.9	13
54	Onchocerciasis hyperendemic in the UnturÅ;n Mountains: the value of recombinant antigens in describing a new transmission area in southern Venezuela. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1999, 93, 25-30.	1.8	12

#	ARTICLE	IF	CITATIONS
55	Physiological, but not fitness, effects of two interacting haemoparasitic infections in a wild rodent. <i>International Journal for Parasitology</i> , 2018, 48, 463-471.	3.1	12
56	Failure of ES-62 to inhibit T-helper type 1 responses to other filarial nematode antigens. <i>Parasite Immunology</i> , 2008, 30, 304-308.	1.5	11
57	No evidence of local adaptation of immune responses to <i>Gyrodactylus</i> in three-spined stickleback (<i>Gasterosteus aculeatus</i>). <i>Evolutionary Ecology</i> , 2011, 25, 1111-1121.	3.6	11
58	Immune state is associated with natural dietary variation in wild mice (<i>Mus musculus domesticus</i>). <i>Functional Ecology</i> , 2019, 33, 1425-1435.	3.6	11
59	Application of an enzyme-linked immunosorbent assay to detect antibodies to <i>Onchocerca volvulus</i> on filter-paper blood spots: effect of storage and temperature on antibody decay. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1999, 93, 523-524.	1.8	10
60	A classification of tasks for the systematic study of immune response using functional genomics data. <i>Parasitology</i> , 2006, 132, 157.	1.5	10
61	The role of a recombinant hybrid protein based ELISA for the serodiagnosis of <i>Onchocerca volvulus</i> . <i>Journal of Clinical Pathology</i> , 2007, 61, 347-351.	2.0	10
62	Eda haplotypes in three-spined stickleback are associated with variation in immune gene expression. <i>Scientific Reports</i> , 2017, 7, 42677.	3.3	10
63	Temporal Anomalies in Immunological Gene Expression in a Time Series of Wild Mice: Signature of an Epidemic?. <i>PLoS ONE</i> , 2011, 6, e20070.	2.5	10
64	Effects of an <i>Onchocerca</i> -derived cysteine protease inhibitor on microfilariae in their simuliid vector. <i>Parasitology</i> , 1999, 118, 305-310.	1.5	8
65	Abiotic environmental variation drives virulence evolution in a fish host-parasite geographic mosaic. <i>Functional Ecology</i> , 2017, 31, 2138-2146.	3.6	8
66	A genetics-based approach confirms immune associations with life history across multiple populations of an aquatic vertebrate (<i>Gasterosteus aculeatus</i>). <i>Molecular Ecology</i> , 2018, 27, 3174-3191.	3.9	7
67	A lesson from the wild: The natural state of eosinophils is Ly6G ^{hi} . <i>Immunology</i> , 2021, 164, 766-776.	4.4	7
68	Prior exposure to long-day photoperiods alters immune responses and increases susceptibility to parasitic infection in stickleback. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20201017.	2.6	5
69	Transcriptome-wide analysis reveals different categories of response to a standardised immune challenge in a wild rodent. <i>Scientific Reports</i> , 2020, 10, 7444.	3.3	3
70	The allergy epidemic: can helminths supply the antidote?. <i>Clinical and Experimental Allergy</i> , 2010, 40, 1586-1589.	2.9	2
71	Wild Immunology. <i>Parasite Immunology</i> , 2015, 37, 217-219.	1.5	1