

Henrik Hasle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9085078/publications.pdf>

Version: 2024-02-01

290
papers

13,457
citations

25423

59
h-index

30277

107
g-index

300
all docs

300
docs citations

300
times ranked

11674
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney disease in very long-term survivors of Wilms tumor: A nationwide cohort study with sibling controls. <i>Cancer Medicine</i> , 2023, 12, 1330-1338.	1.3	4
2	Late mortality among survivors of childhood acute lymphoblastic leukemia diagnosed during 1971-2008 in Denmark, Finland, and Sweden: A population-based cohort study. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29356.	0.8	5
3	Prognostic significance of chromosomal abnormalities at relapse in children with relapsed acute myeloid leukemia: A retrospective cohort study of the Relapsed AML 2001/01 Study. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29341.	0.8	5
4	M-ficolin: a valuable biomarker to identify leukaemia from juvenile idiopathic arthritis. <i>Archives of Disease in Childhood</i> , 2022, 107, 371-376.	1.0	1
5	Employment status and occupational positions of childhood cancer survivors from Denmark, Finland and Sweden: A Nordic register-based cohort study from the SALiCCS research programme. <i>Lancet Regional Health - Europe</i> , The, 2022, 12, 100258.	3.0	7
6	Psychiatric disorders in childhood cancer survivors in Denmark, Finland, and Sweden: a register-based cohort study from the SALiCCS research programme. <i>Lancet Psychiatry</i> , the, 2022, 9, 35-45.	3.7	9
7	Germline GATA1s-generating mutations predispose to leukemia with acquired trisomy 21 and Down syndrome-like phenotype. <i>Blood</i> , 2022, 139, 3159-3165.	0.6	15
8	Musculoskeletal Diagnoses before Cancer in Children: A Danish Registry-Based Cohort Study. <i>Journal of Pediatrics</i> , 2022, 242, 32-38.e2.	0.9	4
9	Guideline for management of non-Down syndrome neonates with a myeloproliferative disease on behalf of the I-BFM AML Study Group and EWOG-MDS. <i>Haematologica</i> , 2022, 107, 759-764.	1.7	3
10	Clinical outcomes of second relapsed and refractory first relapsed paediatric AML : A retrospective study within the NOPHO-DB SHIP consortium. <i>British Journal of Haematology</i> , 2022, , .	1.2	5
11	Immunophenotypically defined stem cell subsets in paediatric AML are highly heterogeneous and demonstrate differences in BCL2 expression by cytogenetic subgroups. <i>British Journal of Haematology</i> , 2022, 197, 452-466.	1.2	2
12	Integrative Neuromuscular Training in Adolescents and Children Treated for Cancer (INTERACT): Study Protocol for a Multicenter, Two-Arm Parallel-Group Randomized Controlled Superiority Trial. <i>Frontiers in Pediatrics</i> , 2022, 10, 833850.	0.9	2
13	A Summary of the Inaugural WHO Classification of Pediatric Tumors: Transitioning from the Optical into the Molecular Era. <i>Cancer Discovery</i> , 2022, 12, 331-355.	7.7	70
14	Childhood cancer: Survival, treatment modalities, late effects and improvements over time. <i>Cancer Epidemiology</i> , 2021, 71, 101733.	0.8	136
15	Hospitalizations in long-term survivors of childhood AML treated with allogeneic HCT: An Adult Life after Childhood Cancer in Scandinavia (ALiCCS) study. <i>American Journal of Hematology</i> , 2021, 96, E74-E77.	2.0	1
16	Disease-specific hospitalizations among 5-year survivors of Wilms tumor: A Nordic population-based cohort study. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28905.	0.8	3
17	Esophageal disease among childhood cancer survivors: A report from the Childhood Cancer Survivors Study. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29043.	0.8	1
18	Peripheral blood molecular measurable residual disease is sufficient to identify patients with acute myeloid leukaemia with imminent clinical relapse. <i>British Journal of Haematology</i> , 2021, 195, 310-327.	1.2	11

#	ARTICLE	IF	CITATIONS
19	What Is Abnormal in Normal Karyotype Acute Myeloid Leukemia in Children? Analysis of the Mutational Landscape and Prognosis of the TARGET-AML Cohort. <i>Genes</i> , 2021, 12, 792.	1.0	4
20	Factors influencing participation rates in clinical late-effect studies of childhood cancer survivors. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29098.	0.8	1
21	DNA Methylation Signatures Predict Cytogenetic Subtype and Outcome in Pediatric Acute Myeloid Leukemia (AML). <i>Genes</i> , 2021, 12, 895.	1.0	8
22	Hematopoietic stem cell transplantation in children and adolescents with GATA2-related myelodysplastic syndrome. <i>Bone Marrow Transplantation</i> , 2021, 56, 2732-2741.	1.3	24
23	Temporal changes in the probability of live birth among female survivors of childhood cancer: A population-based Adult Life After Childhood Cancer in Scandinavia (ALiCCS) study in five nordic countries. <i>Cancer</i> , 2021, 127, 3881-3892.	2.0	2
24	TCERG1L allelic variation is associated with cisplatin-induced hearing loss in childhood cancer, a PanCareLIFE study. <i>Npj Precision Oncology</i> , 2021, 5, 64.	2.3	8
25	Skeletal adverse events in childhood cancer survivors: An Adult Life after Childhood Cancer in Scandinavia cohort study. <i>International Journal of Cancer</i> , 2021, 149, 1863-1876.	2.3	7
26	SLC25A38 congenital sideroblastic anemia: Phenotypes and genotypes of 31 individuals from 24 families, including 11 novel mutations, and a review of the literature. <i>Human Mutation</i> , 2021, 42, 1367-1383.	1.1	11
27	Abdominal Complications During Treatment for Pediatric Acute Myeloid Leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 2021, Publish Ahead of Print, .	0.3	3
28	Integrative Genomic Analysis of Pediatric Myeloid-Related Acute Leukemias Identifies Novel Subtypes and Prognostic Indicators. <i>Blood Cancer Discovery</i> , 2021, 2, 586-599.	2.6	21
29	Measurable Residual Disease Monitoring of SPAG6, ST18, PRAME, and XAGE1A Expression in Peripheral Blood May Detect Imminent Relapse in Childhood Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , 2021, 23, 1787-1799.	1.2	2
30	The variable biological signature of refractory cytopenia of childhood (RCC), a retrospective EWOG-MDS study. <i>Leukemia Research</i> , 2021, 108, 106652.	0.4	2
31	Association of unbalanced translocation der(1;7) with germline GATA2 mutations. <i>Blood</i> , 2021, 138, 2441-2445.	0.6	12
32	Somatic Disease in Survivors of Childhood Malignant Bone Tumors in the Nordic Countries. <i>Cancers</i> , 2021, 13, 4505.	1.7	3
33	Clinical evolution, genetic landscape and trajectories of clonal hematopoiesis in SAMD9/SAMD9L syndromes. <i>Nature Medicine</i> , 2021, 27, 1806-1817.	15.2	79
34	Home-based cognitive behavioural therapy for families of young children with cancer (FAMOS): A nationwide randomised controlled trial. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28853.	0.8	10
35	Impact of Allogeneic Hematopoietic Stem Cell Transplantation in First Complete Remission and Additional Cytogenetic Aberrations at Diagnosis on Prognosis in 1256 Pediatric Patients with KMT2A-Rearranged Acute Myeloid Leukemia: A Retrospective Study By the I-BFM-SG. <i>Blood</i> , 2021, 138, 2360-2360.	0.6	2
36	Global Phase 3, Randomized, Placebo-Controlled Trial with Open-Label Extension Evaluating the Oral CXCR4 Antagonist Mavoxifafor in Patients with WHIM Syndrome (4WHIM): Trial Design and Enrollment. <i>Blood</i> , 2021, 138, 4310-4310.	0.6	2

#	ARTICLE	IF	CITATIONS
37	Patient-Tailored Measurable Residual Disease Monitoring in Peripheral Blood Using Deep Sequencing and Droplet Digital PCR for Early Detection of Relapse in Childhood Acute Myeloid Leukemia: A NOPHO-DBH Collaborative Study. <i>Blood</i> , 2021, 138, 3457-3457.	0.6	0
38	Cohort Profile: The Socioeconomic Consequences in Adult Life After Childhood Cancer in Scandinavia (SALiCCS) Research Programme. <i>Frontiers in Oncology</i> , 2021, 11, 752948.	1.3	6
39	Incidence and survival of childhood central nervous system tumors in Denmark, 1997-2019. <i>Cancer Medicine</i> , 2021, , .	1.3	16
40	Hospital admission for neurologic disorders among 5-year survivors of noncentral nervous system tumors in childhood: A cohort study within the Adult Life after Childhood Cancer in Scandinavia study. <i>International Journal of Cancer</i> , 2020, 146, 819-828.	2.3	1
41	Neurologic disorders in long-term survivors of neuroblastoma - a population-based cohort study within the Adult Life after Childhood Cancer in Scandinavia (ALiCCS) research program. <i>Acta Oncologica</i> , 2020, 59, 134-140.	0.8	8
42	Genetic variation of cisplatin-induced ototoxicity in non-cranial-irradiated pediatric patients using a candidate gene approach: The International PanCareLIFE Study. <i>Pharmacogenomics Journal</i> , 2020, 20, 294-305.	0.9	28
43	Brentuximab vedotin monotherapy is an effective treatment in a frail pediatric patient with Down syndrome and classical Hodgkin lymphoma. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28082.	0.8	2
44	Usefulness of current candidate genetic markers to identify childhood cancer patients at risk for platinum-induced ototoxicity: Results of the European PanCareLIFE cohort study. <i>European Journal of Cancer</i> , 2020, 138, 212-224.	1.3	31
45	Association of candidate pharmacogenetic markers with platinum-induced ototoxicity: PanCareLIFE dataset. <i>Data in Brief</i> , 2020, 32, 106227.	0.5	2
46	Risk of late health effects after soft-tissue sarcomas in childhood - a population-based cohort study within the Adult Life after Childhood Cancer in Scandinavia research programme. <i>Acta Oncologica</i> , 2020, 59, 1246-1256.	0.8	1
47	COVID-19 - Impact on Childhood Haematology Patients. <i>HemaSphere</i> , 2020, 4, e465.	1.2	9
48	Identifying acute lymphoblastic leukemia mimicking juvenile idiopathic arthritis in children. <i>PLoS ONE</i> , 2020, 15, e0237530.	1.1	12
49	Synonymous GATA2 mutations result in selective loss of mutated RNA and are common in patients with GATA2 deficiency. <i>Leukemia</i> , 2020, 34, 2673-2687.	3.3	38
50	Measurable residual disease assessment by qPCR in peripheral blood is an informative tool for disease surveillance in childhood acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2020, 190, 198-208.	1.2	19
51	Effects of a physical activity program from diagnosis on cardiorespiratory fitness in children with cancer: a national non-randomized controlled trial. <i>BMC Medicine</i> , 2020, 18, 175.	2.3	18
52	A frameshift variant in specificity protein 1 triggers superactivation of Sp1-mediated transcription in familial bone marrow failure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17151-17155.	3.3	2
53	Outcome of children relapsing after first allogeneic haematopoietic stem cell transplantation for acute myeloid leukaemia: a retrospective ICBFM analysis of 333 children. <i>British Journal of Haematology</i> , 2020, 189, 745-750.	1.2	12
54	Gastrointestinal toxicity during induction treatment for childhood acute lymphoblastic leukemia: The impact of the gut microbiota. <i>International Journal of Cancer</i> , 2020, 147, 1953-1962.	2.3	32

#	ARTICLE	IF	CITATIONS
55	Outcome of (Novel) Subgroups in 1257 Pediatric Patients with KMT2A-Rearranged Acute Myeloid Leukemia (AML) and the Significance of Minimal Residual Disease (MRD) Status: A Retrospective Study By the I-BFM-SG. <i>Blood</i> , 2020, 136, 26-27.	0.6	1
56	<i>NF1</i> Tumor Suppressor Gene Inactivation in Juvenile Myelomonocytic Leukemia: New Genetic Evidence and Consequences for Diagnostic Work-up. <i>Blood</i> , 2020, 136, 30-31.	0.6	1
57	Impact of Minimal Residual Disease (MRD) Assessed before Transplantation on the Outcome of Children with Acute Myeloid Leukemia Given an Allograft: A Retrospective Study By the I-BFM Study Group. <i>Blood</i> , 2020, 136, 38-39.	0.6	1
58	Nationwide germline whole genome sequencing of 198 consecutive pediatric cancer patients reveals a high incidence of cancer prone syndromes. <i>PLoS Genetics</i> , 2020, 16, e1009231.	1.5	64
59	Efficacy, Safety, and Pharmacokinetics (PK) of Azacitidine (AZA) in Children and Young Adults with Acute Myeloid Leukemia (AML) in the Phase 2 AZA-AML-004 Trial. <i>Blood</i> , 2020, 136, 10-11.	0.6	2
60	The Molecular Characteristics and Clinical Relevance of NUP98-Other Translocations in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 36-37.	0.6	1
61	Title is missing!. , 2020, 16, e1009231.		0
62	Title is missing!. , 2020, 16, e1009231.		0
63	Title is missing!. , 2020, 16, e1009231.		0
64	Title is missing!. , 2020, 16, e1009231.		0
65	Neurologic disorders in 4858 survivors of central nervous system tumors in childhood—An Adult Life after Childhood Cancer in Scandinavia (ALICCS) study. <i>Neuro-Oncology</i> , 2019, 21, 125-136.	0.6	13
66	Surviving childhood cancer: a systematic review of studies on risk and determinants of adverse socioeconomic outcomes. <i>International Journal of Cancer</i> , 2019, 144, 1796-1823.	2.3	64
67	Associations between pretherapeutic body mass index, outcome, and cytogenetic abnormalities in pediatric acute myeloid leukemia. <i>Cancer Medicine</i> , 2019, 8, 6634-6643.	1.3	8
68	Measurable residual disease monitoring using Wilms tumor gene 1 expression in childhood acute myeloid leukemia based on child-specific reference values. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27671.	0.8	9
69	Hearing Status in Survivors of Childhood Acute Myeloid Leukemia Treated With Chemotherapy Only: A NOPHO-AML Study. <i>Journal of Pediatric Hematology/Oncology</i> , 2019, 41, e12-e17.	0.3	0
70	Use of granulocyte colony-stimulating factor and risk of relapse in pediatric patients treated for acute myeloid leukemia according to NOPHO-AML 2004 and DB AML-01. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27701.	0.8	10
71	Long-Term Risk of Hospitalization Among Five-Year Survivors of Childhood Leukemia in the Nordic Countries. <i>Journal of the National Cancer Institute</i> , 2019, 111, 943-951.	3.0	11
72	Treatment of Molecular Relapse by Cessation of Immunosuppression After Hematopoietic Stem Cell Transplantation in Pediatric FLT3-ITD AML Monitored by WT1 Expression in Peripheral Blood. <i>Journal of Pediatric Hematology/Oncology</i> , 2019, 41, 417-419.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Hyperthyroidism as a late effect in childhood cancer survivors - an Adult Life after Childhood Cancer in Scandinavia (ALiCCS) study. <i>Acta Oncologica</i> , 2019, 58, 227-231.	0.8	8
74	Long-term health outcomes in survivors of childhood AML treated with allogeneic HSCT: a NOPHO-AML Study. <i>Bone Marrow Transplantation</i> , 2019, 54, 726-736.	1.3	23
75	Long Non-Coding RNAs As Novel Therapeutic Targets in Juvenile Myelomonocytic Leukemia: Proof of Concept Study. <i>Blood</i> , 2019, 134, 1701-1701.	0.6	1
76	Integrative Analysis of Pediatric Acute Leukemia Identifies Immature Subtypes That Span a T Lineage and Myeloid Continuum with Distinct Prognoses. <i>Blood</i> , 2019, 134, 918-918.	0.6	1
77	Genetic Determinants of Ototoxicity During and After Childhood Cancer Treatment: Protocol for the PanCareLIFE Study. <i>JMIR Research Protocols</i> , 2019, 8, e11868.	0.5	10
78	Outcome of Allogeneic Hematopoietic Stem Cell Transplantation in Children and Adolescents with GATA2-Related Myelodysplastic Syndrome. <i>Blood</i> , 2019, 134, 2033-2033.	0.6	0
79	Patient-Tailored Deep Sequencing of Peripheral Blood Enables Early Detection of Relapse in Childhood Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 1456-1456.	0.6	0
80	Characteristics of children with acute lymphoblastic leukemia presenting with arthropathy. <i>Clinical Rheumatology</i> , 2018, 37, 2455-2463.	1.0	13
81	Congenital hypoplastic bone marrow failure associated with a de novo partial deletion of the MECOM gene at 3q26.2. <i>Gene</i> , 2018, 656, 86-94.	1.0	9
82	Acute myeloid leukemia (AML) with t(7;12)(q36;p13) is associated with infancy and trisomy 19: Data from Nordic Society for Pediatric Hematology and Oncology (NOPHO-AML) and review of the literature. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 359-365.	1.5	25
83	Constitutional <i>SAMD9L</i> mutations cause familial myelodysplastic syndrome and transient monosomy 7. <i>Haematologica</i> , 2018, 103, 427-437.	1.7	83
84	Liver diseases in Adult Life after Childhood Cancer in Scandinavia (ALiCCS): A population-based cohort study of 32,839 one-year survivors. <i>International Journal of Cancer</i> , 2018, 142, 702-708.	2.3	4
85	Complex and monosomal karyotype are distinct cytogenetic entities with an adverse prognostic impact in paediatric acute myeloid leukaemia. A NOPHO-DBH-AML study. <i>British Journal of Haematology</i> , 2018, 183, 618-628.	1.2	8
86	Risk of cardiovascular disease among Nordic childhood cancer survivors with diabetes mellitus: A report from adult life after childhood cancer in Scandinavia. <i>Cancer</i> , 2018, 124, 4393-4400.	2.0	13
87	Prognostic impact of t(16;21)(p11;q22) and t(16;21)(q24;q22) in pediatric AML: a retrospective study by the I-BFM Study Group. <i>Blood</i> , 2018, 132, 1584-1592.	0.6	45
88	Late mortality and morbidity among long-term leukemia survivors with Down syndrome: A nationwide population-based cohort study. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27249.	0.8	10
89	Risk-adapted treatment of acute promyelocytic leukemia: results from the International Consortium for Childhood APL. <i>Blood</i> , 2018, 132, 405-412.	0.6	46
90	Associations between neutrophil recovery time, infections and relapse in pediatric acute myeloid leukemia. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27231.	0.8	8

#	ARTICLE	IF	CITATIONS
91	Somatic late effects in 5-year survivors of neuroblastoma: a population-based cohort study within the Adult Life after Childhood Cancer in Scandinavia study. <i>International Journal of Cancer</i> , 2018, 143, 3083-3096.	2.3	15
92	Differences in infection prophylaxis measures between paediatric acute myeloid leukaemia study groups within the international Berlin-Frankfurt-Münster (BFM) study group. <i>British Journal of Haematology</i> , 2018, 183, 87-95.	1.2	8
93	The long non-coding RNA landscape in juvenile myelomonocytic leukemia. <i>Haematologica</i> , 2018, 103, e501-e504.	1.7	13
94	Clinical characteristics and registry-validated extended pedigrees of germline TP53 mutation carriers in Denmark. <i>PLoS ONE</i> , 2018, 13, e0190050.	1.1	6
95	Hypodiploidy in Childhood Acute Myeloid Leukemia: A Retrospective Cohort Study within the International Berlin-Frankfurt-Münster Study Group. <i>Blood</i> , 2018, 132, 1466-1466.	0.6	1
96	FAMILY-Oriented Support (FAMOS): development and feasibility of a psychosocial intervention for families of childhood cancer survivors. <i>Acta Oncologica</i> , 2017, 56, 367-374.	0.8	19
97	Presenting features and imaging in childhood acute myeloid leukemia with central nervous system involvement. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26459.	0.8	11
98	Therapy reduction in patients with Down syndrome and myeloid leukemia: the international ML-DS 2006 trial. <i>Blood</i> , 2017, 129, 3314-3321.	0.6	64
99	Children with low-risk acute lymphoblastic leukemia are at highest risk of second cancers. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26518.	0.8	3
100	Outcome after intensive reinduction therapy and allogeneic stem cell transplant in paediatric relapsed acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2017, 178, 592-602.	1.2	30
101	Characteristics and outcome in patients with central nervous system involvement treated in European pediatric acute myeloid leukemia study groups. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26664.	0.8	14
102	Hyperleucocytosis in paediatric acute myeloid leukaemia – the challenge of white blood cell counts above $200 \times 10^9/l$. The NOPHO experience 1984–2014. <i>British Journal of Haematology</i> , 2017, 178, 448-456.	1.2	12
103	Predictors of thrombohemorrhagic early death in children and adolescents with t(15;17)-positive acute promyelocytic leukemia treated with ATRA and chemotherapy. <i>Annals of Hematology</i> , 2017, 96, 1449-1456.	0.8	32
104	Extramedullary leukemia in children with acute myeloid leukemia: A population-based cohort study from the Nordic Society of Pediatric Hematology and Oncology (NOPHO). <i>Pediatric Blood and Cancer</i> , 2017, 64, e26520.	0.8	38
105	Cancer Screening in Li-Fraumeni Syndrome. <i>JAMA Oncology</i> , 2017, 3, 1645.	3.4	9
106	Strategies for reducing the treatment-related physical burden of childhood acute myeloid leukaemia – a review. <i>British Journal of Haematology</i> , 2017, 176, 168-178.	1.2	15
107	Measuring childhood cancer late effects: evidence of a healthy survivor effect. <i>European Journal of Epidemiology</i> , 2017, 32, 1089-1096.	2.5	4
108	RAS-pathway mutation patterns define epigenetic subclasses in juvenile myelomonocytic leukemia. <i>Nature Communications</i> , 2017, 8, 2126.	5.8	91

#	ARTICLE	IF	CITATIONS
109	Long-term inpatient disease burden in the Adult Life after Childhood Cancer in Scandinavia (ALiCCS) study: A cohort study of 21,297 childhood cancer survivors. PLoS Medicine, 2017, 14, e1002296.	3.9	64
110	Cardiac function in survivors of childhood acute myeloid leukemia treated with chemotherapy only: a <sc>NOPHO</sc>â€<sc>AML</sc> study. European Journal of Haematology, 2016, 97, 55-62.	1.1	17
111	Gastrointestinal and liver disease in Adult Life After Childhood Cancer in Scandinavia: A populationâ€based cohort study. International Journal of Cancer, 2016, 139, 1501-1511.	2.3	12
112	Myelodysplastic and myeloproliferative disorders of childhood. Hematology American Society of Hematology Education Program, 2016, 2016, 598-604.	0.9	57
113	Low risk of solid tumors in persons with Down syndrome. Genetics in Medicine, 2016, 18, 1151-1157.	1.1	129
114	Prevalence, clinical characteristics, and prognosis of GATA2-related myelodysplastic syndromes in children and adolescents. Blood, 2016, 127, 1387-1397.	0.6	304
115	Acute Myeloid Leukemia in Adolescents and Young Adults Treated in Pediatric and Adult Departments in the Nordic Countries. Pediatric Blood and Cancer, 2016, 63, 83-92.	0.8	16
116	LIN28B overexpression defines a novel fetal-like subgroup of juvenile myelomonocytic leukemia. Blood, 2016, 127, 1163-1172.	0.6	48
117	Long-term risk of renal and urinary tract diseases in childhood cancer survivors: A population-based cohort study. European Journal of Cancer, 2016, 64, 52-61.	1.3	15
118	Is it possible to cure childhood acute myeloid leukaemia without significant cardiotoxicity?. British Journal of Haematology, 2016, 175, 577-587.	1.2	13
119	Effect of age and body weight on toxicity and survival in pediatric acute myeloid leukemia: results from NOPHO-AML 2004. Haematologica, 2016, 101, 1359-1367.	1.7	32
120	Lack of splice factor and cohesin complex mutations in pediatric myelodysplastic syndrome. Haematologica, 2016, 101, e479-e481.	1.7	3
121	Trisomy 8 in pediatric acute myeloid leukemia: A NOPHOâ€AML study. Genes Chromosomes and Cancer, 2016, 55, 719-726.	1.5	10
122	Therapy with lowâ€dose azacitidine for <sc>MDS</sc> in children and young adults: a retrospective analysis of the <sc>EWOG</sc>â€<sc>MDS</sc> study group. British Journal of Haematology, 2016, 172, 930-936.	1.2	31
123	Residual disease detected by flow cytometry is an independent predictor of survival in childhood acute myeloid leukaemia; results of the <sc>NOPHO</sc>â€<sc>AML</sc> 2004 study. British Journal of Haematology, 2016, 174, 600-609.	1.2	65
124	Autoimmune diseases in Adult Life after Childhood Cancer in Scandinavia (ALiCCS). Annals of the Rheumatic Diseases, 2016, 75, 1622-1629.	0.5	17
125	Impact of Somatic Mutations on the Outcome of Children and Adolescents with Therapy-Related Myelodysplastic Syndrome. Blood, 2016, 128, 3162-3162.	0.6	3
126	Bridging to transplant with azacitidine in juvenile myelomonocytic leukemia: a retrospective analysis of the EWOG-MDS study group. Blood, 2015, 125, 2311-2313.	0.6	60

#	ARTICLE	IF	CITATIONS
127	Heterogeneous cytogenetic subgroups and outcomes in childhood acute megakaryoblastic leukemia: a retrospective international study. <i>Blood</i> , 2015, 126, 1575-1584.	0.6	69
128	Criteria for evaluating response and outcome in clinical trials for children with juvenile myelomonocytic leukemia. <i>Haematologica</i> , 2015, 100, 17-22.	1.7	43
129	The Adult Life After Childhood Cancer in Scandinavia (ALiCCS) Study: Design and Characteristics. <i>Pediatric Blood and Cancer</i> , 2015, 62, 2204-2210.	0.8	45
130	The applicability of the WHO classification in paediatric AML. A NOPHO-AML study. <i>British Journal of Haematology</i> , 2015, 169, 859-867.	1.2	18
131	Cardiovascular disease in Adult Life after Childhood Cancer in Scandinavia: A population-based cohort study of 32,308 one-year survivors. <i>International Journal of Cancer</i> , 2015, 137, 1176-1186.	2.3	61
132	Treatment-related Myelodysplastic Syndrome in a Child With Acute Myeloid Leukemia and TPMT Heterozygosity. <i>Journal of Pediatric Hematology/Oncology</i> , 2015, 37, e242-e244.	0.3	3
133	Bone marrow immunophenotyping by flow cytometry in refractory cytopenia of childhood. <i>Haematologica</i> , 2015, 100, 315-323.	1.7	38
134	Extreme doses of intravenous methadone for severe pain in two children with cancer. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1087-1090.	0.8	20
135	Hematological Changes Mimicking Myelodysplastic Syndrome Following Treatment for Osteosarcoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2015, 37, 170-174.	0.3	2
136	Arthritis as presenting manifestation of acute lymphoblastic leukaemia in children. <i>Archives of Disease in Childhood</i> , 2015, 100, 821-825.	1.0	44
137	Collaborative Efforts Driving Progress in Pediatric Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2015, 33, 2949-2962.	0.8	277
138	Classification of treatment-related mortality in children with cancer: a systematic assessment. <i>Lancet Oncology</i> , The, 2015, 16, e604-e610.	5.1	69
139	Clonal Mutational Landscape of Childhood Myelodysplastic Syndromes. <i>Blood</i> , 2015, 126, 1662-1662.	0.6	9
140	Somatic Genetic and Epigenetic Architecture of Myelodysplastic Syndromes Arising from GATA2 Deficiency. <i>Blood</i> , 2015, 126, 299-299.	0.6	10
141	Risk-Group Stratified and Minimal Residual Disease (MRD)-Guided Treatment with Extended ATRA and Reduced-Anthracycline Chemotherapy in Childhood Acute Promyelocytic Leukemia (APL): Results from ICC APL Study 01 (NCT01226303; EudraCT 2008-002311-40). <i>Blood</i> , 2015, 126, 563-563.	0.6	2
142	The Integrated Immunological Signature of Refractory Cytopenia of Childhood (RCC). <i>Blood</i> , 2015, 126, 1657-1657.	0.6	0
143	Effect of Age and Weight on Toxicity and Survival in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 3745-3745.	0.6	1
144	Predictors of Early Death in Childhood Acute Promyelocytic Leukemia: Results of an International Retrospective Study. <i>Blood</i> , 2015, 126, 172-172.	0.6	1

#	ARTICLE	IF	CITATIONS
145	qPCR MRD Monitoring in Peripheral Blood May Predict Hematological Relapse in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 3749-3749.	0.6	0
146	The prognostic significance of early treatment response in pediatric relapsed acute myeloid leukemia: results of the international study Relapsed AML 2001/01. <i>Haematologica</i> , 2014, 99, 1472-1478.	1.7	42
147	<i>RASA4</i> undergoes DNA hypermethylation in resistant juvenile myelomonocytic leukemia. <i>Epigenetics</i> , 2014, 9, 1252-1260.	1.3	34
148	T-cell receptor V β 2 skewing frequently occurs in refractory cytopenia of childhood and is associated with an expansion of effector cytotoxic T cells: a prospective study by EWOG-MDS. <i>Blood Cancer Journal</i> , 2014, 4, e209-e209.	2.8	8
149	t(6;9)(p22;q34)/DEK-NUP214-rearranged pediatric myeloid leukemia: an international study of 62 patients. <i>Haematologica</i> , 2014, 99, 865-872.	1.7	77
150	Extreme hyperleukocytosis in a pediatric T-ALL patient with a rare translocation, t(7;19)(q35;p13), and submicroscopic deletions at 4q25, 7q33 and 10q23. <i>Leukemia Research Reports</i> , 2014, 3, 4-7.	0.2	0
151	Hospital contacts for endocrine disorders in Adult Life after Childhood Cancer in Scandinavia (ALiCCS): a population-based cohort study. <i>Lancet, The</i> , 2014, 383, 1981-1989.	6.3	69
152	A critical review of which children with acute myeloid leukaemia need stem cell procedures. <i>British Journal of Haematology</i> , 2014, 166, 23-33.	1.2	62
153	The clinical relevance of minor paroxysmal nocturnal hemoglobinuria clones in refractory cytopenia of childhood: a prospective study by EWOG-MDS. <i>Leukemia</i> , 2014, 28, 189-192.	3.3	21
154	Mitochondrial 12S Ribosomal RNA A1555G Mutation Associated with Cardiomyopathy and Hearing Loss following High-Dose Chemotherapy and Repeated Aminoglycoside Exposure. <i>Journal of Pediatrics</i> , 2014, 164, 413-415.	0.9	13
155	Renal, gastrointestinal, and hepatic late effects in survivors of childhood acute myeloid leukemia treated with chemotherapy only-A NOPHO-AML study. <i>Pediatric Blood and Cancer</i> , 2014, 61, 1638-1643.	0.8	16
156	Ploidy and clinical characteristics of childhood acute myeloid leukemia: A NOPHO-AML study. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 667-675.	1.5	28
157	Acute renal failure and normal blood count: A rare presentation of T-cell acute lymphoblastic leukemia. <i>Leukemia Research Reports</i> , 2014, 3, 14-16.	0.2	4
158	Adult Life after Childhood Cancer in Scandinavia: Diabetes mellitus following treatment for cancer in childhood. <i>European Journal of Cancer</i> , 2014, 50, 1169-1175.	1.3	61
159	Normal karyotype is a poor prognostic factor in myeloid leukemia of Down syndrome: a retrospective, international study. <i>Haematologica</i> , 2014, 99, 299-307.	1.7	34
160	Comparison of horse and rabbit antithymocyte globulin in immunosuppressive therapy for refractory cytopenia of childhood. <i>Haematologica</i> , 2014, 99, 656-663.	1.7	36
161	Anthracycline Type during Induction Associated with Outcome in Pediatric t(8;21) and Inv(16) AML. <i>Blood</i> , 2014, 124, 11-11.	0.6	12
162	Pediatric Acute Megakaryoblastic Leukemia without Down Syndrome: A Retrospective Study by the International Berlin-Frankfurt-Munster Study Group (I-BFMSG). <i>Blood</i> , 2014, 124, 3670-3670.	0.6	0

#	ARTICLE	IF	CITATIONS
163	Bone Marrow Immunophenotyping By Flow Cytometry in Refractory Cytopenia of Childhood. <i>Blood</i> , 2014, 124, 1916-1916.	0.6	0
164	Applicability of a reproducible flow cytometry scoring system in the diagnosis of refractory cytopenia of childhood. <i>Leukemia</i> , 2013, 27, 1923-1925.	3.3	20
165	Complex Three-Way Translocation Involving <i>MLL</i> , <i>ELL</i> , <i>RREB1</i> , and <i>CMAHP</i> Genes in an Infant with Acute Myeloid Leukemia and t(6;19;11)(p22.2;p13.1;q23.3). <i>Cytogenetic and Genome Research</i> , 2013, 141, 7-15.	0.6	11
166	Tubulointerstitial Nephritis in a Patient With Probable Autoimmune Lymphoproliferative Syndrome. <i>Journal of Pediatric Hematology/Oncology</i> , 2013, 35, e187-e189.	0.3	4
167	Improved Outcome in Pediatric Relapsed Acute Myeloid Leukemia: Results of a Randomized Trial on Liposomal Daunorubicin by the International BFM Study Group. <i>Journal of Clinical Oncology</i> , 2013, 31, 599-607.	0.8	197
168	Outcome of poor response paediatric AML using early SCT. <i>European Journal of Haematology</i> , 2013, 90, 187-194.	1.1	12
169	Hospitalizations among people with Down syndrome: A nationwide population-based study in Denmark. <i>American Journal of Medical Genetics, Part A</i> , 2013, 161, 650-657.	0.7	32
170	Incidence of Severe Osteonecrosis Requiring Total Joint Arthroplasty in Children and Young Adults Treated for Leukemia or Lymphoma: A Nationwide, Register-Based Study in Finland and Denmark. <i>Journal of Adolescent and Young Adult Oncology</i> , 2013, 2, 138-144.	0.7	17
171	Pediatric acute myeloid leukemia with t(8;16)(p11;p13), a distinct clinical and biological entity: a collaborative study by the International-Berlin-Frankfurt-Münster AML-study group. <i>Blood</i> , 2013, 122, 2704-2713.	0.6	86
172	Pubertal development and fertility in survivors of childhood acute myeloid leukemia treated with chemotherapy only: A NOPHO-AML study. <i>Pediatric Blood and Cancer</i> , 2013, 60, 1988-1995.	0.8	25
173	High frequency of streptococcal bacteraemia during childhood AML therapy irrespective of dose of cytarabine. <i>Pediatric Blood and Cancer</i> , 2013, 60, 1154-1160.	0.8	25
174	The Applicability Of The WHO Classification In Pediatric AML. A NOPHO-AML Study. <i>Blood</i> , 2013, 122, 1354-1354.	0.6	0
175	Low frequency of type-I and type-II aberrations in myeloid leukemia of Down syndrome, underscoring the unique entity of this disease. <i>Haematologica</i> , 2012, 97, 632-634.	1.7	3
176	Response: high ERG gene expression is an unfavorable prognostic marker in pediatric acute myeloid leukemia. <i>Blood</i> , 2012, 119, 1087-1088.	0.6	7
177	Spliceosomal gene aberrations are rare, coexist with oncogenic mutations, and are unlikely to exert a driver effect in childhood MDS and JMML. <i>Blood</i> , 2012, 119, e96-e99.	0.6	65
178	High frequency of copy number alterations in myeloid leukaemia of Down syndrome. <i>British Journal of Haematology</i> , 2012, 158, 800-803.	1.2	10
179	Diagnosis and management of acute myeloid leukemia in children and adolescents: recommendations from an international expert panel. <i>Blood</i> , 2012, 120, 3187-3205.	0.6	451
180	Gemtuzumab ozogamicin as postconsolidation therapy does not prevent relapse in children with AML: results from NOPHO-AML 2004. <i>Blood</i> , 2012, 120, 978-984.	0.6	97

#	ARTICLE	IF	CITATIONS
181	Genetic and epigenetic similarities and differences between childhood and adult AML. <i>Pediatric Blood and Cancer</i> , 2012, 58, 525-531.	0.8	34
182	Unexpected High Frequency of GATA2 Mutations in Children with Non-Familial MDS and Monosomy 7. <i>Blood</i> , 2012, 120, 1699-1699.	0.6	7
183	High Frequency of GATA1 Mutations in Childhood Non-Down Syndrome Acute Megakaryoblastic Leukemia. <i>Blood</i> , 2012, 120, 888-888.	0.6	3
184	JMML Revisited: Role and Outcome of Hematopoietic Stem Cell Transplantation in Subtypes of Juvenile Myelomonocytic Leukemia (JMML). <i>Blood</i> , 2012, 120, 955-955.	0.6	4
185	Molecular Aberrations in 107 Children with Myelodysplastic Syndrome (MDS).. <i>Blood</i> , 2012, 120, 2802-2802.	0.6	0
186	Translocation t(6;9)(p22;q34)/DEK-NUP214 rearranged Pediatric AML: A Retrospective International Study. <i>Blood</i> , 2012, 120, 538-538.	0.6	6
187	Pediatric Acute Myeloid Leukemia with t(8;16)(p11;p13): A Distinct Clinical and Biological Entity. Results of a Collaborative Study by the International Berlin-Frankfurt-Münster AML Study Group.. <i>Blood</i> , 2012, 120, 2516-2516.	0.6	0
188	Response-Guided Induction Therapy in Pediatric Acute Myeloid Leukemia With Excellent Remission Rate. <i>Journal of Clinical Oncology</i> , 2011, 29, 310-315.	0.8	156
189	Acute Respiratory Failure in 3 Children With Juvenile Myelomonocytic Leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 2011, 33, e363-e367.	0.3	8
190	Aberrant DNA methylation characterizes juvenile myelomonocytic leukemia with poor outcome. <i>Blood</i> , 2011, 117, 4871-4880.	0.6	94
191	Treatment-related deaths in second complete remission in childhood acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2011, 152, 623-630.	1.2	9
192	Advances in the prognostication and management of advanced MDS in children. <i>British Journal of Haematology</i> , 2011, 154, 185-195.	1.2	60
193	Frequency and prognostic implications of JAK 1-3 aberrations in Down syndrome acute lymphoblastic and myeloid leukemia. <i>Leukemia</i> , 2011, 25, 1365-1368.	3.3	20
194	Presence of FLT3-ITD and high BAALC expression are independent prognostic markers in childhood acute myeloid leukemia. <i>Blood</i> , 2011, 118, 5905-5913.	0.6	83
195	Quality of health in survivors of childhood acute myeloid leukemia treated with chemotherapy only: A NOPHO-AML study. <i>Pediatric Blood and Cancer</i> , 2011, 57, 1222-1229.	0.8	43
196	Cancer in Noonan, Costello, cardiofaciocutaneous and LEOPARD syndromes. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2011, 157, 83-89.	0.7	176
197	Hyperdiploidy in Childhood AML Associated with Low Age and AML-M7. A NOPHO-AML Study and Literature Review.. <i>Blood</i> , 2011, 118, 3529-3529.	0.6	1
198	JMML and Myelodysplastic Syndrome in Children. , 2011, , 253-278.		0

#	ARTICLE	IF	CITATIONS
199	IER3 Expression in Childhood Myelodysplastic Syndrome,. Blood, 2011, 118, 3817-3817.	0.6	0
200	Gemtuzumab Ozogamicin as Post-Consolidation Therapy Does Not Prevent Relapse In Children with AML. Results of the NOPHO-AML 2004 Study. Blood, 2011, 118, 1534-1534.	0.6	5
201	Mutations of the Spliceosome Complex Genes Occur In Adult Patients but Are Very Rare In Children with Myeloid Neoplasia. Blood, 2011, 118, 2797-2797.	0.6	0
202	Therapy-Related Myelodysplastic Syndrome Following Treatment for Childhood Acute Lymphoblastic Leukemia: Outcome of Patients Registered in the EWOG-MDS 98/06 Studies,. Blood, 2011, 118, 4130-4130.	0.6	0
203	Complex karyotype newly defined: the strongest prognostic factor in advanced childhood myelodysplastic syndrome. Blood, 2010, 116, 3766-3769.	0.6	99
204	Mitotic recombination and compound-heterozygous mutations are predominant NF1-inactivating mechanisms in children with juvenile myelomonocytic leukemia and neurofibromatosis type 1. Haematologica, 2010, 95, 320-323.	1.7	58
205	Strikingly different molecular relapse kinetics in NPM1c, PML-RARA, RUNX1-RUNX1T1, and CBFB-MYH11 acute myeloid leukemias. Blood, 2010, 115, 198-205.	0.6	125
206	Acute lymphoblastic leukemia with Philadelphia chromosome in a 39-year-old woman with Down syndrome presenting as meningitis and fulminant liver failure. Leukemia Research, 2010, 34, e297-e299.	0.4	4
207	Salvage treatment for children with refractory first or second relapse of acute myeloid leukaemia with gemtuzumab ozogamicin: results of a phase II study. British Journal of Haematology, 2010, 148, 768-776.	1.2	75
208	Early and treatment-related deaths in childhood acute myeloid leukaemia in the Nordic countries: 1984-2003. British Journal of Haematology, 2010, 151, 447-459.	1.2	47
209	Germline CBL mutations cause developmental abnormalities and predispose to juvenile myelomonocytic leukemia. Nature Genetics, 2010, 42, 794-800.	9.4	308
210	Clinical Impact of Additional Cytogenetic Aberrations and Complex Karyotype In Pediatric 11q23/MLL-Rearranged AML: Results from an International Retrospective Study. Blood, 2010, 116, 762-762.	0.6	2
211	Myeloid Leukemia of Down Syndrome: The Results of An International Retrospective Study. Blood, 2010, 116, 2718-2718.	0.6	0
212	Refractory Cytopenia In Childhood (RCC) with Normal Karyotype Is Unlikely to Progress to Advanced MDS Under a Watch and Wait Strategy. Blood, 2010, 116, 4007-4007.	0.6	6
213	Good General Health In Survivors of Childhood AML Treated with Chemotherapy Only: A NOPHO-AML Study.. Blood, 2010, 116, 1076-1076.	0.6	0
214	Malignant Diseases in Noonan Syndrome and Related Disorders. Hormone Research, 2009, 72, 8-14.	1.8	64
215	Splenectomy in two children with autoimmune lymphoproliferative syndrome and massive splenomegaly. Pediatric Blood and Cancer, 2009, 53, 1124-1126.	0.8	1
216	Thioguanine pharmacokinetics in induction therapy of children with acute myeloid leukemia. Anti-Cancer Drugs, 2009, 20, 7-14.	0.7	13

#	ARTICLE	IF	CITATIONS
217	Mutations in CBL occur frequently in juvenile myelomonocytic leukemia. <i>Blood</i> , 2009, 114, 1859-1863.	0.6	260
218	Novel prognostic subgroups in childhood 11q23/MLL-rearranged acute myeloid leukemia: results of an international retrospective study. <i>Blood</i> , 2009, 114, 2489-2496.	0.6	383
219	Germline Mutations in CBL Cause a Predisposition to Juvenile Myelomonocytic Leukemia.. <i>Blood</i> , 2009, 114, 310-310.	0.6	2
220	High Frequency of Copy Number Variations in Myeloid Leukemia of Down Syndrome.. <i>Blood</i> , 2009, 114, 3242-3242.	0.6	0
221	Genetic and Epigenetic Events in Childhood AML - Similarities and Differences with Adult AML.. <i>Blood</i> , 2009, 114, 2396-2396.	0.6	0
222	Mutation Analysis of JAK-1, 2 and 3 in Children with Down Syndrome and Acute Leukemia.. <i>Blood</i> , 2009, 114, 5035-5035.	0.6	1
223	Hepatotoxicity in Patients Treated with Gemtuzumab Ozogamicin - Specific Targeting of Hepatocytes?. <i>Blood</i> , 2009, 114, 4150-4150.	0.6	8
224	Aberrant DNA Methylation Characterizes a Subtype of Juvenile Myelomonocytic Leukemia (JMML) with Poor Outcome.. <i>Blood</i> , 2009, 114, 828-828.	0.6	0
225	A novel splice mutation in the TP53 gene associated with Leydig cell tumor and primitive neuroectodermal tumor. <i>Pediatric Blood and Cancer</i> , 2008, 50, 701-703.	0.8	6
226	Myeloid leukemia in children 4 years or older with Down syndrome often lacks GATA1 mutation and cytogenetics and risk of relapse are more akin to sporadic AML. <i>Leukemia</i> , 2008, 22, 1428-1430.	3.3	63
227	Relapse prediction in acute myeloid leukaemia patients in complete remission using <i>WT1</i> as a molecular marker: development of a mathematical model to predict time from molecular to clinical relapse and define optimal sampling intervals. <i>British Journal of Haematology</i> , 2008, 141, 782-791.	1.2	71
228	Genotype-phenotype correlation in cases of juvenile myelomonocytic leukemia with clonal RAS mutations. <i>Blood</i> , 2008, 111, 966-967.	0.6	60
229	Impaired CD163-mediated hemoglobin-scavenging and severe toxic symptoms in patients treated with gemtuzumab ozogamicin. <i>Blood</i> , 2008, 112, 1510-1514.	0.6	29
230	Mathematical Modeling of Molecular Relapse Kinetics in NPM1c+, PML-Rara+, RUNX1-RUN1T1+, and CBFβ-MYH11+ Acute Myeloid Leukemias. <i>Blood</i> , 2008, 112, 2525-2525.	0.6	0
231	Age and Prognosis in Pediatric AML. <i>Blood</i> , 2008, 112, 2990-2990.	0.6	14
232	Monosomy 7 and deletion 7q in children and adolescents with acute myeloid leukemia: an international retrospective study. <i>Blood</i> , 2007, 109, 4641-4647.	0.6	126
233	Myelodysplastic and myeloproliferative disorders in children. <i>Current Opinion in Pediatrics</i> , 2007, 19, 1-8.	1.0	48
234	Janus kinase mutations in the development of acute megakaryoblastic leukemia in children with and without Down's syndrome. <i>Leukemia</i> , 2007, 21, 1584-1587.	3.3	30

#	ARTICLE	IF	CITATIONS
235	Improved outcome after relapse in children with acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2007, 136, 229-236.	1.2	81
236	Mutation analysis of Son of Sevenless in juvenile myelomonocytic leukemia. <i>Leukemia</i> , 2007, 21, 1108-1109.	3.3	26
237	Gemtuzumab Ozagamicin Is Well Tolerated as Post-Consolidation Therapy in Childhood AML. <i>Blood</i> , 2007, 110, 4367-4367.	0.6	3
238	A Complex Karyotype but Not Monosomy 7 Is an Independent Prognostic Factor in Advanced Childhood MDS. <i>Blood</i> , 2007, 110, 2452-2452.	0.6	0
239	Impaired CD163 Mediated Hemoglobin-Scavenging and Hemolytic Crisis in Patients Treated with CD33 Targeted Chemotherapy (Gemtuzumab Ozogamicin, Mylotargâ„†). <i>Blood</i> , 2007, 110, 3684-3684.	0.6	0
240	BRAF Mutations in Juvenile Myelomonocytic Leukemia. <i>Blood</i> , 2007, 110, 4602-4602.	0.6	0
241	A novel somatic K-Ras mutation in juvenile myelomonocytic leukemia. <i>Leukemia</i> , 2006, 20, 1637-1638.	3.3	15
242	Minimal residual core binding factor AMLs by real time quantitative PCRâ€™Initial response to chemotherapy predicts event free survival and close monitoring of peripheral blood unravels the kinetics of relapse. <i>Leukemia Research</i> , 2006, 30, 389-395.	0.4	59
243	WT1 gene expression in children with Down syndrome and transient myeloproliferative disorder. <i>Leukemia Research</i> , 2006, 30, 543-546.	0.4	12
244	Optimal treatment intensity in children with Down syndrome and myeloid leukaemia: data from 56 children treated on NOPHO-AML protocols and a review of the literature. <i>Annals of Hematology</i> , 2006, 85, 275-280.	0.8	61
245	Identification of distinct molecular phenotypes in acute megakaryoblastic leukemia by gene expression profiling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 3339-3344.	3.3	173
246	GATA1 Mutation Analysis Demonstrates Two Distinct Primary Leukemias in a Child With Down Syndrome; Implications for Leukemogenesis. <i>Journal of Pediatric Hematology/Oncology</i> , 2005, 27, 408-409.	0.3	13
247	Acute leukaemia in children with Down syndrome: a population-based Nordic study. <i>British Journal of Haematology</i> , 2005, 128, 797-804.	1.2	132
248	Donor leukocyte infusion after hematopoietic stem cell transplantation in patients with juvenile myelomonocytic leukemia. <i>Leukemia</i> , 2005, 19, 971-977.	3.3	80
249	Long-term results in children with AML: NOPHO-AML Study Group â€™ report of three consecutive trials. <i>Leukemia</i> , 2005, 19, 2090-2100.	3.3	144
250	Pediatric myelodysplastic syndromes. <i>Current Treatment Options in Oncology</i> , 2005, 6, 209-214.	1.3	22
251	Hematopoietic stem cell transplantation (HSCT) in children with juvenile myelomonocytic leukemia (JMML): results of the EWOG-MDS/EBMT trial. <i>Blood</i> , 2005, 105, 410-419.	0.6	291
252	The mutational spectrum of PTPN11 in juvenile myelomonocytic leukemia and Noonan syndrome/myeloproliferative disease. <i>Blood</i> , 2005, 106, 2183-2185.	0.6	247

#	ARTICLE	IF	CITATIONS
253	Subcutaneous Anti-D as Treatment of Idiopathic Thrombocytopenic Purpura in Children; Clinical Observations.. Blood, 2005, 106, 3998-3998.	0.6	0
254	WT1 gene expression: an excellent tool for monitoring minimal residual disease in 70% of acute myeloid leukaemia patients - results from a single-centre study. British Journal of Haematology, 2004, 125, 590-600.	1.2	171
255	The International Prognostic Scoring System (IPSS) for childhood myelodysplastic syndrome (MDS) and juvenile myelomonocytic leukemia (JMML). Leukemia, 2004, 18, 2008-2014.	3.3	91
256	Treatment stratification based on initial in vivo response in acute myeloid leukaemia in children without Down's syndrome: results of NOPHO-AML trials. British Journal of Haematology, 2003, 122, 217-225.	1.2	110
257	A pediatric approach to the WHO classification of myelodysplastic and myeloproliferative diseases. Leukemia, 2003, 17, 277-282.	3.3	397
258	Reply to Gassas et al. Leukemia, 2003, 17, 2532-2532.	3.3	0
259	Somatic mutations in PTPN11 in juvenile myelomonocytic leukemia, myelodysplastic syndromes and acute myeloid leukemia. Nature Genetics, 2003, 34, 148-150.	9.4	960
260	Refractory anemia in childhood: a retrospective analysis of 67 patients with particular reference to monosomy 7. Blood, 2003, 102, 1997-2003.	0.6	154
261	Pattern of malignant disorders in individuals with Down's syndrome. Lancet Oncology, The, 2001, 2, 429-436.	5.1	255
262	Evidence of decreased risk of cancer in individuals with fragile X. American Journal of Medical Genetics Part A, 2001, 103, 226-230.	2.4	65
263	Risks of leukaemia and solid tumours in individuals with Down's syndrome. Lancet, The, 2000, 355, 165-169.	6.3	746
264	SIGNIFICANCE OF MONOSOMY 7 IN MYELOID LEUKEMIAS IN CHILDREN. Fetal and Pediatric Pathology, 2000, 19, 235-250.	0.3	1
265	SIGNIFICANCE OF MONOSOMY 7 IN MYELOID LEUKEMIAS IN CHILDREN. Fetal and Pediatric Pathology, 2000, 19, 235-250.	0.3	1
266	A population-based study of childhood myelodysplastic syndrome in British Columbia, Canada. British Journal of Haematology, 1999, 106, 1027-1032.	1.2	100
267	RAS mutations and clonality analysis in children with juvenile myelomonocytic leukemia (JMML). Leukemia, 1999, 13, 32-37.	3.3	186
268	Myelodysplastic syndrome, juvenile myelomonocytic leukemia, and acute myeloid leukemia associated with complete or partial monosomy 7. Leukemia, 1999, 13, 376-385.	3.3	142
269	Occurrence of Cancer in a Cohort of 183 Persons with Constitutional Chromosome 7 Abnormalities. Cancer Genetics and Cytogenetics, 1998, 105, 39-42.	1.0	21
270	Allogeneic bone marrow transplantation for chronic myelomonocytic leukemia in childhood: a report from the European Working Group on Myelodysplastic Syndrome in Childhood.. Journal of Clinical Oncology, 1997, 15, 566-573.	0.8	110

#	ARTICLE	IF	CITATIONS
271	Cancer in relatives of children with myelodysplastic syndrome, acute and chronic myeloid leukaemia. British Journal of Haematology, 1997, 97, 127-131.	1.2	22
272	Turner Syndrome and Myelodysplastic Syndrome. No Reason to Alert. Journal of Pediatric Hematology/Oncology, 1997, 19, 179.	0.3	1
273	Chronic myelomonocytic leukemia in childhood: a retrospective analysis of 110 cases. European Working Group on Myelodysplastic Syndromes in Childhood (EWOG-MDS). Blood, 1997, 89, 3534-43.	0.6	320
274	Haemophagocytic lymphohistiocytosis associated with constitutional inversion of chromosome 9. British Journal of Haematology, 1996, 93, 808-809.	1.2	10
275	Occurrence of cancer in women with Turner syndrome. British Journal of Cancer, 1996, 73, 1156-1159.	2.9	101
276	Intensive chemotherapy in childhood myelodysplastic syndrome. A comparison with results in acute myeloid leukemia. Leukemia, 1996, 10, 1269-73.	3.3	52
277	Cancer incidence in men with Klinefelter syndrome. British Journal of Cancer, 1995, 71, 416-420.	2.9	222
278	ATYPICAL CHRONIC MYELOID LEUKAEMIA AND CHRONIC MYELOMONOCYTIC LEUKAEMIA IN CHILDREN. British Journal of Haematology, 1995, 89, 428-429.	1.2	7
279	Prolonged intrathecal chemotherapy replacing cranial irradiation in high-risk acute lymphatic leukaemia: Long-term follow up with cerebral computed tomography scans and endocrinological studies. European Journal of Pediatrics, 1995, 154, 24-29.	1.3	21
280	Myelodysplastic syndrome in a child with constitutional trisomy 8 mosaicism and normal phenotype. Cancer Genetics and Cytogenetics, 1995, 79, 79-81.	1.0	54
281	Childhood myelodysplastic syndrome in Denmark: incidence and predisposing conditions. Leukemia, 1995, 9, 1569-72.	3.3	92
282	Transient pancytopenia preceding acute lymphoblastic leukemia (pre-ALL). Leukemia, 1995, 9, 605-8.	3.3	32
283	Myelodysplastic Syndromes in Childhood—Classification, Epidemiology, and Treatment. Leukemia and Lymphoma, 1994, 13, 11-26.	0.6	97
284	Chronic parvovirus infection mimicking myelodysplastic syndrome in a child with subclinical immunodeficiency. The American Journal of Pediatric Hematology/oncology, 1994, 16, 329-33.	1.3	28
285	Hodgkin's disease diagnosed post mortem: a population based study. British Journal of Cancer, 1993, 67, 185-189.	2.9	16
286	Mediastinal germ cell tumour associated with Klinefelter syndrome. European Journal of Pediatrics, 1992, 151, 735-739.	1.3	75
287	Myelodysplastic syndrome. , 0, , 429-443.		0
288	Myelodysplastic syndrome. , 0, , 548-570.		1

#	ARTICLE	IF	CITATIONS
289	Long-Term Risk of Hospitalization for Somatic Diseases Among Survivors of Childhood Acute Lymphoblastic Leukemia. JNCI Cancer Spectrum, 0, , .	1.4	2
290	Effects on Pediatric Cancer Survivors: The FAMily-Oriented Support (FAMOS) Randomized Controlled Trial. Journal of Pediatric Psychology, 0, , .	1.1	0