

Mahima Swamy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9085272/publications.pdf>

Version: 2024-02-01

31
papers

2,091
citations

430874

18
h-index

434195

31
g-index

34
all docs

34
docs citations

34
times ranked

3506
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-15 and PIM kinases direct the metabolic programming of intestinal intraepithelial lymphocytes. <i>Nature Communications</i> , 2021, 12, 4290.	12.8	8
2	Tissue environment, not ontogeny, defines murine intestinal intraepithelial T lymphocytes. <i>ELife</i> , 2021, 10, .	6.0	14
3	Mechanisms of activation of innate-like intraepithelial T lymphocytes. <i>Mucosal Immunology</i> , 2020, 13, 721-731.	6.0	30
4	Loss of adenomatous polyposis coli function renders intestinal epithelial cells resistant to the cytokine IL-22. <i>PLoS Biology</i> , 2019, 17, e3000540.	5.6	9
5	Control of amino acid transport coordinates metabolic reprogramming in T-cell malignancy. <i>Leukemia</i> , 2017, 31, 2771-2779.	7.2	37
6	A Cholesterol-Based Allosteric Model of T Cell Receptor Phosphorylation. <i>Immunity</i> , 2016, 44, 1091-1101.	14.3	183
7	Glucose and glutamine fuel protein O-GlcNAcylation to control T cell self-renewal and malignancy. <i>Nature Immunology</i> , 2016, 17, 712-720.	14.5	265
8	Intestinal intraepithelial lymphocyte activation promotes innate antiviral resistance. <i>Nature Communications</i> , 2015, 6, 7090.	12.8	64
9	Cholesterol and Sphingomyelin Drive Ligand-independent T-cell Antigen Receptor Nanoclustering. <i>Journal of Biological Chemistry</i> , 2012, 287, 42664-42674.	3.4	145
10	Butyrophilins: an emerging family of immune regulators. <i>Trends in Immunology</i> , 2012, 33, 34-41.	6.8	119
11	Increased Sensitivity of Antigen-Experienced T Cells through the Enrichment of Oligomeric T Cell Receptor Complexes. <i>Immunity</i> , 2011, 35, 375-387.	14.3	153
12	Butyrophilin-like 1 encodes an enterocyte protein that selectively regulates functional interactions with T lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 4376-4381.	7.1	56
13	Provocative exhibits at the Seventeen Gallery. <i>Nature Immunology</i> , 2011, 12, 1131-1133.	14.5	5
14	Stoichiometry and intracellular fate of TRIM-containing TCR complexes. <i>Cell Communication and Signaling</i> , 2010, 8, 5.	6.5	12
15	Epithelial decision makers: in search of the 'epimmunome'. <i>Nature Immunology</i> , 2010, 11, 656-665.	14.5	252
16	Structural characterization of the TCR complex by electron microscopy. <i>International Immunology</i> , 2010, 22, 897-903.	4.0	19
17	Detection of protein complex interactions via a Blue Native-PAGE retardation assay. <i>Analytical Biochemistry</i> , 2009, 392, 177-179.	2.4	11
18	The short length of the extracellular domain of β is crucial for T cell antigen receptor function. <i>Immunology Letters</i> , 2008, 116, 195-202.	2.5	14

#	ARTICLE	IF	CITATIONS
19	The extracellular part of α 1 is buried in the T cell antigen receptor complex. Immunology Letters, 2008, 116, 203-210.	2.5	12
20	A bispecific diabody directed against prostate-specific membrane antigen and CD3 induces T-cell mediated lysis of prostate cancer cells. Cancer Immunology, Immunotherapy, 2008, 57, 43-52.	4.2	74
21	The 450 kDa TCR Complex has a Stoichiometry of α 1 β 2 γ 3 δ 1 μ 1 ν 1 ϵ . Scandinavian Journal of Immunology, 2008, 67, 418-420.	2.7	9
22	Differential antibody binding to the surface α TCR{middle dot}CD3 complex of CD4+ and CD8+ T lymphocytes is conserved in mammals and associated with differential glycosylation. International Immunology, 2008, 20, 1247-1258.	4.0	16
23	Segregation Models. Advances in Experimental Medicine and Biology, 2008, 640, 74-81.	1.6	4
24	Different composition of the human and the mouse α 1 β 1 T cell receptor explains different phenotypes of CD3 δ 3 and CD3 δ 1 immunodeficiencies. Journal of Experimental Medicine, 2007, 204, 2537-2544.	8.5	56
25	Full Activation of the T Cell Receptor Requires Both Clustering and Conformational Changes at CD3. Immunity, 2007, 26, 43-54.	14.3	229
26	Different composition of the human and the mouse α 1 β 1 T cell receptor explains different phenotypes of CD3 δ 3 and CD3 δ 1 immunodeficiencies. Journal of Experimental Medicine, 2007, 204, 3049-3049.	8.5	7
27	A native antibody-based mobility-shift technique (NAMOS-assay) to determine the stoichiometry of multiprotein complexes. Journal of Immunological Methods, 2007, 324, 74-83.	1.4	31
28	T cell antigen receptor stoichiometry: pre-clustering for sensitivity. EMBO Reports, 2006, 7, 490-495.	4.5	73
29	Blue Native Polyacrylamide Gel Electrophoresis (BN-PAGE) for the Identification and Analysis of Multiprotein Complexes. Science Signaling, 2006, 2006, p14-p14.	3.6	115
30	Two dimensional Blue Native-/SDS-PAGE analysis of SLP family adaptor protein complexes. Immunology Letters, 2006, 104, 131-137.	2.5	20
31	Subproteomic analysis of metal-interacting proteins in human B cells. Proteomics, 2005, 5, 3614-3622.	2.2	49